

Fig. 1AL

	1851				1900
				P40 RNA	
42_2	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_8	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_15	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_5b	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_1b	.....	.....	.....	.....	.....
42_13	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_3a	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_4	.....	.....	.....	.....	.....
42_5a	GCGAGCCCAA	GCGGGCCCGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_6b	CTGTACAGTG	AGTGCTTTTG	CGACATTTTG	C..ATCCATC	GACGTCAGAC
43_1	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
43_5	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
43_12	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
43_20	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
43_21	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
43_23	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
43_25	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
44_1	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
44_5	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	ATGAGCCCAA	GCGGGCGCGC	GAGTCAGTTG	CGCAGCCATC	GACGTCAGAC
A3_5	ATGAGCCCAA	GCGGGCGCGC	GAGTCAGTTG	CGCAGCCATC	GACGTCAGAC
A3_7	ATGAGCCCAA	GCGGGCGCGC	GAGTCAGTTG	CGCAGCCATC	GACGTCAGAC
A3_3	ATGAGCCCAA	GCGGGCGCGC	GAGTCAGTTG	CGCAGCCATC	GACGTCAGAC
42_12	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
AAV1	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
AAV2	GTGAGCCCAA	ACGGGTGCGC	GAGTCAGTTG	CGCAGCCATC	GACGTCAGAC
AAV3	GCGAGCCCAA	ACGGGAGTGC	ACGTCACTTG	CGCAGCCGAC	AACGTCAGAC
AAV8	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
AAV9	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
AAV7	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
44_2	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC

P40 RNA

237

Fig. 1AM

	1901				1950
42_2	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
42_8	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
42_15	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
42_5b	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
42_1b	.....	.....	.....	.....	.....
42_13	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
42_3a	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
42_4	.....	.....	.....	.....	.....
42_5a	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
42_6b	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
43_1	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
43_5	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
43_12	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
43_20	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
43_21	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
43_23	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
43_25	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
44_1	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
44_5	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	GCGGA...AG	CTTCGATAAA	CTACGCGGGC	AGGTACCAAA	ACAAATGTTC
A3_5	GCGGA...AG	CTTCGATAAA	CTACGCGGAC	AGGTACCAAA	ACAAATGTTC
A3_7	GCGGA...AG	CTTCGATAAA	CTACGCGGAC	AGGTACCAAA	ACAAATGTTC
A3_3	GCGGA...AG	CTTCGATAAA	CTACGCGGAC	AGGTACCAAA	ACAAATGTTC
42_12	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
AAV1	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
AAV2	GCGGA...AG	CTTCGATCAA	CTACGCAGAC	AGGTACCAAA	ACAAATGTTC
AAV3	GCGGA...AG	CACCGGCGGA	CTACGCGGAC	AGGTACCAAA	ACAAATGTTC
AAV8	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
AAV9	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
AAV7	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC
44_2	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAAA	ACAAATGTTC



Fig. 1AN

	1951				2000
42_2	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
42_8	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
42_15	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
42_5b	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
42_1b	.....	.....	....GAATTC	GCCCTT....	.GGCTGCGTC
42_13	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
42_3a	TCGTCACGCG	GGCATGCTTC	AGATGCTGCT	TCCCTG.CAA	GACATGCGAG
42_4	.....	.....	....GAATTC	GCCCTTTCTA	CGGCTGCGTC
42_5a	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	AACATGCGAG
42_10	.....	.....	....GAATTC	GCCCTTTCTA	CGGCTGCGTC
42_3b	.....	.....	....GAATTC	GCCCTTTCTA	CGGCTGCGTC
42_11	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
42_6b	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
43_1	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	AACGTGCGAG
43_5	TCGTCACGCG	GGCATGCTTC	AGACGCTGTT	TCCCTG.CAA	AACGTGCGAG
43_12	TCGTCACGCG	GGCATGCTCC	AGATGCTGTT	TCCCTG.CAA	AACGTGCGAG
43_20	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
43_21	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
43_23	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
43_25	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
44_1	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	AACATGCGAG
44_5	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	AACATGCGAG
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	TCGTCACGTG	GGCATGAATC	TGATGCTGTT	TCCCTG.TCG	ACAATGCGAA
A3_5	TCGTCACGTG	GGCATGAATC	TGATGCTGTT	TCCCTG.TCG	ACAATGCGAA
A3_7	TCGTCACGTG	GGCATGAATC	TGATGCTGTT	TCCCTG.TCG	ACAATGCGAA
A3_3	TCGTCACGTG	GGCATGAATC	TGATGCTGTT	TCCCTG.TCG	ACAATGCGAA
42_12	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
AAV1	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
AAV2	TCGTCACGTG	GGCATGAATC	TGATGCTGTT	TCCCTG.CAG	ACAATGCGAG
AAV3	TCGTCACGTG	GGCATGAATC	TGATGCTTTT	TCCCTG.TAA	AACATGCGAG
AAV8	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	AACGTGCGAG
AAV9	TCGTCACGCG	GGCATGCTTC	AGATGCTGCT	TCCCTG.CAA	AACGTGCGAG
AAV7	TCGTCACGCG	GGCATGATTC	AGATGCTGTT	TCCCTG.CAA	AACGTGCGAG
44_2	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	AACATGCGAG

Fig. 1AO

	2001				2050
42_2	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
42_8	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
42_15	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCGCGGGA	CCAGAGACTG
42_5b	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
42_1b	A.ACTGGACC	A..ATGAGAA	CTTTCCCTTC	A.....A	CGATTGCGTC
42_13	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
42_3a	AGAATGAATC	AGAATTTTCA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
42_4	A.ACTGGACC	A..ATGAGAA	CTTTCCCTTC	A.....A	CGATTGCGTC
42_5a	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
42_10	A.ACTGGACC	A..ATGAGAA	CTTTCCCTTC	A.....A	CGATTGCGTC
42_3b	A.ACTAGACC	A..ATGAGAA	CTTTCCCTTC	A.....A	CGATTGCGTC
42_11	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCGAGACTG
42_6b	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
43_1	AAAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGG	TCAGAGACTG
43_5	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGG	TCAGAGACTG
43_12	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGG	TCAGAGACTG
43_20	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
43_21	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
43_23	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
43_25	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
44_1	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
44_5	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	AGAATGAATC	AGAATTCAAA	TATCTGCTTC	ACACACGGGC	AAAAAGACTG
A3_5	AGAATGAATC	AGAATTCAAA	TATCTGCTTC	ACACACGGGC	AAAAAGACTG
A3_7	AGAATGAATC	AGAATTCAAA	TATCTGCTTC	ACACACGGGC	AAAAAGACTG
A3_3	AGAATGAATC	AGAATTCAAA	TATCTGCTTC	ACACACGGGC	AAAAAGACTG
42_12	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
AAV1	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CGAGAGACTG
AAV2	AGAATGAATC	AGAATTCAAA	TATCTGCTTC	ACTCACGGAC	AGAAAGACTG
AAV3	AGAATGAATC	AAATTTCCAA	TGTCTGTTT	ACGCATGGTC	AAAGAGACTG
AAV8	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACACACGGGG	TCAGAGACTG
AAV9	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACACACGGGG	TCAGAGACTG
AAV7	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACACACGGGG	TCAGAGACTG
44_2	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG

Fig. 1AP

	2051				2100
42_2	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_8	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_15	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_5b	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_1b	GACAAGATGG	TGATCTGGTG	GG..AGGAGG	GCAAGA....	..TGACGGCC
42_13	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_3a	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_4	GACAAGATGG	TGATCTGGTG	GG..AGGAGG	GCAAGA....	..TGACGGCC
42_5a	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_10	GACAAGATGG	TGATCTGGTG	GG..AGGAGG	GCAAGA....	..TGACGGCC
42_3b	GACAAGATGG	TGATCTGGTG	GG..AGGAGG	GCAAGA....	..TGACGGCC
42_11	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_6b	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
43_1	CTCAGAATGT	TTCCCCGGTG	CATCAGAATC	TCAACC....	..GGTCGTCA
43_5	CTCAGAATGT	TTCCCCGGTG	CATCAGAATC	TCAACC....	..GGTCGTCA
43_12	CTCAGAATGT	TTCCCCGGTG	CATCAGAATC	TCAACC....	..GGTCGTCA
43_20	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
43_21	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
43_23	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
43_25	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
44_1	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
44_5	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTTGTCA
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	TTTGGAATGC	TTTCCCG...	TGTCAGAATC	TCAACCCGTT	TCTGTTCGTCA
A3_5	TTTGGAATGC	TTTCCCG...	TGTCAGAATC	TCAACCCGTT	CCTGTTCGTCA
A3_7	TTTGGAATGC	TTTCCCG...	TGTCAGAATC	TCAACCCGTT	TCTGTTCGTCA
A3_3	TTTGGAATGC	TTTCCCG...	TGTCAGAATC	TCAACCCGTT	TCTGTTCGTCA
42_12	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
AAV1	TTCAGAGTGC	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
AAV2	TTTAGAGTGC	TTTCCCG...	TGTCAGAATC	TCAACCCGTT	TCTGTTCGTCA
AAV3	TGGGGAATGC	TTCCCTGGAA	TGTCAGAATC	TCAACCCGTT	TCTGTTCGTCA
AAV8	CTCAGAGTGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
AAV9	CTCAGAGTGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
AAV7	TTTAGAGTGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
44_2	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA

Fig. 1AQ

	2101				2150
42_2	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
42_8	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTAGGG.CG
42_15	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
42_5b	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
42_1b	.AAGGTCGTG	GAGTCCGCCA	AG....GCCA	TTCATCATCT	GCTGGGG.CG
42_13	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
42_3a	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
42_4	.AAGGTCGTG	GAGTCCGCCA	AG....GCCA	TTCATCATCT	GCTGGGG.CG
42_5a	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
42_10	AA....GGTC	GTGAAGTCCG	CCAAG.GCCA	TTCATCATCT	GCTGGGG.CG
42_3b	AA....GGTC	GTGGAGTCCG	CCAAG.GCCA	TTCATCATCT	GCTGGGG.CG
42_11	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
42_6b	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
43_1	GAAAAAAAC	GTATCAGAAA	CTGTGTGCCA	TTCATCATCT	GCTGGGG.CG
43_5	GAAAAAAAC	GTATCAGAAA	CTGTGTGCCA	TTCATCATCT	GCTGGGG.CG
43_12	GAAAAAAAC	GTATCAGAAA	CTGTGTGCCA	TTCATCATCT	GCTGGGG.CG
43_20	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
43_21	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
43_23	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
43_25	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
44_1	GAAAAAAGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
44_5	GAAAAAAGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	GAAAAACG..	.TATCAGAAA	CTTTGTTACA	TTCATCATAT	CATGGGA.AA
A3_5	GAAAAACG..	.TATCAGAAA	CTTTGTTACA	TTCATCATAT	CATGGGA.AA
A3_7	GAAAAACG..	.TATCAGAAA	CTTTGTTACA	TTCATCATAT	CATGGGA.AA
A3_3	GAAAAACG..	.TATCAGAAA	CTTTGTTACA	TTCATCATAT	CATGGGA.AA
42_12	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
AAV1	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
AAV2	AAAAGGCG..	.TATCAGAAA	CTGTGTCTACA	TTCATCATAT	CATGGGA.AA
AAV3	AAAAGAAGAC	TTATCAGAAA	CTGTGTCCAA	TTCATCATAT	CCTGGGA.AG
AAV8	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
AAV9	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
AAV7	GAAAAAAGAC	GTATCGGAAA	CTCTGCGCGA	TTCATCATCT	GCTGGGG.CG
44_2	GAAAAAAGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGGGCG

Fig. 1AR

	2151				2200
42_2	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_8	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_15	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_5b	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_1b	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_13	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_3a	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_4	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_5a	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_10	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_3b	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_11	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_6b	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
43_1	GGCACCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
43_5	GGCACCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
43_12	GGCACCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
43_20	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
43_21	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
43_23	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
43_25	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
44_1	GGCACCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTAG
44_5	GGCACCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTAG
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	AGAACCAGAC	...GCCTGCA	CTGCCTGCGA	CCTGGTAAAT	GTGGACTTGG
A3_5	AGTACCAGAC	...GCCTGCA	CTGCCTGCGA	CCTGGTAAAT	GTGGACTTGG
A3_7	AGTACCAGAC	...GCCTGCA	CTGCCTGCGA	CCTGGTAAAT	GTGGACTTGG
A3_3	AGTACCAGAC	...GCCTGCA	CTGCCTGCGA	CCTGGTAAAT	GTGGACTTGG
42_12	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
AAV1	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
AAV2	GGTGCCAGAC	...GCTTGCA	CTGCCTGCGA	TCTGGTCAAT	GTGGATTTGG
AAV3	GGCACCCGAG	ATTGCCTGTT	CGGCCTGCGA	TTTGGCCAAT	GTGGACTTGG
AAV8	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
AAV9	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
AAV7	GGCGCCCGAG	ATTGCTTGCT	CGGCCTGCGA	CCTGGTCAAC	GTGGACCTGG
44_2	GGCACCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTAG

Fig. 1AS

2201

2250

			<u>Rep 78 stop</u>	<u>vp1 start</u>
42_2	ATGACCGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
42_8	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
42_15	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
42_5b	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
42_1b	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
42_13	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
42_3a	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
42_4	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
42_5a	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
42_10	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
42_3b	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
42_11	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
42_6b	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
43_1	ACGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
43_5	ACGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
43_12	ACGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
43_20	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
43_21	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
43_23	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
43_25	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
44_1	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
44_5	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
223_10	.....	.....	.....	.....
223_2	.....	.....	.....	.....
223_4	.....	.....	.....	.....
223_5	.....	.....	.....	.....
223_6	.....	.....	.....	.....
223_7	.....	.....	.....	.....
A3_4	ATGACTGTAT	TTCTGAGCAA	TAAATGACTT	AAATCAGGTA TGGCTGCTGA
A3_5	ATGACTGTAT	TTCTGAGCAA	TAAATGACTT	AAATCAGGTA TGGCTGCTGA
A3_7	ATGACTGTAT	TTCTGAGCAA	TAAATGACTT	AAATCAGGTA TGGCTGCTGA
A3_3	ATGACTGTAT	TTCTGAGCAA	TAAATGACTT	AAATCAGGTA TGGCTGCTGA
42_12	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
AAV1	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
AAV2	ATGACTGCAT	CTTTGAACAA	TAAATGATTT	AAATCAGGTA TGGCTGCCGA
AAV3	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCTGA
AAV8	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
AAV9	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
AAV7	ACGACTGCGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA
44_2	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA TGGCTGCCGA

Rep78 stop                      vp1 start

Fig. 1AT

2251 2300

Rep68 stop

42_2	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_8	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_15	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_5b	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_1b	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_13	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_3a	TGGTCATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_4	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_5a	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_10	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_3b	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_11	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_6b	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
43_1	TGGTTATCTT	CCAGATTGGC	TTGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
43_5	TGGTTATCTT	CCAGATTGGC	TTGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
43_12	TGGTTATCTT	CCAGATTGGC	TTGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
43_20	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
43_21	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
43_23	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
43_25	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
44_1	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
44_5	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	CGGTTATCTT	CCAGATTGGC	TCGAGGACAC	TCTCTCTGAA	GGAATCAGAC
A3_5	CGGTTATCTT	CCAGATTGGC	TCGAGGACAC	TCTCTCTGAA	GGAATCAGAC
A3_7	CGGTTATCTT	CCAGATTGGC	TCGAGGACAC	TCTCTCTGAA	GGAATCAGAC
A3_3	CGGTTATCTT	CCAGATTGGC	TCGAGGACAC	TCTCTCTGAA	GGAATCAGAC
42_12	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATCCGCG
AAV1	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
AAV2	TGGTTATCTT	CCAGATTGGC	TCGAGGACAC	TCTCTCTGAA	GGAATAAGAC
AAV3	CGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTTTCTGAA	GGCATTTCGTG
AAV8	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
AAV9	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
AAV7	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
44_2	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG

Rep 68 stop

Fig. 1AU

	2301				2350
42_2	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_8	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_15	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_5b	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_1b	AGTGGTGGGA	CTTGAGACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_13	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_3a	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_4	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_5a	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_10	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_3b	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_11	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_6b	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
43_1	AGTGGTGGGA	CCTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
43_5	AGTGGTGGGA	CCTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
43_12	AGTGGTGGGA	CCTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
43_20	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
43_21	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
43_23	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
43_25	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
44_1	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
44_5	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	AGTGGTGGAA	GCTCAAACCT	GGCCCCACCAC	CGCCGAAACC	TAACCAACAA
A3_5	AGTGGTGGAA	GCTCAAACCT	GGCCCCACCAC	CGCCGAAACC	TAACCAACAA
A3_7	AGTGGTGGAA	GCTCAAACCT	GGCCCCACCAC	CGCCGAAACC	TAACCAACAA
A3_3	AGTGGTGGAA	GCTCAAACCT	GGCCCCACCAC	CGCCGAAACC	TAACCAACAA
42_12	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
AAV1	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AGCCCAAAGC	CAACCAGCAA
AAV2	AGTGGTGGAA	GCTCAAACCT	GGCCCCACCAC	CACCAAAGCC	CGCAGAGCGG
AAV3	AGTGGTGGGC	TCTGAAACCT	GGAGTCCCTC	AACCCAAAGC	GAACCAACAA
AAV8	AGTGGTGGGC	GCTGAAACCT	GGAGCCCCGA	AGCCCAAAGC	CAACCAGCAA
AAV9	AGTGGTGGGC	GCTGAAACCT	GGAGCCCCGA	AGCCCAAAGC	CAACCAGCAA
AAV7	AGTGGTGGGA	CCTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
44_2	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA



Fig. 1AV

	2351				2400
42_2	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_8	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_15	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_5b	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_1b	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_13	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_3a	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_4	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_5a	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_10	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_3b	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_11	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_6b	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
43_1	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
43_5	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
43_12	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
43_20	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
43_21	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
43_23	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
43_25	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
44_1	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
44_5	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	CACCGGGACG	ACAGTAGGGG	TCTTGTGCTT	CCTGGGTACA	AGTACCTCGG
A3_5	CACCGGGACG	ACAGTAGGGG	TCTTGTGCTT	CCTGGGTACA	AGTACCTCGG
A3_7	CACCGGGACG	ACAGTAGGGG	TCTTGTGCTT	CCTGGGTACA	AGTACCTCGG
A3_3	CACCGGGACG	ACAGTAGGGG	TCTTGTGCTT	CCTGGGTACA	AGTACCTCGG
42_12	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
AAV1	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
AAV2	CATAAGGACG	ACAGCAGGGG	TCTTGTGCTT	CCTGGGTACA	AGTACCTCGG
AAV3	CACCGGGACA	ACCGTCGGGG	TCTTGTGCTT	CCGGGTACA	AATACCTCGG
AAV8	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
AAV9	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
AAV7	AAGCAGGACA	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
44_2	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG

Fig. 1AW

	2401				2450
42_2	ACCCTTCAAC	GGACTCGACA	AGGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_8	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
42_15	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
42_5b	ACCCTTCAAC	GGACTCGACA	AGGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_1b	ACCCTTCAAC	GGACTCGACA	AGGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_13	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
42_3a	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
42_4	ACCCTTCAAC	GGACTCGACA	AGGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_5a	ACCCTTCAAC	GGACTCGACA	AGGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_10	ACCCTTCAAC	GGACTCGACA	AGGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_3b	ACCCTTCAAC	GGACTCGACA	AGGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_11	ACCCTTCAAC	GGACTCGACA	AGGGGAGAGCC	GGTCAACGCG	GCGGACGCAG
42_6b	ACCCTTCAAC	GGACTCGACA	AGGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
43_1	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
43_5	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
43_12	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
43_20	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
43_21	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
43_23	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
43_25	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
44_1	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
44_5	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	ACCCTTCAAC	GGACTCGACA	AAGGAGAGCC	GGTCAACGAG	GCAGACGCCG
A3_5	ACCCTTCAAC	GGACTCGACA	AAGGAGAGCC	GGTCAACGAG	GCAGACGCCG
A3_7	ACCCTTCAAC	GGACTCGACA	AAGGAGAGCC	GGTCAACGAG	GCAGACGCCG
A3_3	ACCCTTCAAC	GGACTCGACA	AAGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_12	ACCCTTCAAC	GGACTCGACA	AGGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
AAV1	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
AAV2	ACCCTTCAAC	GGACTCGACA	AGGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
AAV3	ACCCGGTAAC	GGACTCGACA	AAGGAGAGCC	GGTCAACGAG	GCGGACGCCG
AAV8	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
AAV9	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
AAV7	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG
44_2	ACCCTTCAAC	GGACTCGACA	AGGGGGAGGCC	CGTCAACGCG	GCGGACGCAG

Fig. 1AX

	2451				2500
42_2	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
42_8	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
42_15	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
42_5b	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
42_1b	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
42_13	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
42_3a	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
42_4	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
42_5a	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
42_10	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
42_3b	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
42_11	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
42_6b	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
43_1	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
43_5	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
43_12	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
43_20	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
43_21	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
43_23	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
43_25	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
44_1	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
44_5	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
223_10	.....	.....CAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
223_2	.....	.....CAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
223_4	.....	.....CAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
223_5	.....	.....CAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
223_6	.....	.....CAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
223_7	.....	.....CAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
A3_4	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CACCAGCTCA	AGCAAGGGGA
A3_5	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CACCAGCTCA	AGCAAGGGGA
A3_7	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CACCAGCTCA	AGCAAGGGGA
A3_3	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CACCAGCTCA	AGCAAGGGGA
42_12	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
AAV1	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
AAV2	CGGCCCTCGA	GCACGTACAA	AGCCTACGAC	CGGCAGCTCG	ACAGCGGAGA
AAV3	CAGCCCTCGA	ACACG.ACAA	AGCTTACGAC	CAGCAGCTCA	AGGCCGGTGA
AAV8	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTGC	AGGCGGGTGA
AAV9	CGGCCCTCGA	GCACG.GCAA	GGCCTACGAC	CAGCAGCTGC	AGGCGGGTGA
AAV7	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
44_2	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA

Fig. 1AY

	2501				2550
42_2	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_8	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_15	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_5b	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_1b	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_13	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_3a	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_4	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_5a	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_10	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_3b	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_11	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_6b	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
43_1	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
43_5	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
43_12	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
43_20	CAATCCGTAC	CTGCGGTATA	ATCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
43_21	CAATCCGTAC	CTGCGGTATA	ATCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
43_23	CAATCCGTAC	CTGCGGTATA	ATCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
43_25	CAATCCGTAC	CTGCGGTATA	ATCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
44_1	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
44_5	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
223_10	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
223_2	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
223_4	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
223_5	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
223_6	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
223_7	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
A3_4	CAACCCGTAC	CTCAAATACA	ACCACGCCGA	CGCTGAATTT	CAGGAGCGTC
A3_5	CAACCCGTAC	CTCAAATACA	ACCACGCCGA	CGCTGAATTT	CAGGAGCGTC
A3_7	CAACCCGTAC	CTCAAATACA	ACCACGCCGA	CGCTGAATTT	CAGGAGCGTC
A3_3	CAACCCGTAC	CTCAAATACA	ACCACGCCGA	CGCTGAATTT	CAGGAGCGTC
42_12	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
AAV1	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
AAV2	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCGGAGTTT	CAGGAGCGCC
AAV3	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
AAV8	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
AAV9	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
AAV7	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
44_2	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC

Fig. 1AZ

	2551				2600
42_2	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_8	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_15	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_5b	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_1b	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_13	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_3a	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_4	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_5a	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCGG
42_10	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_3b	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_11	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_6b	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
43_1	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
43_5	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
43_12	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
43_20	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
43_21	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
43_23	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
43_25	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
44_1	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
44_5	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
223_10	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
223_2	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
223_4	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
223_5	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
223_6	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
223_7	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
A3_4	TTCAAGAAGA	TACGTCTTTC	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
A3_5	TTCAAGAAGA	TACGTCTTTC	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
A3_7	TTCAAGAAGA	TACGTCTTTC	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
A3_3	TTCAAGAAGA	TACGTCTTTC	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_12	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
AAV1	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
AAV2	TTAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGACGAGC	AGTCTTCCAG
AAV3	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TTGGCAGAGC	AGTCTTCCAG
AAV8	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
AAV9	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
AAV7	TGCAAGAAGA	TACGTCATTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
44_2	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG

Fig. 1AAA

	2601				2650
42_2	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_8	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_15	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_5b	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_1b	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_13	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_3a	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_4	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_5a	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_10	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_3b	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_11	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_6b	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
43_1	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
43_5	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
43_12	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
43_20	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
43_21	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
43_23	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
43_25	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
44_1	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
44_5	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
223_10	GCCAAAAAGC	GGGTTCTCGA	ACCTCTTGGT	CTGGTTGAGA	CGCCAGCTAA
223_2	GCCAAAAAGC	GGGTTCTCGA	ACCTCTTGGT	CTGGTTGAGA	CGCCAGCTAA
223_4	GCCAAAAAGC	GGGTTCTCGA	ACCTCTTGGT	CTGGTTGAGA	CGCCAGCTAA
223_5	GCCAAAAAGC	GGGTTCTCGA	ACCTCTTGGT	CTGGTTGAGA	CGCCAGCTAA
223_6	GCCAAAAAGC	GGGTTCTCGA	ACCTCTTGGT	CTGGTTGAGA	CGCCAGCTAA
223_7	GCCAAAAAGC	GGGTTCTCGA	ACCTCTTGGT	CTGGTTGAGA	CGCCAGCTAA
A3_4	GCCAAAAAGA	GGGTACTCGA	GCCTCTTGGT	CTGGTTGAGG	AAGCTGTTAA
A3_5	GCCAAAAAGA	GGGTACTCGA	GCCTCTTGGT	CTGGTTGAGG	AAGCTGTTAA
A3_7	GCCAAAAAGA	GGGTACTCGA	GCCTCTTGGT	CTGGTTGAGG	AAGCTGTTAA
A3_3	GCCAAAAAGA	GGGTACTCGA	GCCTCTTGGT	CTGGTTGAGG	AAGCTGTTAA
42_12	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
AAV1	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
AAV2	GCGAAAAAGA	GGGTTCTTGA	ACCTCTGGGC	CTGGTTGAGG	AACCTGTTAA
AAV3	GCCAAAAAGA	GGATCCTTGA	GCCTCTTGGT	CTGGTTGAGG	AAGCAGCTAA
AAV8	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
AAV9	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
AAV7	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
44_2	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA

Fig. 1AAB

26512700

vp2 start

42_2	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_8	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
42_15	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
42_5b	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
42_1b	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_13	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_3a	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_4	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_5a	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_10	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_3b	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_11	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_6b	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
43_1	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCT	CAGCGTTCCC
43_5	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCT	CAGCGTTCCC
43_12	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCT	CAGCGTTCCC
43_20	GACGGCTCCT	GGAAAGAAGA	GACTGGTAGA	GCAGTCGCCA	CAAGAG...C
43_21	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCAGTCGCCA	CAAGAG...C
43_23	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCAGTCGCCA	CAAGAG...C
43_25	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCAGTCGCCA	CAAGAG...C
44_1	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
44_5	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
223_10	GACGGCACCT	GGAAAGAAGC	GACCGGTAGA	CTCGCCA...	.....
223_2	GACGGCACCT	GGAAAGAAGC	GACCGGTAGA	CTCGCCA...	.....
223_4	GACGGCACCT	GGAAAGAAGC	GACCGGTAGA	CTCGCCA...	.....
223_5	GACGGCACCT	GGAAAGAAGC	GACCGGTAGA	CTCGCCA...	.....
223_6	GACGGCACCT	GGAAAGAAGC	GACCGGTAGA	CTCGCCA...	.....
223_7	GACGGCACCT	GGAAAGAAGC	GACCGGTAGA	CTCGCCA...	.....
A3_4	GACGGCTCCT	GGAAAAAAGA	GACCTATAGA	GCAGTCTCCT	GCAGAA...C
A3_5	GACGGCTCCT	GGAAAAAAGA	GACCTATAGA	GCAGTCTCCT	GCAGAA...C
A3_7	GACGGCTCCT	GGAAAAAAGA	GACCTATAGA	GCAGTCTCCT	GCAGAA...C
A3_3	GACGGCTCCT	GGAAAAAAGA	GACCTATAGA	GCAGTCTCCT	GCAGAA...C
42_12	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
AAV1	GACGGCTCCT	GGAAAGAAAC	GTCCGGTAGA	GCAGTCGCCA	CAAGAG...C
AAV2	GACGGCTCCG	GGAAAAAAGA	GGCCGGTAGA	GCACTCTCCT	GTGGAG...C
AAV3	AACGGCTCCT	GGAAAGAAGG	GGGCTGTAGA	TCAGTCTCCT	CAGGAA...C
AAV8	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
AAV9	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
AAV7	GACGGCTCCT	GCAAAGAAGA	GACCGGTAGA	GCCGTCACCT	CAGCGTTCCC
44_2	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC

vp2 start

Fig. 1AAC

	2701				2750
42_2	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_8	CAGACTCCTC	TACGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCGAAAAAG
42_15	CAGACTCCTC	TACGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCGAAAAAG
42_5b	CAGACTCCTC	TACGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCGAAAAAG
42_1b	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_13	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_3a	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_4	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_5a	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_10	..GACTCCTC	CACGGGCATC	GGCAGGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_3b	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_11	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_6b	CAGACTCCTC	TACGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCGAAAAAG
43_1	CCGACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCACCAGCC	CGCGAGAAAG
43_5	CCGACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCACCAGCC	CGCGAGAAAG
43_12	CCGACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCACCAGCC	CGCGAGAAAG
43_20	CAGACTCCTC	CTCGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCTAAAAAG
43_21	CAGACTCCTC	CTCGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCTAAAAAG
43_23	CAGACTCCTC	CTCGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCTAAAAAG
43_25	CAGACTCCTC	CTCGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCTAAAAAG
44_1	CAGACTCCTC	TACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
44_5	CAGACTCCTC	TACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
223_10	..GACTCCAC	CTCGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
223_2	..GACTCCAC	CTCGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
223_4	..GACTCCAC	CTCGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
223_5	..GACTCCAC	CTCGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
223_6	..GACTCCAC	CTCGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
223_7	..GACTCCAC	CTCGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
A3_4	CGGACTCTTC	CTCGGGCATC	GGCGAATCAG	GCCAGCAGCC	CGCTAAGAAA
A3_5	CGGACTCTTC	CTCGGGCATC	GGCAAATCAG	GCCAGCAGCC	CGCTAAGAAA
A3_7	CGGACTCTTC	CTCGGGCATC	GGCAAATCAG	GCCAGCAGCC	CGCTAAGAAA
A3_3	CGGACTCTTC	CTCGGGCATC	GGCAAATCAG	GCCAGCAGCC	CGCTAAGAAA
42_12	CAGACTCCTC	TACGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCGAAAAAG
AAV1	CAGACTCCTC	CTCGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCTAAAAAG
AAV2	CAGACTCCTC	CTCGGGAACC	GGAAAGGCGG	GCCAGCAGCC	TGCAAGAAAA
AAV3	CGGACTCATC	ATCTGGTGTT	GGCAAATCGG	GCAAACAGCC	TGCCAGAAAA
AAV8	CAGACTCCTC	TACGGGCATC	GGCAAGAAAG	GCCAACAGCC	CGCCAGAAAA
AAV9	CAGACTCCTC	TACGGGCATC	GGCAAGAAAG	GCCAACAGCC	CGCCAGAAAA
AAV7	CCGACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCCAGAAAG
44_2	CAGACTCCTC	TACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG



Fig. 1AAD

	2751				2800
42_2	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCCCA
42_8	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_15	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_5b	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_1b	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_13	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_3a	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_4	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_5a	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCCCA
42_10	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_3b	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_11	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_6b	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
43_1	AGACTGAACT	TTGGGCAGAC	TGGCGACTCG	GAGTCAGTCC	CCGACCCTCA
43_5	AGACTGAACT	TTGGGCAGAC	TGGCGACTCG	GAGTCAGTCC	CCGACCCTCA
43_12	AGACTGAACT	TTGGGCAGAC	TGGCGACTCG	GAGTCAGTCC	CCGACCCTCA
43_20	AGACTCAATT	TTGGTCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCACACA
43_21	AGACTCAATT	TTGGTCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCACACA
43_23	AGACTCAATT	TTGGTCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCACACA
43_25	AGACTCAATT	TTGGTCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCACACA
44_1	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
44_5	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
223_10	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCCTCA
223_2	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCCTCA
223_4	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGCCAGTCC	CCGACCCTCA
223_5	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGCCAGTCC	CCGACCCTCA
223_6	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCCTCA
223_7	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCCTCA
A3_4	AGACTCAATT	TTGGTCAGAC	TGGCGACACA	GAGTCAGTCC	CAGACCCTCA
A3_5	AGACTCAATT	TTGGTCAGAC	TGGCGACACA	GAGTCAGTCC	CAGACCCTCA
A3_7	AGACTCAATT	TTGGTCAGAC	TGGCGACACA	GAGTCAGTCC	CAGACCCTCA
A3_3	AGACTCAATT	TTGGTCAGAC	TGGCGACACA	GAGTCAGTCC	CAGGCCCTCA
42_12	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
AAV1	AGACTCAATT	TTGGTCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGATCCACA
AAV2	AGATTGAATT	TTGGTCAGAC	TGGAGACGCA	GAATCAGTAC	CTGACCCCCA
AAV3	AGACTAAATT	TCGGTCAGAC	TGGAGACTCA	GAGTCAGTCC	CAGACCCTCA
AAV8	AGACTCAATT	TTGGTCAGAC	TGGCGACTCA	GAGTCAGTTC	CAGACCCTCA
AAV9	AGACTCAATT	TTGGTCAGAC	TGGCGACTCA	GAGTCAGTTC	CAGACCCTCA
AAV7	AGACTCAATT	TCGGTCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCCTCA
44_2	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA

Fig. 1AAE

2801				2850	
				vp3 start	
42_2	ACCTCTCGGA	GAACCTCCCG	CCGCGCCCTC	AGGTCTGGGA	TCTGGTACAA
42_8	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_15	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_5b	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_1b	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGCACAA
42_13	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_3a	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_4	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_5a	ACCTCTCGGA	GAACCTCCCG	CCGCGCCCTC	AGGTCTGGGA	TCTGGTACAA
42_10	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_3b	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_11	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_6b	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
43_1	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
43_5	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
43_12	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
43_20	ACCTCTCGGA	GAACCTCCAG	CAGGCCCTC	AGGTCTGGGA	CCTAATACAA
43_21	ACCTCTCGGA	GAACCTCCAG	CAGGCCCTC	AGGTCTGGGA	CCTAATACAA
43_23	ACCTCTCGGA	GAACCTCCAG	CAGGCCCTC	AGGTCTGGGA	CCTAATACAA
43_25	ACCTCTCGGA	GAACCTCCAG	CAGGCCCTC	AGGTCTGGGA	CCTAATACAA
44_1	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
44_5	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
223_10	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
223_2	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
223_4	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
223_5	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
223_6	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
223_7	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
A3_4	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTGTGGGA	TCTAATACAA
A3_5	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTGTGGGA	TCTAATACAA
A3_7	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTGTGGGA	TCTAATACAA
A3_3	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTGTGGGA	TCTAATACAA
42_12	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
AAV1	ACCTCTCGGA	GAACCTCCAG	CAACCCCCGC	TGCTGTGGGA	CCTACTACAA
AAV2	GCCTCTCGGA	CAGCCACCAG	CAGGCCCTC	TGGTCTGGGA	ACTAATACGA
AAV3	ACCTCTCGGA	GAACCACCAG	CAGCCCCAC	AAGTTTGGGA	TCTAATACAA
AAV8	ACCTCTCGGA	GAACCTCCAG	CAGCGCCCTC	TGGTGTGGGA	CCTAATACAA
AAV9	ACCTCTCGGA	GAACCTCCAG	CAGCGCCCTC	TGGTGTGGGA	CCTAATACAA
AAV7	ACCTCTCGGA	GAACCTCCAG	CAGCGCCCTC	TAGTGTGGGA	TCTGGTACAG
44_2	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
				vp3 start	

Fig. 1AAF

2851  
 vp3 start codon  
 2900

42_2	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_8	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_15	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_5b	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_1b	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_13	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_3a	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_4	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_5a	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_10	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_3b	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_11	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_6b	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
43_1	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
43_5	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
43_12	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
43_20	TGGCTTCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
43_21	TGGCTTCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
43_23	TGGCTTCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
43_25	TGGCTTCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
44_1	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
44_5	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
223_10	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCTG	ACAATAACGA	GGGCGCCGAC
223_2	TGGTTGCAGG	CGGTGGCGCA	CCAATGGCTG	ACAATAACGA	GGGCGCCGAC
223_4	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCTG	ACAATAACGA	GGGCGCCGAC
223_5	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCTG	ACAATAACGA	GGGCGCCGAC
223_6	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCTG	ACAATAGCGA	GGGCGCCGAC
223_7	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCTG	ACAATAACGA	GGGCGCCGAC
A3_4	TGGCTTCAGG	CGGTGGGGCA	CCAATGGCAG	ACGATAACGA	AGGCGCCGAC
A3_5	TGGCTTCAGG	CGGTGGGGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
A3_7	TGGCTTCAGG	CGGTGGGGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
A3_3	TGGCTTCAGG	CGGTGGGGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_12	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
AAV1	TGGCTTCAGG	CGGTGGCGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
AAV2	TGGCTACAGG	CAGTGGCGCA	CCAATGGCAG	ACAATAACGA	GGGCGCCGAC
AAV3	TGGCTTCAGG	CGGTGGCGCA	CCAATGGCAG	ACAATAACGA	GGGTGCCGAT
AAV8	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
AAV9	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
AAV7	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCAG	ACAATAACGA	AGGTGCCGAC
44_2	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC

vp3 start codon (cont'd)

Fig. 1AAG

	2901				2950
42_2	GGAGTGGGTA	ATGCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_8	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_15	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_5b	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_1b	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_13	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_3a	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATAGCTGGG
42_4	GGAGTGGGTA	ATGCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_5a	GGAGTGGGTA	ATGCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_10	GGAGTGGGTA	ATGCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_3b	GGAGTGGGTA	ATGCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_11	GGAGTGGGTA	ATGCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_6b	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
43_1	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
43_5	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
43_12	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
43_20	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
43_21	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
43_23	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
43_25	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
44_1	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
44_5	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
223_10	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
223_2	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
223_4	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CACGGCTGGG
223_5	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CACGGCTGGG
223_6	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
223_7	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
A3_4	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGATGGG
A3_5	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGATGGG
A3_7	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGATGGG
A3_3	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGATGGG
42_12	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
AAV1	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
AAV2	GGAGTGGGTA	ATTCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGATGGG
AAV3	GGAGTGGGTA	ATTCCTCAGG	AAATTGGCAT	TGCGATTCCC	AATGGCTGGG
AAV8	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
AAV9	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
AAV7	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
AAV10	GGTA	ATTCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
AAV11	GGTA	ATTCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
AAV12	GGTA	ATTCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
44_2	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG

FIG. 1AAH

	2951				3000
42_2	CGACAGAGTC	ATCACCACCA	GCACCCGCAC	CTGGGCCCTG	CCCACCTACA
42_8	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTC	CCCACCTACA
42_15	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTC	CCCACCTACA
42_5b	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTC	CCCACCTACA
42_1b	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTC	CCCACCTACA
42_13	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTC	CCCACCTACA
42_3a	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTC	CCCACCTACA
42_4	CGACAGAGTC	ATCACCACCA	GCACCCGCAC	CTGGGCCCTG	CCCACCTACA
42_5a	CGACAGAGTC	ATCACCACCA	GCACCCGCAC	CTGGGCCCTG	CCCACCTACA
42_10	CGACAGAGTC	ATCACCACCA	GCACCCGCAC	CTGGGCCCTG	CCCACCTACA
42_3b	CGACAGAGTC	ATCACCACCA	GCACCCGCAC	CTGGGCCCTG	CCCACCTACA
42_11	CGACAGAGTC	ATCACCACCA	GCACCCGCAC	CTGGGCCCTG	CCCACCTACA
42_6b	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTC	CCCACCTACA
43_1	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
43_5	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
43_12	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
43_20	GGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
43_21	GGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
43_23	GGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
43_25	GGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
44_1	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTC	CCCACCTACA
44_5	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTC	CCCACCTACA
223_10	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
223_2	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
223_4	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
223_5	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
223_6	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
223_7	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
A3_4	CGACAGAGTT	ATCACCACCA	GCACAAGAAC	CTGGGCCCTC	CCCACCTACA
A3_5	CGACAGAGTT	ATCACCACCA	GCACAAGAAC	CTGGGCCCTC	CCCACCTACA
A3_7	CGACAGAGTT	ATCACCACCA	GCACAAGAAC	CTGGGCCCTC	CCCACCTACA
A3_3	CGACAGAGTT	ATCACCACCA	GCACAAGAAC	CTGGGCCCTC	CCCACCTACA
42_12	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTC	CCCACCTACA
AAV1	CGACAGAGTC	ATCACCACCA	GCACCCGCAC	CTGGGCCCTG	CCCACCTACA
AAV2	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
AAV3	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
AAV8	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
AAV9	GGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCATTG	CCCACCTACA
AAV7	CGACAGAGTC	ATTACCACCA	GCACCCGAAC	CTGGGCCCTG	CCCACCTACA
AAV10	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGTCCTG	CCCACCTACA
AAV11	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTG	CCAACCTACA
AAV12	CGACAGAGTC	ATTACCACCA	GCACCCGGAC	TTGGGCCCTG	CCCACCTACA
44_2	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCCCTC	CCCACCTACA

Fig. 1AAI

```

3001
42_2 ACAACCACCT CTACAAGCAG ATATCAA..G TCAGAGCGGG GCT....ACC
42_8 ACAACCACCT CTACAAGCAA ATCTCCAACG GGACATCGGG AGGAAGCACC
42_15 ACAACCACCT CTACAAGCAA ATCTCCAACG GGACATCGGG AGGAAGCACC
42_5b ACAACCACCT CTACAAGCAA ATCTCCAACG GGACATCGGG AGGAAGCACC
42_1b ACAACCACCT CTACAAGCAA ATCTCCAACG GGACATCGGG AGGAAGCACC
42_13 ACAACCACCT CTACAAGCAA ATCTCCAACG GGACATCGGG AGGAAGCACC
42_3a ACAACCACCT CTACAAGCAA ATCTCCAACG GGACATCGGG AGGAAGCACC
42_4 ACAACCACCT CTACAAGCAG ATATCAA... .GTCAGAGCG GGGC..TACC
42_5a ACAACCACCT CTACAAGCAG ATATCAA... .GTCAGAGCG GGGC..TACC
42_10 ACAACCACCT CTACAAGCAG ATATCAA..G TCAGAGCGGG GCTA....CC
42_3b ACAACCACCT CTACAAGCAG ATATCAA..G TCAGAGCGGG GCTA....CC
42_11 ACAACCACCT CTACAAGCAG ATATCAA..G TCAGAGCGGG GCTA....CC
42_6b ACAACCACCT CTACAAGCAA ATCTCCAACG GGACATCGGG AGGAAGCACC
43_1 ACAACCATCT CTACAAGCAA ATCTCCAACG GGACATCGGG AGGAAGCACT
43_5 ACAACCATCT CTACAAGCAA ATCTCCAACG GGACATCGGG AGGAAGCACT
43_12 ACAACCATCT CTACAAGCAA ATCTCCAACG GGACATCGGG AGGAAGCACT
43_20 ACAACCACCT CTACAAGCAA ATCTCCAACG GCACCTCGGG AGGAAGCACC
43_21 ACAACCACCT CTACAAGCAA ATCTCCAACG GCACCTCGGG AGGAAGCACC
43_23 ACAACCACCT CTACAAGCAA ATCTCCAACG GCACCTCGGG AGGAAGCACC
43_25 ACAACCACCT CTACAAGCAA ATCTCCAACG GCACCTCGGG AGGAAGCACC
44_1 ACAACCACCT CTACAAGCAA ATCTCCAACG GGACTTCGGG AGGAAGCACC
44_5 ACAACCACCT CTACAAGCAA ATCTCCAACG GGACTTCGGG AGGAAGCACC
223_10 ACAACCACCT CTACAAGCAA ATCTCCAGTC AGTCAGCAGG GAG...CACC
223_2 ACAACCACCT CTACAAGCAA ATCTCCAGTC AGTCAGCAGG GAG...CACC
223_4 ACAACCACCT CTACAAGCAA ATCTCCAGTC AGTCAGCAGG GAG...CACC
223_5 ACAACCACCT CTACAAGCAA ATCTCCAGTC AGTCAGCAGG GAG...CACC
223_6 ACAACCACCT CTACAAGCAA ATCTCCAGTC AGTCAGCAGG GAG...CACC
223_7 ACAACCACCT CTACAAGCAA ATCTCCAGTC AGTCAGCAGG GAG...CACC
A3_4 ATAATCACCT CTACAAGCAA ATCTCCA... GCGAATCGGG AGC...CACC
A3_5 ATAATCACCT CTACAAGCAA ATCTCCA... GCGAATCGGG AGC...CACC
A3_7 ATAATCGCCT CTACAAGCAA ATCTCCA... GCGAATCGGG AGC...CACC
A3_3 ATAATCACCT CTACAAGCAA ATCTCCA... GCGAATCGGG AGC...CACC
42_12 ACAACCACCT CTACAAGCAA ATCTCCAACG GGACATCGGG AGGAAGCACC
AAV1 ATAACCACCT CTACAAGCAA ATCTCCAGTG CTTCAACGGG .GG..CCAGC
AAV2 ACAACCACCT CTACAAACAA ATTTCCA... GCCAATCAGG AGC...CTCG
AAV3 ACAACCATCT CTACAAGCAA ATCTCCA... GCCAATCAGG AGC...TTCA
AAV8 ACAACCACCT CTACAAGCAA ATCTCCAACG GGACATCGGG AGGAGCCACC
AAV9 ACAACCACCT CTACAAGCAA ATCTCCAATG GAACATCGGG AGGAAGCACC
AAV7 ACAACCACCT CTACAAGCAA ATCTCCAGTG AAAGTGCAGG TAG...TACC
AAV10 ACAACCACAT CTACAAGCAA ATCTCCAGCG AGACAGGAGC CACCAACGAC
AAV11 ACAACCACCT CTACAAACAA ATCTCCAGCG CTTCAACGGG GGCCAGCAAC
AAV12 ACAACCACCT CTACAAGCAA ATCTCCAGCC AATCGGGTGC CACCAACGAC
44_2 ACAACCACCT CTACAAGCAA ATCTCCAACG GGACTTCGGG AGGAAGCACC

```

Fig. 1AAJ

	3051				3100
42_2	AACGACAACC	ACTTCTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_8	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_15	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_5b	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_1b	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_13	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_3a	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_4	AACGACAACC	ACTTCTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_5a	AACGACAACC	ACTTCTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_10	AACGACAACC	ACTTCTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_3b	AACGACAACC	ACTTCTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_11	AACGACAACC	ACTTCTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_6b	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
43_1	AACGACAACA	CCTACTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
43_5	AACGACAACA	CCTACTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
43_12	AACGACAACA	CCTACTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
43_20	AACGACAACA	CCTATTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
43_21	AACGACAACA	CCTATTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
43_23	AACGACAACA	CCTATTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
43_25	AACGACAACA	CCTATTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
44_1	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
44_5	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
223_10	AACGATAACG	TCTATTTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
223_2	AACGATAACG	TCTATTTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
223_4	AACGATAACG	TCTATTTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
223_5	AACGATAACG	TCTATTTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
223_6	AACGATAACG	TCTATTTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
223_7	AACGATAACG	TCTATTTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
A3_4	AACGACAACC	ACTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
A3_5	AACGACAACC	ACTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
A3_7	AACGACAACC	ACTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
A3_3	AACGACAACC	ACTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_12	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
AAV1	AACGACAACC	ACTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
AAV2	AACGACAATC	ACTACTTTGG	CTACAGCACC	CCTTGGGGGT	ATTTTGACTT
AAV3	AACGACAACC	ACTACTTTGG	CTACAGCACC	CCTTGGGGGT	ATTTTGACTT
AAV8	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
AAV9	AACGACAACA	CCTACTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
AAV7	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
AAV10	AACCACTACT	TCGGCTACAG	C.....ACC	CCCTGGGGGT	ATTTTGACTT
AAV11	...GACAACC	ACTACTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
AAV12	AACCACTACT	TCGGCTA...	...CAGCACC	CCTTGGGGGT	ATTTTGACTT
44_2	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT

Fig. 1AAK

	3101				3150
42_2	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_8	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_15	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_5b	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_1b	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_13	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_3a	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_4	CAACAGATTC	CACTGCCACT	TCTCATCACG	TGACTGGCAG	CGACTCATCA
42_5a	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_10	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_3b	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_11	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_6b	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
43_1	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
43_5	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
43_12	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
43_20	CAACAGATTC	CACTGTCACT	TTTCACCACG	TGACTGGCAA	CGACTCATCA
43_21	CAACAGATTC	CACTGTCACT	TTTCACCACG	TGACTGGCAA	CGACTCATCA
43_23	CAACAGATTC	CACTGTCACT	TTTCACCACG	TGACTGGCAA	CGACTCATCA
43_25	CAACAGATTC	CACTGTCACT	TTTCACCACG	TGACTGGCAA	CGACTCATCA
44_1	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
44_5	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
223_10	CAACAGATTC	CATTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTTATCA
223_2	CAACAGATTC	CATTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTTATCA
223_4	CAACAGATTC	CATTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTTATCA
223_5	CAACAGATTC	CATTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTTATCA
223_6	CAACAGATTC	CATTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTTATCA
223_7	CAACAGATTC	CATTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTTATCA
A3_4	TAACAGATTC	CACTGTCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
A3_5	TAACAGATTC	CACTGTCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
A3_7	TAACAGATTC	CACTGTCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
A3_3	TAACAGATTC	CACTGTCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_12	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
AAV1	CAACAGATTC	CACTGCCACT	TTTCACCACG	TGACTGGCAG	CGACTCATCA
AAV2	CAACAGATTC	CACTGCCACT	TTTCACCACG	TGACTGGCAA	AGACTCATCA
AAV3	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATTA
AAV8	TAACAGATTC	CACTGCCACT	TTTCACCACG	TGACTGGCAG	CGACTCATCA
AAV9	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
AAV7	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
AAV10	TAACAGATTC	CACTGCCACT	TTTCACCACG	TGACTGGCAG	CGACTCATCA
AAV11	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
AAV12	CAACAGATTC	CACTGCCATT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
44_2	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA



Fig. 1AAL

	3151				3200
42_2	ACAACAAC	TG	GGGATTCCGG	CCCAGAAAGC	TGCGGTTCAA GTTGTTCAAC
42_8	ACAACAAC	TG	GGGATTCCGG	CCCAAGAGAC	TCAACTTCAA GCTCTTCAAC
42_15	ACAACAAC	TG	GGGATTCCGG	CCCAAGAGAC	TCAACTTCAA GCTCTTCAAC
42_5b	ACAACAAC	TG	GGGATTCCGG	CCCAAGAGAC	TCAACTTCAA GCTCTTCAAC
42_1b	ACAACAAC	TG	GGGATTCCGG	CCCAAGAGAC	TCAACTTCAA GCTCTTCAAC
42_13	ACAACAAC	TG	GGGATTCCGG	CCCAAGAGAC	TCAACTTCAA GCTCTTCAAC
42_3a	ACAACAGCTG		GGGATTCCGG	CCCAAGAGAC	TCAACTTCAA GCTCTTCAAC
42_4	ACAACAAC	TG	GGGATTCCGG	CCCAAGAGAC	TCAACTTCAA GCTCTTCAAC
42_5a	ACAACAACCG		GGGATTCCGG	CCCAGAAAGC	TGCGGTTCAA GTTGTTCAAC
42_10	ACAACAAC	TG	GGGATTCCGG	CCCAGAAAGC	TGCGGTTCAA GTTGTTCAAC
42_3b	ACAACAAC	TG	GGGATTCCGG	CCCAGAAAGC	TGCGGTTCAA GTTGTTCAAC
42_11	ACAACAAC	TG	GGGATTCCGG	CCCAGAAAGC	TGCGGTTCAA GTTGTTCAAC
42_6b	ACAACAAC	TG	GGGATTCCGG	CCCAGAAAGC	TGCGGTTCAA GTTGTTCAAC
43_1	ACAATAAC	TG	GGGATTCCGG	CCCAAGAGAC	TCAACTTCAA GCTCTTCAAC
43_5	ACAATAAC	TG	GGGATTCCGG	CCCAAGAGAC	TCAACTTCAA GCTCTTCAAC
43_12	ACAATAAC	TG	GGGATTCCGG	CCCAAGAGAC	TCAACTTCAA GCTCTTCAAC
43_20	ACAACAATTG		GGGATTCCGG	CCCAAAAGAC	TCAACTTCAA GCTGTTCAAC
43_21	ACAACAATTG		GGGATTCCGG	CCCAAAAGAC	TCAACTTCAA GCTGTTCAAC
43_23	ACAACAATTG		GGGATTCCGG	CCCAAAAGAC	TCAACTTCAA GCTGTTCAAC
43_25	ACAACAATTG		GGGATTCCGG	CCCAAAAGAC	TCAACTTCAA GCTGTTCAAC
44_1	ACAACAAC	TG	GGGATTCCGG	CCCAAGAGAC	TCAACTTCAA GCTCTTCAAC
44_5	ACAACAAC	TG	GGGATTCCGG	CCCAAGAGAC	CCAAC
223_10	ACAACAAC	TG	GGGATTCCGG	CCCAAGAAGC	TCAACTTCAA GCTCTTCAAC
223_2	ACAACAAC	TG	GGGATTCCGG	CCCAAGAAGC	TCAACTTCAA GCTCTTCAAC
223_4	ACAACAAC	TG	GGGATTCCGG	CCCAAGAAGC	TCAACTTCAA GCTCTTCAAC
223_5	ACAACAAC	TG	GGGATTCCGG	CCCAAGAAGC	TCAACTTCAA GCTCTTCAAC
223_6	ACAACAAC	TG	GGGATTCCGG	CCCAAGAAGC	TCAACTTCAA GCTCTTCAAC
223_7	ACAACAAC	TG	GGGATTCCGG	CCCAAGAAGC	TCAACTTCAA GCTCTTCAAC
A3_4	ACAACAAC	TG	GGGATTTAGA	CCCAAGAAAC	TCAATTTCAA GCTCTTCAAC
A3_5	ATAACAAC	TG	GGGATTTAGA	CCCAAGAAAC	TCAATTTCAA GCTCTTCAAC
A3_7	ACAACAAC	TG	GGGATTTAGA	CCCAAGAAAC	TCAATTTCAA GCTCTTCAAC
A3_3	ACAACAAC	TG	GGGATTTAGA	CCCAAGAAAC	TCAATTTCAA GCTCTTCAAC
42_12	ACAACAAC	TG	GGGATTCCGG	CCCAAGAGAC	TCAACTTCAA GCTCTTCAAC
AAV1	ACAACAATTG		GGGATTCCGG	CCCAAGAGAC	TCAACTTCAA ACTCTTCAAC
AAV2	ACAACAAC	TG	GGGATTCCGA	CCCAAGAGAC	TCAACTTCAA GCTCTTCAAC
AAV3	ACAACAAC	TG	GGGATTCCGG	CCCAAGAAAC	TCAGCTTCAA GCTCTTCAAC
AAV8	ACAACAAC	TG	GGGATTCCGG	CCCAAGAGAC	TCAGCTTCAA GCTCTTCAAC
AAV9	ACAACAAC	TG	GGGATTCCGG	CCCAAGAGAC	TCAACTTCAA GCTGTTCAAC
AAV7	ACAACAAC	TG	GGGATTCCGG	CCCAAGAAGC	TGCGGTTCAA GCTCTTCAAC
AAV10	ACAACAAC	TG	GGGATTC		
AAV11	ACAACAAC	TG	GGGATTC		
AAV12	ACAACAAC	TG	GGGATTC		
44_2	ACAACAAC	TG	GGGATTCCGG	CCCAAGAGAC	TCAACTTCAA GCTCTTCAAC

Fig. 1AAM

	3201				3250
42_2	ATCCAGGTCA	AGGAGGTCAC	GACGAACGAC	GGCGTTACGA	CCATCGCTAA
42_8	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
42_15	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
42_5b	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
42_1b	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
42_13	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
42_3a	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
42_4	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
42_5a	ATCCAGGTCA	AGGAGGTCAC	GACGAACGAC	GGCGTTACGA	CCATCGCTAA
42_10	ATCCAGGTCA	AGGAGGTCAC	GACGAACGAC	GGCGTTACGA	CCATCGCCAA
42_3b	ATCCAGGTCA	AGGAGGTCAC	GACGAACGAC	GGCGTTACGA	CCATCGCTAA
42_11	ATCCAGGTCA	AGGAGGTCAC	GACGAACGAC	GGCGTTACGA	CCATCGCTAA
42_6b	ATCCAGGTCA	AGGAGGTCAC	GACGGACGAC	GGCGTTACGA	CCATCGCTAA
43_1	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
43_5	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
43_12	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
43_20	ATCCAGGTCA	AGGAAGTCAC	GACGAACGAA	GGCACCAAGA	CCATCGCCAA
43_21	ATCCAGGTCA	AGGAAGTCAC	GACGAACGAA	GGCACCAAGA	CCATCGCCAA
43_23	ATCCAGGTCA	AGGAAGTCAC	GACGAACGAA	GGCACCAAGA	CCATCGCCAA
43_25	ATCCAGGTCA	AGGAAGTCAC	GACGAACGAA	GGCACCAAGA	CCATCGCCAA
44_1	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
44_5	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
223_10	ATCCAGGTCA	AGGAGGTCAC	GACGAATGAC	GGTGTACAA	CCATCGCTAA
223_2	ATCCAGGTCA	AGGAGGTCAC	GACGAATGAC	GGTGTACAA	CCATCGCTAA
223_4	ATCCAGGTCA	AGGAGGTCAC	GACGAATGAC	GGCGTCACAA	CCATCGCTAA
223_5	ATCCAGGTCA	AGGAGGTCAC	GACGAATGAC	GGCGTCACAA	CCATCGCTAA
223_6	ATCCAGGTCA	AGGAGGTCAC	GACGAATGAC	GGTGTACAA	CCATCGCTAA
223_7	ATCCAGGTCA	AGGAGGTCAC	GACGAATGAC	GGCGTCACAA	CCATCGCTAA
A3_4	ATCCAAGTCA	AGGAGGTCAC	GCAGAATGAT	GGAACCACGA	CCATCGCCAA
A3_5	ATCCAAGTCA	AGGAGGTCAC	GCAGAATGAT	GGAACCACGA	CCATCGCCAA
A3_7	ATCCAAGTCA	AGGAGGTCAC	GCAGAATGAT	GGAACCACGA	CCATCGCCAA
A3_3	ATCCAAGTCA	AGGAGGTCAC	GCAGAATGAT	GGAACCACGA	CCATCGCCAA
42_12	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
AAV1	ATCCAAGTCA	AGGAGGTCAC	GACGAATGAT	GGCGTCACAA	CCATCGCTAA
AAV2	ATTCAAGTCA	AAGAGGTCAC	GCAGAATGAC	GGTACGACGA	CGATTGCCAA
AAV3	ATCCAAGTTA	GAGGGGTCAC	GCAGAACGAT	GGCACGACGA	CTATTGCCAA
AAV8	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
AAV9	ATCCAGGTCA	AGGAGGTTAC	GACGAACGAA	GGCACCAAGA	CCATCGCCAA
AAV7	ATCCAGGTCA	AGGAGGTCAC	GACGAATGAC	GGCGTTACGA	CCATCGCTAA
44_2	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA

Fig. 1AAN

	3251				3300
42_2	TAACCTTACC	AGCACGATTC	AGGTCTTCTC	GGACTCGGAG	TACCAACTGC
42_8	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
42_15	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
42_5b	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
42_1b	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
42_13	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
42_3a	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
42_4	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCGGCTCC
42_5a	TAACCTTACC	AGCACGATTC	AGGTCTTCTC	GGACTCGGAG	TACCAACTGC
42_10	TAACCTTACC	AGCACGATTC	AGGTCTTCTC	GGACTCGGAG	TACCAACTGC
42_3b	TAACCTTACC	AGCACGATTC	AGGTCTTCTC	GGACTCGGAG	TACCAACTGC
42_11	TAACCTTACC	AGCACGATTC	AGGTCTTCTC	GGACTCGGAG	TACCAACTGC
42_6b	TAACCTTACC	AGCACGATTC	AGGTCTTCTC	GGACTCGGAG	TACCAACTGC
43_1	TAACCTTACC	AGCACGATTC	AGGTGTTTAC	GGACTCGGAA	TACCAGCTCC
43_5	TAACCTTACC	AGCACGATTC	AGGTGTTTAC	GGACTCGGAA	TACCAGCTCC
43_12	TAACCTTACC	AGCACGATTC	AGGTGTTTAC	GGACTCGGAA	TACCAGCTCC
43_20	TAATCTCACC	AGCACCGTGC	AGGTCTTTAC	GGACTCGGAG	TACCAGTTAC
43_21	TAATCTCACC	AGCACCGTGC	GGGTCTTTAC	GGACTCGGAG	TACCAGTTAC
43_23	TAATCTCACC	AGCACCGTGC	AGGTCTTTAC	GGACTTGGAG	TACCAGTTAC
43_25	TAATCTCACC	AGCACCGTGC	AGGTCTTTAC	GGACTCGGAG	TACCAGTTAC
44_1	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
44_5	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
223_10	TAACCTTACC	AGCACGGTTC	AGGTCTTTTC	GGACTCGGAA	TATCAACTGC
223_2	TAACCTTACC	AGCACGGTTC	AGGTCTTTTC	GGACTCGGAA	TATCAACTGC
223_4	TAACCTTACC	AGCACGGTTC	AGGTCTTTTC	GGACTCGGAA	TATCAACTGC
223_5	TAACCTTACC	AGCACGGTTC	AGGTCTTTTC	GGACTCGGAA	TATCAACTGC
223_6	TAACCTTACC	AGCACGGTTC	AGGTCTTTTC	GGACTCGGAA	TATCAACTGC
223_7	TAACCTTACC	AGCACGGTTC	AGGTCTTTTC	GGACCCGGAA	TATCAACTGC
A3_4	TAACCTTACC	AGCACGGTGC	AGGTCTTCAC	AGACTCTGAG	TACCAGCTGC
A3_5	TAACCTTACC	AGCACGGTGC	AGGTCTTCAC	AGACTCTGAG	TACCAGCTGC
A3_7	TAACCTTACC	AGCACGGTGC	AGGTCTTCAC	AGACTCTGAG	TACCAGCTGC
A3_3	TAACCTTACC	AGCGCGGTGC	AGGTCTTCAC	AGACTCTGAG	TACCAGCTGC
42_12	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
AAV1	TAACCTTACC	AGCACGGTTC	AAGTCTTCTC	GGACTCGGAG	TACCAGCTTC
AAV2	TAACCTTACC	AGCACGGTTC	AGGTGTTTAC	TGACTCGGAG	TACCAGCTCC
AAV3	TAACCTTACC	AGCACGGTTC	AAGTGTTTAC	GGACTCGGAG	TATCAGCTCC
AAV8	TAACCTCACC	AGCACCATCC	AGGTGTTTAC	GGACTCGGAG	TACCAGCTGC
AAV9	TAACCTTACC	AGCACCGTCC	AGGTCTTTAC	GGACTCGGAG	TACCAGCTAC
AAV7	TAACCTTACC	AGCACGATTC	AGGTATTCTC	GGACTCGGAA	TACCAGCTGC
44_2	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC

Fig. 1AAO

	3301				3350
42_2	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCTGCG
42_8	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
42_15	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCCGCCTCC	GTTCCCGGCG
42_5b	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
42_1b	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
42_13	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
42_3a	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
42_4	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
42_5a	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCTGCG
42_10	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCTGCG
42_3b	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCTGCG
42_1	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCTGCG
42_6b	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCTGCG
43_1	CGTACGTCCC	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCGGCG
43_5	CGTACGTCCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCGGCG
43_12	CGTACGTCCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCGGCG
43_20	CGTACGTGCT	AGGATCCGCT	CACCAGGGAT	GTCTGCCTCC	GTTCCCGGCG
43_21	CGTACGTGCT	AGGATCCGCT	CACCAGGGAT	GTCTGCCTCC	GTTCCCGGCG
43_23	CGTACGTGCT	AGGATCCGCT	CACCAGGGAT	GTCTGCCTCC	GTTCCCGGCG
43_25	CGTACGTGCT	AGGATCCGCT	CACCAGGGAT	GTCTGCCTCC	GTTCCCGGCG
44_1	CGTACGTCCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
44_5	CGTACGTCCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
223_10	CGTACGTCCCT	CGGCTCCGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCA
223_2	CGTACGTCCCT	CGGCTCCGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCA
223_4	CGTACGTCCCT	CGGCTCCGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCA
223_5	CGTACGTCCCT	CGGCTCCGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCA
223_6	CGTACGTCCCT	CGGCTCCGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCA
223_7	CGTACGTCCCT	CGGCTCCGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCA
A3_4	CCTACGTCCCT	CGGTTCTGGCT	CACCAGGGCT	GCCTTCCGCC	GTTCCCAGCA
A3_5	CCTACGTCCCT	CGGTTCTGGCT	CACCAGGGCT	GCCTTCCGCC	GTTCCCAGCA
A3_7	CCTACGTCCCT	CGGTTCTGGCT	CACCAGGGCT	GCCTTCCGCC	GTTCCCAGCA
A3_3	CCTACGTCCCT	CGGTTCTGGCT	CACCAGGGCT	GCCTTCCGCC	GTTCCCAGCA
42_12	CGTACGTCCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
AAV1	CGTACGTCCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCGGCG
AAV2	CGTACGTCCCT	CGGCTCGGCG	CATCAAGGAT	GCCTCCCGCC	GTTCCCAGCA
AAV3	CGTACGTGCT	CGGGTCTGGCG	CACCAAGGCT	GTCTCCCGCC	GTTTCCAGCG
AAV8	CGTACGTTCT	CGGCTCTGCC	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
AAV9	CGTACGTCCCT	AGGCTCTGCC	CACCAAGGAT	GCCTGCCACC	GTTTCTGCA
AAV7	CGTACGTCCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
44_2	CGTACGTCCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG

Fig. 1AAP

	3351				3400
42_2	GACGTGTTCA	TGATTCCTCA	GTACGGATAT	CTGACTCTAA	ACAACGGCAG
42_8	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
42_15	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
42_5b	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
42_1b	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
42_13	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
42_3a	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
42_4	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
42_5a	GACGTGTTCA	TGATTCCTCA	GTACGGATAT	CTGACTCTAA	ACAACGGCAG
42_10	GACGTGTTCA	TGATTCCTCA	GTACGGATAT	CTGACTCTAA	ACAACGGCAG
42_3b	GACGTGTTCA	TGATTCCTCA	GTACGGATAT	CTGACTCTAA	ACAACGGCAG
42_1	GACGTGTTCA	TGATTCCTCA	GTACGGATAT	CTGACTCTAA	ACAACGGCAG
42_6b	GACGTGTTCA	TGATTCCTCA	GTACGGATAT	CTGACTCTAA	ACAACGGCAG
43_1	GACGTCTTCA	TGATTCCTCA	GTACGGGTAT	CTGACCCTAA	ACAATGGCAG
43_5	GACGTCTTCA	TGATTCCTCA	GTACGGGTAT	CTGACCCTAA	ACAATGGCAG
43_12	GACGTCTTCA	TGATTCCTCA	GTACGGGTAT	CTGACCCTAA	ACAATGGCAG
43_20	GACGTCTTCA	CGGTCCTCA	GTACGGCTAT	TTAACTTTAA	ACAATGGAAG
43_21	GACGTCTTCA	TGGTCCTCA	GTACGGCTAT	TTAACTTTAA	ACAATGGAAG
43_23	GACGTCTTCA	TGGTCCTCA	GTACGGCTAT	TTAACTTTAA	ACAATGGAAG
43_25	GACGTCTTCA	TGGTCCTCA	GTACGGCTAT	TTAACTTTAA	ACAATGGAAG
44_1	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAATGGCAG
44_5	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAATGGCAG
223_10	GACGTGTTCA	TGATTCCGCA	GTACGGATAC	CTGACTCTGA	ACAATGGCAG
223_2	GACGTGTTCA	TGATTCCGCA	GTACGGATAC	CTGACTCTGA	ACAATGGCAG
223_4	GACGTGTTCA	TGATTCCGCA	GTACGGATAC	CTGACTCTGA	ACAATGGCAG
223_5	GACGTGTTCA	TGATTCCGCA	GTACGGATAC	CTGACTCTGA	ACAATGGCAG
223_6	GACGTGTTCA	TGATTCCGCA	GTACGGATAC	CTGACTCTGA	ACAATGGCAG
223_7	GACGTGTTCA	TGATTCCGCA	GTACGGATAC	CTGACTCTGA	ACAATGGCAG
A3_4	GACGTCTTCA	TGATTCCTCA	GTACGGCTAC	TTGACTCTGA	ACAATGGCAG
A3_5	GACGTCTTCA	TGATTCCTCA	GTACGGCTAC	TTGACTCTGA	ACAATGGCAG
A3_7	GACGTCTTCA	TGATTCCTCA	GTACGGCTAC	TTGACTCTGA	ACAATGGCAG
A3_3	GACGTCTTCA	TGATTCCTCA	GTACGGCTAC	TTGACTCTGA	ACAATGGCAG
42_12	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
AAV1	GACGTGTTCA	TGATTCCGCA	ATACGGCTAC	CTGACGCTCA	ACAATGGCAG
AAV2	GACGTCTTCA	TGGTGCCACA	GTATGGATAC	CTCACCCTGA	ACAACGGGAG
AAV3	GACGTCTTCA	TGGTCCCTCA	GTATGGATAC	CTCACCCTGA	ACAACGGGAG
AAV8	GACGTGTTCA	TGATTCCTCA	GTACGGCTAC	CTAACACTCA	ACAACGGTAG
AAV9	GACGTCTTCA	TGGTTCCTCA	GTACGGCTAC	CTGACGCTCA	ACAATGGAAG
AAV7	GACGTCTTCA	TGATTCCTCA	GTACGGCTAC	CTGACTCTCA	ACAATGGCAG
44_2	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAATGGCAG

Fig. 1AAQ

	3401				3450
42_2	TCAGTCTGTG	GGACGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_8	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_15	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_5b	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_1b	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_13	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_3a	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_4	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_5a	TCAGTCTGTG	GGACGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_10	TCAGTCTGTG	GGACGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_3b	TCAGTCTGTG	GGACGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_11	TCAGTCTGTG	GGACGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_6b	TCAGTCTGTG	GGACGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
43_1	TCAGGCTGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAATAC	TTCCCTTCTC
43_5	TCAGGCTGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAATAC	TTCCCTTCTC
43_12	TCAGGCTGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAATAC	TTCCCTTCTC
43_20	CCAAGCCCTG	GGACGTTCCCT	CCTTCTACTG	TCTGGAGTAT	TTCCCATCGC
43_21	CCAAGCCCTG	GGACGTTCCCT	CCTTCTACTG	TCTGGAGTAT	TTCCCATCGC
43_23	CCAAGCCCTG	GGACGTTCCCT	CCTTCTACTG	TCTGGAGTAT	TTCCCATCGC
43_25	CCAAGCCCTG	GGACGTTCCCT	CCTTCTACTG	TCTGGAGTAT	TTCCCATCGC
44_1	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
44_5	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
223_10	CCAATCGGTA	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
223_2	CCAATCGGTA	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
223_4	CCAATCGGTA	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
223_5	CCAATCGGTA	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
223_6	CCAATCGGTA	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
223_7	CCAATCGGTA	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
A3_4	CCAAGCGGTA	GGACGTTCTT	CATTCTACTG	TCTAGAGTAT	TTTCCCTCTC
A3_5	CCAAGCGGTA	GGACGTTCTT	CATTCTACTG	TCTAGAGTAT	TTTCCCTCTC
A3_7	CCAAGCGGTA	GGACGTTCTT	CATTCTACTG	TCTAGAGTAT	TTTCCCTCTC
A3_3	CCAAGCGGTA	GGACGTTCTT	CATTCTACTG	TCTAGAGTAT	TTTCCCTCTC
42_12	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
AAV1	CCAAGCCGTG	GGACGTTTCAT	CCTTTTACTG	CCTGGAATAT	TTCCCTTCTC
AAV2	TCAGGCAGTA	GGACGCTCTT	CATTTTACTG	CCTGGAGTAC	TTTCCTTCTC
AAV3	TCAAGCGGTG	GGACGCTCAT	CCTTTTACTG	CCTGGAGTAC	TTCCCTTCGC
AAV8	TCAGGCCGTG	GGACGCTCCT	CCTTCTACTG	CCTGGAATAC	TTTCCTTCGC
AAV9	TCAAGCGTTA	GGACGTTCTT	CCTTCTACTG	TCTGGAATAC	TTCCCTTCTC
AAV7	TCAGTCTGTG	GGACGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTCCCTTCTC
44_2	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC

Fig. 1AAR

	3451				3500
42_2	AGATGCTGAG	AACGGGCAAT	AACTTTGAAT	TCAGCTACAC	CTTTGAGGAA
42_8	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
42_15	AAATGCGGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
42_5b	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
42_1b	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
42_13	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
42_3a	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
42_4	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
42_5a	AGATGCTGAG	AACGGGCAAT	AACTTTGAAT	TCAGCTACCA	GTTTGAGGAC
42_10	AGATGCTGAG	AACGGGCAAT	AACTTTGAAT	TCAGCTACAC	CTTTGAGGAA
42_3b	AGATGCTGAG	AACGGGCAAT	AACTTTGAAT	TCAGCTACAC	CTTTGAGGAA
42_11	AGATGCTGAG	AACGGGCAAT	AACTTTGAAT	TCAGCTACAC	CTTTGAGGAA
42_6b	AGATGCTGAG	AACGGGCAAT	AACTTTGAAT	TCAGCTACAC	CTTTGAGGAA
43_1	AAATGCTGAG	GACGGGCAAC	AACTTTGAAT	TCAGCTACAC	CTTCGAGGAC
43_5	AAATGCTGAG	GACGGGCAAC	AACTTTGAAT	TCAGCTACAC	CTTCGAGGAC
43_12	AAATGCTGAG	GACGGGCAAC	AACTTTGAAT	TCAGCTACAC	CTTCGAGGAC
43_20	AGATGCTGAG	AACCGGCAAC	AACTTTCAGT	TCAGCTACAC	CTTCGAGGAC
43_21	AGATGCTGAG	AACCGGCAAC	AACTTTCAGT	TCAGCTACAC	CTTCGAGGAC
43_23	AGATGCGGAG	AACCGGCAAC	AACTTTCAGT	TCAGCTACAC	CTTCGAGGAC
43_25	AGATGCTGAG	AACCGGCAAC	AACTTTCAGT	TCAGCTACAC	CTTCGAGGAC
44_1	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
44_5	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
223_10	AGATGCTGAG	AACGGGCAAC	AAC TTCACCT	TTAGCTACAC	CTTCGAGGAC
223_2	AGATGCTGAG	AACGGGCAAC	AAC TTCACCT	TTAGCTACAC	CTTCGAGGAC
223_4	AGATGCTGAG	AACGGGCAAC	AAC TTCACCT	TTAGCTACAC	CTTCGAGGAC
223_5	AGATGCTGAG	AACGGGCAAC	AAC TTCACCT	TTAGCTACAC	CTTCGAGGAC
223_6	AGATGCTGAG	AACGGGCAAC	AAC TTCACCT	TTAGCTACAC	CTTCGAGGAC
223_7	AGATGCTGAG	AACGGGCAAC	AAC TTCACCT	TTAGCTACAC	CTTCGAGGAC
A3_4	AGATGCTGAG	GACGGGAAAC	AAC TTCACCT	TCAGCTACAC	TTTTGAAGAC
A3_5	AGATGCTGAG	GACGGGAAAC	AAC TTCACCT	TCAGCTACAC	TTTTGAAGAC
A3_7	AGATGCTGAG	GACGGGAAAC	AAC TTCACCT	TCAGCTACAC	TTTTGAAGAC
A3_3	AGATGCTGAG	GACGGGAAAC	AAC TTCACCT	TCAGCTACAC	TTTTGAAGAC
42_12	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
AAV1	AGATGCTGAG	AACGGGCAAC	AACTTTACCT	TCAGCTACAC	CTTTGAGGAA
AAV2	AGATGCTGCG	TACCGGAAAC	AACTTTACCT	TCAGCTACAC	TTTTGAGGAC
AAV3	AGATGCTAAG	GACTGGAAAT	AAC TTCCAAT	TCAGCTATAC	CTTCGAGGAT
AAV8	AGATGCTGAG	AACCGGCAAC	AAC TTCCAGT	TTACTTACAC	CTTCGAGGAC
AAV9	AGATGCTGAG	AACCGGCAAC	AAC TTTCAGT	TCAGCTACAC	TTTCGAGGAC
AAV7	AGATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACAG	CTTCGAGGAC
44_2	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC

Fig. 1AAS

	3501				3550
42_2	GTGCCTTTCC	ACAGCAGCTA	TGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
42_8	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
42_15	GTGCCTTTTC	ACAGCAGCTA	CGCGCATAGC	CAAAGCCTGG	ACCGGCTGAT
42_5b	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
42_1b	GTGCCTTTTC	ACAGCAGCTA	TGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
42_13	GTGCCTTTTC	ACAGCAGCTA	TGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
42_3a	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
42_4	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
42_5a	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
42_10	GTGCCTTTCC	ACAGCAGCTA	TGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
42_3b	GTGCCTTTCC	ACAGCAGCTA	TGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
42_11	GTGCCTTTCC	ACAGCAGCTA	TGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
42_6b	GTGCCTTTCC	ACAGCAGCTA	TGCGCATAGC	CAGAGCCTGG	ACCGGCTGAT
43_1	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
43_5	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
43_12	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
43_20	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACAGGCTGAT
43_21	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACAGGCTGAT
43_23	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACAGGCTGAT
43_25	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACAGGCTGAT
44_1	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
44_5	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
223_10	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ACCGGCTGAT
223_2	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ACCGGCTGAT
223_4	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	GCCGGCTGAT
223_5	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	GCCGGCTGAT
223_6	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ACCGGCTGAT
223_7	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ACCGGCTGAT
A3_4	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ATCGGCTGAT
A3_5	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ATCGGCTGAT
A3_7	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ATCGGCTGAT
A3_3	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ATCGGCTGAT
42_12	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAC
AAV1	GTGCCTTTCC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
AAV2	GTTCCCTTTCC	ACAGCAGCTA	CGCTCACAGC	CAGAGTCTGG	ACCGTCTCAT
AAV3	GTACCTTTTC	ACAGCAGCTA	CGCTCACAGC	CAGAGTTTGG	ATCGCTTGAT
AAV8	GTGCCTTTCC	ACAGCAGCTA	CGCCACAGC	CAGAGCTTGG	ACCGGCTGAT
AAV9	GTGCCTTTCC	ACAGCAGCTA	CGCACACAGC	CAGAGTCTAG	ATCGACTGAT
AAV7	GTGCCTTTCC	ACAGCAGCTA	CGCACACAGC	CAGAGCCTGG	ACCGGCTGAT
44_2	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT



Fig. 1AAT

	3551				3600
42_2	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGCCCCG	ACCCAGAGCA
42_8	GAACCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_15	GAACCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_5b	GAACCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_1b	GAACCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_13	GAACCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_3a	GAACCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_4	GAACCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_5a	GAACCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_10	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGCCCCG	ACCCAGAGCA
42_3b	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGCCCCG	ACCCAGAGCA
42_11	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGCCCCG	ACCCAGAGCA
42_6b	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGCCCCG	ACCCAGAGCA
43_1	GAACCCTCTC	ATCGACCAGT	ACCTGTATTA	CTTATCCAGA	ACTCAGTCCA
43_5	GAACCCTCTC	ATCGACCAGT	ACCTGTATTA	CTTATCCAGA	ACTCAGTCCA
43_12	GAACCCTCTC	ATCGACCAGT	ACCTGTATTA	CTTATCCAGA	ACTCAGTCCA
43_20	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGTCAGA	ACGCAAACGA
43_21	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGTCAGA	ACGCAAACGA
43_23	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGTCAGA	ACGCAAACGA
43_25	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGTCAGA	ACGCAAACGA
44_1	GAACCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
44_5	GAACCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
223_10	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CTTGGCCAGA	ACACAGAGCA
223_2	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CTTGGCCAGA	ACACAGAGCA
223_4	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CTTGGCCAGA	ACACAGAGCA
223_5	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CTTGGCCAGA	ACACAGAGCA
223_6	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CTTGGCCAGA	ACACAGAGCA
223_7	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CTTGGCCAGA	ACACAGAGCA
A3_4	GAATCCTCTC	ATTGACCAGT	ACCTGTATTA	CCTGAGCAAA	ACTCAGGGTA
A3_5	GAATCCTCTC	ATTGACCAGT	ACCTGTATTA	CCTGAGCAAA	ACTCAGGGTA
A3_7	GAATCCTCTC	ATTGACCAGT	ACCTGTATTA	CCTGAGCAAA	ACTCAGGGTA
A3_3	GAATCCTCTC	ATTGACCAGT	ACCTGTATTA	CCTGAGCAAA	ACTCAGGGTA
42_12	GAACCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGCCCCG	ACCCAGAGCA
AAV1	GAATCCTCTC	ATCGACCAAT	ACCTGTATTA	CCTGAACAGA	ACTCAA.AT
AAV2	GAATCCTCTC	ATCGACCAGT	ACCTGTATTA	CTTGAGCAGA	ACAAACACTC
AAV3	GAATCCTCTT	ATTGATCAGT	ATCTGTACTA	CCTGAACAGA	ACGCAAGGAA
AAV8	GAATCCTCTG	ATTGACCAGT	ACCTGTACTA	CTTGTCTCGG	ACTCAAACAA
AAV9	GAACCCCTC	ATCGACCAGT	ACCTATACTA	CCTGGTCAGA	ACACAGACAA
AAV7	GAATCCCCTC	ATCGACCAGT	ACTTGTACTA	CCTGGCCAGA	ACACAGAGTA
44_2	GAACCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA

Fig. 1AAU

	3601				3650
42_2	CTACGG..GG	TCCACAAGGG	AGCTGCA.GT	TCCA.....	TCAGGCTGGG
42_8	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_15	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_5b	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_1b	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_13	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_3a	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_4	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_5a	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_10	CTACG...GG	GTCCACAAGG	GAGCTGCAGT	TCCA.....	TCAGGCTGGG
42_3b	CTACG...GG	GTCCACAAGG	GAGCTGCAGT	TCCA.....	TCAGGCTGGG
42_11	CTACG...GG	GTCCACAAGG	GAGCTGCAGT	TCCA.....	TCAGGCTGGG
42_6b	CTACG...GG	GTCCACAAGG	GAGCTGCAGT	TCCA.....	TCAGGCTGGG
43_1	CAGGA...GG	AACTCAAGGT	ACTCAGCAAT	TGTTATTTTC	TCAAGCCGGG
43_5	CAGGA...GG	AACTCAAGGT	ACTCAGCAAT	TGTTATTTTC	TCAAGCCGGG
43_12	CAGGA...GG	AACTCAAGGT	ACTCAGCAAT	TGTTATTTTC	TCAAGCCGGG
43_20	CT.....GG	AACTGGAGGG	ACGCAGACTC	TGGCATTTCAG	CCAAGCCGGG
43_21	CT.....GG	AACTGGAGGG	ACGCAGACTC	TGGCATTTCAG	CCAAGCCGGG
43_23	CT.....GG	AACTGGAGGG	ACGCAGACTC	TGGCATTTCAG	CCAAGCCGGG
43_25	CT.....GG	AACTGGAGGG	ACGCAGACTC	TGGCATTTCAG	CCAAGCCGGG
44_1	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
44_5	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
223_10	ACGCAGGAGG	TACTGCTGGC	AATCGGGAAC	TGCAGTTTTA	TCAGGGCGGA
223_2	ACGCAGGAGG	TACTGCTGGC	AATCGGGAAC	TGCAGTTTTA	TCAGGGCGGA
223_4	ACGCAGGAGG	TACTGCTGGC	AATCGGGAAC	TGCAGTTTTA	TCAGGGCGGA
223_5	ACGCAGGAGG	TACTGCTGGC	AATCGGGAAC	TGCAGTTTTA	TCAGGGCGGA
223_6	ACGCAGGAGG	TACTGCTGGC	AATCGGGAAC	TGCAGTTTTA	TCAGGGCGGA
223_7	ACGCAGGAGG	TACTGCTGGC	AATCGGGAAC	TGCAGTTTTA	TCAGGGCGGA
A3_4	CAAG...TGG	AACAACGCAG	CAATCGAGAC	TGCAGTTCAG	CCAAGCTGGG
A3_5	CAAG...TGG	AACAACGCAG	CAATCGAGAC	TGCAGTTCAG	CCAAGCTGGG
A3_7	CAAG...TGG	AACAACGCAG	CAATCGAGAC	TGCAGTTCAG	CCAAGCTGGG
A3_3	CAAG...TGG	AACAACGCAG	CAATCGAGAC	TGCAGTTCAG	CCAAGCTGGG
42_12	CTACG...GG	GTCCACAAGG	GGGCTGCAGT	TCCA.....	TCAGGCTGGG
AAV1	CAGTCC..GG	AAGTGCCCAA	AACAAGGACT	TGCTGTTTAG	CCGTGGGTCT
AAV2	CAAG...TGG	AACCACCACG	CAGTCAAGGC	TTTCTTTTTC	TCAGGCCGGG
AAV3	CAACCTCTGG	AACAACCAAC	CAATCACGGC	TGCTTTTTTAG	CCAGGCTGGG
AAV8	CAGGAG..GC	.ACGGCAAAT	ACGCAGACTC	TGGGCTTCAG	CCAAGGTGGG
AAV9	CTGGA.....	.ACTGGGGGA	ACTCAAACCTT	TGGCATTTCAG	CCAAGCAGGC
AAV7	ACCCAGGAGG	CACAGCTGGC	AATCGGGAAC	TGCAGTTTTA	CCAGGGCGGG
44_2	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG

Fig. 1AAV

	3651				3700
42_2	CCCAACACCA	TGGCCGAGCA	ATCAAAGAAC	TGGCTGCCCCG	GACCCTGTGA
42_8	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_15	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_5b	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_1b	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_13	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_3a	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_4	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_5a	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_10	CCCAACACCA	TGGCCGAGCA	ATCAAAGAAC	TGGCTGCCCCG	GACCCTGTGA
42_3b	CCCAACACCA	TGGCCGAGCA	ATCAAAGAAC	TGGCTGCCCCG	GACCCTGTGA
42_11	CCCAACACCA	TGGCCGAGCA	ATCAAAGAAC	TGGCTGCCCCG	GACCCTGTGA
42_6b	CCCAACACCA	TGGCCGAGCA	ATCAAAGAAC	TGGCTGCCCCG	GACCCTGTGA
43_1	CCCGCAAACA	TGTCGGCTCA	GGCCAAGAAC	TGGCTACCTG	GACCGTGTGA
43_5	CCCGCAAACA	TGTCGGCTCA	GGCCAAGAAC	TGGCTACCTG	GACCGTGTGA
43_12	CCCGCAAACA	TGTCGGCTCA	GGCCAAGAAC	TGGCTACCTG	GACCGTGTGA
43_20	CCTAGCTCAA	TGGCCAACCA	GGCTAGAAAT	TGGGTGCCCCG	GACCTTGCTA
43_21	CCTAGCTCAA	TGGCCAACCA	GGCTAGAAAT	TGGGTGCCCCG	GACCTTGCTA
43_23	CCTAGCTCAA	TGGCCAACCA	GGCTAGAAAT	TGGGTGCCCCG	GACCTTGCTA
43_25	CCTAGCTCAA	TGGCCAACCA	GGCTAGAAAT	TGGGTGCCCCG	GACCTTGCTA
44_1	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
44_5	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
223_10	CCTACCACCA	TGGCCGAACA	AGCAAAGAAC	TGGCTGCCCCG	GACCTTGCTT
223_2	CCTACCACCA	TGGCCGAACA	AGCAAAGAAC	TGGCTGCCCCG	GACCTTGCTT
223_4	CCTACCACCA	TGGCCGAACA	AGCAAAGAAC	TGGCTGCCCCG	GACCTTGCTT
223_5	CCTACCACCA	TGGCCGAACA	AGCAAAGAAC	TGGCTGCCCCG	GACCTTGCTT
223_6	CCTACCACCA	TGGCCGAACA	AGCAAAGAAC	TGGCTGCCCCG	GACCTTGCTT
223_7	CCTACCACCA	TGGCCGAACA	AGCAAAGAAC	TGGCTGCCCCG	GACCTTGCTT
A3_4	CCTAGCTCCA	TGGCTCAGCA	GGCCAAAAAC	TGGCTACCGG	GACCCAGCTA
A3_5	CCTAGCTCCA	TGGCTCAGCA	GGCCAAAAAC	TGGCTACCGG	GACCCAGCTA
A3_7	CCTAGCTCCA	TGGCTCAGCA	GGCCAAAAAC	TGGCTACCGG	GACCCAGCTA
A3_3	CCTAGCTCCA	TGGCTCAGCA	GGCCAAAAAC	TGGCTACCGG	GACCCAGCTA
42_12	CCCAACACCA	TGGCCGAGCA	ATCAAAGAAC	TGGCTGCCCCG	GACCCTGTGA
AAV1	CCAGCTGGCA	TGTCTGTTCA	GCCCAAAAAAC	TGGCTACCTG	GACCCTGTGA
AAV2	GCGAGTGACA	TTGCGGACCA	GTCTAGGAAC	TGGCTTCCTG	GACCCTGTGA
AAV3	CCTCAGTCTA	TGTCTTTGCA	GGCCAGAAAT	TGGCTACCTG	GGCCCTGCTA
AAV8	CCTAATACAA	TGGCCAATCA	GGCAAAGAAC	TGGCTGCCAG	GACCCTGTGA
AAV9	CCTAGCTCAA	TGGCCAATCA	GGCTAGAAAC	TGGGTACCCG	GGCCTTGCTA
AAV7	CCTTCAACTA	TGGCCGAACA	AGCCAAGAAT	TGGTTACCTG	GACCTTGCTT
44_2	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA

Fig. 1AAW

	3701				3750
42_2	TCGGCAGCAG	AGACTGTCAA	AAAACATAGA	CAGCAACAAC	AACAGTAACT
42_8	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
42_15	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
42_5b	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
42_1b	CCGGCAGCAA	CGCGTCTCCA	CGACAGTGTC	GCAAAATAAC	AACAGCAACT
42_13	CCGGCAGCAA	CGCGTCTCCA	CGACAGTGTC	GCAAAATAAC	AACAGCAACT
42_3a	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
42_4	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
42_5a	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
42_10	TCGGCAGCAG	AGACTGTCAA	AAAACATAGA	CAGCAACAAC	AACAGTAACT
42_3b	TCGGCAGCAG	AGACTGTCAA	AAAACATAGA	CAGCAACAAC	ACCAGTAACT
42_11	TCGGCGGCAG	AGACTGTCAA	AAGACATAGA	CAGCAACAAC	AACAGTAACT
42_6b	TCGGCAGCAG	AGACTGTCAA	AAAACATAGA	CAGCAACAAC	AACAGTAACT
43_1	CCGTCAGCAA	CGAGTTTCCA	CGACACTGTC	GCAAAACAAC	AACAGCAATT
43_5	CCGTCAGCAA	CGAGTTTCCA	CGACACTGTC	GCAAAACAAC	AACAGCAATT
43_12	CCGTCAGCAA	CGAGTTTCCA	CGACACTGTC	GCAAAACAAC	AACAGCAATT
43_20	CCGGCAGCAG	CGCGTCTCCA	CGACAACCAA	CCAGAACAAC	AACAGCAACT
43_21	CCGGCAGCAG	CGCGTCTCCA	CGACAACCAA	CCAGAGCAAC	AACAGCAACT
43_23	CCGGCAGCAG	CGCGTCTCCA	CGACAACCAA	CCAGAACAAC	AACAGCAACT
43_25	CCGGCAGCAG	CGCGTCTCCA	CGACAACCAA	CCAGAACAAC	AACAGCAACT
44_1	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
44_5	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
223_10	CCGGCAACAG	AGAGTATCCA	AGACGCTGGA	TCAAAATAAC	AACAGCAACT
223_2	CCGGCAACAG	AGAGTATCCA	AGACGCTGGA	TCAAAATAAC	AACAGCAACT
223_4	CCGGCAACAG	AGAGTATCCA	AGACGCTGGA	TCAAAATAAC	AACAGCAACT
223_5	CCGGCAACAG	AGAGTATCCA	AGACGCTGGA	TCAAAATAAC	AACAGCAACT
223_6	CCGGCAACAG	AGAGTATCCA	AGACGCTGGA	TCAAAATAAC	AACAGCAACT
223_7	CCGGCAACAG	AGAGTATCCA	AGACGCTGGA	TCAAAATAAC	AACAGCAACT
A3_4	CCGACAGCAG	CGAATGTCTA	AGACGGCTAA	TGACAACAAC	AACAGTGAAT
A3_5	CCGACAGCAG	CGAATGTCTA	AGACGGCTAA	TGACAACAAC	AACAGTGAAT
A3_7	CCGACAGCAG	CGAATGTCTA	AGACGGCTAA	TGACAACAAC	AACAGTGAAT
A3_3	CCGACAGCAG	CGAATGTCTA	AGACGGCTAA	TGACAACAAC	AACAGTGAAT
42_12	TCGGCAGCAG	AGACTGTCAA	AAAACATAGA	CAGCAACAAC	AACAGTAACT
AAV1	TCGGCAGCAG	CGCGTTTCTA	AAACAAAAAC	AGACAACAAC	AACAGCAATT
AAV2	CCGCCAGCAG	CGAGTATCAA	AGACATCTGC	GGATAACAAC	AACAGTGAAT
AAV3	CCGGCAACAG	AGACTTTCAA	AGACTGCTAA	CGACAACAAC	AACAGTAACT
AAV8	CCGCCAACAA	CGCGTCTCAA	CGACAACCGG	GCAAAACAAC	AATAGCAACT
AAV9	CCGTCAGCAG	CGCGTCTCCA	CAACCACCAA	CCAAAATAAC	AACAGCAACT
AAV7	CCGGCAACAA	AGAGTCTCCA	AAACGCTGGA	TCAAAACAAC	AACAGCAACT
44_2	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT

Fig. 1AAX

	3751				3800
42_2	TTGCCTGGAC	CGGGGCCACT	AAATACCATC	TGAATGGTAG	AAATTCATTA
42_8	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_15	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_5b	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_1b	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_13	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_3a	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_4	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_5a	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_10	TTGCCTGGAC	CGGGGCCACT	AAATACCATC	TGAATGGTAG	AAATTCATTA
42_3b	TTGCCTGGAC	CGGGGCCACT	AAATACCATC	TGAATGGTAG	AAATTCATTA
42_11	TTGCCTGGAC	CGGGGCCACT	AAATACCATC	TGAATGGTAG	AAATTCATTA
42_6b	TTGCCTGGAC	CGGGGCCACT	AAATACCATC	TGAATGGTAG	AAATTCATTA
43_1	TTGCTTGGAC	CGGTGCCACC	AAGTATCACC	TGAATGGCAG	AGACTCCCTG
43_5	TTGCTTGGAC	CGGTGCCACC	AAGTATCACC	TGAATGGCAG	AGACTCCCTG
43_12	TTGCTTGGAC	CGGTGCCACC	AAGTATCACC	TGAATGGCAG	AGACTCCCTG
43_20	TTGCCTGGAC	GGGAGCTGCC	AAGTTTAAGC	TGAACGGCCG	AGACTCTCTA
43_21	TTGCCTGGAC	GGGAGCTGCC	AAGTTTAAGC	TGAACGGCCG	AGACTCTCTA
43_23	TTGCCTGGAC	GGGAGCTGCC	AAGTTTAAGC	TGAACGGCCG	AGACTCTCTA
43_25	TTGCCTGGAC	GGGAGCTGCC	AAGTTTAAGC	TGAACGGCCG	AGACTCTCTA
44_1	TTGCCTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
44_5	TTGCCTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
223_10	TTGCCTGGAC	TGGTGCCACA	AAATACCATT	TAAATGGAAG	AAATTCATTG
223_2	TTGCCTGGAC	TGGTGCCACA	AAATACCATT	TAAATGGAAG	AAATTCATTG
223_4	TTGCCTGGAC	TGGTGCCACA	AAATACCATT	TAAATGGAAG	AAATTCATTG
223_5	TTGCCTGGAC	TGGTGCCACA	AAATACCATT	TAAATGGAAG	AAATTCATTG
223_6	TTGCCTGGAC	TGGTGCCACA	AAATACCATT	TAAATGGAAG	AAATTCATTG
223_7	TTGCCTGGAC	TGGTGCCACA	AAATACCATT	TAAATGGAAG	AAATTCATTG
A3_4	TTGCTTGGAC	TGCAGCCACC	AAATATTACC	TGAATGGAAG	AAATTCTCTG
A3_5	TTGCTTGGAC	TGCAGCCACC	AAATATTACC	TGAATGGAAG	AAATTCTCTG
A3_7	TTGCTTGGAC	TGCAGCCACC	AAATATTACC	TGAATGGAAG	AAATTCTCTG
A3_3	TTGCTTGGAC	TGCAGCCACC	AAATATTACC	TGAATGGAAG	AAATTCTCTG
42_12	TTGCCTGGAC	CGGGGCCACT	AAATACCATC	TGAATGGTAG	AAATTCATTA
AAV1	TTACCTGGAC	TGGTGCTTCA	AAATATAACC	TCAATGGGCG	TGAATCCATC
AAV2	ACTCGTGGAC	TGGAGCTACC	AAGTACCACC	TCAATGGCAG	AGACTCTCTG
AAV3	TTCTTGGAC	AGCGGCCAGC	AAATATCATC	TCAATGGCCG	CGACTCGCTG
AAV8	TTGCCTGGAC	TGCTGGGACC	AAATACCATC	TGAATGGAAG	AAATTCATTG
AAV9	TTGCGTGGAC	GGGAGCTGCT	AAATTCAAGC	TGAACGGGAG	AGACTCGCTA
AAV7	TTGCTTGGAC	TGGTGCCACC	AAATATCACC	TGAACGGCAG	AAACTCGTTG
44_2	TTGCCTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG

Fig. 1AAY

	3801				3850
42_2	ACCAACCCCG	GCGTAGCCAT	GGCCACCAAC	AAGGACGACG	AGGACCAGTT
42_8	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGACGACG	AAGAGCGATT
42_15	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGACGACG	AAGAGCGATT
42_5b	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGACGACG	AAGAGCGATT
42_1b	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGGCGACG	AAGAGCGATT
42_13	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGGCGACG	AAGAGCGATT
42_3a	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGACGACG	AAGAGCGATT
42_4	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGACGACG	AAGAGCGATT
42_5a	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGACGACG	AAGAGCGATT
42_10	ACCAACCCCG	GCGTAGCCAT	GGCCACCAAC	AAGGACGACG	AGGACCAGTT
42_3b	ACCAACCCCG	GCGTAGCCAT	GGCCACCAAC	AAGGACGACG	AGGACCAGTT
42_11	ACCAACCCCG	GCGTAGCCAT	GGCCACCAAC	AAGGACGACG	AGGACCAGTT
42_6b	ACCAACCCCG	GCGTAGCCAT	GGCCACCAAC	AAGGACGACG	AGGACCAGTT
43_1	GTAAATCCCG	GCGTTGCCAT	GGCTACCCAC	AAGGACGACG	AGGAGCGCTT
43_5	GTAAATCCCG	GCGTTGCCAT	GGCTACCCAC	AAGGACGACG	AGGAGCGCTT
43_12	GTAAATCCCG	GCGTTGCCAT	GGCTACCCAC	AAGGACGACG	AGGAGCGCTT
43_20	ATGAATCCGG	GCGTGGCAAT	GGCTTCCCAC	AAGGATGACG	ACGACCGCTT
43_21	ATGAATCCGG	GCGTGGCAAT	GGCTTCCCAC	AAGGATGACG	ACGACCGCTT
43_23	ATGAATCCGG	GCGTGGCAAT	GGCTTCCCAC	AAGGATGACG	ACGACCGCTT
43_25	ATGAATCCGG	GCGTGGCAAT	GGCTTCCCAC	AAGGATGACG	ACGACCGCTT
44_1	GTAAATCCCG	GTGTCGCTAT	GGCAACCCAC	AAGGACGACG	AAGAGCGATT
44_5	GTAAATCCCG	GTGTCGCTAT	GGCAACCCAC	AAGGACGACG	AAGAGCGATT
223_10	GTAAATCCCG	GTGTCGCCAT	GGCAACCCAC	AAGGACGACG	AGGAACGCTT
223_2	GTAAATCCCG	GTGTCGCCAT	GGCAACCCAC	AAGGACGACG	AGGAACGCTT
223_4	GTAAATCCCG	GTGTCGCCAT	GGCAACCCAC	AAGGACGACG	AGGAACGCTT
223_5	GTAAATCCCG	GTGTCGCCAT	GGCAACCCAC	AAGGACGACG	AGGAACGCTT
223_6	GTAAATCCCG	GTGTCGCCAT	GGCAACCCAC	AAGGACGACG	AGGAACGCTT
223_7	GTAAATCCCG	GTGTCGCCAT	GGCAACCCAC	AAGGACGACG	AGGAACGCTT
A3_4	GTCAATCCCG	GGCCCCCAAT	GGCCAGTCAC	AAGGACGATG	AGGAAAAGTA
A3_5	GTCAATCCCG	GGCCCCCAAT	GGCCAGTCAC	AAGGACGATG	AGGAAAAGTA
A3_7	GTCAATCCCG	GGCCCCCAAT	GGCCAGTCAC	AAGGACGATG	AGGAAAAGTA
A3_3	GTCAATCCCG	GGCCCCCAGT	GGCCAGTCAC	AAGGACGATG	AGGAAAAGTA
42_12	ACCAACCCCG	GCGTAGCCAT	GGCCACCAAC	AAGGACGACG	AGGACCAGTT
AAV1	ATCAACCCTG	GCACTGCTAT	GGCCTCACAC	AAAGACGACG	AAGACAAGTT
AAV2	GTGAATCC..	GGCC...AT	GGCAAGCCAC	AAGGACGATG	AAGAAAAGTT
AAV3	GTGAATCCAG	GACCAGCTAT	GGCCAGTCAC	AAGGACGATG	AAGAAAAGTT
AAV8	GCTAATCCTG	GCATCGCTAT	GGCAACACAC	AAAGACGACG	AGGAGCGTTT
AAV9	ATGAATCCTG	GCGTGGCTAT	GGCATCGCAC	AAAGACGACG	AGGACCGCTT
AAV7	GTAAATCCCG	GCGTCGCCAT	GGCAACTCAC	AAGGACGACG	AGGACCGCTT
44_2	GTAAATCCCG	GTGTCGCTAT	GGCAACCCAC	AAGGACGACG	AAGAGCGATT

Fig. 1AAZ

```

3851
42_2 CTTTCCCATC AACGGAGTGC TGGTTTTTGG CGAAACGGGG GCTGCCAACA 3900
42_8 TTTTCCATCC AGCGGAGTCT TGATGTTTGG GAAACAGGGA GCTGGAAA..
42_15 TTTTCCATCC AGCGGAGTCT TGATGTTTGG GAAACAGGGA GCTGGAAA..
42_5b TTTTCCATCC AGCGGAGTCT TGATGTTTGG GAAACAGGGA GCTGGAAA..
42_1b TTTTCCATCC AGCGGAGTCT TGATGTTTGG GAAACAGGGA GCTGGAAA..
42_13 TTTTCCATCC AGCGGAGTCT TGATGTTTGG GAAACAGGGA GCTGGAAA..
42_3a TTTTCCATCC AGCGGAGTCT TGATGTTTGG GAAACAGGGA GCTGGAAA..
42_4 TTTTCCATCC AGCGGAGTCT TGATGTTTGG GAAACAGGGA GCTGGAAA..
42_5a TTTTCCATCC AGCGGAGTCT TGATGTTTGG GAAACAGGGA GCTGGAAA..
42_10 CTTTCCCATC AACGGAGTGC TGGTTTTTGG CAAAACGGGG GCTGCCAACA
42_3b CTTTCCCATC AACGGAGTGC TGGTTTTTGG CAAAACGGGG GCTGCCAACA
42_11 CTTTCCCATC AACGGAGTGC TGGTTTTTGG CAAAACGGGG GCTGCCAACA
42_6b CTTTCCCATC AACGGAGTGC TGGTTTTTGG CAAAACGGGG GCTGCCAACA
43_1 CTTCCCGTCA AGCGGAGTTC TAATGTTTGG CAAGCAGGGG GCTGGAAA..
43_5 CTTCCCGTCA AGCGGAGTTC TAATGTTTGG CAAGCAGGGG GCTGGAAA..
43_12 CTTCCCGTCA AGCGGAGTTC TAATGTTTGG CAAGCAGGGG GCTGGAAA..
43_20 CTTCCCTTCG AGCGGGGTCC TGATTTTTGG CAAGCAAGGA GCCGGGAA..
43_21 CTTCCCTTCG AGCGGGGTCC TGATTTTTGG CAAGCAAGGA GCCGGGAA..
43_23 CTTCCCTTCG AGCGGGGTCC TGATTTTTGG CAAGCAAGGA GCCGGGAA..
43_25 CTTCCCTTCG AGCGGGGTCC TGATTTTTGG CAAGCAAGGA GCCGGGAA..
44_1 TTTTCCGTCC AGCGGAGTCT TAATGTTTGG GAAACAGGGA GCTGGAAA..
44_5 TTTTCCGTCC AGCGGAGTCT TAATGTTTGG GAAACAGGGA GCTGGAAA..
223_10 CTTCCCTTCG AGCGGAGTTC TAATTTTTGG CAAAACGGGG GCTGCCAACA
223_2 CTCCCTTCG AGCGGAGTTC TAATTTTTGG CAAAACGGGG GCTGCCAACA
223_4 CTTCCCTTCG AGCGGAGTTC TAATTTTTGG CAAAACGGGG GCTGCCAACA
223_5 CTTCCCTTCG AGCGGAGTTC TAATTTTTGG CAAAACGGGG GCTGCCAACA
223_6 CTTCCCTTCG AGCGGAGTTC TAATTTTTGG CAAAACGGGG GCTGCCAACA
223_7 CTTCCCTTCG AGCGGAGTTC TAATTTTTGG CAAAACGGGG GCTGCCAACA
A3_4 TTTCCCCTATG CACGGAAATC TCATCTTTGG AAAACAAGGC ACAGGAAC..
A3_5 TTTCCCCTATG CACGGAAATC TCATCTTTGG AAAACAAGGC ACAGGAAC..
A3_7 TTTCCCCTATG CACGGAAATC TCATCTTTGG AAAACAAGGC ACAGGAAC..
A3_3 TTTCCCCTATG CACGGAAATC TCATCTTTGG AAAACAAGGC ACAGGAAC..
42_12 CTTTCCCATC AACGGAGTGC TGGTTTTTGG CAAAACGGGG GCTGCCAACA
AAV1 CTTTCCCCTATG AGCGGTGTCA TGATTTTTGG AAAAGAGAGC GCCGGAGC..
AAV2 TTTTCCCTCAG AGCGGGGTTC TCATCTTTGG GAAGCAAGGC TCAGAGAA..
AAV3 TTTCCCTATG CACGGCAATC TAATATTTGG CAAAGAAGGG ACAACGGC..
AAV8 TTTTCCCAGT AACGGGATCC TGATTTTTGG CAAACAAAAT GCTGCCAG..
AAV9 CTTTCCATCA AGTGCGTTC TCATATTTGG CAAGCAAGGA GCCGGGAA..
AAV7 TTTCCCATCC AGCGGAGTCC TGATTTTTGG AAAAAGTGA GCAACTAACA
44_2 TTTTCCGTCC AGCGGAGTCT TAATGTTTGG GAAACAGGGA GCTGGAAA..

```

Fig. 1AAAA

	3901			3950
42_2	AGACAACGCT	GGAA.....	AACGTGCTAA	TGACCAGCGA GGAGGAGATC
42_8	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA GGAAGAAATC
42_15	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA GGAAGAAATC
42_5b	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA GGAAGAAATC
42_1b	AGACAACG.T	AGACTATAGC	AGCGTTATGC	TAACCAGTGA GGAAGAAATC
42_13	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA GGAAGAAATC
42_3a	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA GGAAGAAATC
42_4	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA GGAAGAAATC
42_5a	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA GGAAGAAATC
42_10	AGACAACGCT	GGAA.....	AACGTGCTAA	TGACCAGCGA GGAGGAGATC
42_3b	AGACAACGCT	GGAA.....	AACGTGCTAA	TGACCAGCGA GGAGGAGATC
42_11	AGACAACGCT	GGAA.....	AACGTGCTAA	TGACCAGCGA GGAGGAGATC
42_6b	AGACAACGCT	GGAA.....	AACGTGCTAA	TGACCAGCGA GGAGGAGATC
43_1	AGACAATG.T	GGACTACAGC	AGCGTGATGC	TCACCAGCGA AGAAGAAATT
43_5	AGACAATG.T	GGACTACAGC	AGCGTGATGC	TCACCAGCGA AGAAGAAATT
43_12	AGACAATG.T	GGACTACAGC	AGCGTGATGC	TCACCAGCGA AGAAGAAATT
43_20	CGATGGAG.T	GGATTACAGC	CAAGTGCTGA	TTACAGATGA GGAAGAAATC
43_21	CGATGGAG.T	GGATTACAGC	CAAGTGCTGA	TTACAGATGA GGAAGAAATC
43_23	CGATGGAG.T	GGATTACAGC	CAAGTGCTGA	TTACAGATGA GGAAGAAATC
43_25	CGATGGAG.T	GGATTACAGC	CAAGTGCTGA	TTACAGATGA GGAAGAAATC
44_1	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA GGAAGAAATT
44_5	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA GGAAGAAATT
223_10	AAACTACATT	AGAA.....	AACGTGCTCA	TGACAAATGA AGAAGAAATT
223_2	AAACTACATT	AGAA.....	AACGTGCTCA	TGACAAATGA AGAAGAAATT
223_4	AAACTACATT	AGAA.....	AACGTGCTCA	TGACAAATGA AGAAGAAATT
223_5	AAACTACATT	AGAA.....	AACGTGCTCA	TGACAAATGA AGAAGAAATT
223_6	AAACTACATT	AGAA.....	AACGTGCTCA	TGACAAATGA AGAAGAAATT
223_7	AAACTACATT	AGAA.....	AACGTGCTCA	TGACAAATGA AGAAGAAATT
A3_4	TACCAATG.T	GGACATTGAA	TCAGTGCTTA	TTACAGACGA AGAAGAAATC
A3_5	TACCAATG.T	GGACATTGAA	TCAGTGCTTA	TTACAGACGA AGAAGAAATC
A3_7	TACCAATG.T	GGACATTGAA	TCAGTGCTTA	TTACAGACGA AGAAGAAATC
A3_3	TACCAATG.T	GGACATTGAA	TCAGTGCTTA	TTACAGACGA AGAAGAAATC
42_12	AGACAACGCT	GGAA.....	AACGTGCTAA	TGACCAGCGA GGAGGAGATC
AAV1	TTCAAACA.C	TGCATTGGAC	AATGTCATGA	TTACAGACGA AGAGGAAATT
AAV2	AACAAATG.T	GAACATTGAA	AAGGTCATGA	TTACAGACGA AGAGGAAATC
AAV3	AAGTAACG.C	AGAATTAGAT	AATGTAATGA	TTACGGATGA AGAAGAGATT
AAV8	AGACAATG.C	GGATTACAGC	GATGTCATGC	TCACCAGCGA GGAAGAAATC
AAV9	CGATGGAG.T	CGACTACAGC	CAGGTGCTGA	TTACAGATGA GGAAGAAATT
AAV7	AAACTACATT	GGAA.....	AATGTGTTAA	TGACAAATGA AGAAGAAATT
44_2	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA GGAAGAAATT



Fig. 1AAAB

	3951				4000
42_2	AAAACCACCA	ATCCCGTGGC	TACAGAAGAA	TACGGTGTGG	TCTCCAGCAA
42_8	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_15	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_5b	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_1b	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_13	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_3a	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_4	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_5a	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_10	AAAACCACCA	ATCCCGTGGC	TACAGAAGAA	TACGGTGTGG	TCTCCAGCAA
42_3b	AAAACCACCA	ATCCCGTGGC	TACAGAACAG	TACGGTGTGG	TCTCCAGCAA
42_11	AAAACCACCA	ATCCCGTGGC	TACAGAAGAA	TACGGTGTGG	TCTCCAGCAA
42_6b	AAAACCACCA	ATCCCGTGGC	TACAGAAGAA	TACGGTGTGG	TCTCCAGCAA
43_1	AAAAC TACTA	ACCCAGTGGC	TACAGAGCAG	TATGGTGTGG	TGGCAGACAA
43_5	AAAAC TACTA	ACCCAGTGGC	TACAGAGCAG	TATGGTGTGG	TGGCAGACAA
43_12	AAAAC TACTA	ACCCAGTGGC	TACAGAGCAG	TATGGTGTGG	TGGCAGACAA
43_20	AAGGCTACCA	ACCCCGTGGC	CACAGAAGAA	TATGGAGCAG	TGGCCATCAA
43_21	AAGGCTACCA	ACCCCGTGGC	CACAGAAGAA	TATGGAGCAG	TGGCCATCAA
43_23	AAGGCTACCA	ACCCCGTGGC	CACAGAAGAA	TATGGAGCAG	TGGCCATCAA
43_25	AAGGCTACCA	ACCCCGTGGC	CACAGAAGAA	TATGGAGCAG	TGGCCATCAA
44_1	AAAACCACCA	ACCCAGTGGC	CACGGAACAG	TACGGCGTGG	TGGCCGATAA
44_5	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
223_10	CGTCCTACCA	ACCCGGTAGC	TACCGAGGAA	TACGGGATTG	TAAGCAGCAA
223_2	CGTCCTACCA	ACCCGGTAGC	TACCGAGGAA	TACGGGATTG	TAAGCAGCAA
223_4	CGTCCTACCA	ACCCGGTAGC	TACCGAGGAA	TACGGGATTG	TAAGCAGCAA
223_5	CGTCCTACCA	ACCCGGTAGC	TACCGAGGAA	TACGGGATTG	TAAGCAGCAA
223_6	CGTCCTACCA	ACCCGGTAGC	TACCGAGGAA	TACGGGATTG	TAAGCAGCAA
223_7	CGTCCTACCA	ACCCGGTAGC	TACCGAGGAA	TACGGGATTG	TAAGCAGCAA
A3_4	AGAACAAC TA	ATCCTGTGGC	TACAGAACAA	TACGGACAGG	TTGCCACCAA
A3_5	AGAACGACTA	ATCCTGTGGC	TACAGAACAA	TACGGACAGG	TTGCCACCAA
A3_7	AGAACAAC TA	ATCCTGTGGC	TACAGAACAA	TACGGACAGG	TTGCCACCAA
A3_3	AGAACAAC TA	ATCCTGTGGC	TACAGAACAA	TACGGACAGG	TTGCCACCAA
42_12	AAAACCACCA	ATCCCGTGGC	TACAGAAGAA	TACGGTGTGG	TCTCCAGCAA
AAV1	AAAGCCACTA	ACCCTGTGGC	CACCGAAAGA	TTTGGGACCG	TGGCAGTCAA
AAV2	GGAACAACCA	ATCCCGTGGC	TACGGAGCAG	TATGGTTCTG	TATCTACCAA
AAV3	CGTACCACCA	ATCCTGTGGC	AACAGAGCAG	TATGGAACTG	TGGCAAATAA
AAV8	AAAACCAC TA	ACCCTGTGGC	TACAGAGGAA	TACGGTATCG	TGGCAGATAA
AAV9	AAAGCCACCA	ACCCTGTAGC	CACAGAGGAA	TACGGAGCAG	TGGCCATCAA
AAV7	CGTCCTACTA	ATCCTGTAGC	CACGGAAGAA	TACGGGATAG	TCAGCAGCAA
44_2	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA

Fig. 1AAAC

	4001				4050
42_2	CCTGCAATCG	TCTACGGCCG	GACCCCAGAC	ACAGACTGTC	AACAGCCAGG
42_8	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_15	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_5b	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_1b	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_13	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_3a	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_4	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_5a	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_10	CCTGCAATCG	TCTACGGCCG	GACCCCAGAC	ACAGACTGTC	AACAGCCAGG
42_3b	CCTGCAATCG	TCTACGGCCG	GACCCCAGAC	ACAGACTGTC	AACAGCCAGG
42_11	CCTGCAATCG	TCTACGGCCG	GACCCCAGAC	ACAGACTGTC	AACAGCCAGG
42_6b	CCTGCAATCG	TCTACGGCCG	GACCCCAGAC	ACAGACTGTC	AACAGCCAGG
43_1	CCTGCAGCAG	ACCAACGGAG	CTCCCATTGT	GGGAACTGTC	AACAGCCAGG
43_5	CCTGCAGCAG	ACCAACGGAG	CTCCCATTGT	GGGAACTGTC	AACAGCCAGG
43_12	CCTGCAGCAG	ACCAACGGAG	CTCCCATTGT	GGGAACTGTC	AACAGCCAGG
43_20	CAACCAGGCC	GCCAATACGC	AGGCGCAGAC	CGGACTCGTG	CACAACCAGG
43_21	CAACCAGGCC	GCCAATACGC	AGGCGCAGAC	CGGACTCGTG	CACAACCAGG
43_23	CAACCAGGCC	GCCAATACGC	AGGCGCAGAC	CGGACTCGTG	CACAACCAGG
43_25	CAACCAGGCC	GCCAATACGC	AGGCGCAGAC	CGGACTCGTG	CACAACCAGG
44_1	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
44_5	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
223_10	CTTGCAAGCG	GCTAGCACCG	CAGCCCAGAC	ACAAGTTGTT	AACAACCAGG
223_2	CTTGCAAGCG	GCTAGCACCG	CAGCCCAGAC	ACAAGTTGTT	AACAACCAGG
223_4	CTTGCAAGCG	GCTAGCACCG	CAGCCCAGAC	ACAAGTTGTT	AACAACCAGG
223_5	CTTGCAAGCG	GCTAGCACCG	CAGCCCAGAC	ACAAGTTGTT	AACAACCAGG
223_6	CTTGCAAGCG	GCTAGCACCG	CAGCCCAGAC	ACAAGTTGTT	AACAACCAGG
223_7	CTTGCAAGCG	GCTAGCACCG	CAGCCCAGAC	ACAAGTTGTT	AACAACCAGG
A3_4	CCATCAGAGT	CAGGACACCA	CAGCTTCCTA	TGGAAGTGTG	GACAGCCAGG
A3_5	CCGTCAGAGT	CAGAACACCA	CAGCTTCCTA	TGGAAGTGTG	GACAGCCAGG
A3_7	CCATCAGAGT	CAGAACACCA	CAGCTTCCTA	TGGAAGTGTG	GACAGCCAGG
A3_3	CCATCAGAGT	CAGAACACCA	CAGCTTCCTA	TGGAAGTGTG	GACAGCCAGG
42_12	CCTGCAATCG	TCTACGGCCG	GACCCCAGAC	ACAGACTGTC	AACAGCCAGG
AAV1	TTTCCAGAGC	AGCAGCACAG	ACCCTGCGAC	CGGAGATGTG	CATGCTATGG
AAV2	CCTCCAGAGA	GGCAACAGAC	AAGCAGCTAC	CGCAGATGTG	AACACACAAG
AAV3	CTTGCAAGCG	TCAAATACAG	CTCCCACGAC	TGGAAGTGTG	AATCATCAGG
AAV8	CTTGCAAGCG	CAAAACACGG	CTCCTCAAAT	TGGAAGTGTG	AACAGCCAGG
AAV9	CAACCAGGCC	GCTAACACGC	AGGCGCAAAC	TGGAAGTGTG	CATAACCAGG
AAV7	CTTACAAGCG	GCTAATACTG	CAGCCCAGAC	ACAAGTTGTC	AACAACCAGG
44_2	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG

Fig. 1AAAD

	4051				4100
42_2	GGGCTCTGCC	CGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_8	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_15	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_5b	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_1b	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_13	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_3a	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_4	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_5a	GAGCCTTACC	TGGCATGGCC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_10	GGGCTCTGCC	CGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_3b	GGGCTCTGCC	CGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_11	GGGCTCTGCC	CGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_6b	GGGCTCTGCC	CGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
43_1	GGGCCTTACC	TGGTATGGTC	TGGCAAACC	GGGACGTGTA	CCTGCAGGGC
43_5	GGGCCTTACC	TGGTATGGTC	TGGCAAACC	GGGACGTGTA	CCTGCAGGGC
43_12	GGGCCTTACC	TGGTATGGTC	TGGCAAACC	GGGACGTGTA	CCTGCAGGGC
43_20	GGGTGATTCC	CGGCATGGTG	TGGCAGAATA	GAGACGTGTA	CCTGCAGGGT
43_21	GGGTGATTCC	CGGCATGGTG	TGGCAGAATA	GAGACGTGTA	CCTGCAGGGT
43_23	GGGTGATTCC	CGGCATGGTG	TGGCAGAATA	GAGACGTGTA	CCTGCAGGGT
43_25	GGGTGATTCC	CGGCATGGTG	TGGCAGAATA	GAGACGTGTA	CCTGCAGGGT
44_1	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
44_5	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
223_10	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAAGGT
223_2	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAAGGT
223_4	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAAGGT
223_5	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAAGGT
223_6	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAAGGT
223_7	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAAGGT
A3_4	GAATCTTACC	TGGAATGGTG	TGGCAGGACC	GCGATGTCTA	TCTTCAAGGT
A3_5	GAATCTTACC	TGGAATGGTG	TGGCAGGACC	GCGATGTCTA	TCTTCAAGGT
A3_7	GAATCTTACC	TGGAATGGTG	TGGCAGGACC	GCGATGTCTA	TCTTCAAGGT
A3_3	GAATCTTACC	TGGAATGGTG	TGGCAGGACC	GCGATGTCTA	TCTTCAAGGT
42_12	GGGCTCTGCC	CGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
AAV1	GAGCATTACC	TGGCATGGTG	TGGCAAGATA	GAGACGTGTA	CCTGCAGGGT
AAV2	GCGTTCTTCC	AGGCATGGTC	TGGCAGGACA	GAGATGTGTA	CCTTCAGGGG
AAV3	GGGCCTTACC	TGGCATGGTG	TGGCAAGATC	GTGACGTGTA	CCTTCAAGGA
AAV8	GGGCCTTACC	CGGTATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
AAV9	GAGTTATTCC	TGGTATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGC
AAV7	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
44_2	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT

Fig. 1AAAE

	4101				4150
42_2	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
42_8	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_15	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_5b	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_1b	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_13	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_3a	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_4	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_5a	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_10	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
42_3b	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
42_11	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
42_6b	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
43_1	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
43_5	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
43_12	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
43_20	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
43_21	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
43_23	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
43_25	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
44_1	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGAAACTTT	CATCCCTCGC
44_5	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGAAACTTT	CATCCCTCGC
223_10	CCC.ATTTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
223_2	CCC.ATTTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
223_4	CCC.ATTTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
223_5	CCC.ATTTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
223_6	CCC.ATTTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
223_7	CCC.ATTTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
A3_4	CCC.ATTTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
A3_5	CCC.ATTTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
A3_7	CCC.ATTTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
A3_3	CCC.ATTTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_12	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
AAV1	CCC.ATTTGG	GCCAAAATTC	CTCACACGGA	TGGCAACTTT	CACCCGTCTC
AAV2	CCC.ATCTGG	GCAAAGATTC	CACACACGGA	CGGCAACTTT	CACCCGTCTC
AAV3	CCT.ATCTGG	GCAAAGATTC	CTCACACGGA	TGGCAACTTT	CATCCTTCGC
AAV8	CCC.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
AAV9	CCCTATTTGG	GCTAAAATAC	CTCACACGGA	TGGCAACTTT	CACCCGTCTC
AAV7	CCC.ATCTGG	GCCAAGATTC	CTCACACGGA	TGGCAACTTT	CACCCGTCTC
44_2	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGAAACTTT	CATCCCTCGC

Fig. 1AAAF

	4151				4200
42_2	CCCTGATGGG	CGGATTTGGA	CTCAAACACC	CGCCTCCTCA	AATTCTCATC
42_8	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_15	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_5b	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_1b	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_13	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_3a	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_4	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_5a	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_10	CCCTGATGGG	CGGATTTGGA	CTCAAACACC	CGCCTCCTCA	AATTCTCATC
42_3b	CCCTGATGGG	CGGATTTGGA	CTCAAACACC	CGCCTCCTCA	AATTCTCATC
42_11	CCCTGATGGG	CGGATTTGGA	CTCAAACACC	CGCCTCCTCA	AATTCTCATC
42_6b	CCCTGATGGA	CGGATTTGGA	CTCAAACACC	CGCCTCCTCA	AATTCTCATC
43_1	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGGTG
43_5	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGGTG
43_12	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGGTG
43_20	CCCTGATGGG	CGGCTTTGGA	CTGAAGCACC	CGCCTCCTCA	AATTCTCATC
43_21	CCCTGATGGG	CGGCTTTGGA	CTGAAGCACC	CGCCTCCTCA	AATTCTCATC
43_23	CCCTGATGGG	CGGCTTTGGA	CTGAAGCACC	CGCCTCCTCA	AATTCTCATC
43_25	CCCTGATGGG	CGGCTTTGGA	CTGAAGCACC	CGCCTCCTCA	AATTCTCATC
44_1	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
44_5	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
223_10	CTCTAATGGG	TGGCTTTGGA	CTGAAACACC	CGCCTCCCCA	GATCCTGATC
223_2	CTCTAATGGG	TGGCTTTGGA	CTGAAACACC	CGCCTCCCCA	GATCCTGATC
223_4	CTCTAATGGG	TGGCTTTGGA	CTGAAACACC	CGCCTCCCCA	GATCCTGATC
223_5	CTCTAATGGG	TGGCTTTGGA	CTGAAACACC	CGCCTCCCCA	GATCCTGATC
223_6	CTCTAATGGG	TGGCTTTGGA	CTGAAACACC	CGCCTCCCCA	GATCCTGATC
223_7	CTCTAATGGG	TGGCTTTGGA	CTGAAACACC	CGCCTCCCCA	GATCCTGATC
A3_4	CGCTCATGGG	AGGCTTTGGA	CTGAAACACC	CTCCTCCCCA	GATCCTGATC
A3_5	CGCTCATGGG	AGGCTTTGGA	CTGAAACACC	CTCCTCCCCA	GATCCTGATC
A3_7	CGCTCATGGG	AGGCTTTGGA	CTGAAACACC	CTCCTCCCCA	GATCCTGATC
A3_3	CGCTCATGGG	AGGCTTTGGA	CTGAAACACC	CTCCTCCCCA	GATCCTGATC
42_12	CCCTGATGGG	CGGATTTGGA	CTCAAACACC	CGCCTCCTCA	AATTCTCATC
AAV1	CTCTTATGGG	CGGCTTTGGA	CTCAAGAACC	CGCCTCCTCA	GATCCTCATC
AAV2	CCCTCATGGG	TGGATTGGA	CTTAAACACC	CTCCTCCACA	GATTCTCATC
AAV3	CTCTGATGGG	AGGCTTTGGA	CTGAAACATC	CGCCTCCTCA	AATCATGATC
AAV8	CGCTGATGGG	CGGCTTTGGC	CTGAAACATC	CTCCGCCTCA	GATCCTGATC
AAV9	CTCTGATGGG	TGGATTTGGA	CTGAAACACC	CACCTCCACA	GATTCTAATT
AAV7	CTTTGATGGG	CGGCTTTGGA	CTTAAACATC	CGCCTCCTCA	GATCCTGATC
44_2	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT

Fig. 1AAAG

	4201				4250
42_2	AAAAACACCC	CGGTACCTGC	TAATCCTCCA	GAGGTGTTTA	CTCCTGCCAA
42_8	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_15	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_5b	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_1b	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_13	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_3a	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_4	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_5a	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_10	AAAAACACCC	CGGTACCTGC	TAATCCTCCA	GAGGTGTTTA	CTCCTGCCAA
42_3b	AAAAACACCC	CGGTACCTGC	TAATCCTCCA	GAGGTGTTTA	CTCCTGCCAA
42_11	AAAAACACCC	CGGTACCTGC	TAATCCTCCA	GAGGTGTTTA	CTCCTGCCAA
42_6b	AAAAACACCC	CGGTACCTGC	TAATCCTCCA	GAGGTGTTTA	CTCCTGCCAA
43_1	AAAAACACTC	CTGTTCCCTGC	GGATCCTCCG	ACCACCTTCA	GCCAGGCCAA
43_5	AAAAACACTC	CTGTTCCCTGC	GGATCCTCCG	ACCACCTTCA	GCCAGGCCAA
43_12	AAAAACACTC	CTGTTCCCTGC	GGATCCTCCG	ACCACCTTCA	GCCAGGCCAA
43_20	AAGAACACAC	CGGTTCCAGC	GGACCCGCCG	CTTACCTTCA	ACCAGGCCAA
43_21	AAGAACACAC	CGGTTCCAGC	GGACCCGCCG	CTTACCTTCA	ACCAGGCCAA
43_23	AAGAACACAC	CGGTTCCAGC	GGACCCGCCG	CTTACCTTCA	ACCAGGCCAA
43_25	AAGAACACAC	CGGTTCCAGC	GGACCCGCCG	CTTACCTTCA	ACCAGGCCAA
44_1	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCTAA
44_5	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCTAA
223_10	AAAAACACAC	CGGTACCTGC	TAATCCTCCA	GAAGTGTTTA	CTCCTGCCAA
223_2	AAAAACACGC	CGGTACCTGC	TAATCCTCCA	GAAGTGTTTA	CTCCTGCCAA
223_4	AAAAACACAC	CGGTACCTGC	TAATCCTCCA	GAAGTGTTTA	CTCCTGCCAA
223_5	AAAAACACAC	CGGTACCTGC	TAATCCTCCA	GAAGTGTTTA	CTCCTGCCAA
223_6	AAAAACACAC	CGGTACCTGC	TAATCCTCCA	GAAGTGTTTA	CTCCTGCCAA
223_7	AAAAACACAC	CGGTACCTGC	TAATCCTCCA	GAAGTGTTTA	CTCCTGCCAA
A3_4	AAAAACACAC	CTGTGCCAGC	GAATCCCGCG	ACCACTTTCA	CTCCTGGAAA
A3_5	AAAAACACAC	CTGTGCCAGC	GAATCCCGCG	ACCACTTTCA	CTCCTGGAAA
A3_7	AAAAACACAC	CTGTGCCAGC	GAATCCCGCG	ACCACTTTCA	CTCCTGGAAA
A3_3	AAAAACACAC	CTGTGCCAGC	GAATCCCGCG	ACCACTTTCA	CTCCTGGAAA
42_12	A...A.....	.....	.....	.....	.....
AAV1	AAAAACACGC	CTGTTCCCTGC	GAATCCTCCG	GCGGAGTTTT	CAGCTACAAA
AAV2	AAGAACACCC	CGGTACCTGC	GAATCCTTCG	ACCACCTTCA	GTGCGGCAAA
AAV3	AAAAATACTC	CGGTACCGGC	AAATCCTCCG	ACGACTTTCA	GCCCGGCCAA
AAV8	AAGAACACGC	CTGTACCTGC	GGATCCTCCG	ACCACCTTCA	ACCAGTCAAA
AAV9	AAAAATACAC	CAGTGCCGGC	AGATCCTCCT	CTTACCTTCA	ATCAAGCCAA
AAV7	AAGAACACTC	CCGTTCCCGC	TAATCCTCCG	GAGGTGTTTA	CTCCTGCCAA
44_2	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCTAA

Fig. 1AAAH

	4251				4300
42_2	GTTTGCCTCA	TTTATCACGC	AGTACAGCAC	CGGCCA.GGT	CAGCGTGGAG
42_8	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_15	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_5b	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_1b	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_13	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_3a	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_4	GCCGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_5a	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_10	GTTTGCCTCA	TTTATCACGC	AGTACAGCAC	CGGCCA.GGT	CAGCGTGGAG
42_3b	GTTTGCCTCA	TTTATCACGC	AGTACAGCAC	CGGCCA.GGT	CAGCGTGGAG
42_11	GTTTGCCTCA	TTTATCACGC	AGTACAGCAC	CGGCCA.GGT	CAGCGTGGAG
42_6b	GTTTGCCTCA	TTTATCACGC	AGTACAGCAC	CGGCCA.GGT	CAGCGTGGAG
43_1	GCTGGCTTCT	TTTATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
43_5	GCTGGCTTCT	TTTATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
43_12	GCTGGCTTCT	TTTATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
43_20	GCTGAACTCT	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
43_21	GCTGAACTCT	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
43_23	GCTGAACTCT	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
43_25	GCTGAACTCT	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
44_1	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
44_5	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
223_10	GTTTGCTTCC	TTCATCACGC	AGTACAGCAC	CGGGCA.AGT	CAGCGTTGAG
223_2	GTTTGCTTCC	TTCATCACGC	AGTACAGCAC	CGGGCA.AGT	CAGCGTTGAG
223_4	GTTTGCTTCC	TTCATCACGC	AGTACAGCAC	CGGGCA.AGT	CAGCGTTGAG
223_5	GTTTGCTTCC	TTCATCACGC	AGTACAGCAC	CGGGCA.AGT	CAGCGTTGAG
223_6	GCTTGCTTCC	TTCATCACGC	AGTACAGCAC	CGGGCA.AGT	CAGCGTTGAG
223_7	GATTGCTTCC	TTCATCACGC	AGTACAGCAC	CGGGCA.AGT	CAGCGTTGAG
A3_4	GTTTGCTTCG	TTCATTACCC	AGTATTCCAC	CGGACA.GGT	CAGCGTGGAA
A3_5	GTTTGCTTCG	TTCATTACCC	AGTATTCCAC	CGGACA.GGT	CAGCGTGGAA
A3_7	GTTTGCTTCG	TTCATTACCC	AGTATTCCAC	CGGACA.GGT	CAGCGTGGAA
A3_3	GTTTGCTTCG	TTCATTACCC	AGTATTCCAC	CGGACA.GGT	CAGCGTGGAA
42_12	.....	.....	.....	.....	.....
AAV1	GTTTGCTTCA	TTCATCACCC	AATACTCCAC	AGGACA.AGT	GAGTGTGGAA
AAV2	GTTTGCTTCC	TTCATCACAC	AGTACTCCAC	GGGACACGGT	CAGCGTGGAG
AAV3	GTTTGCTTCA	TTTATCACTC	AGTACTCCAC	TGGACA.GGT	CAGCGTGGAA
AAV8	GCTGAACTCT	TTCATCACGC	AATACAGCAC	CGGACA.GGT	CAGCGTGGAA
AAV9	GCTGAACTCT	TTCATCACGC	AGTACAGCAC	GGGACA.AGT	CAGCGTGGAA
AAV7	GTTTGCTTCG	TTCATCACAC	AGTACAGCAC	CGGACA.AGT	CAGCGTGGAA
44_2	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA

Fig. 1AAAI

4301 4350

42\_2 ATCGAGTGGG AACTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT

42\_8 ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT

42\_15 ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT

42\_5b ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT

42\_1b ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT

42\_13 ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT

42\_3a ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT

42\_4 ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT

42\_5a ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT

42\_10 ATCGAGTGGG AACTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT

42\_3b ATCGAGTGGG AACTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT

42\_11 ATCGAGTGGG AACTGCAGAA AGAGAACAGC AAACGCTGGA ATCCAGAGAT

42\_6b ATCGAGTGGG AACTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT

43\_1 ATCGAATGGG AGCTGCAGAA AGAAAACAGC AAGCGCTGGA ACCCAGAGAT

43\_5 ATCGAATGGG AGCTGCAGAA AGAAAACAGC AAGCGCTGGA ACCCAGAGAT

43\_12 ATCGAATGGG AGCTGCAGAA AGAAAACAGC AAGCGCTGGA ACCCAGAGAT

43\_20 ATCGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT

43\_21 ATCGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT

43\_23 ATCGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT

43\_25 ATCGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT

44\_1 ATTGAATGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ACCCAGAGAT

44\_5 ATTGAATGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ACCCAGAGAT

223\_10 ATCGAGTGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT

223\_2 ATCGAGTGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT

223\_4 ATCGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT

223\_5 ATCGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT

223\_6 ATCGAGTGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT

223\_7 ATCGAGTGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT

A3\_4 ATAGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ACCCAGAAAT

A3\_5 ATAGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ACCCGGAAAT

A3\_7 ATAGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ACCCAGAAAT

A3\_3 ATAGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ACCCAGAAAT

42\_12 ..... ..

AAV1 ATTGAATGGG AGCTGCAGAA AGAAAACAGC AAGCGCTGGA ATCCCGAAGT

AAV2 ATCGAGTGGG AGCTGCAGAA GGAAAACAGC AAACGCTGGA ATCCCGAAAT

AAV3 ATTGAGTGGG AGCTACAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT

AAV8 ATTGAATGGG AGCTGCAGAA GGAAAACAGC AAGCGCTGGA ACCCCGAGAT

AAV9 ATCGAGTGGG AGCTGCAGAA AGAAAACAGC AAGCGCTGGA ATCCAGAGAT

AAV7 ATCGAGTGGG AGCTGCAGAA GGAAAACAGC AAGCGCTGGA ACCCGGAGAT

44\_2 ATTGAATGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ACCCAGAGAT



Fig. 1AAAJ

	4351				4400
42_2	TCAGTACACC	TCAAATTATG	CCAAGTCTAA	TAAT.GTGGA	ATTTGCTGTC
42_8	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_15	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_5b	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_1b	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_13	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_3a	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_4	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_5a	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_10	TCAGTACACC	TCAAATTATG	CCAAGTCTAA	TAAT.GTGGA	ATTTGCTGTC
42_3b	TCAGTACACC	TCAAATTATG	CCAAGTCTAA	TAAT.GTGGA	ATTTGCTGTC
42_11	TCAGTACACC	TCAAATTATG	CCAAGTCTAA	TAAT.GTGGA	ATTTGCTGTC
42_6b	TCAGTACACC	TCAAATTATG	CCAAGTCTAA	TAAT.GTGGA	ATTTGCTGTC
43_1	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
43_5	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
43_12	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
43_20	TCAATACACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
43_21	TCAATACACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
43_23	TCAATACACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
43_25	TCAATACACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
44_1	TCAATACACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTCGCTGTT
44_5	TCAATACACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTT
223_10	TCAGTACACC	TCCAACCTTTG	ACAAACAGAC	TGGA.GTGGA	CTTTGCTGTT
223_2	TCAGTACACC	TCCAACCTTTG	ACAAACAGAC	TGGA.GTGGA	CTTTGCTGTT
223_4	TCAGTACACC	TCCAACCTTTG	ACAAACAGAC	TGGA.GTGGA	CTTTGCTGTT
223_5	TCAGTACACC	TCCAACCTTTG	ACAAACAGAC	TGGA.GTGGA	CTTTGCTGTT
223_6	TCAGTACACC	TCCAACCTTTG	ACAAACAGAC	TGGA.GTGGA	CTTTGCTGTT
223_7	TCAGTACACC	TCCAACCTTTG	ACAAACAGAC	TGGA.GTGGA	CTTTGCTGTT
A3_4	TCAGTACACC	TCCAACACTACA	ACAAGTCGGT	GAAT.GTGGA	GTTTACCGTG
A3_5	TCAGTACACC	TCCAACACTACA	ACAAGTCGGT	GAAT.GTGGA	GTTTACCGTG
A3_7	TCAGTACACC	TCCAACACTACA	ACAAGTCGGT	GAAT.GTGGA	GTTTACCGTG
A3_3	TCAGTACACC	TCCAACACTACA	ACAAGTCGGT	GAAT.GTGGA	GTTTACCGTG
42_12	...GTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
AAV1	GCAGTACACA	TCCAATTATG	CAAAATCTGC	CAAC.GTTGA	TTTTACTGTG
AAV2	TCAGTACACT	TCCAACACTACA	ACAAGTCTGT	TAATCGTGGA	CTT.ACCGTG
AAV3	TCAGTACACT	TCCAACACTACA	ACAAGTCTGT	TAAT.GTGGA	CTTTACTGTA
AAV8	CCAGTACACC	TCCAACACTACT	ACAAATCTAC	AAGT.GTGGA	CTTTGCTGTT
AAV9	CCAGTATACT	TCAAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
AAV7	TCAGTACACC	TCCAACCTTTG	AAAAGCAGAC	TGGT.GTGGA	CTTTGCCGTT
44_2	TCAATACACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTT

Fig. 1AAAK

	4401				4450
42_2	AACAACGAAG	GGGTTTATAC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_8	AATACTGAGG	GTACTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_15	AATACTGAGG	GTACTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_5b	AATACTGAGG	GTACTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_1b	AATACTGAGG	GTACTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_13	AATACTGAGG	GTACTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_3a	AATACTGAGG	GTACTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_4	AATACTGAGG	GTACTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_5a	AATACTGAGG	GTACTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_10	AACAACGAAG	GGGTTTATAC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_3b	AACAACGAAG	GGGTTTATAC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_11	AACAACGAAG	GGGTTTATAC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_6b	AACAACGAAG	GGGTTTATAC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
43_1	AATACTGAGG	GTACTTATTC	AGAGCCTCGC	CCCATTGGCA	CTCGTTATCT
43_5	AATACCGAGG	GTACTTATTC	AGAGCCTCGC	CCCATTGGCA	CTCGTTATCT
43_12	AATACTGAGG	GTACTTATTC	AGAGCCTCGC	CCCATTGGCA	CTCGTTATCT
43_20	AACACGGAAG	GAGTTTATAG	CGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
43_21	AACACGGAAG	GAGTTTATAG	CGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
43_23	AACACGGAAG	GAGTTTATAG	CGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
43_25	AACACGGAAG	GAGTTTATAG	CGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
44_1	AACACAGATG	GCACTTATTC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
44_5	AACACAGATG	GCACTTATTC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
223_10	GACAGCCAGG	GTGTTTACTC	TGAGCCT...	.....	.....
223_2	GACAGCCAGG	GTGTTTACTC	TGAGCCT...	.....	.....
223_4	GACAGCCAGG	GTGTTTACTC	TGAGCCT...	.....	.....
223_5	GACAGCCAGG	GTGTTTACTC	TGAGCCT...	.....	.....
223_6	GACAGCCAGG	GTGTTTACTC	TGAGCCT...	.....	.....
223_7	GACAGCCAGG	GTGTTTACTC	TGAGCCT...	.....	.....
A3_4	GACGCAAACG	GTGTTTATTC	TGAACCCCGC	CCTATTGGCA	CTCGTTACCT
A3_5	GACGCAAACG	GTGTTTATTC	TGAACCCCGC	CCTATTGGCA	CTCGTTACCT
A3_7	GACGCAAACG	GTGTTTATTC	TGAACCCCGC	CCTATTGGCA	CTCGTTACCT
A3_3	GACGCAAACG	GTGTTTATTC	TGAACCCCGC	CCTATTGGCA	CTCGTTACCT
42_12	AATACTGAGG	GTACTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
AAV1	GACAACAATG	GACTTTATAC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
AAV2	GATACTAATG	GCGTGTATTC	AGAGCCTCGC	CCCATTGGCA	CCAGATACCT
AAV3	GACACTAATG	GTGTTTATAG	TGAACCTCGC	CCTATTGGAA	CCCGGTATCT
AAV8	AATACAGAAG	GCGTGTACTC	TGAACCCCGC	CCCATTGGCA	CCCGTTACCT
AAV9	AATACCGAAG	GTGTTTACTC	TGAGCCTCGC	CCCATTGGTA	CTCGTTACCT
AAV7	GACAGCCAGG	GTGTTTACTC	TGAGCCTCGC	CCTATTGGCA	CTCGTTACCT
44_2	AACACAGATG	GCACTTATTC	TGAGCCTCGC	CCCATCGGCA	CCCGTTACCT

Fig. 1AAAL

4451		<u>VP1-3 stop</u>	<u>Poly A signal</u>	4500
42_2	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_8	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGC TAATTCGTTT
42_15	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_5b	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_1b	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TGATTCGTTT
42_13	CACCCGTAGC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TGATTCGTTT
42_3a	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_4	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_5a	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_10	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_3b	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_11	CACCCGTAAC	CTGTAATTAC	TTGTTAATCA	ATAAACCGGT TGATTCGTTT
42_6b	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
43_1	CACCCGTAAT	CTGTAATTGC	TTGTTAATCA	ATAAACCGGT .....
43_5	CACCCGTAAT	CTGTAATTGC	TTGTTAATCA	ATAAACCGGT TAATTCGTTT
43_12	CACCCGTAAT	CTGTAATTGC	TTGTTAATCA	ATAAACCGGT TAATTCGTTT
43_20	CACCCGCAAC	CTGTAATTAC	ATGTTAATCA	ATAAACCGGT TAATTCGTTT
43_21	CACCCGCAAC	CTGTAATTAC	ATGTTAATCA	ATAAACCGGT TAATTCGTTT
43_23	CACCCGCAAC	CTGTAATTAC	ATGTTAATCA	ATAAACCGGT TAATTCGTTT
43_25	CACCCGCAAC	CTGTAATTAC	ATGTTAATCA	ATAAACCGGT TAATTCGTTT
44_1	CACCCGTAAT	CTGTAATTGC	TCGTTAATCA	ATAAACCGGT TGATTCGTTT
44_5	CACCCGTAAT	CTGTAATTGC	TTGTTAATCA	ATAAACCGGT TGATTCGTTT
223_10	.....	.....	.....	.....
223_2	.....	.....	.....	.....
223_4	.....	.....	.....	.....
223_5	.....	.....	.....	.....
223_6	.....	.....	.....	.....
223_7	.....	.....	.....	.....
A3_4	TACCCGGAAC	TTGTAATTTT	CTGTTAATGA	ATAAACCGAT TTATGCGTTT
A3_5	TACCCGGAAC	TTGTAATTTT	CTGTTAATGA	ATAAACCGAT TTATGCGTTT
A3_7	TACCCGGAAC	TTGTAATTTT	CTGTTAATGA	ATAAACCGAT TTATGCGTTT
A3_3	TACCCGGAAC	TTGTAATTTT	CTGTTAATGA	ATAAGCCGAT TTATGCGTTT
42_12	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
AAV1	TACCCGTCCC	CTGTAATTAC	GTGTTAATCA	ATAAACCGGT TGATTCGTTT
AAV2	GACTCGTAAT	CTGTAATTGC	TTGTTAATCA	ATAAACCGTT TAATTCGTTT
AAV3	CACACGAAAC	TTGTGAATCC	TGGTTAATCA	ATAAACCGTT TAATTCGTTT
AAV8	CACCCGTAAT	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TGATTCGTTT
AAV9	CACCCGTAAT	TTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
AAV7	CACCCGTAAT	CTGTAATTGC	ATGTTAATCA	ATAAACCGGT TGATTCGTTT
44_2	CACCCGTAAT	CTGTAATTGC	TTGTTAATCA	ATAAACCGGT TGATTCGTTT
		vpl-3 stop	PolyA signal	

Fig. 1AAAM

4501					4550
42_2	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
42_8	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
42_15	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
42_5b	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTCGTTTA	AACCTGCAGG
42_1b	CAGTTGAACT	TTGGTCTC..	...AAGGGCG	AATTC.....	
42_13	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
42_3a	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
42_4	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
42_5a	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
42_10	CAGTTGAACT	TTGGTCTC....	...AAGGGCG	AATTC.....	
42_3b	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
42_11	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
42_6b	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
43_1	.....	.....	.....	.....	
43_5	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTCGTTTA	AACCTGCAGG
43_12	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
43_20	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
43_21	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
43_23	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
43_25	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
44_1	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
44_5	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
223_10	.....	.....	.....	.....	
223_2	.....	.....	.....	.....	
223_4	.....	.....	.....	.....	
223_5	.....	.....	.....	.....	
223_6	.....	.....	.....	.....	
223_7	.....	.....	.....	.....	
A3_4	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTCGC.GG	CCGCTA....
A3_5	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
A3_7	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
A3_3	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTCGT.TT	AAACCT....
42_12	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	
AAV1	CAGTTGAACT	TTGGTCTCCT	GTCCTTCTTA	TCTTATCGGT	TACCATGGTT
AAV2	CAGTTGAACT	TTGGTCTC.T	GCGTATTTCT	..TTCTT.AT	CTAGTTTCCA
AAV3	CAGTTGAACT	TTGGTCTC.T	GTGCACTTCT	TTATCTTTAT	CTTGTTTCCA
AAV8	CAGTTGAACT	TTGGTCTC.T	GCG.....	.....	
AAV9	CAGTTGAACT	TTGGTCTC.T	GCG.....	.....	
AAV7	CAGTTGAACT	TTGGTCTCCT	GTGCTTCTTA	TCTTATCGGT	TTCCATAGCA
44_2	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	

Fig. 1AAAN

	4551				4600
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	ACTAGTCCCT	TTAGTGAGGG	TTAATTCTGA	G.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	AC.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	ATAGCTTACA	CATTAACTGC	TTGGTTGCGC	T.....	.....
AAV2	TGGCTAC...	GTAGATAAGT	AGC.....	.....	.....
AAV3	TGGCTACTGC	GTAGATAAGC	AGCGGCCTGC	GGCGCTTGCG	CTTCGCGGTT
AAV8	.....	.....	.....	.....	.....
AAV9	.....	.....	.....	.....	.....
AAV7	ACTGGTTACA	CATTAACTGC	TTGGGTGCGC	TTCACGATAA	GAACACTGAC
44_2	.....	.....	.....	.....	.....

Fig. 1AAAO

	4601				4650
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	....CTTGGC	GTAATCATGG	GTCATAG...	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	....TCGCGA	TAAAAGACTT	ACGTCATCGG	GTTACCCCTA	GTGATGGAGT
AAV2	....ATGGCG	GGTTAATCAT	TAACTACAAG	GA.ACCCCTA	GTGATGGAGT
AAV3	TACAACTGCT	GGTTAATATT	TAACTCTCGC	CATACCTCTA	GTGATGGAGT
AAV8	.....	.....	.....	.....	.....
AAV9	.....	.....	.....	.....	.....
AAV7	.....	.....	..GTCACCGC	GGTACCCCTA	GTGATGGAGT
44_2	.....	.....	.....	.....	.....

Fig. 1AAAP

	4651				4700
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	TGCCCACTCC	CTCTCTGCGC	GCTCGCTCGC	TCGGTGGGGC	CTGCGGACCA
AAV2	TGCCCACTCC	CTCTCTGCGC	GCTCGCTCGC	TCACTGAGGC	CGGGCGACCA
AAV3	TGCCCACTCC	CTCTATGCGC	ACTCGCTCGC	TCGGTGGGGC	CTGGCGACCA
AAV8	.....	.....	.....	.....	.....
AAV9	.....	.....	.....	.....	.....
AAV7	TGCCCACTCC	CTCTATGCGC	GCTCGCTCGC	TCGGTGGGGC	CTGCGGACCA
44_2	.....	.....	.....	.....	.....

Fig. 1AAAQ

	4701				4750
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	AAGGTCCGCA	GACGGCAGAG	CTCTGCTCTG	CCGGCCCCAC	CGAGCGAGCG
AAV2	AAGGTCGCCC	GACGCCCGGG	CTTTGCCCGG	GCGGCCTCAG	TGAGCGAGCG
AAV3	AAGGTCGCCA	GACGGACGTG	CTTTGCACGT	CCGGCCCCAC	CGAGCGAGCG
AAV8	.....	.....	.....	.....	.....
AAV9	.....	.....	.....	.....	.....
AAV7	AAGGTCCGCA	GACGGCAGAG	CTCTGCTCTG	CCGGCCCCAC	CGAGCGAGCG
44_2	.....	.....	.....	.....	.....



Fig. 1AAAR

	4751		4774
42_2	.....	.....	.....
42_8	.....	.....	.....
42_15	.....	.....	.....
42_5b	.....	.....	.....
42_1b	.....	.....	.....
42_13	.....	.....	.....
42_3a	.....	.....	.....
42_4	.....	.....	.....
42_5a	.....	.....	.....
42_10	.....	.....	.....
42_3b	.....	.....	.....
42_11	.....	.....	.....
42_6b	.....	.....	.....
43_1	.....	.....	.....
43_5	.....	.....	.....
43_12	.....	.....	.....
43_20	.....	.....	.....
43_21	.....	.....	.....
43_23	.....	.....	.....
43_25	.....	.....	.....
44_1	.....	.....	.....
44_5	.....	.....	.....
223_10	.....	.....	.....
223_2	.....	.....	.....
223_4	.....	.....	.....
223_5	.....	.....	.....
223_6	.....	.....	.....
223_7	.....	.....	.....
A3_4	.....	.....	.....
A3_5	.....	.....	.....
A3_7	.....	.....	.....
A3_3	.....	.....	.....
42_12	.....	.....	.....
AAV1	AGCGCGCAGA	GAGGGAGTGG	GCAA
AAV2	AGCGCGCAGA	GAGGGAGTGG	CCAA
AAV3	AGTGCGCATA	GAGGGAGTGG	CCAA
AAV8	.....	.....	.....
AAV9	.....	.....	.....
AAV7	AGCGCGCATA	GAGGGAGTGG	CCAA
44_2	.....	.....	.....



Fig. 2B

*[The following page contains extremely faint, illegible markings.]*

Fig. 2C




Fig. 2D

582  
 583  
 584  
 585  
 586  
 587  
 588  
 589  
 590  
 591  
 592  
 593  
 594  
 595  
 596  
 597  
 598  
 599  
 600  
 601  
 602  
 603  
 604  
 605  
 606  
 607  
 608  
 609  
 610  
 611  
 612  
 613  
 614  
 615  
 616  
 617  
 618  
 619  
 620  
 621  
 622  
 623  
 624  
 625  
 626  
 627  
 628  
 629  
 630  
 631  
 632  
 633  
 634  
 635  
 636  
 637  
 638  
 639  
 640  
 641  
 642  
 643  
 644  
 645  
 646  
 647  
 648  
 649  
 650  
 651  
 652  
 653  
 654  
 655  
 656  
 657  
 658  
 659  
 660  
 661  
 662  
 663  
 664  
 665  
 666  
 667  
 668  
 669  
 670  
 671  
 672  
 673  
 674  
 675  
 676  
 677  
 678  
 679  
 680  
 681  
 682  
 683  
 684  
 685  
 686  
 687  
 688  
 689  
 690  
 691  
 692  
 693  
 694  
 695  
 696  
 697  
 698  
 699  
 700  
 701  
 702  
 703  
 704  
 705  
 706  
 707  
 708  
 709  
 710  
 711  
 712  
 713  
 714  
 715  
 716  
 717  
 718  
 719  
 720  
 721  
 722  
 723  
 724  
 725  
 726  
 727  
 728  
 729  
 730  
 731  
 732  
 733  
 734  
 735  
 736  
 737  
 738  
 739  
 740  
 741  
 742  
 743  
 744  
 745  
 746  
 747  
 748  
 749  
 750  
 751  
 752  
 753  
 754  
 755  
 756  
 757  
 758  
 759  
 760  
 761  
 762  
 763  
 764  
 765  
 766  
 767  
 768  
 769  
 770  
 771  
 772  
 773  
 774  
 775  
 776  
 777  
 778  
 779  
 780  
 781  
 782  
 783  
 784  
 785  
 786  
 787  
 788  
 789  
 790  
 791  
 792  
 793  
 794  
 795  
 796  
 797  
 798  
 799  
 800  
 801  
 802  
 803  
 804  
 805  
 806  
 807  
 808  
 809  
 810  
 811  
 812  
 813  
 814  
 815  
 816  
 817  
 818  
 819  
 820  
 821  
 822  
 823  
 824  
 825  
 826  
 827  
 828  
 829  
 830  
 831  
 832  
 833  
 834  
 835  
 836  
 837  
 838  
 839  
 840  
 841  
 842  
 843  
 844  
 845  
 846  
 847  
 848  
 849  
 850  
 851  
 852  
 853  
 854  
 855  
 856  
 857  
 858  
 859  
 860  
 861  
 862  
 863  
 864  
 865  
 866  
 867  
 868  
 869  
 870  
 871  
 872  
 873  
 874  
 875  
 876  
 877  
 878  
 879  
 880  
 881  
 882  
 883  
 884  
 885  
 886  
 887  
 888  
 889  
 890  
 891  
 892  
 893  
 894  
 895  
 896  
 897  
 898  
 899  
 900  
 901  
 902  
 903  
 904  
 905  
 906  
 907  
 908  
 909  
 910  
 911  
 912  
 913  
 914  
 915  
 916  
 917  
 918  
 919  
 920  
 921  
 922  
 923  
 924  
 925  
 926  
 927  
 928  
 929  
 930  
 931  
 932  
 933  
 934  
 935  
 936  
 937  
 938  
 939  
 940  
 941  
 942  
 943  
 944  
 945  
 946  
 947  
 948  
 949  
 950  
 951  
 952  
 953  
 954  
 955  
 956  
 957  
 958  
 959  
 960  
 961  
 962  
 963  
 964  
 965  
 966  
 967  
 968  
 969  
 970  
 971  
 972  
 973  
 974  
 975  
 976  
 977  
 978  
 979  
 980  
 981  
 982  
 983  
 984  
 985  
 986  
 987  
 988  
 989  
 990  
 991  
 992  
 993  
 994  
 995  
 996  
 997  
 998  
 999  
 1000



Fig. 2E

[illegible]

Fig. 2F

C1VP1 L 733  
 C2VP1 L 733  
 C5VP102 L 733  
 AAV4VP1 L 734  
 AAV1 L 736  
 AAV6VP1 L 736  
 A3 L 735  
 A3 L 735  
 A3 L 735  
 A3 L 735  
 A3 L 735  
 AAV2 L 735  
 AAV3 L 736  
 3.3bVP1 L 737  
 AAV7 L 737  
 223 4 - 644  
 223 5 - 644  
 223 10 - 644  
 223 2 - 644  
 223 7 - 644  
 223 6 - 644  
 44 1 L 738  
 44 5 L 738  
 44 2 L 738  
 29.3VP1 L 738  
 29.5VP1 L 738  
 42 15 L 738  
 42 8 L 738  
 42 13 L 733  
 42 3A L 733  
 42 4 L 731  
 42 5A L 731  
 42 1B L 733  
 42 5B L 738  
 43 1 L 738  
 43 12 L 738  
 43 5 L 738  
 AAV8 L 738  
 43 21 L 736  
 43 25 L 736  
 43 23 L 736  
 43 20 L 736  
 AAV 9 L 736  
 24 1 L 728  
 42.2REAL L 728  
 7.3VP1 L 728  
 27.3VP1 L 728  
 16.3VP1 L 728  
 42 10 L 728  
 42 3B L 728  
 42 11 L 728  
 F1VP1 L 729  
 P5VP103 L 729  
 F3VP1 L 729  
 42 6B L 735  
 42 12 L 685  
 NAV3CAP L 724  
 ruler .

Fig. 3A

Met Pro Gly Phe Tyr Glu Ile Val Ile Lys Val Pro Ser Asp Leu Asp  
 1 5 10 15  
 Glu His Leu Pro Gly Ile Ser Asp Ser Phe Val Asn Trp Val Ala Glu  
 20 25 30  
 Lys Glu Trp Glu Leu Pro Pro Asp Ser Asp Met Asp Leu Asn Leu Ile  
 35 40 45  
 Glu Gln Ala Pro Leu Thr Val Ala Glu Lys Leu Gln Arg Asp Phe Leu  
 50 55 60  
 Val Gln Trp Arg Arg Val Ser Lys Ala Pro Glu Ala Leu Phe Phe Val  
 65 70 75 80  
 Gln Phe Glu Lys Gly Glu Ser Tyr Phe His Leu His Val Leu Val Glu  
 85 90 95  
 Thr Thr Gly Val Lys Ser Met Val Leu Gly Arg Phe Leu Ser Gln Ile  
 100 105 110  
 Arg Glu Lys Leu Val Gln Thr Ile Tyr Arg Gly Val Glu Pro Thr Leu  
 115 120 125  
 Pro Asn Trp Phe Ala Val Thr Lys Thr Arg Asn Gly Ala Gly Gly Gly  
 130 135 140  
 Asn Lys Val Val Asp Glu Cys Tyr Ile Pro Asn Tyr Leu Leu Pro Lys  
 145 150 155 160  
 Thr Gln Pro Glu Leu Gln Trp Ala Trp Thr Asn Met Glu Glu Tyr Ile  
 165 170 175  
 Ser Ala Cys Leu Asn Leu Ala Glu Arg Lys Arg Leu Val Ala Gln His  
 180 185 190  
 Leu Thr His Val Ser Gln Thr Gln Glu Gln Asn Lys Glu Asn Leu Asn  
 195 200 205  
 Pro Asn Ser Asp Ala Pro Val Ile Arg Ser Lys Thr Ser Ala Arg Tyr  
 210 215 220



Fig. 3B

Met Glu Leu Val Gly Trp Leu Val Asp Arg Gly Ile Thr Ser Glu Lys  
 225 230 235 240  
 Gln Trp Ile Gln Glu Asp Gln Ala Ser Tyr Ile Ser Phe Asn Ala Ala  
 245 250 255  
 Ser Asn Ser Arg Ser Gln Ile Lys Ala Ala Leu Asp Asn Ala Gly Lys  
 260 265 270  
 Ile Met Ala Leu Thr Lys Ser Ala Pro Asp Tyr Leu Val Gly Pro Ser  
 275 280 285  
 Leu Pro Ala Asp Ile Lys Thr Asn Arg Ile Tyr Arg Ile Leu Glu Leu  
 290 295 300  
 Asn Gly Tyr Asp Pro Ala Tyr Ala Gly Ser Val Phe Leu Gly Trp Ala  
 305 310 315 320  
 Gln Lys Lys Phe Gly Lys Arg Asn Thr Ile Trp Leu Phe Gly Pro Ala  
 325 330 335  
 Thr Thr Gly Lys Thr Asn Ile Ala Glu Ala Ile Ala His Ala Val Pro  
 340 345 350  
 Phe Tyr Gly Cys Val Asn Trp Thr Asn Glu Asn Phe Pro Phe Asn Asp  
 355 360 365  
 Cys Val Asp Lys Met Val Ile Trp Trp Glu Glu Gly Lys Met Thr Ala  
 370 375 380  
 Lys Val Val Glu Ser Ala Lys Ala Ile Leu Gly Gly Ser Lys Val Arg  
 385 390 395 400  
 Val Asp Gln Lys Cys Lys Ser Ser Ala Gln Ile Asp Pro Thr Pro Val  
 405 410 415  
 Ile Val Thr Ser Asn Thr Asn Met Cys Ala Val Ile Asp Gly Asn Ser  
 420 425 430  
 Thr Thr Phe Glu His Gln Gln Pro Leu Gln Asp Arg Met Phe Lys Phe  
 435 440 445

Fig. 3C

Glu Leu Thr Arg Arg Leu Glu His Asp Phe Gly Lys Val Thr Lys Gln  
 450 455 460

Glu Val Lys Glu Phe Phe Arg Trp Ala Ser Asp His Val Thr Glu Val  
 465 470 475 480

Ala His Glu Phe Tyr Val Arg Lys Gly Gly Ala Ser Lys Arg Pro Ala  
 485 490 495

Pro Asp Asp Ala Asp Ile Ser Glu Pro Lys Arg Ala Cys Pro Ser Val  
 500 505 510

Ala Asp Pro Ser Thr Ser Asp Ala Glu Gly Ala Pro Val Asp Phe Ala  
 515 520 525

Asp Arg Tyr Gln Asn Lys Cys Ser Arg His Ala Gly Met Ile Gln Met  
 530 535 540

Leu Phe Pro Cys Lys Thr Cys Glu Arg Met Asn Gln Asn Phe Asn Ile  
 545 550 555 560

Cys Phe Thr His Gly Val Arg Asp Cys Leu Glu Cys Phe Pro Gly Val  
 565 570 575

Ser Glu Ser Gln Pro Val Val Arg Lys Lys Thr Tyr Arg Lys Leu Cys  
 580 585 590

Ala Ile His His Leu Leu Gly Arg Ala Pro Glu Ile Ala Cys Ser Ala  
 595 600 605

Cys Asp Leu Val Asn Val Asp Leu Asp Asp Cys Val Ser Glu Gln  
 610 615 620

## SEQUENCE LISTING

<110> The Trustees of The University of Pennsylvania  
Gao, Guangping  
Wilson, James M.  
Alvira, Mauricio

<120> A Method of Detecting and/or Identifying Adeno-Associated  
Virus (AAV) Sequences and Isolating Novel Sequences Identified  
Thereby

<130> UPN-02735PCT

<150> US 60/350,607  
<151> 2001-11-13

<150> US 60/341,117  
<151> 2001-12-17

<150> US 60/377,066  
<151> 2002-05-01

<150> US 60/386,675  
<151> 2002-06-05

<160> 120

<170> PatentIn version 3.1

<210> 1  
<211> 4721  
<212> DNA  
<213> adeno-associated virus serotype 7

<400> 1  
 ttggccactc cctctatgcg cgctcgctcg ctcggtgggg cctgcggacc aaaggtccgc 60  
 agacggcaga gctctgctct gccggcccca ccgagcgagc gagcgcgcat agagggagtg 120  
 gccaaactcca tcactagggg taccgcgaag cgcctccac gctgccgcgt cagcgctgac 180  
 gtaaatcacg tcatagggga gtggtcctgt attagctgtc acgtgagtgc ttttgcgaca 240  
 ttttgcgaca ccacgtggcc atttgaggta tatatggccg agtgagcgag caggatctcc 300  
 attttgaccg cgaaatttga acgagcagca gccatgccgg gtttctacga gatcgtgatc 360  
 aaggtgccga gcgacctgga cgagcacctg ccgggcattt ctgactcgtt tgtgaactgg 420  
 gtggccgaga aggaatggga gctgcccccg gattctgaca tggatctgaa tctgatcgag 480  
 caggcacccc tgaccgtggc cgagaagctg cagcgcgact tcctgggtcca atggcgccgc 540  
 gtgagtaagg ccccgagggc cctgttcttt gttcagttcg agaagggcga gagctacttc 600  
 caccttcacg ttctggtgga gaccacgggg gtcaagtcca tggtgctagg ccgcttcctg 660  
 agtcagattc gggagaagct ggtccagacc atctaccgcg gggtcgagcc cagcgtgcc 720  
 aactggttcg cggtgaccaa gacgcgtaat ggcgccggcg gggggaacaa ggtggtggac 780  
 gagtgtctaca tccccaacta cctcctgccc aagaccagc ccgagctgca gtgggcgtgg 840  
 actaacatgg aggagtatat aagcgcggtg ttgaacctgg ccgaacgcaa acggctcgtg 900

```

gcgagcacc tgacccacgt cagccagacg caggagcaga acaaggagaa tctgaacccc 960
aattctgacg cgcccgatgat caggtcaaaa acctccgcgc gctacatgga gctggtcggg 1020
tggctggtgg accggggcat cacctccgag aagcagtgga tccaggagga ccaggcctcg 1080
tacatctcct tcaacgcgcg ctccaactcg cgggtcccaga tcaaggccgc gctggacaat 1140
gccggcaaga tcatggcgct gaccaaatcc gcgcccgaact acctggtggg gccctcgctg 1200
cccgcggaca ttaaaaccaa ccgcatctac cgcattcttg agctgaacgg gtacgatcct 1260
gcctacgccg gctccgtctt tctcggcttg gccagaaaa agttcgggaa gcgcaacacc 1320
atctggctgt ttggggccgc caccaccggc aagaccaaca ttgcggaagc catcgccac 1380
gccgtgccct tctacggctg cgtcaactgg accaatgaga actttccctt caacgattgc 1440
gtcgacaaga tggatgatctg gtgggaggag ggcaagatga cggccaaggt cgtggagtcc 1500
gccaaggcca ttctcggcgg cagcaaggtg cgcgtggacc aaaagtgcaa gtcgtccgcc 1560
cagatcgacc ccaccccggt gatcgtcacc tccaacacca acatgtgcg cgtgattgac 1620
gggaacagca ccaccttcga gcaccagcag ccgttgccagg accggatgtt caaatgtgaa 1680
ctcaccgcc gtctggagca cgactttggc aaggtgacga agcaggaagt caaagagttc 1740
ttccgctggg ccagtgatca cgtgaccgag gtggcgcatg agttctacgt cagaaagggc 1800
ggagccagca aaagaccgcg ccccgatgac gcggatataa gcgagcccaa gcgggcctgc 1860
ccctcagtcg cggatccatc gacgtcagac gcggaaggag ctccggtgga ctttgccgac 1920
aggtaccaa acaaatgttc tcgtcacgcg ggcatgattc agatgctgtt tccctgcaa 1980
acgtgcgaga gaatgaatca gaatttcaac atttgcttca cacacggggg cagagactgt 2040
ttagagtgtt tccccggcgt gtcagaatct caaccggctg tcagaaaaaa gacgtatcgg 2100
aaactctgcg cgattcatca tctgctgggg cgggcgccc agattgcttg ctcggcctgc 2160
gacctggtca acgtggacct ggacgactgc gtttctgagc aataaatgac ttaaacagg 2220
tatggctgcc gatggttatc ttccagattg gctcgaggac aacctctctg agggcattcg 2280
cgagtgggtg gacctgaaac ctggagcccc gaaacccaaa gccaacccagc aaaagcagga 2340
caacggccgg ggtctggtgc ttccctggcta caagtacctc ggacccttca acggactcga 2400
caagggggag cccgtcaacg cggcgacgc agcgccctc gagcacgaca aggcctacga 2460
ccagcagctc aaagcgggtg acaatccgta cctgcggtat aaccacgccg acgccaggtt 2520
tcaggagcgt ctgcaagaag atacgtcatt tgggggcaac ctcgggcgag cagtcttcca 2580
ggccaagaag cgggttctcg aacctctcgg tctggttgag gaaggcgcta agacggctcc 2640
tgcaaagaag agaccggtag agccgtcacc tcagcgttcc cccgactcct ccacgggcat 2700
cggcaagaaa ggccagcagc ccgccagaaa gagactcaat ttcggtcaga ctggcgactc 2760
agagtcatgc cccgaccctc aacctctcgg agaacctcca gcagcgccct ctagtgtggg 2820

```

atctgtgtaca gtggctgcag gcggtggcgc accaatggca gacaataacg aaggtgccga	2880
cggagtgggt aatgcctcag gaaattggca ttgcgattcc acatggctgg gcgacagagt	2940
cattaccacc agcaccgaa cctgggccct gccacctac aacaaccacc tctacaagca	3000
aatctccagt gaaactgcag gtagtacaa cgacaacacc tacttcggct acagcacc	3060
ctgggggtat tttgacttta acagattcca ctgccacttc tcaccacgtg actggcagcg	3120
actcatcaac aacaactggg gattccggcc caagaagctg cggttcaagc tcttcaacat	3180
ccaggtcaag gaggtcacga cgaatgacgg cgttacgacc atcgctaata accttaccag	3240
cacgattcag gtattctcgg actcggaata ccagctgccg tacgtcctcg gctctgcgca	3300
ccagggctgc ctgcctccgt tcccggcgga cgtcttcattg attcctcagt acggctacct	3360
gactctcaac aatggcagtc agtctgtggg acgttcctcc ttctactgcc tggagtactt	3420
cccctctcag atgctgagaa cgggcaacaa ctttgagtcc agctacagct tcgaggacgt	3480
gcctttccac agcagctacg cacacagcca gagcctggac cggctgatga atcccctcat	3540
cgaccagtac ttgtactacc tggccagaac acagagtaac ccaggaggca cagctggcaa	3600
tcgggaactg cagttttacc agggcgggcc ttcaactatg gccgaacaag ccaagaattg	3660
gttacctgga ccttgcttcc ggcaacaag agtctccaa acgctggatc aaaacaacaa	3720
cagcaacttt gcttgactg gtgccaccaa atatcacctg aacggcagaa actcgttggt	3780
taatcccggc gtcgccatgg caactcaciaa ggacgacgag gaccgctttt tcccatccag	3840
cggagtccctg attttttgaa aaactggagc aactaacaaa actacattgg aaaatgtgtt	3900
aatgacaaat gaagaagaaa ttctgctac taatcctgta gccacggaag aatacgggat	3960
agtcagcagc aacttacaag cggctaatac tgcagcccag acacaagttg tcaacaacca	4020
gggagcctta cctggcatgg tctggcagaa ccgggacgtg tacctgcagg gtcccatctg	4080
ggccaagatt cctcacacgg atggcaactt tcaccgctct cctttgatgg gcggctttgg	4140
acttaaacad ccgcctcctc agatcctgat caagaacact cccgttcccg ctaatcctcc	4200
ggaggtgttt actcctgcc agtttgcttc gttcatcaca cagtacagca ccggacaagt	4260
cagcgtggaa atcgagtggg agctgcagaa ggaaaacagc aagcgtgga acccgagat	4320
tcagtacacc tccaactttg aaaagcagac tgggtgtggac tttgccgttg acagccaggg	4380
tgtttactct gagcctcgcc ctattggcac tcgttacctc acccgtaatc tgtaattgca	4440
tgttaatcaa taaaccggtt gattcgtttc agttgaactt tgggtctcctg tgcttcttat	4500
cttatcggtt tccatagcaa ctggttacac attaactgct tgggtgcgct tcacgataag	4560
aacactgacg tcaccgcggt acccctagtg atggagtgtg ccaactccctc tatgcgcgct	4620
cgctcgctcg gtggggcctg cggaccaaaag gtccgcagac ggcagagctc tgctctgccg	4680
gccccaccga gcgagcgagc gcgcatagag ggagtggcca a	4721

<210> 2  
 <211> 737  
 <212> PRT  
 <213> capsid protein of adeno-associated virus serotype 7  
  
 <400> 2  
 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
  
 Lys Ala Asn Gln Gln Lys Gln Asp Asn Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
  
 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
  
 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95  
  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125  
  
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Ala Lys Lys Arg  
 130 135 140  
  
 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
 145 150 155 160  
  
 Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln  
 165 170 175  
  
 Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro  
 180 185 190  
  
 Pro Ala Ala Pro Ser Ser Val Gly Ser Gly Thr Val Ala Ala Gly Gly  
 195 200 205  
  
 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn  
 210 215 220  
  
 Ala Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255

Leu Tyr Lys Gln Ile Ser Ser Glu Thr Ala Gly Ser Thr Asn Asp Asn  
 260 265 270

Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg  
 275 280 285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn  
 290 295 300

Asn Trp Gly Phe Arg Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile  
 305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn  
 325 330 335

Asn Leu Thr Ser Thr Ile Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu  
 340 345 350

Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro  
 355 360 365

Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn  
 370 375 380

Gly Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe  
 385 390 395 400

Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser  
 405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu  
 420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala  
 435 440 445

Arg Thr Gln Ser Asn Pro Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln  
 450 455 460

Phe Tyr Gln Gly Gly Pro Ser Thr Met Ala Glu Gln Ala Lys Asn Trp  
 465 470 475 480

Leu Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp  
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510

Leu Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525

His Lys Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile  
 530 535 540

Phe Gly Lys Thr Gly Ala Thr Asn Lys Thr Thr Leu Glu Asn Val Leu  
 545 550 555 560

Met Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu  
 565 570 575

Glu Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Asn Thr Ala Ala  
 580 585 590

Gln Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp  
 595 600 605

Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro  
 610 615 620

His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly  
 625 630 635 640

Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro  
 645 650 655

Ala Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile  
 660 665 670

Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu  
 675 680 685

Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser  
 690 695 700

Asn Phe Glu Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly  
 705 710 715 720

Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn  
 725 730 735

Leu



<210> 3  
 <211> 623  
 <212> PRT  
 <213> rep protein of adeno-associated virus serotype 7  
  
 <400> 3  
 Met Pro Gly Phe Tyr Glu Ile Val Ile Lys Val Pro Ser Asp Leu Asp  
 1 5 10 15  
  
 Glu His Leu Pro Gly Ile Ser Asp Ser Phe Val Asn Trp Val Ala Glu  
 20 25 30  
  
 Lys Glu Trp Glu Leu Pro Pro Asp Ser Asp Met Asp Leu Asn Leu Ile  
 35 40 45  
  
 Glu Gln Ala Pro Leu Thr Val Ala Glu Lys Leu Gln Arg Asp Phe Leu  
 50 55 60  
  
 Val Gln Trp Arg Arg Val Ser Lys Ala Pro Glu Ala Leu Phe Phe Val  
 65 70 75 80  
  
 Gln Phe Glu Lys Gly Glu Ser Tyr Phe His Leu His Val Leu Val Glu  
 85 90 95  
  
 Thr Thr Gly Val Lys Ser Met Val Leu Gly Arg Phe Leu Ser Gln Ile  
 100 105 110  
  
 Arg Glu Lys Leu Val Gln Thr Ile Tyr Arg Gly Val Glu Pro Thr Leu  
 115 120 125  
  
 Pro Asn Trp Phe Ala Val Thr Lys Thr Arg Asn Gly Ala Gly Gly Gly  
 130 135 140  
  
 Asn Lys Val Val Asp Glu Cys Tyr Ile Pro Asn Tyr Leu Leu Pro Lys  
 145 150 155 160  
  
 Thr Gln Pro Glu Leu Gln Trp Ala Trp Thr Asn Met Glu Glu Tyr Ile  
 165 170 175  
  
 Ser Ala Cys Leu Asn Leu Ala Glu Arg Lys Arg Leu Val Ala Gln His  
 180 185 190  
  
 Leu Thr His Val Ser Gln Thr Gln Glu Gln Asn Lys Glu Asn Leu Asn  
 195 200 205  
  
 Pro Asn Ser Asp Ala Pro Val Ile Arg Ser Lys Thr Ser Ala Arg Tyr  
 210 215 220  
  
 Met Glu Leu Val Gly Trp Leu Val Asp Arg Gly Ile Thr Ser Glu Lys  
 225 230 235 240

Gln Trp Ile Gln Glu Asp Gln Ala Ser Tyr Ile Ser Phe Asn Ala Ala  
 245 250 255  
 Ser Asn Ser Arg Ser Gln Ile Lys Ala Ala Leu Asp Asn Ala Gly Lys  
 260 265 270  
 Ile Met Ala Leu Thr Lys Ser Ala Pro Asp Tyr Leu Val Gly Pro Ser  
 275 280 285  
 Leu Pro Ala Asp Ile Lys Thr Asn Arg Ile Tyr Arg Ile Leu Glu Leu  
 290 295 300  
 Asn Gly Tyr Asp Pro Ala Tyr Ala Gly Ser Val Phe Leu Gly Trp Ala  
 305 310 315 320  
 Gln Lys Lys Phe Gly Lys Arg Asn Thr Ile Trp Leu Phe Gly Pro Ala  
 325 330 335  
 Thr Thr Gly Lys Thr Asn Ile Ala Glu Ala Ile Ala His Ala Val Pro  
 340 345 350  
 Phe Tyr Gly Cys Val Asn Trp Thr Asn Glu Asn Phe Pro Phe Asn Asp  
 355 360 365  
 Cys Val Asp Lys Met Val Ile Trp Trp Glu Glu Gly Lys Met Thr Ala  
 370 375 380  
 Lys Val Val Glu Ser Ala Lys Ala Ile Leu Gly Gly Ser Lys Val Arg  
 385 390 395 400  
 Val Asp Gln Lys Cys Lys Ser Ser Ala Gln Ile Asp Pro Thr Pro Val  
 405 410 415  
 Ile Val Thr Ser Asn Thr Asn Met Cys Ala Val Ile Asp Gly Asn Ser  
 420 425 430  
 Thr Thr Phe Glu His Gln Gln Pro Leu Gln Asp Arg Met Phe Lys Phe  
 435 440 445  
 Glu Leu Thr Arg Arg Leu Glu His Asp Phe Gly Lys Val Thr Lys Gln  
 450 455 460  
 Glu Val Lys Glu Phe Phe Arg Trp Ala Ser Asp His Val Thr Glu Val  
 465 470 475 480  
 Ala His Glu Phe Tyr Val Arg Lys Gly Gly Ala Ser Lys Arg Pro Ala  
 485 490 495

Pro Asp Asp Ala Asp Ile Ser Glu Pro Lys Arg Ala Cys Pro Ser Val  
500 505 510

Ala Asp Pro Ser Thr Ser Asp Ala Glu Gly Ala Pro Val Asp Phe Ala  
515 520 525

Asp Arg Tyr Gln Asn Lys Cys Ser Arg His Ala Gly Met Ile Gln Met  
530 535 540

Leu Phe Pro Cys Lys Thr Cys Glu Arg Met Asn Gln Asn Phe Asn Ile  
545 550 555 560

Cys Phe Thr His Gly Val Arg Asp Cys Leu Glu Cys Phe Pro Gly Val  
565 570 575

Ser Glu Ser Gln Pro Val Val Arg Lys Lys Thr Tyr Arg Lys Leu Cys  
580 585 590

Ala Ile His His Leu Leu Gly Arg Ala Pro Glu Ile Ala Cys Ser Ala  
595 600 605

Cys Asp Leu Val Asn Val Asp Leu Asp Asp Cys Val Ser Glu Gln  
610 615 620

<210> 4  
<211> 4393  
<212> DNA  
<213> adeno-associated virus serotype 8

<400> 4  
cagagaggga gtggccaact ccatcactag gggtagcgcg aagcgctcc cacgctgccg 60  
cgtcagcgct gacgtaaatt acgtcatagg ggagtgggtcc tgtattagct gtcacgtgag 120  
tgcttttgcg gcattttgcg acaccacgtg gccatttgag gtatatatgg ccgagtgagc 180  
gagcaggatc tccattttga ccgcgaaatt tgaacgagca gcagccatgc cgggcttcta 240  
cgagatcggtg atcaaggtgc cgagcgacct ggacgagcac ctgccgggca tttctgactc 300  
gtttgtgaac tgggtggccg agaaggaatg ggagctgccc ccggattctg acatggatcg 360  
gaatctgatc gagcaggcac ccctgaccgt ggccgagaag ctgcagcgcg acttcctggt 420  
ccaatggcgc cgcgtgagta aggccccgga ggccctcttc tttgttcagt tcgagaaggg 480  
cgagagctac tttcacctgc acgttctggt cgagaccacg ggggtcaagt ccatggtgct 540  
aggccgcttc ctgagtcaga ttcgggaaaa gcttggtcca gaccatctac ccgcggggtc 600  
gagccccacc ttgcccaact ggttcgcggt gaccaaagac gcggtaatgg cgccggcggg 660  
ggggaacaag gtggtggacg agtgctacat cccaactac ctctgcca agactcagcc 720  
cgagctgcag tgggcgtgga ctaacatgga ggagtatata agcgctgct tgaacctggc 780

cgagcgcaaa cggctcgtgg cgcagcacct gacccacgtc agccagacgc aggagcagaa	840
caaggagaat ctgaacccca attctgacgc gcccgatgac aggtcaaaaa cctccgcgcg	900
ctatatggag ctggtcgggt ggctgggtgga ccggggcatc acctccgaga agcagtggat	960
ccaggaggac caggcctcgt acatctcctt caacgccgcc tccaactcgc ggtcccagat	1020
caaggccgcg ctggacaatg ccggcaagat catggcgcgtg accaaatccg cgcccacta	1080
cctgggtggg ccctcgtcgc ccgcggacat taccagaac cgcactacc gcactcctgc	1140
tctcaacggc tacgaccctg cctacgccgg ctccgtcttt ctgggtggg ctcaaaaaa	1200
gttcgggaaa cgcaacacca tctggctggt tggaccgcc accaccggca agaccaacat	1260
tgcggaagcc atcgccacg ccgtgccctt ctacggctgc gtcaactgga ccaatgagaa	1320
ctttcccttc aatgattgcg tcgacaagat ggtgatctgg tgggaggagg gcaagatgac	1380
ggccaaggtc gtggagtccg ccaaggccat tctcggcggc agcaagggtc gcgtggacca	1440
aaagtgcaag tcgtccgcc agatcgaccc cccccctg atcgtcacct ccaacaccaa	1500
catgtgcgcc gtgattgacg ggaacagcac caccttcgag caccagcagc ctctccagga	1560
ccgatgttt aagttcgaac tcaccgccg tctggagcac gactttggca aggtgacaaa	1620
gcaggaagtc aaagagttct tccgtgggc cagtgatcac gtgaccgagg tggcgcata	1680
gttttacgtc agaaagggcg gagccagcaa aagaccgcc ccgatgacg cggataaaag	1740
cgagcccaag cgggcctgcc cctcagtcgc ggatccatc acgtcagacg cggaggagc	1800
tccggtggac ttgcccga ggtacaaaa caaatgttct cgtcacgcgg gcatgcttca	1860
gatgctgttt ccctgcaaaa cgtgcgagag aatgaatcag aatttcaaca ttgcttcac	1920
acacggggtc agagactgct cagagtgttt cccggcggtg tcagaatctc aaccggctcgt	1980
cagaaagagg acgtatcgga aactctgtgc gattcatcat ctgctggggc gggctccga	2040
gattgcttgc tcggcctgcg atctggtcaa cgtggacctg gatgactgtg tttctgagca	2100
ataaatgact taaaccagggt atggctgccg atgggtatct tccagattgg ctgaggaca	2160
acctctctga gggcattcgc gagtgggtgg cgctgaaacc tggagccccg aagcccaaag	2220
ccaaccagca aaagcaggac gacggccggg gtctggtgct tcctggctac aagtacctc	2280
gaccttcaa cggactcgac aagggggagc ccgtcaacgc ggcgagcga gcggccctc	2340
agcacgacaa ggcctacgac cagcagctgc aggcgggtga caatccgtac ctgcggtata	2400
accacgccga cgccgagttt caggagcgtc tgcaagaaga tacgtctttt gggggcaacc	2460
tcgggcgagc agtcttccag gccaagaagc gggttctcga acctctcgtt ctggttgagg	2520
aaggcgctaa gacggctcct ggaaagaaga gaccggtaga gccatcacc cagcgttctc	2580
cagactctc tacgggcacg ggcaagaaag gccaacagcc cgccagaaaa agactcaatt	2640
ttggtcagac tggcgactca gagtcagttc cagaccctca acctctcgga gaacctccag	2700

```

cagcgccctc tgggtgtgga cctaatacaa tggctgcagg cgggtggcgca ccaatggcag 2760
acaataacga aggcgccgac ggagtgggta gttcctcggg aaattggcat tgcgattcca 2820
catggctggg cgacagagtc atcaccacca gcacccgaac ctggggcctg cccacctaca 2880
acaaccacct ctacaagcaa atctccaacg ggacatcggg aggagccacc aacgacaaca 2940
cctacttcgg ctacagcacc ccctgggggt attttgactt taacagattc cactgccact 3000
tttcaccacg tgactggcag cgactcatca acaacaactg gggattccgg cccaagagac 3060
tcagcttcaa gctcttcaac atccaggta aggaggtcac gcagaatgaa ggcaccaaga 3120
ccatcgccaa taacctcacc agcaccatcc aggtgtttac ggactcggag taccagctgc 3180
cgtacgttct cggctctgcc caccagggct gcctgcctcc gttcccggcg gacgtgttca 3240
tgattcccca gtacggctac ctaacactca acaacggtag tcaggccgtg ggacgctcct 3300
ccttctactg cctggaatac tttccttcgc agatgctgag aaccggcaac aacttccagt 3360
ttacttacac cttcgaggac gtgcctttcc acagcagcta cgcccacagc cagagcttgg 3420
accggctgat gaatcctctg attgaccagt acctgtacta cttgtctcgg actcaaaca 3480
caggaggcac ggcaaatacg cagactctgg gcttcagcca aggtgggcct aatacaatgg 3540
ccaatcaggc aaagaactgg ctgccaggac cctgttaccg ccaacaacgc gtctcaacga 3600
caaccgggca aaacaacaat agcaactttg cctggactgc tgggaccaa taccatctga 3660
atggaagaaa ttcattggct aatcctggca tcgctatggc aacacacaaa gacgacgagg 3720
agcgtttttt tcccagtaac gggatcctga tttttggcaa acaaaatgct gccagagaca 3780
atgcggatta cagcgatgtc atgctcacca gcgaggaaga aatcaaaacc actaacctg 3840
tggctacaga ggaatacggg atcgtggcag ataacttgca gcagcaaaac acggctcctc 3900
aaattggaac tgtcaacagc cagggggcct taccgggtat ggtctggcag aaccgggacg 3960
tgtacctgca gggccccatc tgggccaaga ttccctcacac ggacggcaac ttccaccgt 4020
ctccgctgat gggcggtttt ggcctgaaac atcctccgcc tcagatcctg atcaagaaca 4080
cgctgtacc tgcggatcct ccgaccacct tcaaccagtc aaagctgaac tctttcatca 4140
cgcaatacag caccggacag gtcagcgtgg aaattgaatg ggagctgcag aaggaaaaca 4200
gcaagcgctg gaaccccgag atccagtaca cctccaacta ctacaaatct acaagtgtgg 4260
actttgctgt taatacagaa ggcgtgtact ctgaaccccg cccattggc acccggtacc 4320
tcacccgtaa tctgtaattg cctgttaatc aataaaccgg ttgattcgtt tcagttgaac 4380
tttggtctct gcg 4393

```

```

<210> 5
<211> 4385
<212> DNA
<213> adeno-associated virus serotype 9

```

<400> 5  
 cagagagggga gtggccaact ccatcactag gggtaatcgc gaagcgcctc ccacgctgcc 60  
 gcgtcagcgc tgacgtagat tacgtcatag gggagtgggc ctgtattagc tgtcacgtga 120  
 gtgcttttgc gacattttgc gacaccacat ggccatttga ggtatatatg gccgagtga 180  
 cgagcaggat ctccattttg accgcgaaat ttgaacgagc agcagccatg ccgggcttct 240  
 acgagattgt gatcaagggtg ccgagcgacc tggacgagca cctgccgggc atttctgact 300  
 cttttgtgaa ctgggtggcc gagaaggaaat gggagctgcc cccggattct gacatggatc 360  
 ggaatctgat cgagcaggca cccctgaccg tggccgagaa gctgcagcgc gacttcttgg 420  
 tccaatggcg ccgcgtgagt aaggccccgg aggccctctt ctttgttcag ttcgagaagg 480  
 gcgagagcta ctttcacctg cacgttctgg tcgagaccac gggggtcaag tccatggtgc 540  
 tagggcgctt cctgagtcag attcgggaga agctggtcca gaccatctac cgcgggatcg 600  
 agccgaccct gcccaactgg ttcgcggtga ccaagacgcg taatggcgcc ggcgggggga 660  
 acaagggtgt ggacgagtgac tacatcccca actacctcct gcccaagact cagcccgagc 720  
 tgcagtgggc gtggactaac atggaggagt atataagcgc gtgcttgaac ctggccgagc 780  
 gcaaacggct cgtggcgcag cacctgacct acgtcagcca gacgcaggag cagaacaagg 840  
 agaatctgaa cccaattct gacgcgcccg tgatcaggtc aaaaacctcc gcgcgctaca 900  
 tggagctggt cgggtggctg gtggaccggg gcatcacctc cgagaagcag tggatccagg 960  
 aggaccaggc ctcttacatc tccttcaacg ccgcctccaa ctgcggtcc cagatcaagg 1020  
 ccgcgctgga caatgccggc aagatcatgg cgctgaccaa atccgcgccc gactacctgg 1080  
 tagggccttc acttccggtg gacattacgc agaaccgcat ctaccgcatc ctgcagctca 1140  
 acggctacga cctgcctac gccggctccg tctttctcgg ctgggcacaa aagaagttcg 1200  
 ggaaacgcaa caccatctgg ctgtttgggc cggccaccac gggaaagacc aacatcgag 1260  
 aagccattgc ccacgccgtg cccttctacg gctgcgtcaa ctggaccaat gagaactttc 1320  
 ccttcaacga ttgcgtcgac aagatggtga tctggtggga ggagggcaag atgacggcca 1380  
 aggtcgtgga gtcgcccaag gccattctcg gcggcagcaa ggtgcgcgtg gacaaaaagt 1440  
 gcaagtcgtc cggccagatc gacccactc ccgtgatcgt cacctccaac accaactagt 1500  
 gcgccgtgat tgacgggaac agcaccacct tcgagacca gcagcctctc caggaccgga 1560  
 tgtttaagtt cgaactcacc cgccgtctgg agcacgactt tggcaagggtg acaaagcagg 1620  
 aagtcaaaga gttcttccgc tgggccagtg atcacgtgac cgaggtggcg catgagtttt 1680  
 acgtcagaaa gggcggagcc agcaaaagac ccgccccga tgacgcggat aaaagcgagc 1740  
 ccaagcgggc ctgcccctca gtcgcggatc catcgacgtc agacgcggaa ggagctccgg 1800  
 tggactttgc cgacaggtac caaaacaaat gttctcgtca cgcgggcatg cttcagatgc 1860  
 tgcttccctg caaaacgtgc gagagaatga atcagaatth caacatttgc ttcacacacg 1920

gggtcagaga ctgctcagag tgtttccccc gcggtgcaga atctcaaccg gtcgtcagaa	1980
agaggacgta tcggaaactc tgtgcgattc atcatctgct ggggcgggct cccgagattg	2040
cttgctcggc ctgcatctg gtcaacgtgg acctggatga ctgtgtttct gagcaataaa	2100
tgacttaaac cagggtatggc tgccgatggc tatcttccag attggctcga ggacaacctc	2160
tctgagggca ttcgagagt gtgggcgctg aaacctggag cccgaagcc caaagccaac	2220
cagcaaaagc aggacgacgg ccggggctctg gtgcttctg gctacaagta cctcggaccc	2280
ttcaacggac tcgacaagg ggagcccgctc aacgcggcgg acgcagcggc cctcgagcac	2340
ggcaaggcct acgaccagca gctgcaggcg ggtgacaatc cgtacctgag gtataaccac	2400
gccgacgcc agtttcagga gcgtctgcaa gaagatacgt cttttggggg caacctcggg	2460
cgagcagtct tccaggccaa gaagcgggtt ctgaacctc tcggtctggt tgaggaaggc	2520
gctaagacgg ctcttgaaa gaagagaccg gtagagccat caccacagcg ttctccagac	2580
tcctctacgg gcacggcaa gaaaggccaa cagcccgcca gaaaaagact caattttggt	2640
cagactggcg actcagagtc agttccagac cctcaacctc tcggagaacc tccagcagcg	2700
ccctctggtg tgggacctaa tacaatggct gcaggcgggtg gcgcaccaat ggcagacaat	2760
aacgaaggcg ccgacggagt gggtaattcc tcgggaaatt ggcatcgca ttccacatgg	2820
ctgggggaca gagtcatcac caccagcacc cgaacctggg cattgcccac ctacaacaac	2880
cacctctaca agcaaactc caatggaaca tcgggaggaa gcaccaacga caacacctac	2940
tttggtctaca gcacccctg ggggtatttt gacttcaaca gattccactg ccacttctca	3000
ccacgtgact ggcagcgact catcaacaac aactggggat tcgggcaaaa gagactcaac	3060
ttcaagctgt tcaacatcca ggtcaaggag gttacgacga acgaaggcac caagaccatc	3120
gccataaacc ttaccagcac cgtccaggtc tttagcgact cggagtacca gctaccgtac	3180
gtcctaggct ctgcccacca aggatgcctg ccaccgtttc ctgcagacgt cttcatgggt	3240
cctcagtagc gctacctgac gctcaacaat ggaagtcaag cgttaggacg ttcttctttc	3300
tactgtctgg aatacttccc ttctcagatg ctgagaaccg gcaacaactt tcagttcagc	3360
tacactttcg aggacgtgcc ttccacagc agctacgcac acagccagag tctagatcga	3420
ctgatgaacc ccctcatcga ccagtaccta tactacctgg tcagaacaca gacaactgga	3480
actgggggaa ctcaaacttt ggcattcagc caagcaggcc ctagctcaat ggccaatcag	3540
gctagaaact gggtagccgg gccttgctac cgtcagcagc gcgtctccac aaccaccaac	3600
caaaataaca acagcaactt tgcgtggacg ggagctgcta aattcaagct gaacgggaga	3660
gactcgctaa tgaatcctgg cgtggctatg gcacgcaca aagacgacga ggaccgcttc	3720
tttccatcaa gtggcgttct catatttggc aagcaaggag ccgggaacga tggagtcgac	3780
tacagccagg tgctgattac agatgaggaa gaaattaaag ccaccaacctc ttagaccaca	3840

gaggaatacgc gagcagtgcc catcaacaac caggccgcta acacgcaggc gcaaactgga 3900  
 cttgtgcata accagggagt tattcctggc atggtctggc agaaccggga cgtgtacctg 3960  
 cagggcccta ttggggctaa aatacctcac acagatggca actttcaccc gtctcctctg 4020  
 atgggtggat ttggactgaa acacccacct ccacagattc taattaaaaa tacaccagtg 4080  
 ccggcagatc ctcctcttac cttcaatcaa gccaaagtga actctttcat cagcagtagc 4140  
 agcacgggac aagtcagcgt ggaaatcgag tgggagctgc agaaagaaaa cagcaagcgc 4200  
 tggaatccag agatccagta tacttcaaac tactacaaat ctacaaatgt ggactttgct 4260  
 gtcaatacca aaggtgttta ctctgagcct cgccccattg gtactcgtta cctcaccgt 4320  
 aatttgtaat tgcctgttaa tcaataaacc ggtaattcg tttcagttga actttggtct 4380  
 ctgcg 4385

<210> 6  
 <211> 4718  
 <212> DNA  
 <213> adeno-associated virus serotype 1

<400> 6  
 ttgcccactc cctctctgcg cgctcgctcg ctgggtgggg cctgcggacc aaaggtccgc 60  
 agacggcaga gctctgctct gccggcccca ccgagcgagc gagcgcgagc agagggagtg 120  
 ggcaactcca tctactaggg taatcgcgaa ggcctccca cgctgccgcg tcagcgctga 180  
 cgtaaattac gtcactaggg agtggtcctg tattagctgt cactgagtg cttttgcgac 240  
 attttgcgac accacgtggc catttagggg atatatggcc gactgagcga gcaggatctc 300  
 cattttgacc gcgaaatttg aacgagcagc agccatgccg ggcttctacg agatcgtgat 360  
 caaggtgccg agcgacctgg acgagcacct gccgggcatt tctgactcgt ttgtgagctg 420  
 ggtggccgag aaggaatggg agctgcccc ggattctgac atggatctga atctgattga 480  
 gcaggcaccc ctgaccgtgg ccgagaagct gcagcgcgac ttcctggtcc aatggcgccg 540  
 cgtgagtaag gccccggagg ccctcttctt tgttcagttc gagaagggcg agtcctactt 600  
 ccacctccat attctggtgg agaccacggg ggtcaaattc atgggtgctgg gccgcttctc 660  
 gactcagatt agggacaagc tgggtgcagc catctaccgc gggatcgagc cgacctgcc 720  
 caactgggtc gcgggtgacca agacgcgtaa tggcgccgga ggggggaaca aggtgggtgga 780  
 cgagtgttac atccccaact acctcctgcc caagactcag cccgagctgc agtgggcgtg 840  
 gactaacatg gaggagtata taagcgctg tttgaacctg gccgagcgca aacggctcgt 900  
 ggcgcagcac ctgaccacag tcagccagac ccaggagcag aacaaggaga atctgaacct 960  
 caattctgac gcgcctgtca tccgggtcaa aacctccgcg cgctacatgg agctggctcg 1020  
 gtggctggtg gaccggggca tcacctccga gaagcagtg atccaggagg accaggcctc 1080



gtacatctcc	ttcaacgccg	cttccaactc	gcgggtcccag	atcaaggccg	ctctggacaa	1140
tgccggcaag	atcatggcgc	tgaccaaadc	cgcgcccgac	tacctggtag	gccccgctcc	1200
gccccgcgac	attaaaacca	accgcatcta	ccgcatcctg	gagctgaacg	gctacgaacc	1260
tgctacgcc	ggctccgtct	ttctcggctg	ggcccagaaa	aggttcggga	agcgcaacac	1320
catctggctg	tttggggcgg	ccaccacggg	caagaccaac	atcgcggaag	ccatcgccca	1380
cgccgtgccc	ttctacggct	gcgtcaactg	gaccaatgag	aactttccct	tcaatgattg	1440
cgctcgacaag	atgggtgatct	ggtggggagga	gggcaagatg	acggccaag	tcgtggagtc	1500
cgccaaggcc	attctcggcg	gcagcaaggt	gcgcgtggac	caaaagtga	agtcgtccgc	1560
ccagatcgac	cccacccccg	tgatcgtcac	ctccaacacc	aacatgtgcg	ccgtgattga	1620
cggaacagc	accaccttcg	agcaccagca	gccgttgacg	gaccggatgt	tcaaatttga	1680
actcaccgcg	cgtctggagc	atgacttttg	caaggtgaca	aagcaggaag	tcaaagagtt	1740
cttccgctgg	gcgcaggatc	acgtgaccga	ggtggcgcat	gagttctacg	tcagaaaggg	1800
tgagaccaac	aaaagaccgc	ccccgatga	cgcgataaaa	agcgagccca	agcgggcctg	1860
cccctcagtc	gcggatccat	cgacgtcaga	cgcggaagga	gctccggtgg	actttgccga	1920
caggtaccaa	aacaaatgtt	ctcgtcacgc	gggcatgctt	cagatgctgt	ttccctgcaa	1980
gacatgagag	agaatgaatc	agaatttcaa	catttgcttc	acgcacggga	cgagagactg	2040
ttcagagtgc	ttccccggcg	tgtcagaatc	tcaaccggtc	gtcagaaaga	ggacgtatcg	2100
gaaactctgt	gccattcatc	atctgctggg	gcgggctccc	gagattgctt	gctcggcctg	2160
cgatctggtc	aacgtggacc	tggtatgactg	tgtttctgag	caataaatga	cttaaaccag	2220
gtatggctgc	cgatgggttat	cttcagatt	ggctcgagga	caacctctct	gagggcattc	2280
gcgagtgggtg	ggacttgaaa	cctggagccc	cgaagcccaa	agccaaccag	caaaagcagg	2340
acgacggccg	gggtctgggtg	cttcctggct	acaagtacct	cggacccttc	aacggactcg	2400
acaaggggga	gccgtcaac	gcggcgagc	cagcggccct	cgagcacgac	aaggcctacg	2460
accagcagct	caaagcgggt	gacaatccgt	acctgcggta	taaccacgcc	gacgccgagt	2520
ttcaggagcg	tctgcaagaa	gatacgtctt	ttgggggcaa	cctcgggcga	gcagtcttcc	2580
aggccaagaa	gcgggttctc	gaacctctcg	gtctggttga	ggaaggcgct	aagacggctc	2640
ctggaaagaa	acgtccggta	gagcagtcgc	cacaagagcc	agactcctcc	tcgggcatcg	2700
gcaagacagg	ccagcagccc	gctaaaaaga	gactcaattt	tggtcagact	ggcgactcag	2760
agtcagtccc	cgatccacaa	cctctcggag	aacctccagc	aacccccgct	gctgtgggac	2820
ctactacaat	ggcttcaggc	ggtggcgcac	caatggcaga	caataacgaa	ggcgccgacg	2880
gagtgggtaa	tgcctcagga	aattggcatt	gcgattccac	atggctgggc	gacagagtca	2940
tcaccaccag	caccgcacc	tgggccttgc	ccacctacaa	taaccacctc	tacaagcaaa	3000

```

tctccagtgc ttcaacgggg gccagcaacg acaaccacta cttcgggtac agcaccacct 3060
gggggtatatt tgatttcaac agattccact gccacttttc accacgtgac tggcagcgac 3120
tcatcaacaa caattgggga ttccggccca agagactcaa cttcaaactc ttcaacatcc 3180
aagtcaagga ggtcacgacg aatgatggcg tcacaacat cgctaataac cttaccagca 3240
cggttcaagt cttctcggac tcggagtacc agcttccgta cgtcctcggc tctgcgcacc 3300
agggctgcct ccctccgttc ccggcggacg tgttcatgat tccgcaatac ggctacctga 3360
cgctcaacaa tggcagccaa gccgtgggac gttcatcctt ttactgcctg gaatatattcc 3420
cttctcagat gctgagaacg ggcaacaact ttaccttcag ctacaccttt gaggaagtgc 3480
ctttccacag cagctacgcg cacagccaga gcctggaccg gctgatgaat cctctcatcg 3540
accaatacct gtattacctg aacagaactc aaaatcagtc cgggaagtgcc caaaacaagg 3600
acttgctgtt tagccgtggg tctccagctg gcatgtctgt tcagcccaa aactggctac 3660
ctggaccctg ttatcggcag cagcgcgttt ctaaaacaaa aacagacaac aacaacagca 3720
attttacctg gactggtgct tcaaaatata acctcaatgg gcgtgaatcc atcatcaacc 3780
ctggcactgc tatggcctca cacaagacg acgaagacaa gttctttccc atgagcggtg 3840
tcatgatattt tggaaaagag agcgccggag cttcaaacac tgcattggac aatgtcatga 3900
ttacagacga agaggaaatt aaagccacta accctgtggc caccgaaaga tttgggaccg 3960
tggcagtcaa tttccagagc agcagcacag accctgcgac cggagatgtg catgctatgg 4020
gagcattacc tggcatggtg tggcaagata gagacgtgta cctgcagggt cccatttggg 4080
ccaaaattcc tcacacagat ggacactttc acccgtctcc tcttatgggc ggctttggac 4140
tcaagaacct gcctcctcag atcctcatca aaaacacgcc tgttcctgcg aatcctccgg 4200
cggagttttc agctacaaag tttgcttcat tcatcaccca atactccaca ggacaagtga 4260
gtgtggaaat tgaatgggag ctgcagaaag aaaacagcaa gcgctggaat cccgaagtgc 4320
agtacacatc caattatgca aaatctgcc aagttgattt tactgtggac aacaatggac 4380
tttatactga gcctcgcccc attggcacc gttaccttac ccgtcccctg taattacgtg 4440
ttaatcaata aaccggttga ttcgtttcag ttgaactttg gtctcctgtc cttcttatct 4500
tatcggttac catggttata gcttacacat taactgcttg gttgcgcttc gcgataaaaag 4560
acttacgtca tcgggttacc ctagtgatg gagttgccca ctccctctct gcgcgctcgc 4620
tcgctcggtg gggcctgcgg accaaaggtc cgcagacggc agagctctgc tctgccggcc 4680
ccaccgagcg agcgagcgcg cagagaggga gtgggcaa 4718

```

&lt;210&gt; 7

&lt;211&gt; 4675

&lt;212&gt; DNA

&lt;213&gt; adeno-associated virus serotype 2

<400> 7  
 ttggccactc cctctctgcg cgctcgctcg ctcaactgagg ccggggcgacc aaaggtcgcc 60  
 cgacgcccgg gctttgcccg ggcggcctca gtgagcgagc gagcgcgag agagggagtg 120  
 gccaaactcca tcaactagggg ttccctggagg ggtggagtcg tgacgtgaat tacgtcatag 180  
 ggtaggggag gtccctgtatt agaggtcacg tgagtgtttt gcgacatttt gcgacaccat 240  
 gtggtcacgc tgggtattta agcccagtg agcacgcagg gtctccattt tgaagcggga 300  
 ggtttgaacg cgcagccgcc atgccggggg tttacgagat tgtgattaag gtccccagcg 360  
 accttgacgg gcatctgccc ggcatttctg acagctttgt gaactgggtg gccgagaagg 420  
 aatgggagtt gccgccagat tctgacatgg atctgaatct gattgagcag gcaccctga 480  
 ccgtggccga gaagctgcag cgcgactttc tgacggaatg gcgccgtgtg agtaaggccc 540  
 cggaggccct tttctttgtg caatttgaga agggagagag ctacttccac atgcacgtgc 600  
 tcgtggaaac caccgggggtg aaatccatgg ttttgggacg tttcctgagt cagattcgcg 660  
 aaaaactgat tcagagaatt taccgcggga tcgagccgac tttgccaaac tggttcgcg 720  
 tcacaaagac cagaaatggc gccggaggcg ggaacaagggt ggtggatgag tgctacatcc 780  
 ccaattactt gctccccaaa acccagcctg agctccagtg ggctgggact aatatggaac 840  
 agtatttaag cgcctgtttg aatctcacgg agcgtaaacg gttggtggcg cagcatctga 900  
 cgcacgtgtc gcagacgcag gagcagaaca aagagaatca gaatcccaat tctgatgcgc 960  
 cggatgatcag atcaaaaact tcagccaggt acatggagct ggtcgggtgg ctctgggaca 1020  
 aggggattac ctccggagaag cagtggatcc aggaggacca ggcctcatac atctccttca 1080  
 atgcggcctc caactcgcg tcccaaatca aggtgcctt ggacaatgcg gaaaagatta 1140  
 tgagcctgac taaaaccgcc cccgactacc tgggtggcca gcagcccgtg gaggacattt 1200  
 ccagcaatcg gatttataaa attttggaac taaacgggta cgatcccaa tatgcggctt 1260  
 ccgtctttct gggatgggccc acgaaaaagt tcggcaagag gaacaccatc tggctgtttg 1320  
 ggcttgaac taccgggaag accaacatcg cggaggccat agcccacact gtgcccttct 1380  
 acgggtgcgt aaactggacc aatgagaact ttcccttcaa cgactgtgtc gacaagatgg 1440  
 tgatctggtg ggaggagggg aagatgaccg ccaaggtcgt ggagtcggcc aaagccattc 1500  
 tcggaggaag caaggtgcgc gtggaccaga aatgcaagtc ctccggccag atagaccga 1560  
 ctcccgtgat cgtcacctcc aacaccaaca tgtgcgccgt gattgacggg aactcaacga 1620  
 ccttcgaaca ccagcagccg ttgcaagacc ggatgttcaa atttgaactc acccgccgtc 1680  
 tggatcatga ctttgggaag gtaccaaagc aggaagtcaa agactttttc cgggtggcaa 1740  
 aggatcacgt ggttgagggtg gagcatgaat tctacgtcaa aaagggtgga gccaagaaaa 1800  
 gacccgcccc cagtgcgca gatataagt agcccaaacg ggtgcgcgag tcagttgcgc 1860  
 agccatcgac gtcagacgcg gaagcttcca tcaactacgc agacaggtac caaaacaaat 1920

gttctcgtca cgtgggcatg aatctgatgc tgtttccctg cagacaatgc gagagaatga	1980
atcagaattc aaatatctgc ttcactcacg gacagaaaga ctgtttagag tgctttcccg	2040
tgtcagaatc tcaacccgtt tctgtcgtca aaaaggcgta tcagaaactg tgctacattc	2100
atcatatcat gggaaagggtg ccagacgctt gcactgcctg cgatctggtc aatgtggatt	2160
tggatgactg catctttgaa caataaatga tttaaatcag gtatggctgc cgatggttat	2220
cttcagatt ggctcgagga cactctctct gaaggaataa gacagtgggtg gaagctcaaa	2280
cctggcccac caccaccaa gcccgagag cggcataagg acgacagcag gggctctgtg	2340
cttctgggt acaagtacct cggacccttc aacggactcg acaagggaga gccggtcaac	2400
gaggcagacg ccgcgccct cgagcacgta caaagcctac gaccggcagc tcgacagcgg	2460
agacaacccg tacctcaagt acaaccacgc cgacgcggag tttcaggagc gccttaaaga	2520
agatacgtct tttgggggca acctcggacg agcagctctc caggcgaaaa agagggttct	2580
tgaacctctg ggcctggttg aggaacctgt taagacggct ccgggaaaaa agaggccggt	2640
agagcactct cctgtggagc cagactcctc ctcggaacc ggaaaggcgg gccagcagcc	2700
tgcaagaaaa agattgaatt ttggtcagac tggagacgca gactcagtac ctgacccca	2760
gcctctcgga cagccaccag cagccccctc tggctcggga actaatacga tggctacagg	2820
cagtggcgca ccaatggcag acaataacga gggcgccgac ggagtgggta attcctccgg	2880
aaattggcat tgcgattcca catggatggg cgacagagtc atcaccacca gcaccgaac	2940
ctgggcccctg cccacctaca acaaccacct ctacaaacaa atttccagcc aatcaggagc	3000
ctcgaacgac aatcactact ttggctacag cacccttgg gggatatttg acttcaacag	3060
attccactgc cacttttcac cacgtgactg gcaaagactc atcaacaaca actggggatt	3120
ccgacccaag agactcaact tcaagctctt taacattcaa gtcaaagagg tcacgcagaa	3180
tgacggtacg acgacgattg ccaataacct taccagcagc gttcaggtgt ttactgactc	3240
ggagtaccag ctcccgtacg tcctcggctc ggcgcataca ggatgcctcc cgcggttccc	3300
agcagacgtc ttcattggtc cacagtatgg atacctcacc ctgaacaacg ggagtcaggc	3360
agtaggacgc tcttcatttt actgcctgga gtactttcct tctcagatgc tgcgtaccgg	3420
aaacaacttt accttcagct acacttttga ggacgttctt ttccacagca gctacgtca	3480
cagccagagt ctggaccgtc tcatgaatcc tctcatcgac cagtacctgt attacttgag	3540
cagaacaaac actccaagtg gaaccaccac gcagtcaagg cttcagtttt ctcaggccgg	3600
agcgagtac attcgggacc agtctaggaa ctggcttctt ggaccctgtt accgccagca	3660
gcgagtatca aagacatctg cggataacaa caacagtga tactcgtgga ctggagctac	3720
caagtaccac ctcaatggca gagactctct ggtgaatccg gccatggcaa gccacaagga	3780
cgatgaagaa aagttttttc ctcagagcgg ggttctcatc tttgggaagc aaggctcaga	3840

gaaaacaaat gtgaacattg aaaagggtcat gattacagac gaagaggaaa tcggaacaac 3900  
 caatcccgtg gctacggagc agtatggttc tgtatctacc aacctccaga gaggcaacag 3960  
 acaagcagct accgcagatg tcaacacaca aggcgttctt ccaggcatgg tctggcagga 4020  
 cagagatgtg taccttcagg ggcccatctg ggcaaagatt ccacacacgg acggacattt 4080  
 tcacccctct cccctcatgg gtggattcgg acttaaacac cctcctccac agattctcat 4140  
 caagaacacc ccggtacctg cgaatccttc gaccaccttc agtgcggaag agtttgcttc 4200  
 cttcatcaca cagtactcca cgggacacgg tcagcgtgga gatcgagtgg gagctgcaga 4260  
 aggaaaacag caaacgctgg aatcccgaag ttcaactac aacaagtctg 4320  
 ttaatcgtgg acttaccgtg gataactaat gcgtgtattc agagcctcgc cccattggca 4380  
 ccagatacct gactcgtaat ctgtaattgc ttgttaatca ataaaccgtt taattcgttt 4440  
 cagttgaact ttggtctctg cgtatttctt tcttatctag tttccatggc tacgtagata 4500  
 agtagcatgg cgggttaatc attaactaca aggaaccctt agtgatggag ttggccactc 4560  
 cctctctgcg cgtcgtctcg ctcaactgag ccgggcgacc aaaggtcgcc cgacgcccgg 4620  
 gctttgcccg ggcgccctca gtgagcgagc gagcgcgcag agagggagtg gccaa 4675

<210> 8

<211> 4726

<212> DNA

<213> adeno-associated virus serotype 3

<400> 8

ttggccactc cctctatgcg cactcgctcg ctcggtgggg cctggcgacc aaaggtcgcc 60  
 agacggacgt gctttgcacg tccggcccca ccgagcgagc gagtgcgcac agagggagtg 120  
 gccaaactcca tcactagagg tatggcagtg acgtaacgcg aagcgcgcga agcgagacca 180  
 cgcctaccag ctgcgtcagc agtcagggtga cccttttgcg acagtttgcg acaccacgtg 240  
 gccgctgagg gtatatattc tcgagtgagc gaaccaggag ctccattttg accgcgaaat 300  
 ttgaacgagc agcagccatg ccgggggtct acgagattgt cctgaagggt ccgagtgacc 360  
 tggacgagcg cctgccgggc atttctaact cgtttgttaa ctgggtggcc gagaaggaat 420  
 gggacgtgcc gccggattct gacatggatc cgaatctgat tgagcaggca cccctgaccg 480  
 tggccgaaaa gcttcagcgc gagttccttg tggagtggcg ccgctgagt aaggccccgg 540  
 aggccctctt ttttgtccag ttcgaaaagg gggagacctt cttccacctg cacgtgctga 600  
 ttgagaccat cgggggtcaaa tccatggttg tcggccgcta cgtgagccag attaaagaga 660  
 agctggtgac ccgcatctac cgcggggtcg agccgcagct tccgaactgg ttcgcggtga 720  
 ccaaaacgcg aaatggcgcc gggggcggga acaaggtggt ggacgactgc tacatcccca 780  
 actacctgct cccaagacc cagcccgagc tccagtgggc gtggactaac atggaccagt 840

atttaagcgc ctgtttgaat ctgcggagc gtaaaccggct ggtggcgag catctgacgc 900  
 acgtgtcgca gacgcaggag cagaacaaag agaatcagaa cccaattct gacgcgccgg 960  
 tcatcaggtc aaaaacctca gccaggatca tggagctggt cgggtggctg gtggaccgcg 1020  
 ggatcacgtc agaaaagcaa tggattcagg aggaccaggc ctctacatc tccttcaacg 1080  
 ccgcctccaa ctgcgggtcc cagatcaagg ccgcgctgga caatgcctcc aagatcatga 1140  
 gcctgacaaa gacggctccg gactacctg tgggcagcaa ccgcccggag gacattacca 1200  
 aaaatcggat ctaccaaata ctggagctga acgggtacga tccgcagtag gcggcctccg 1260  
 tcttctctggg ctgggcgcaa aagaagtctg ggaagaggaa caccatctgg ctctttgggc 1320  
 cggccacgac gggtaaaacc aacatcgcg aagccatcgc ccacgccgtg cccttctacg 1380  
 gctgcgtaaa ctggaccaat gagaactttc cttcaacga ttgcgtcgac aagatgggtga 1440  
 tctggtggga ggagggaag atgacggcca aggtcgtgga gagcgccaag gccattctgg 1500  
 gcggaagcaa ggtgcgcgtg gaccaaagt gcaagtcac ggccagatc gaaccactc 1560  
 ccgtgatcgt cacctcaac accaactgt gcgccgtgat tgacgggaac agcaccacct 1620  
 tcgagcatca gcagccgtg caggaccgga tgtttgaatt tgaacttacc cgccgtttgg 1680  
 accatgactt tgggaaggc accaaacagg aagtaaagga ctttttccgg tgggcttccg 1740  
 atcacgtgac tgacgtggct catgagttct acgtcagaaa ggtggagct aagaaacgcc 1800  
 ccgcctccaa tgacgcggat gtaagcgagc caaacggga gtgcacgtca cttgcgcagc 1860  
 cgacaacgtc agacgcggaa gcaccggcg actacgcgga caggtagcaa aacaaatgtt 1920  
 ctctcacgt gggcatgaat ctgatgcttt ttccctgtaa aacatgcgag agaataatc 1980  
 aaatttccaa tgtctgtttt acgcatggtc aaagagactg tggggaatgc ttccctggaa 2040  
 tgtcagaatc tcaaccgtt tctgtcgtca aaaagaagac ttatcagaaa ctgtgtccaa 2100  
 ttcacatat cctgggaagg gcaccgaga ttgcctgttc ggctgcgat ttggccaatg 2160  
 tggacttggg tgactgtgtt tctgagcaat aaatgactta aaccaggtat ggctgctgac 2220  
 ggttatcttc cagattggct cgaggacaac ctttctgaag gcattcgtga gtgggtggct 2280  
 ctgaaacctg gagtccctca acccaaagcg aaccaacaac accaggacaa ccgtcggggg 2340  
 cttgtgcttc cgggttacia atacctcgga ccggtaacg gactcgacaa aggagagccg 2400  
 gtcaacgagg cggacgcggc agccctcgaa cagacaaag cttacgacca gcagctcaag 2460  
 gccggtgaca acccgtacct caagtacaac cagccgacg ccgagtttca ggagcgtctt 2520  
 caagaagata cgtcttttgg gggcaacctt ggagagcag tcttccaggc caaaaagagg 2580  
 atccttgagc ctcttggtct ggttgaggaa gcagctaaaa cggctcctgg aaagaagggg 2640  
 gctgtagatc agtctcctca ggaaccggac tcatcatctg gtgttgcaa atcgggcaaa 2700  
 cagcctgcca gaaaaagact aaatttcggg cagactggag actcagagtc agtcccagac 2760

cctcaacctc tcggagaacc accagcagcc cccacaagtt tgggatctaa tacaatggct	2820
tcaggcggtg gcgcaccaat ggcagacaat aacgaggggtg ccgatggagt gggtaattcc	2880
tcaggaaatt ggcattgcga ttcccaatgg ctgggcgaca gagtcatcac caccagcacc	2940
agaacctggg ccctgcccac ttacaacaac catctctaca agcaaattctc cagccaatca	3000
ggagcttcaa acgacaacca ctactttggc tacagcacc cttgggggta ttttgacttt	3060
aacagattcc actgccactt ctcaccacgt gactggcagc gactcattaa caacaactgg	3120
ggattccggc ccaagaaact cagcttcaag ctcttcaaca tccaagttag aggggtcacg	3180
cagaacgatg gcacgacgac tattgccaat aaccttacca gcacggttca agtggtttacg	3240
gactcggagt atcagctccc gtacgtgctc gggtcggcgc accaaggctg tctcccgcg	3300
ttccagcgg acgtcttcat ggtccctcag tatggatacc tcacctgaa caacggaagt	3360
caagcgggtg gacgctcatc cttttactgc ctggagtact tcccttcgca gatgctaagg	3420
actggaaata acttccaatt cagctatacc ttcgaggatg taccttttca cagcagctac	3480
gctcacagcc agagtttgga tcgcttgatg aatcctctta ttgatcagta tctgtactac	3540
ctgaacagaa cgcaaggaac aacctctgga acaaccaacc aatcacggct gctttttagc	3600
caggctgggc ctcagtctat gtctttgcag gccagaaatt ggctacctgg gccctgctac	3660
cggcaacaga gactttcaaa gactgctaac gacaacaaca acagtaactt tccttgagca	3720
gcggccagca aatatcatct caatggccgc gactcgctgg tgaatccagg accagctatg	3780
gccagtcaca aggacgatga agaaaaattt ttccctatgc acggcaatct aatatttggc	3840
aaagaaggga caacggcaag taacgcagaa ttagataatg taatgattac ggatgaagaa	3900
gagattcgta ccaccaatcc tgtggcaaca gagcagtatg gaactgtggc aaataacttg	3960
cagagctcaa atacagctcc cagcactgga actgtcaatc atcagggggc cttacctggc	4020
atggtgtggc aagatcgtga cgtgtacctt caaggaccta tctgggcaaa gattcctcac	4080
acggatggac actttcatcc ttctcctctg atgggaggct ttggactgaa acatccgcct	4140
cctcaaatca tgatcaaaaa tactccggta ccggcaaata ctcgacgac tttcagccc	4200
gccaaagttg cttcatttat cactcagtac tccactggac aggtcagcgt ggaaattgag	4260
tgggagctac agaaagaaaa cagcaaacgt tggaatccag agattcagta cacttocaac	4320
tacaacaagt ctgttaatgt ggactttact gtagacacta atggtgttta tagtgaacct	4380
cgccctattg gaacccggta tctcacacga aacttggtga tcctgggttaa tcaataaacc	4440
gtttaattcg tttcagttga actttggctc ttgtgcactt ctttatcttt atcttgtttc	4500
catggctact gcgtagataa gcagcggcct gcggcgcttg cgcttcgcgg tttacaactg	4560
ctggttaata tttactctc gccatacctc tagtgatgga gttggccact ccctctatgc	4620
gcactcgctc gctcgggtgg gcctggcgac caaaggctcg cagacggacg tgctttgcac	4680

gtccggcccc accgagcgag cgagtgcgca tagagggagt ggccaa 4726

<210> 9

<211> 3098

<212> DNA

<213> new AAV serotype, clone 42.2

<400> 9

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt	60
gcgtcgacaa gatggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt	120
ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcttccg	180
cccagatoga tcccccccc gtgatcgtca cttccaacac caacatgtgc gctgtgattg	240
acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg	300
aactcaccgc ccgtctggag cagcactttg gcaagggtgac aaagcaggaa gtcaaagagt	360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg	420
gtggagccaa caagagaccc gccccgatg acgcgataa aagcgagccc aagcgggcct	480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg	540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca	600
agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact	660
gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc	720
ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct	780
gcgatctggt caacgtggac ctggatgacc gtgtttctga gcaataaatg acttaaacca	840
ggtatggctg ccgatggtta tcttcagat tggctcgagg acaacctctc tgagggcatt	900
cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag	960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc	1020
gacaagggag agccggtcaa cgaggcagac gccgcggccc tcgagcacga caaggcctac	1080
gacaagcagc tcgagcaggg ggacaacccg tacctcaagt acaaccacgc cgacgccgag	1140
tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggag agcagtcctc	1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct	1260
cctggaaaga agagacccat agaatcccc gactcctcca cgggcatcgg caagaaaggc	1320
cagcagcccc ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtgcgc	1380
gacccccaac ctctcggaga acctcccgcc gcgccctcag gtctgggatc tgggtacaatg	1440
gctgcaggcg gtggcgacc aatggcagac aataacgaag gcgccgacgg agtgggtaat	1500
gcctccggaa attggcattg cgattccaca tggctgggag acagagtcac caccaccagc	1560
acccgcacct gggccctgcc cacctacaac aaccacctct acaagcagat atcaagtcag	1620
agcggggcta ccaacgacaa ccacttcttc ggctacagca cccctgggg ctattttgac	1680



```

ttcaacagat tccactgccca cttctcacca cgtgactggc agcgactcat caacaacaac 1740
tggggattcc ggcccagaaa gctgcgggtc aagttgttca acatccaggt caaggagggtc 1800
acgacgaacg acggcggttac gaccatcgct aataacctta ccagcacgat tcagggtcttc 1860
tcggactcgg agtaccaact gccgtacgtc ctcggctctg cgcaccaggg ctgcctccct 1920
ccgttccctg cggacgtggt catgattcct cagtacggat atctgactct aaacaacggc 1980
agtcagtctg tgggacgttc ctctttctac tgcctggagt actttccttc tcagatgctg 2040
agaacgggca ataactttga attcagctac acctttgagg aagtgccttt ccacagcagc 2100
tatgcgcaca gccagagcct ggaccggctg atgaatcccc tcatcgacca gtacctgtac 2160
tacctggccc ggaccagag cactacgggg tcacaaggg agctgcagtt ccatcaggct 2220
gggcccaca ccatggccga gcaatcaaag aactggctgc cgggacctg ttatcggcag 2280
cagagactgt caaaaaacat agacagcaac aacaacagta actttgcctg gaccggggcc 2340
actaaatacc atctgaatgg tagaaattca ttaaccaacc cgggcgtagc catggccacc 2400
aacaaggacg acgaggacca gttctttccc atcaacggag tgctgggttt tggcgaaacg 2460
ggggctgcc acaagacaac gctggaaaac gtgctaata ccagcgagga ggagatcaaa 2520
accaccaatc ccgtggctac agaagaatac ggtgtggtct ccagcaacct gcaatcgtct 2580
acggccggac ccagacaca gactgtcaac agccaggggg ctctgcccgg catggtctgg 2640
cagaaccggg acgtgtacct gcagggtccc atctgggcca aaattcctca cacggacggc 2700
aactttcacc cgtctccct gatgggcgga tttggactca aacaccgcc tcctcaaatt 2760
ctcatcaaaa acaccccggt acctgctaata cctccagagg tgtttactcc tgccaagttt 2820
gcctcattta tcacgcagta cagcaccggc caggtcagcg tggagatcga gtgggaactg 2880
cagaaagaaa acagcaaacg ctggaatcca gagattcagt acacctcaaa ttatgccaa 2940
tctaataatg tggaatttgc tgtcaacaac gaaggggttt atactgagcc tcgccccatt 3000
ggcaccggtt acctcaccgg taacctgtaa ttgcctgtta atcaataaac cggttaattc 3060
gtttcagttg aactttggtc tctgcgaagg gcgaattc 3098

```

```

<210> 10
<211> 3098
<212> DNA
<213> new AAV serotype, clone 16.3

```

```

<400> 10
gaattcgccc ttcgcagaga ccaaagttca actgaaacga atcaaccggt ttattgatta 60
acaagtaatt acagggttac ggtgaggtaa cgggtgccaa tggggcgagg ctcagtataa 120
acccttcgt tgttgacagc aaattccaca ttattagact tggcataatt tgagggtgtac 180
tgaatctctg gattccagcg tttgctgttt tctttctgca gttccactc gatctccacg 240

```

ctgacctggc cgggtgctgta ctgcgtgata aatgaggcaa actaggcagg agtaaacacc	300
cctggaggat tagcaggtag cggggtgttt ttgatgagaa tttgaggagg cgggtgtttg	360
agtccaaatc cgcccatcag gggagacggg tgaaagtgc cgtccgtgtg aggaattttg	420
gccagatgg gaccctgcag gtacacgtcc cggttctgcc agaccatgcc gggcagagcc	480
ccctggctgt tgacagtctg tgtctggggc ccggccgtag acgattgcag gttgctggag	540
accacaccgt attcttctgt agccacggga ttggtggttt tgatctcctc ctgctggtc	600
attagcacgt tttccagcgt tgtcttggtg gcagcccccg ttttgccaaa aaccagcact	660
ccgttgatgg gaaagaactg gccctcgtcg tccttggttg tggccatggc tacgccggg	720
ttggttaatg aatttctacc attcagatgg tathtagtgg ccccggtcca ggcaaagtta	780
ctgttggtgt tgctgtctat gttttttgac agtctctgct gccgataaca gggccggggc	840
agccagttct ttgattgctc ggccatggtg ttgggccag cctgatggaa ctgcagctcc	900
cttggtggacc ccgtagtgtc ctgggtccgg gccaggtagt acagggtactg gtcgatgagg	960
ggattcatca gccggtccag gctctggctg tgcccatagc tgctgtggaa aggcacttcc	1020
tcaaagggtg agctgaattc aaagttattg cccgttctca gcattctgaga aggaaagtac	1080
tccaggcagt agaaggagga acgtcccata gactgactgc cgttgtttag agtcagatat	1140
ccgtactgag gaatcatgaa cacgtccgca gggaacggag ggaggcagcc ctggtgcgca	1200
gagccgagga cgtacggcag ttggtactcc gagtccgaga agacctgaat cgtgctggta	1260
aggttattag cgatggctgt aacgccgtcg ttcgtcgtga cctccttgac ctggatgttg	1320
aacaacttga accgcagctt tctgggccgg aatccccagt tgttggtgat gagtgcgtgc	1380
cagtcacgtg gtgagaagtg gcagtggaaat ctgttgaagt caaaatagcc ccaggggggtg	1440
ctgtagccga agaagtgggt gtcgttggtg gccccgctct gacttgatat ctgctttag	1500
aggtggttgt ttaggtggg cagggcccag gtgcgggtgc tgggtggtgat gactctgtcg	1560
cccagccatg tggaaatcgca atgccaattt ccggaggcat taccactcc gtcggcgcct	1620
tcgttattgt ctgccattgg tgcgccaccg cctgcagcca ttgtaccaga tcccagacct	1680
gagggcgcgg cgggaggttc tccgagaggt tgggggtcgg gcactgactc tgagtcgcca	1740
gtctgcccga agttgagctt ctttttagcg ggctgtggc ctttcttgcc gatgcccggtg	1800
gaggagtccg gggattctat gggctctctt tttccaggag ccgtcttagc gccttcctca	1860
accagaccga gaggttcgag aaccgcttc ttggcctgga agactgctcg cccgaggttg	1920
ccccaaaag acgtatcttc ttgaagacgc tcctgaaact cagcgtcggc gtggtgttac	1980
ttgaggtacg ggttggtccc ctgctcgagc tgcttgctgt aggccttgct gtgctcgagg	2040
gccgcggcgt ctgcctcgtt gaccggctct ccctgtcga gtccgttgaa gggccgagg	2100
tacttgtagc caggaagcac cagaccccg ccgtcgtcct gcttttgctg gttggctttg	2160

```

ggttttcgggg ctccagggtt caagtccac cactcgcgaa tgccctcaga gaggttgctc 2220
tcgagccaat ctggaagata accatcggca gccatacctg gtttaagtca tttattgctc 2280
agaaacacag tcatccagggt ccacgttgac cagatcgag gccgagcaag caatctcggg 2340
agcccgcccc agcagatgat gaatggcaca gagtttccga tacgtcctct ttctgacgac 2400
cggttgagat tctgacacgc cggggaaca ttctgaacag tctctggtcc cgtgctgaa 2460
gcaaagtgtg aaattctgat tcattctctc gcatgtcttg cagggaaca gcatctgaag 2520
catgcccgcg tgacgagaac atttgttttg gtacctgtcg gcaaagtcca ccggagctcc 2580
ttccgcgtct gacgtcgatg gatccgcgac tgaggggcag gcccgcttgg gctcgtttt 2640
atccgcgtca tcggggggcg gcctcttgtt ggtccaccc tttctgacgt agaactcatg 2700
cgccacctcg gtcacgtgat cctgcgcca gcggaagaac tctttgactt cctgctttgt 2760
caccttgcca aagtcctgct ccagacggcg ggtgagttca aatttgaaca tccggtcttg 2820
taacggctgc tgggtgctga aggtggtgct gttcccgta atcacggcg acatgttggt 2880
gttggaagtg acgatcacgg ggggtggatc gatctggcg gacgacttgc acttttggtc 2940
cacgcgacc ttgctgccgc cgagaatggc cttggcggac tccacgacct tggccgtcat 3000
cttgccctcc tcccaccaga tcaccatctt gtcgacgcaa tcgttgaagg gaaagttctc 3060
attggtccag ttgacgcagc cgtagaaagg gcgaattc 3098

```

```

<210> 11
<211> 3121
<212> DNA
<213> new AAV serotype, clone 29.3

```

```

<400> 11
gaattcgccc ttcgcagaga ccaaagttca actgaaacga atcaaccggt ttattgatta 60
acaagcaatt acagattacg ggtgaggtaa cgggtgccga tggggcgagg ctgagaataa 120
gtgccatctg tgttaacagc aaagtccaca tttgtagatt tgtagtagtt ggaagtgtat 180
tgaatctctg ggttccagcg tttgctgttt tctttctgca gctccattc aatttccacg 240
ctgacctgtc cgggtgctgta ctgctgatg aacgacgcca gcttagcttg actgaaggta 300
gttgaggat ccgcggaac aggtgtattc ttaatcagga tctgaggagg cgggtgtttc 360
agtccaaagc ccccatcag cggcgaggga tgaaagtttc cgtccgtgtg aggaatcttg 420
gccagatag gacctgcag gtacacgtcc cggttctgcc agaccatgcc aggtaaggct 480
ccttgactgt tgacggcccc tacaatagga gcggcgtttt gctgttgacg gttatcggcc 540
accacgccgt actgttctgt ggccactggg ttggtggttt taatttcttc ctactggtt 600
agcataacgc tgctatagtc cacgttgctt tttccagctc cctgtttccc aaacattaag 660
actccgctgg acggaaaaaa tcgctcttcg tcgtccttgt ggggtgcat agcgacaccg 720
ggatttacca gagagtctct gccattcaga tgatacttg tggcaccggt ccaggcaaag 780

```

ttgctgttgt tattttgcga cagtgtcgtg gagacgcgtt gctgccggta gcagggcccc	840
ggtagccagt ttttggcctg agccgacatg ttattaggcc cggcctgaga aaatagcaac	900
tgctgagttc ctgcggtacc tcccgtggac tgagtccgag acaggtagta caggtactgg	960
tcgatgaggg ggttcacatcag ccggtccagg ctttggctgt gcgcgtagct gctgtgaaaa	1020
ggcacgtcct caaactggta gctgaactca aagttgttgc ccgttctcag catttgagaa	1080
ggaaagtact ccaggcagta gaaggaggaa cgcccacgg cctgactgcc attgttcaga	1140
gtcaggtagc cgtagtgagg aatcatgaag acgtccgccg ggaacggagg caggcagccc	1200
tggcgcgtag agccgaggac gtacgggagc tgggtattccg agtccgtaaa gacctgaatc	1260
gtgctggtaa ggttattggc gatggtcttg gtgccttcat tctgcgtgac ctcttgacc	1320
tggatgttga agagcttgaa gttgagtctc ttgggcccga atccccagtt gttgttgatg	1380
agtcgctgcc agtcacgtgg tgagaagtgg cagtggaaac tgttaaagtc aaaatacccc	1440
cagggggtgc ttagaccgaa gtaggtgttg tcgttggtgc ttctcccca agtcccgttg	1500
gagatttgct ttagagggtg gttgtttag gtggggaggg cccaggttcg ggtgctggtg	1560
gtgatgactc tgtcgcccag ccatgtggaa tcgcaatgcc aatttcctga ggaactacct	1620
actccgtcgg cgccttcgtt attgtctgcc attggagcgc caccgcctgc agccattgta	1680
ccagatccca gaccagaggg gcctgcgggg ggttctccga ttggttgagg gtcgggcact	1740
gactctgagt cgccagtctg cccaaagtgt agtctctttt tcgcgggctg ctggcctttc	1800
ttgccgatgc ccgtagtgga gtctggagaa cgctggggtg atggctctac cggctctctc	1860
tttccaggag ccgtcttagc gccttctca accagaccga gaggttcgag aaccgccttc	1920
ttggcctgga agactgctcg tccgaggttg ccccaaaaag acgtatcttc ttgcagacgc	1980
tcctgaaact cggcgctcggc gtggttatac cgcaggtagc gattgtcacc cgctttgagc	2040
tgctggctgt aggccttgct gtgctcgagg gccgctcgt ccgcccgtt gacgggctcc	2100
cccttgctga gtccgttgaa gggtcaggg tacttgtagc caggaagcac cagaccccg	2160
ccgtcgtcct gcttttgctg gttggctttg ggcttcgggg ctccaggttt cagcgcac	2220
cactcgcgaa tgccctcaga gaggtgtgcc tcgagccaat ctggaagata accatcggca	2280
gccatacctg atctaaatca tttattgttc aaagatgcag tcatccaaat ccacattgac	2340
cagatcgcag gcagtgaag cgtctggcac ctttcccatg atatgatgaa ttagcacag	2400
tttctgatac gcctttttga cgacagaaac gggttgagat tctgacacgg gaaagcactc	2460
taaacagtct ttctgtccgt gagtgaagca gatatttgaa ttctgattca ttctctcgca	2520
ttgtctgcag ggaaacagca tcagattcat gccacgtga cgagaacatt tgttttggta	2580
cctgtccgcg tagttgatcg aagcttcgc gtctgacgtc gatggctgcg caactgactc	2640
gcgcacccgt ttgggtcac ttatatctgc gtcactgggg gcgggtcttt tcttggtctc	2700

```

accctttttg acgtagaatt catgctccac ctcaaccacg tgatcctttg cccaccggaa 2760
aaagtctttg acttcctgct tggtagacct cccaaagtca tgatccagac ggcggtgag 2820
ttcaaatttg aacatccggt cttgcaacgg ctgctggtgt tcgaaggctg ttgagttccc 2880
gtcaatcacg gcgcacatgt tgggtgttga ggtgacgatc acgggagtcg ggtctatctg 2940
ggccgaggac ttgcatttct ggtccacgcg caccttgctt cctccgagaa tggctttggc 3000
cgactccacg accttggcgg tcattctccc ctctccac cagatcacca tcttgtcgac 3060
acagtcgttg aagggaagt tctcattggt ccagttgacg cagccgtaga agggcgaatt 3120
c 3121

```

```

<210> 12
<211> 3121
<212> DNA
<213> new AAV serotype, clone 29.4

```

```

<400> 12
gaattcgccc ttctacggct gcgtcaactg gaccaatgag aactttccct tcaacgactg 60
tgctgacaag atggtgatct ggtgggagga ggggaagatg accgccaagg tcgtggagtc 120
ggccaaagcc attctcggag gaagcaaggt gcgcgtggac cagaaatgca agtcctcggc 180
ccagatagac ccgactcccg tgatcgtcac ctccaacacc aacatgtgcg ccgtgattga 240
cgggaactca acgaccttcg aacaccagca gccgttgcaa gaccggatgt tcaaatttga 300
actcaccgcg cgtctggatc atgacttttg gaaggtcacc aagcaggaag tcaaagactt 360
tttccggtgg gcaaaggatc acgtggttga ggtggagcac gaattctacg tcaaaaaggg 420
tgagagccaag aaaagacccg cccccagtga cgcagatata agtgagccca aacgggtgcg 480
cgagtcagtt gcgcagccat cgacgtcaga cgcggaagct tcgatcaact acgcagacag 540
gtacaaaaac aaatgttctc gtcacgcggg catgaatctg atgctgtttc cctgcagaca 600
atgcgagaga atgaatcaga attcaaatat ctgcttcact cacggacaga aagactgttt 660
agagtgtttt cccgtgtcag aatctcaacc cgtttctgtc gtcaaaaagg cgtatcagaa 720
actgtgttac attcatcata tcatgggaaa ggtgccagac gcttgactg cctgcgatct 780
ggtcgatgtg gatttggatg actgcatctt tgaacaataa atgatttaaa tcaggtatgg 840
ctgccgatgg ttatcttcca gattggctcg aggacaacct ctctgagggc attcgcgagt 900
ggtgggcgct gaaacctgga gcccgaagc ccaaagccaa ccagcaaaag caggacggcg 960
gccgggtctt ggtgcttcct ggctacaagt acctcgacc cttcaacgga ctcgacaagg 1020
gggagccgt caacgcggcg gacgcagcgg ccctcgagca cgacaaggcc tacgaccagc 1080
agctcaaagc gggtgacaat ccgtacctgc ggtataacca cgccgacgcc gagtttcagg 1140
agcgtctgca agaagatacg tcttttgggg gcaacctcgg gcgagcagtc ttccaggcca 1200

```

agaagcgggt tctcgaacct ctcggtctgg ttgaggaagg cgctaagacg gctcctggaa	1260
agaagagacc ggtagagcca tcacccagc gttctccaga ctctctacg ggcacggca	1320
agaaaggcca gcagcccgcg aaaaagagac tcaactttgg gcagactggc gactcagagt	1380
cagtgtccga ccctcaacca atcggagaac ccccgagcgg ccctctggt ctgggatctg	1440
gtacaatggc tgcaggcggg ggcgctccaa tggcagacaa taacgaaggc gccgacggag	1500
tgggtagttc ctcaggaaat tggcattgcg attccacatg gctgggagac tgagtcatca	1560
ccaccagcac ccgaacctgg gccctccca cctacaacaa ccacctctac aagcaaattc	1620
ccaacgggac ttcgggagga agcaccaacg acaacaccta cttcggctac agcaccacct	1680
gggggtattt tgactttaac agattccact gccacttctc accacgtgac tggcagcgac	1740
tcatcaacaa caactgggga ttccggccca agagactcaa cttcaagctc ttcaacatcc	1800
aggtcaagga ggtcacgcag aatgaaggca ccaagaccat cgccaataac cttaccagca	1860
cgattcaggt ctttacggac tcggaatacc agctcccgta cgtcctcggc tctgcgcacc	1920
agggtgcct gcctccgttc cggcgagcgg tcttcatgat tcctcagtac gggtagctga	1980
ctctgaacaa tggcagtcag gccgtgggccc gtctctcctt ctactgctg gagtactttc	2040
cttctcaaat gctgagaacg ggcaacaact ttgagttcag ctaccagttt gaggacgtgc	2100
cttttcacag cagctacgcg cacagccaaa gcctggaccg gctgatgaac cccctcatcg	2160
accagtacct gtactacctg tctcggactc agtccacggg aggtaccgca ggaactcagc	2220
agttgctatt ttctcaggcc gggcctaata acatgtcggc tcaggccaaa aactggctac	2280
ccgggccctg ctaccggcag taacgcgtct ccacgacact gtcgcaaaat aacaacagca	2340
actttgtctg gaccggtgcc accaagtatc atctgaatgg cagagactct ctggtagatc	2400
ccggtgtcgc tatggcaacc cacaaggacg acgaagagcg attttttccg tccagcggag	2460
tcataatgtt tgggaaacag ggagctggaa aagacaacgt ggactatagc agcgtcatgc	2520
taaccagtga ggaagaaatt aaaaccacca acccagtggc cacagaacag tacggcgtgg	2580
tggccgataa cctgcaacag caaaacgccg ctctatttgt aggggccgtc aacagtcaag	2640
gagccttacc tggcatggc tggcagaacc gggacgtgta cctgcagggt cctacctggg	2700
ccaagattcc tcacacggac ggaaactttc atccctcgcc gctgatggga ggctttggac	2760
tgaaacaccc gcctcctcag atcctgatta agaatacacc tgttcccgcg gatcctccaa	2820
ctaccttcag tcaagctaag ctggcgctgt tcatcacgca gtacagcacc ggacaggtca	2880
gcgtggaaat tgaatgggag ctgcaggaag aaaacagcaa acgctggaac ccagagattc	2940
aatacacttc caactactac aaatctacaa atgtggactt tgctgttaac acagatggca	3000
cttattctga gcctcgcccc atcggcaccg gttacctcac ccgtaatctg taattgcttg	3060
ttaatcaata aaccggttga ttcgtttcag ttgaactttg gtctctgcga agggcggaatt	3120

c

3121

<210> 13  
 <211> 3121  
 <212> DNA  
 <213> new AAV serotype, clone 29.5

<400> 13  
 gaattcgccc ttcgcgagac caaagttcaa ctgaaacgaa tcaaccgggt tattgattaa 60  
 caagcaatta cagattacgg gtgaggtaac ggggtccgat ggggcgaggc tcagaataag 120  
 tgccatctgt gttaacagca aagtccacat ttgtagattt gtagtagttg gaagtgtatt 180  
 gaatctctgg gttccagcgt ttgctgtttt ctttctgcag ctccattca atttccacgc 240  
 tgacctgtcc ggtgctgtac tgcgtgatga acgacgccag cttagcttga ctgaaggtag 300  
 ttggaggatc cgcggaaca ggtgtattct taatcaggat ctgaggaggc ggggtgtttca 360  
 gtccaaagcc tcccatcagc ggcgagggat gaaagtttcc gtccgtgtga ggaatcttgg 420  
 cccagatagg accctgcagg tacacgtccc gggtctgccca gaccatgccca ggtaaggctc 480  
 cttgactggt gacggccccct acaataggag cggcggtttt ctgttgccag ttatcggcca 540  
 ccacgccgta ctgttctgtg gccactgggt tgggtggtttt aatttcttcc tcaactggtta 600  
 gcataacgct gctatagtcc acgttgtctt ttccagctcc ctgtttccca aacattaaga 660  
 ctccgctgga cggaataaat cgctcttctg cgtccttgtg ggttgccata gcgacaccgg 720  
 gatttaccag agagtctctg ccattcagat gatacttggg ggcaccggtc caggcaaagt 780  
 tgctgttgct attttgcgac agtgtcgtgg agacgcgttg ctgccggtag cagggcccg 840  
 gtagccagtt tttggcctga gccgacatgt tattaggccc ggcctgagaa aatagcaact 900  
 gctgagttcc tgcggtacct cccgtggact gagtccgaga caggtagtac aggtactgg 960  
 cgatgagggg gttcatcagc cgggtccaggc tttggctgtg cgcgtagctg ctgtgaaaag 1020  
 gcacgtcctc aaactggtag ctgaactcaa agttgttgcc cgttctcagc atttgagaag 1080  
 gaaagtactc caggcagtag aaggaggaac ggcccacggc ctgactgccca ttgttcagag 1140  
 tcaggtaacc gtactgagga atcatgaaga cgtccgccgg gaacggaggc aggcagccct 1200  
 ggtgctcaga gccgaggacg tacgggagct ggtattccga gtccgtaag acctgaatcg 1260  
 tgctggtaag gttattggcg atggtcttgg tgccttcatt ctgcgtgacc tccttgacct 1320  
 ggatgttgaa gagcttgaag ttgaggctct tgggccggaa tcccagttg ttgttgatga 1380  
 gtcgctgccca gtcacgtggg gagaagtggc agtggaatct gttaaagtca aaatacccc 1440  
 agggggtgct gtagccgaag taggtgttgt cgttgggtgt tcctcccgaa gtcccgttgg 1500  
 agatttgctt gtagaggtgg ttgtttagg tggggagggc ccaggttcgg gtgctgggtg 1560  
 tgatgactcc gtcgcccagc catgtggaat cgcaatgccca atttcctgag gaactacca 1620  
 ctccgtcggc gccttcgtta ttgtctgccca ttggagcgcc accgcctgca gccattgtac 1680

```

cagatcccag accagagggg cctgcggggg gttctccgat tgggtgaggg tcgggcaactg 1740
actctgagtc gccagttctgc ccaaagttga gtctcttttt cgcgggctgc tggcctttct 1800
tgccgatgcc cgtagaggag tctggagaac gctgggggtga tggctctacc ggtctcttct 1860
ttccaggagc cgtcttagcg ccttcctcaa ccagaccgag aggttcgaga acccgcttct 1920
tggcctggaa gactgctcgc ccgaggttgc ccccaaaaga cgtatcttct tgcagacgct 1980
cctgaaactc ggcgtcggcg tggttatacc gcaggtacgg attgtcacc gctttgagct 2040
gctggtcgta ggccttgctg tgctcgaggg ccgctgcgtc cgccgcgttg acgggctccc 2100
ccttgctcag tccgttgaag ggtccgaggt acttgtagcc aggaagcacc agaccccggc 2160
cgctcgtcctg cttttgctgg ttggctttgg gcttcggggc tccaggttcc agcgcacc 2220
actgcgaat gccctcagag aggttgcct cgagccaatc tggaagataa ccatcggcag 2280
ccatacctga tttaaatcat ttattgttca aagatgcagt catccaaatc cacattgacc 2340
agatcgcagg cagtgcagc gtctggcacc tttcccatga tatgatgaat gtagcacagt 2400
ttctgatacg cctttttgac gacagaaacg ggttgagatt ctgacacggg aaagcactct 2460
aaacagtctt tctgtccgtg agtgaagcag atatttgaat tctgattcat tctctcgcat 2520
tgtctgcagg gaaacagcat cagattcatg cccacgtgac gagaacattt gttttggtac 2580
ctgtctgcgt agttgatcga agcttccgcg tctgacgtcg atggctgcgc aactgactcg 2640
cgcacccggt tgggctcact tatactctcg tcaactgggg cggttctttt cttggctcca 2700
ccctttttga cgtagaattc atgctccacc tcaaccacgt gatcctttgc ccaccgaaa 2760
aagtctttga cttcctgctt ggtgaccttc ccaaagtcag gatccagacg gcgggtgagt 2820
tcaaatttga acatccggtc ttgcaacggc tgctggtgtt cgaaggtcgt tgagttcccg 2880
tcaatcacgg cgcacatgtt ggtgttgagg gtgacgatca cgggagtcgg gtctatctgg 2940
gccgaggact tgcatttctg gtccacgcgc accttgcttc ctccgagaat ggctttggcc 3000
gactccacga ccttggcggg catcttcccc tctcccacc agatcaccat cttgtcgaca 3060
cagtcgttga agggaaagtt ctattgggtc cagttgacgc agccgtagaa agggcgaatt 3120
c 3121

```

```

<210> 14
<211> 3131
<212> DNA
<213> new AAV serotype, clone 1-3

```

```

<400> 14
gcggccgcga attcgccctt ggctgcgtca actggaccaa tgagaacttt cccttcaatg 60
attgcgtcga caagatggtg atctgggtggg aggagggcaa gatgacggcc aaggtcgtgg 120
agtccgcaa ggccattctc ggcggcagca aggtgcgcgt ggacaaaaag tgcaagtcgt 180

```



ccgcccagat cgacccacc cccgtgatcg tcacctcaa caccaacatg tgcgccgtga 240  
 ttgacgggaa cagcaccacc ttcgagcacc agcagcctct ccaggaccgg atgtttaagt 300  
 tcgaactcac ccgccgtctg gagcacgact ttggcaagggt gacaaagcag gaagtcaaag 360  
 agttcttccg ctggggccagt gatcacgtga ccgagggtggc gcatgagttt tacgtcagaa 420  
 agggcgggagc cagcaaaaaga cccgcccccg atgacgcgga taaaagcgag cccaagcggg 480  
 cctgcccctc agtcgcggat ccatcgacgt cagacgcgga aggagctccg gtggactttg 540  
 ccgacaggta ccaaaacaaa tgttctcgtc acgcgggcat gcttcagatg ctgtttccct 600  
 gcaaaacgtg cgagagaatg aatcggaatt tcaacatttg cttcacacac ggggtcagag 660  
 actgctcaga gtgtttcccc ggctgtcag aatctcaacc ggtcgtcaga aagaggacgt 720  
 atcggaact ccgtgcgatt catcatctgc tggggcgggc tcccgagatt gcttgctcgg 780  
 cctgcgatct ggtcaacgtg gacctggatg actgtgtttc tgagcaataa atgacttaaa 840  
 ccaggatatg ctgccgatgg ttatcttcca gattggctcg aggacaacct ctctgagggc 900  
 attcgcgagt ggtggggcgt gaaacctgga gccccgaagc ccaaagccaa ccagcaaaag 960  
 caggacgacg gccgggggtct ggtgcttctt ggctacaagt acctcggacc cttcaacgga 1020  
 ctcgacaagg gggagcccgt caacgcggcg gacgcagcgg ccctcgagca cgacaaggct 1080  
 tacgaccagc agctgcaggc gggtgacaat ccgtacctgc ggtataacca cgccgacgcc 1140  
 gagtttcagg agcgtctgca agaagatacg tcttttgggg gcaacctcgg gcgagcagtc 1200  
 ttccaggcca agaagcgggt tctcgaacct ctcggtctgg ttgaggaagg cgctaagacg 1260  
 gtccttgga agaagagacc ggtagagcca tcacccagc gttctccaga ctctctacg 1320  
 ggcacggca agaaaggcca acagcccgc agaaaaagac tcaattttgg tcagactggc 1380  
 gactcagagt cagttccaga ccctcaacct ctcgagaaac ctccagcagc gccctctggt 1440  
 gtgggacct atacaatggc tgcaggcgggt ggcgaccaa tggcagacaa taacgaaggc 1500  
 gccgacggag tgggtagttc ctcgggaaat tggcattgag attccacatg gctggggcag 1560  
 agagtcatca ccaccagcac ccgaacctgg gccctgccc cctacaacaa ccacctctac 1620  
 aagcaaatct ccaacgggac atcgggagga gccaccaacg acaacaccta cttcggctac 1680  
 agcaccctt ggggggtattt tgactttaac agattccact gccacctttc accacgtgac 1740  
 tggcagcgac tcatcaacaa caactgggga ttccgaccca agagactcag cttcaagctc 1800  
 ttcaacatcc aggtcaagga ggtcacgcag aatgaaggca ccaagaccat cgccaataac 1860  
 ctcaccagca ccatccaggt gtttacggac tcggagtacc agctgccgta cgttctcggc 1920  
 tctgtccacc agggctgcct gcctccgttc ccggcggacg tgttcatgat tccccagtac 1980  
 ggctacctaa cactcaacaa cggtagtcag gccgtgggac gtcctcctt ctactgcctg 2040  
 gaatactttc cttcgcagat gctgagaacc ggcaacaact tccagtttac ttacaccttc 2100

```

gaggacgtgc ctttccacag cagctacgcc cacagctaga gcttggaccg gctgatgaat 2160
cctctgattg accagtacct gtactacttg tctcggactc aaacaacagg aggcacggca 2220
aatacgcaga ctctgggctt cagccaaggt gggcctaata caatggccaa tcaggcaaag 2280
aactggctgc caggaccctg ttaccgccaa.caacgcgtct caacgacaac cgggcaaaac 2340
aacaatagca actttgcctg gactgctggg accaaatacc atctgaatgg aagaaattca 2400
ttggctaatac ctggcatcgc tatggcaaca cacaagacg acgaggagcg tttttttccc 2460
agtaacggga tcctgatttt tggcaaacaa aatgctgccg gagacaatgc ggattacagc 2520
gatgtcatgc tcaccagcga ggaagaaatc aaaaccacta accctgtggc tacagaggaa 2580
tacggtatcg tggcagataa cttgcagcag caaaacacgg ctccctcaat tggaactgtc 2640
aacagccagg gggccttacc cggtatggtc tggcagaacc gggacgtgta cctgcagggt 2700
cccatctggg ccaagattcc tcacacggac ggcaacttcc acccgtctcc gctgatgggc 2760
ggctttggcc tgaacatcc tccgcctcag atcctgatca agaacacgcc tgtacctgcg 2820
gatcctccga ccaccttcaa ccagtcaaag ctgaactctt tcatacgcga atacagcacc 2880
ggacaggta gcgtggaaat tgaatgggag ctgcagaagg aaaacagcaa gcgctggaac 2940
cccagatcc agtacacctc caactactac aaatctataa gtgtggactt tgctgttaat 3000
acagaaggcg tgtactctga accccgcccc attggcaccg gttacctcac ccgtaatctg 3060
taattgcctg ttaatcaata aaccgggtga ttcgtttcag ttgaactttg gtctctgcga 3120
agggcgaatt c 3131

```

<210> 15  
 <211> 3127  
 <212> DNA  
 <213> new AAV serotype, clone 13-3b

```

<400> 15
gcggccgcga attcgccctt cgcagagacc aaagttcaac tgaaacgaat caaccggttt 60
attgattaac atgcaattac agattacggg tgaggtaacg agtgccaata gggcgaggct 120
cagagtaaac accctggctg tcaacggcaa agtccacacc agtctgcttt tcaaagttgg 180
aggtgtactg aatctccggg tcccagcgct tgctgttttc cttctgcagc tcccactcga 240
tttccacgct gacttgtccg gtgctgtact gtgtgatgaa cgaagcaaac ttggcaggag 300
taaacacctc cggaggatta gcgggaacgg gagtgttctt gatcaggatc tgaggaggcg 360
gatgtttaag tccaaagccg cccatcaaag gagacgggtg aaagttgcca tccgtgtgag 420
gaatcttggc ccagatggga ccctgcaggc acacgtcccg gttctgccag accatgccag 480
gtaaggctcc ctggttggtg acaacttggt tctgggctgc agtattagcc gcttgtaagt 540
tgctgctgac tatcccgtat tcttccgtgg ctacaggatt agtaggacga atttcttctt 600
catttgatc taacacattt tccaatgtag ttttgtagt tgctccagtt tttccaaaaa 660

```

tcaggactcc gctggatggg aaaaagcggg cctcgtcgtc cttgtgagtt gccatggcga	720
cgccgggatt aaccaacgag tttctgccgt tcagggtgata tttggtggca ccagtccaag	780
caaagttgct gttgttgttt tgatccagcg ttttgagac cctttgttgc cggaagcagg	840
gtccaggtaa ccaattcttg gcttggtcgg ccatagttga aggccgccc tggtaaaact	900
gcagttcccg attgccagct gtgcctcctg ggtcactctg tgttctggcc aggtagtaca	960
agtactggtc gatgagggga ttcacagcc ggtccaggct ctggctgtgt gcgtagctgc	1020
tgtgaaagg cacgtcctcg aagctgtagc tgaactcaaa gttgttgccc gttctcagca	1080
tctgagaggg gaagtactcc aggcagtaga aggaggaacg tcccacagac tgactgcat	1140
tgttgagagt caggtagccg tactgaggaa tcatgaagac gtccgccggg aacggaggca	1200
ggcagccctg gtgcgcagag ccgaggacgt acggcagctg gtattccgag tccgagaata	1260
cctgaatcgt gctggtaagg ttattagcga tggtcgtaac gccgtcattc gtcgtgacct	1320
ccttgacctg gatgttgaag agcttgaacc gcagcttctt gggccggaat cccagttgt	1380
tgttgatgag tcgctgccag tcacgtggtg agaagtggca gtggaatctg ttaaagtcaa	1440
aataccccca gggggtgctg tagccgaagt aggtgttgc gttggtacta cctgcagttt	1500
cactggagat ttgctcgtag aggtggttgt ttaggtggg cagggcccag gttcgggtgc	1560
tgggtgtaat gactctgtcg cccagccatg tggaatcgca atgccaat tctgagggcat	1620
taccactcc gtcggcacct tcgttattgt ctgccattgg tgcgccaccg cctgcagcca	1680
ctgtaccaga tcccacacta gaggcgctg ctggaggttc tccgagaggt tgagggtcgg	1740
ggactgactc tgagtcgcca gtctgaccga aattgagtct ctttctggcg ggctgctggc	1800
ccttcttgcc gatgccgtg gaggagtcgg gggaacgctg aggtgacggc tctaccggtc	1860
tcttctttgc aggagccgtc ttagcgcctt cctcaaccag accgagaggt tcgagaacct	1920
gcttcttggc ctggaagact gctcgccga ggttgcccc aaatgacgta tcttcttgca	1980
gacgtcctg aaactcggcg tcggcgtggt tataccgcag gtacgggttg tcaccgcat	2040
tgagctgctg gtcgtaggcc ttgtcgtgct cgagggccg tgcgtccgcc gcgttgacgg	2100
gtccccctt gtcgagtcg ttgaagggtc cgaggtactt gtagccagga agcaccagac	2160
cccgccggtt gtcctgcttt tgctggttgg ctttggttt cggggctcca ggtttcaggt	2220
cccaccactc gcgaatgcc tcagagaggt tgtcctcgag ccaatctgga agataacct	2280
cggcagccat acctgattta aatcatttat tgttcaaaga tgcagtcac caaatccaca	2340
ttgaccagat cgcaggcagt gcaagcgtct ggcacctt ccatgatatg atgaatgtag	2400
cacagtttct gatagcctt tttgacgaca gaaacgggtt tagattctga cacgggaaag	2460
cactctaaac agtctttctg tccgtgagtg aagcagatat ttgaattctg attcattctc	2520
tcgcattgtc tgcagggaaa cagcatcaga ttcatgccca cgtgacgaga acatttgttt	2580

```

tggtaacctgt ctgcgtagtt gatcgaagct tccgcgtctg acgtcgatgg ctgcgcaact 2640
gactcgcgca cccgtttggg ctcaattata tctgcgtcac tgggggagggg tcttttcttg 2700
gctccaccct ttttgacgta gaattcatgc tccacctcaa ccacgtaatc ctttgcccac 2760
cggaaaaaagt ctttgacttc ctgcttggtg accttcccaa agtcatgac cagacggcgg 2820
gtgagttcaa atttgaacat ccggtcttgc aacggctgct ggtgttcgaa ggtcgttgag 2880
ttcccgtcga tcacggcgca catgttggtg ttggagatga cgatcgaggg agtcgggtct 2940
atctgggccc aggacttgca tttctggtcc acgcgcacct tgcttcctcc gagaatggct 3000
ttggccgact ccacgacctt ggcggtcatc tccccctcct cccaccagat caccatcttg 3060
tcgacacagt cgttgaaggg aaagtctca ttggtccagt tgacgcagcc gtagaaaggg 3120
cgaattc 3127

```

```

<210> 16
<211> 3106
<212> DNA
<213> new AAV serotype, clone 24-1

```

```

<400> 16
gcggccgcga attcgccctt cgcagagacc aaagttcaac tgaaacgaat caaccggttt 60
attgattaac aagtaattac aggttacggg tgaggtaacg ggtgccaatg gggcgaggct 120
cagtataaac cccttcgttg ttgacagcaa attccacatt attagacttg gcataatttg 180
aggtgtactg aatctctgga ttccagcgtt tgctgttttc tttctgcagt tccactcga 240
tctccacgct gacctggccg gtgctgtact gcgtgataaa tgaggcaaac ttggcaggag 300
taaacacctc tggaggatta gcaggatccg ggtgttttt gatgagaatt tgaggaggcg 360
ggtgttttgag tccaaatccg cccatcaggg gagacgggtg aaagttgccg tccgtgtgag 420
gaattttggc ccagatggga ccctgcaggc acacgtcccg gttctgccag accatgccgg 480
gcagagcccc ctggctgttg acagtctgtg tctggggtcc ggccgtagac gattgcaggt 540
tgctggagac cacaccgtat tcttctgtag ccacgggatt ggtgggtttg atctcctcct 600
cgctgggtcat tagcacgttt tccagcgttg tcttgttggc agccccgtt ttgccaaaaa 660
ccagcactcc gttgatggga aagaactggt cctcgtcgtc cttgttggtg gccatggcta 720
cgccccgggtt ggttaatgaa tttctaccat tcagatggta tttagtggcc ccggtccagg 780
caaagttact gttgttgttg ctgtctatgt tttttgacag tctctgtctc cgataacagg 840
gtccgggcag ccagttcttt gattgctcgg ccatgggtgtt gggcccagcc tgatggaact 900
gcagctccct tgtggacccc gtagtgctct ggggtccgggc caggtagtac aggtactggt 960
cgatgagggg attcatcagc cggctctaggc tctggctgtg cacatagctg ctgtggaag 1020
gcacttcctc aaaggtgtag ctgaattcaa agttattgcc cgttctcagc atctgagaag 1080

```

gaaagtactc caggcagtag aaggaggaac gtccacaga ctgactgccg ttgtttagag	1140
tcagatatcc gtactgagga atcatgaaca cgtccgcagg gaacggaggg aggcagccct	1200
ggtgcgcaga gccgaggacg tacggcagtt ggtactccga gtccgagaag acctgaatcg	1260
tgctggtaag gttattagcg atggtcgtaa cgcgcgtcgtt cgtcgtgacc tccttgacct	1320
ggatgttgaa caacttgaac cgcagctttc tgggccggaa tccccagttg ttgttgatga	1380
gtcgcgtgcc gtcacgtggg gagaagtggc agtggaatct gttgaagtca aaatagcccc	1440
aggggggtgct gtagctgaag aagtgggtgt cgttggtagc cccgctctga cttgatattc	1500
gcttgtagag gtggttggtg taggtgggca gggcccagggt gcgggtgctg gtggtgatga	1560
ctctgtcgcc cagccatgtg gaatcgcaat gccaatttcc ggaggcatta cccactccgt	1620
cggcgccttc gttattgtct gccattggtg cgccaccgcc tgcagccatt gtaccagatc	1680
ccagacctga gggcgcggcg ggaggttctc cgagagggtg ggggtcgggc actgactctg	1740
agtcgccagt ctgccccaaag ttgagcttct ttttagcggg ctgctggcct ttcttgccga	1800
tgcccgtgga ggagtcgggg gattctatgg gtctcttctt tccaggagcc gtcttagcga	1860
cttctcaac cagaccgaga ggttcgagaa cccgcttctt ggcctggaag actgctcgcc	1920
cgaggttgcc cccaaaagac gtatcttctt gaagacgtc ctgaaactcg gcgtcggcgt	1980
ggttgacttt gaggtacggg ttgtccccct gtcgagctg cttgtcgtag gccttgctgt	2040
gctcgagggc cgcggcgtct gcctcgttga ccggctctcc cttgtcagat ccgttgaagg	2100
gtctgaggta cttgtagcca ggaagacca gaccccgcc gtcgtcctgc ttttgcgtgt	2160
tggttttggg tttcggggct ccaggtttca agtcccacca ctgcggaatg ccctcagaga	2220
ggttgctctc gagccaatct ggaagataac catcggcagc catacctggt ttaagtcatt	2280
tattgctcag aaacacagtc atccagggtc acgttgacca gatcgcaggc cgagcaagca	2340
atctcgggag cccgccccag cagatgatga atggcacaga gtttccgata cgtcctcttt	2400
ctgacgaccg gttgagattc tgacacgccg gggaaacatt ctgaacagtc tctggtccc	2460
tgcgtgaagc aaatgttgaa attctgatc actctctcgc atgtcttgca gggaaacagc	2520
atctgaagca tgcccgctg acgagaacat ttgttttggg acctgtcggc aaagtccacc	2580
ggagctcctt ccgcgtctga cgtcgatgga ttcgcgactg aggggcaggc ccgcttgggc	2640
tcgcttttat ccgcgtcatc gggggcgggt ctcttggttg cccaccctt tctgacgtag	2700
aacccatgcg ccacctcggg cactgatcc tgcgccagc ggaagaacct tttgacttcc	2760
tgctttgtca ccttgccaaa gttatgctcc agacggcggg tgggttcaaa tttgaacatc	2820
cggctctgca acggctgctg gtgctcgaag gtggcgtgt tcccgtaac cagggcgac	2880
atgttggtgt tggagggtgac ggtcacggg gtggggtcga tctgggcgga cgacttgac	2940
ttttggtcca cgcgcacctt gctgccgccg agaatggcct tggcggactc cagaccttg	3000

gccgtcatct tgcctcctc ccaccagatc accatcttgt cggcgcaatc gttgaagggg 3060

aagttctcat tgggtccagtt gacgcagccg tagaaagggc gaattc 3106

<210> 17

<211> 3102

<212> DNA

<213> new AAV serotype, clone 27-3

<400> 17

gcggccgcga attcgccctt cgcagagacc aaagttcaac tgaaacgaat caaccggttt 60  
 attgattaac aagtaattac aggttacggg tgaggtaacg ggtgccaatg gggcgaggct 120  
 cagtataaac cccttcggtt ttgacagcaa attccacatt attagacttg gcataatttg 180  
 aggtgtactg aatctctgga ttccagcgtt tgctgttttc tttctgcagt tcccactcga 240  
 tctccacgct gacctggccg gtgctgtact gcgtgataaa tgaggcaaac ttggcaggag 300  
 taaacacctc tggaggatta gcagggtaccg ggggtgtttt gatgagaatt tgaggaggcg 360  
 ggtgtttgag tccaaatccg cccatcaggg gagacgggtg aaagttgccg tccgtgtgag 420  
 gaatttcggc ccagatggga ccctgcagggt acacgtcccg gttctgccag accatgccgg 480  
 gcagagcccc ctggctgttg acagtctgtg tccgggggtc ggccgtagac gattgcagggt 540  
 tgctggagac cacaccgtat tcttctgtag ccacgggatt ggtggttttg atctcctcct 600  
 cgctggtcac tagcacgttt tccagcgttg tctgtttggc agccccggtt ttgccaaaaa 660  
 ccagcactcc gttgatggga aggaactggg cctcgtcgtc cttgttggtg gccatggcta 720  
 cgccccgggtt ggttaatgaa tttctaccat tcagatggta tttagtggcc ccggtccagg 780  
 caaagttact gttgttggtg ctgtctatgt tttttgacag tctctgctgc cgataacagg 840  
 gtccgggcag ccagttcttt gattgctcgg ccacgggtgtt gggcccagcc tgatggaact 900  
 gcagctccct tgtggacccc gtagtgctct ggggtccggc caggtagtac aggtactggt 960  
 cgatgagggg attcatcagc cgggtccaggc tctggctgtg cgcatactg ctgtggaaaag 1020  
 gcacttcctc aaaggtgtag ctgaattcaa agttattgcc cgttctcagc atctgagaag 1080  
 gaaagtactc caggcagcag aaggaggaac gtcccacaga ctgactgccg ttgttttagag 1140  
 tcagatatcc gtactgagga atcatgaaca cgtccgcagg gaacggaggg aggcagccct 1200  
 ggtgcgcaga gccgaggacg tacggcagtt ggtactccga gtccgagaag acctgaatcg 1260  
 tgctggtaag gttattagcg atggctgtaa cgccgtcgtt cgtcgtgacc tccttgacct 1320  
 ggatgttgaa caacttgaac cgcagctttc tgggccggaa tccccagttg ttgttgatga 1380  
 gtcgctgcca gtcacgtggg gagaagtggc agtggaatct gttgaagtca aaatagcccc 1440  
 agggggtgct gtagccgaag aagtggttgt cgttggtagc cccgctctga cttgatattc 1500  
 gcttgtagag gtggttggtg taggtgggca gggcccagggt gcgggtgctg gtggtgatga 1560  
 ctctgtcgcc cagccatgtg gaatcgcaat gccaatcttc ggaggcatta cccactccgt 1620

```

cggcgccttc gttattgtct gccattggtg cgccaccgcc tgcagccatt gtaccagatc 1680
ccagacctga gggcgcgggc ggaggttctc cgagaggttg ggggtcgggc actgactctg 1740
agtcgccagt ctgcccaaag ttgagcttct ttttagcggg ctgctggcct ttcttgccga 1800
tgcccgtgga ggagtcgggg gattctatgg gtctcttctt tccggaagcc gtcttagcgc 1860
cttctcaac cagaccgaga ggttcgagaa cccgcttctt ggcctggaag actgctcgcc 1920
cgaggttgcc cccaaaagac gtatcttctt gaagacgctc ctgaaactcg gcgtcggcgt 1980
ggttgtactt gaggtacggg ttgtccccct gctcgagctg cttgtcgtag gccttgtcgt 2040
gctcgagggc cgcggcgtct gcctcgttga cgggctctcc cttgtcgagt ccgttgaagg 2100
gtccgaggta cttgtagcca ggaagcacca gaccccgccc gtcgtcctgc ttttgcgtgt 2160
tggttttggg tttcggggct ccaggtttca agtcccacca ctgcggaatg ccctcagaga 2220
ggttgtcctc gagccaatct ggaagataac catcggcagc catacctggt ttaagtcatt 2280
tattgctcag aaacacagtc atccagggtc acgttgacca gatcgaggc cgagcaagca 2340
atctcgggag cccgccccag cagatgatga atggcacaga gtttccgata cgtcctcttt 2400
ctgacgaccg gttgagattc tgacacgccg gggaacatt ctgaacagtc tctgggtccc 2460
tgcgtaagc aaatgttgaa attctgattc attctctcgc atgtcttgca gggaaacagc 2520
atctgaagca tgcccgctg acgagaacat ttgttttggg acctgtcggc aaagtccacc 2580
ggagctcctt ccgctctga cgtcgatgga tccgcgactg aggggcaagc ccgcttgggc 2640
tcgcttttat ccgctcctc gggggcgggt ctcttggttg ctccaccctt tctgacgtag 2700
aactcatgcg ccacctcggg cactgatcc tgcgccagc ggaagaactc tttgacttcc 2760
tgctttgtca ccttgccaaa gtcctgctcc agacggcggg tgagttcaaa tttgaacatc 2820
cggctctgta acggctgctg gtgctgaag gtggtgctgt tcccgtaac caccggcgac 2880
atgttggtgt tggaagtga gatcacggg gtgggatcga tctgggcgga cgacttgac 2940
ttttggtcca cgcgcacctt gctgcccgcc agaatggcct tggcggactc caccgacctg 3000
gccgtcatct tgccctctc ccaccagatc accatcttgt cgacgcaatc gttgaaggga 3060
aagttctcat tgggtccagt gacgcagccg aaggcggaat tc 3102

```

```

<210> 18
<211> 3106
<212> DNA
<213> new AAV serotype, clone 7-2

```

```

<400> 18
gcgccgcga attcgccctt cgcagagacc aaagttcaac tgaaacgaat cagccggttt 60
attgattaac aagtaattac aggttacggg tgaggtaacg ggtgccaatg gggcgaggct 120
cagtataaac cccttcgttg ttgacagcaa attccacatt attagacttg gcataatttg 180

```

```

aggtgtactg aatctctgga ttccagcgtt tgctgttttc tttctgcagt tccactcga      240
tctccacgct gacctggccg gtgctgtact gcgtgataaa tgaggcaaac ttggcaggag      300
taaacacctc tggaggatta gcaggtaccg ggggtgtttt gatgagaatt tgaggaggcg      360
gggtgtttgag tccaaatccg cccatcaggg gagacgggtg aaagttgccg tccgtgtgag      420
gaattttggc ccagatggga ccctgcaggt acacgtcccg gttctgccag accatgccgg      480
gcagagcccc ctggctgttg acagtctgtg tctgggggtcc ggccgtagac gattgcaggt      540
tgctggagac cacaccgtat tcttctgtag ccacgggatt ggtgggtttg atctctcct      600
cgctggcat tagcacgttt tccagcgttg tctgttggc agccccgtt ttgccaaaaa      660
ccagcactcc gttgatggga aagaactggc cctcgtcgtc cttgttggtg gccatggcta      720
cgccccgggtt ggttaatgaa tttctaccat tcagatggta tttagtggc ccggtccagg      780
caaagttact gttgttgttg ctgtctatgt ttttgacag tctctgctgc cgataacagg      840
gtccgggcag ccagttcttt gattgctcgg ccattggtgtt gggcccagcc tgatggaact      900
gcagctccct tgtggacccc gtagtgcctt ggggccgggc caggtagtac aggtactggt      960
cgatgagggg attcatcagc cgggtccaggc tctggctgtg cgcatagctg ctgtggaaaag    1020
gcacttcctc aaaggtgtag ctgaattcaa agttatcgcc cgttctcagc atctgagaag    1080
gaaagtactc caggcagtag aaggaggaac gtcccacaga ctgactgccg ttgtttagag    1140
tcagatatcc gtactgagga atcatgaaca cgtccgcagg gaacggaggg aggcagccct    1200
gggtgcgcaga gccgaggacg tacggcagtt ggtactccga gtccgagaag acctgaatcg    1260
tgctggtaag gttattagcg atggctgtaa cgccgtcgtt cgtcgtgacc tccttgacct    1320
ggatgttgaa caacttgaac cgcagctttc tgggccggaa tcccagttg ttgttgatga    1380
gtcgtgcca gtcacgtggt gagaagtggc agtggaatct gttgaagtca aaatagcccc    1440
agggggtgct gtagccgaag aagtggttgt cgttggtagc cccgctctga cttgatatct    1500
gcttgtagag gtggttgttg taggtgggca gggcccaggc gcgggtgctg gtggtgatga    1560
ctctgtcgcc cagccatgtg gaatcgcaat gccaatttcc ggaggcatta cccactccgt    1620
cggcgccttc gttattgtct gccattggtg gcgcccgcc tgcagccatt gtaccagatc    1680
ccagacctga gggcgcggcg ggaggttctc cgagaggttg ggggtcgggc actgactctg    1740
agtcgccagt ctgccccaaag ttgagcttct ttttagcggg cggctggccg ttcttgccga    1800
tgcccggtga ggagtcgggg gattctatgg gtctcttctt tccaggagcc gtcttagcgc    1860
cttcctcaac cagaccgaga ggttcgagaa cccgcttctt ggcctggaag actgctcgcc    1920
cgaggttgcc cccaaaagac gtatcttctt gaagacgctc ctgaaactcg gcgtcggcgt    1980
ggttgtactt gaggtacggg ttgtccccct gctcgagctg cttgtcgtag gccttgctgt    2040
gctcgagggc cgcggcgtct gcctcgttga ccggctctcc cttgtcgagt ccgttgaagg    2100

```



```

gtccgaggta cctgtagcca ggaagcacca gaccccggcc gtcgtcctgc ttttgctggt 2160
tggttttggg tttcgggggt ccaggtttca agtcccacca ctgcggaatg ccctcagaga 2220
ggttgccctc gagccaatct ggaagataac catcggcagc catacctggt ttaagtcatt 2280
tattgctcag aaacacagtc atccagggtcc acgttggcca gatcgcaggc cgagcaagca 2340
atctcgggag cccgccccag cagatgatga atggcacaga gtttccgata cgtcctcttt 2400
ctgacgaccg gttgagattc tgacacgccg gggaaacatt ctgaacagtc tctgggtccc 2460
tgctgaaagc aaatgttgaa attctgattc attctctcgc atgtcttgca ggggaacagc 2520
atctgaagca tgcccgctg acgagaacat ttgttttggg acctgtcggc aaagtccacc 2580
ggagctcctt ccgctctga cgtcgtatga tccgcgactg aggggcaggc ccgcttgggc 2640
tcgcttttat ccgctcatc gggggcgggt ctcttggttg ctccaccctt tctgacgtag 2700
aactcatagc ccacctcgtt cactgatcc tgcgccagc ggaagaactc tttgacttcc 2760
tgctttgtca ccttgccaaa gtcatgctcc agacggcggg tgagttcaaa tttgaacatc 2820
cggctctgta acggctgctg gtgctcgaag gtggtgctgt tcccgtcaat caccggcac 2880
atgttggtgt tggaagtgc gatcacggg gtgggatcga tctgggcgga cgacttgac 2940
ttttggtcca cgcgcacctt gctgccgccg agaattggcct tggcgactc cagcaccttg 3000
gccgtcatcc tgccctcctc ccaccagatc accatcttgt cgacgcaatc gttgaaggga 3060
aagttctcat tgggtccagtt gacgcagccg tagaaagggc gaattc 3106

```

<210> 19

<211> 3105

<212> DNA

<213> new AAV serotype, clone C1

<400> 19

```

gaattcgccc ttgctgcgtc aactggacca atgagaactt tcccttcaac gattgcgtcg 60
acaagatggt gatctggtgg gaggagggca agatgaccgc caaggctcgtg gagtccgcc 120
aggccattct gggcggaagc aagggtgcgcg tggacaaaaa gtgcaagtca tcggcccaga 180
tcgacccac gcccgatgc gtcacctcca acaccaacat gtgcgccgtg atcgacggga 240
acagcaccac cttcgagcac cagcagccgc tgcaggaccg catgttcaag ttcgagctca 300
cccgcgtct ggagcacgac tttggcaagg tgaccaagca ggaagtcaaa gagttcttcc 360
gctgggctca ggatcacgtg actgagggtg cgcgtgagtt ctacgtcaga aaggcgagg 420
ccacaaaag acccgcccc agtgacgcgg atataagcga gcccaagcgg gcctgcccct 480
cagttgcgga gccatcgacg tcagacgcgg aagcaccggt ggactttgcg gacagggtacc 540
aaaacaaatg ttctcgtcac gcgggcatgc ttcagatgct gtttccctgc aagacatgcg 600
agagaatgaa tcagaatttc aacgtctgct tcacgcacgg ggtcagagac tgctcagagt 660
gcttccccgg cgcgtcagaa tctcaaccgg tcgtcagaaa aaagacgtat cagaaactgt 720

```

gcgcgattca	tcattctgctg	gggcggggcac	ccgagattgc	gtgttcggcc	cgcgatctcg	780
tcaacgtgga	cttggaatgac	tgtgtttctg	agcaataaat	gacttaaacc	aggtatggct	840
gctgacggtt	atcttccaga	ttggctcgag	gacaacctct	ctgagggcat	tcgcgagtgg	900
tgggacctga	aacctggagc	ccccaaagccc	aaggccaacc	agcagaagca	ggacgacggc	960
cggggtcttg	tgcttcctgg	ctacaagtac	ctcggaccct	tcaacggact	cgacaagggg	1020
gagcccgta	acgcggcgga	cgcagcggcc	ctcgagcacg	acaaggccta	cgaccagcag	1080
ctcaaagcgg	gtgacaatcc	gtacctgcgg	tataaccacg	ccgacgccga	gtttcaggag	1140
cgtctgcaag	aagatacgtc	ttttgggggc	aacctcgggc	gagcagtctt	ccaggccaag	1200
aagagggtac	tcgaacctct	gggcctgggt	gaagaagggtg	ctaagacggc	tcctggaaag	1260
aagagaccgt	tagagtcacc	acaagagccc	gactcctcct	caggaatcgg	caaaaaaggc	1320
aaacaaccag	ccaaaaagag	actcaacttt	gaagaggaca	ctggagccgg	agacggaccc	1380
cctgaaggat	cagataccag	cgccatgtct	tcagacattg	aaatgcgtgc	agcaccgggc	1440
ggaaatgctg	tcgatgcggg	acaaggttcc	gatggagtgg	gtaatgcctc	gggtgattgg	1500
cattgcgatt	ccacctgggtc	tgagggcaag	gtcacacaaa	cctcgaccag	aacctgggtc	1560
ttgcccacct	acaacaacca	cttgtacctg	cggctcggaa	caacatcaaa	cagcaacacc	1620
tacaacggat	tctccacccc	ctggggatac	tttgacttta	acagattcca	ctgtcacttc	1680
tcaccacgtg	actggcaaag	actcatcaac	aacaactggg	gactacgacc	aaaagccatg	1740
cgcgttaaaa	tcttcaatat	ccaagttaag	gaggtcacaa	cgtcgaacgg	cgagactacg	1800
gtcgctaata	accttaccag	cacggttcag	atatttgctg	actcgtcgta	tgagctcccg	1860
tacgtgatgg	acgctggaca	agagggaagt	ctgtctcctt	tccccaatga	cgtcttcatg	1920
gtgcctcaat	atggctactg	tggcattgtg	actggcgaaa	atcagaacca	gacggacaga	1980
aatgctttct	actgcctgga	gtattttcct	tcacaaatgc	tgagaactgg	caataacttt	2040
gaaatggctt	acaactttgg	gaagggtgccg	ttccactcaa	tgtatgctta	cagccagagc	2100
ccggacagac	tgatgaatcc	cctcctggac	cagtacctgt	ggcacttaca	gtcgaccacc	2160
tctggagaga	ctctgaatca	aggcaatgca	gcaaccacat	ttggaaaaat	caggagtggga	2220
gactttgcct	tttacagaaa	gaactggctg	cctgggcctt	gtgttaaaca	gcagagactc	2280
tcaaaaactg	ccagtcaaaa	ttacaagatt	cctgccagcg	ggggcaacgc	tctgttaaag	2340
tatgacaccc	actatacctt	aaacaaccgc	tggagcaaca	tagcgcctgg	acctccaatg	2400
gcaacagctg	gaccttcaga	tggggacttc	agcaacgccc	agctcatctt	ccctggacca	2460
tcagtcaccg	gaaacacaac	aacctcagca	aacaatctgt	tgtttacatc	agaagaagaa	2520
attgctgcca	ccaaccaag	agacacggac	atgtttggtc	agattgctga	caataatcag	2580
aatgctacaa	ctgctcccat	aaccggcaac	gtgactgcta	tgggagtgct	tcctggcatg	2640

```

gtgtggcaaa acagagacat ttactaccaa gggccaattt gggccaagat cccacacgcg 2700
gacggacatt ttcatacctt accgctaatt ggcggttttg gactgaaaca tccgcctccc 2760
cagatatatta tcaaaaacac ccccgtaact gccaatcctg cgacaacctt cactgcagcc 2820
agagtggact ctttcatcac acaatacagc accggccagg tcgctgttca gattgaatgg 2880
gaaatcgaag aggaacgctc caaacgctgg aatcctgaag tgcagtttac ttcaaaactat 2940
gggaaccagt cttctatggt gtgggctccc gatacaactg ggaagtatac agagccgcgg 3000
gttattggct ctcgttattt gactaatcat ttgtaactgc ctagttaatc aataaacctg 3060
gtgattcggt tcagttgaac tttggtctct gcgaaggcgg aattc 3105

```

<210> 20

<211> 3105

<212> DNA

<213> new AAV serotype, clone C3

<400> 20

```

gaattcgccc ttgctgcgtc aactggacca atgagaactt tcccttcaac gattgcgtcg 60
acaagatggt gatctggtgg gaggagggca agatgaccgc caaggctcgtg gagtccgcca 120
aggccattct gggcggaagc aagggtgcgg tggaccaaaa gtgcaagtca tcggcccaga 180
tcgacccccc gcccgatgac gtcacctcca acaccaacat gtgcgccgtg atcgacggga 240
acagcaccac cttcgagcac cagcagccgc tgcaggaccg catgttcaag ttcgagctca 300
cccgccgtct ggagcacgac tttggcaagg tgaccaagca ggaagtcaaa gagttcttcc 360
gctgggctca ggatcacgtg actgaggtgg cgcattgagt ctacgtcaga aaggcgagg 420
ccacaaaag acccgcccc agtgacgcgg atataagcga gccaagcgg gcctgcccct 480
cagttgcgga gccatcgacg tcagacgcgg aagcaccggt ggactttgcg gacaggtacc 540
aaaacaaatg ttctcgtcac gcgggcatgc ttcagatgct gtttccctgc aagacatgcg 600
agagaatgaa tcagaatttc aacgtctgct tcacgcacgg ggtcagagac tgctcagagt 660
gcttccccgg cgcgtcagaa tctcaaccgg tcgtcagaaa aaagacgtat cagaaactgt 720
gcgcgattca tcattctgct gggcgggcac ccgagattgc gtgttcggcc tcgcatctcg 780
tcaacgtgga cttggatgac tgtgtttctg agcaataaat gacttaaacc aggtatggct 840
gctgacgggt atcttccaga ttggctcgag gacaacctct ctgagggcatt tcgcgagtgg 900
tgggacctga aacctggagc cccaagctc aaggccaacc agcagaagca ggacgacggc 960
cggggtctgg tgcttccctg ctacaagtac ctcggaccct tccacggact cgacaagggg 1020
gagcccgta acgcggcgga cgcagcggcc ctcgagcacg acaaggccta cgaccagcag 1080
ctcaaagcgg gtgacaatcc gtacctgcgg tataaccacg ccgacgccga gtttcaggag 1140
cgtctgcaag aagatacgtc ttttgggggc aacctcgggc gagcagtcct ccaggccaag 1200

```

aagagggtac tcgaaccact gggcctggtt gaagaagggtg ctaagacggc tcctggaaag	1260
aagagaccgt tagagtcacc acaagagccc gactcctcct caggaatcgg caaaaaaggc	1320
aaacaaccag ccaaaaagag actcaacttt gaagaggaca ctggagccgg agacggaccc	1380
cctgaaggat cagataccag cgccatgtct tcagacattg aaatgcgtgc agcaccgggc	1440
ggaaatgctg tcgatgcggg acaagggttc gatggagtgg gtaatgcctc gggtgattgg	1500
cattgcgatt ccacctggtc tgagggcaag gtcacaaca cctcgaccag aacctgggtc	1560
ttgcccacct acaacaacca cttgtacctg cggctcggaa caacatcaaa cagcaacacc	1620
tacaacggat tctccacccc ctggggatac tttgacttta acagattcca ctgtcacttc	1680
tcaccacgtg actggcaaag actcatcaac aacaactggg gactacgacc aaaagccatg	1740
cgcgtaaana tcttcaatat ccaagttaag gaggtcaca cgtcgaacgg cgagactacg	1800
gtcgctaata accttaccag caggtttcag atatttgagg actcgtcgta tgagctcccg	1860
tacgtgatgg acgctggaca agagggaagt ctgcctcctt tccccaatga cgtcttcatg	1920
gtgcctcaat atggctactg tggcattgtg actggcgaaa atcagaacca gacggacaga	1980
aatgctttct actgcctgga gtattttcct tcacaaatgc tgagaactgg caataacttt	2040
gaaatggctt acaactttga gaagggtcgg ttccactcaa tgtatgctca cagccagagc	2100
ctggacagac tgatgaatcc cctcctggac cagtacctgt ggcacttaca gtcgaccacc	2160
tctggagaga ctctgaatca aggcaatgca gcaaccacat ttggaaaaat caggagtggg	2220
gactttgcct ttacagaaa gaactggctg cctgggcctt gtgttaaaca gcagagattc	2280
tcaaaaactg ccagtcaaaa ttacaagatt cctgccagcg ggggcaacgc tctgttaaag	2340
tatgacaccc actatacctt aaacaaccgc tggagcaaca tagcgccctgg acctccaatg	2400
gcaacagctg gaccttcaga tggggacttc agcaacgcc agctcatctt ccctggacca	2460
tcagtcaccg gaaacacaac aacctcagca aacaatctgt tgtttacatc agaaggagaa	2520
attgctgcca ccaaccgaag agacacggac atgtttggtc agattgctga caataatcag	2580
aatgctacaa ctgctcccat aaccggcaac gtgactgcta tgggagtgtc tcctggcatg	2640
gtgtggcaaa acagagacat ttactaccaa gggccaattt gggccaagat cccacacgcg	2700
gacggacatt ttcctccttc accgctaatt ggcggttttg gactgaaaca tccgcctccc	2760
cagatattta tcaaaaacac cccgtacct gccaatctg cgacaacctt cactgcagcc	2820
agagtggact ctttcatcac acaatacagc accggccagg tcgctgttca gattgaatgg	2880
gaaatcgaaa aggaacgctc caaacgccgg aatcctgaag tgagtttac ttcaaactat	2940
gggaaccagt cttctatgtt gtgggctccc gatacaactg ggaagtatac agagccgcgg	3000
gttattggct ctcgttattt gactaatcat ttgtaactgc ctagttaatc aataaaccgt	3060
gtgattcggt tcagttgaac tttggtctct gcgaagggcg aattc	3105

<210> 21  
 <211> 3105  
 <212> DNA  
 <213> new AAV serotype, clone C5

<400> 21  
 gaattcgccc ttcgagaga ccaaagttca actgaaacga atcacacggt ttattgatta 60  
 actaggcagt tacaaatgat tagtcaaata acgagagcca ataaccgcg gctctgtata 120  
 cttcccagtt gtatcgggag cccacaacat agaagactgg tttccacagt ttgaagtaaa 180  
 ctgcacttca ggattccagc gtttgagcgc ttccttttcg atttcccatt caatctgaac 240  
 agcgacctgg ccggtgctgt attgtgtgat gaaagagtcc actctggctg cagtgaaggt 300  
 tgtcgcagga taggcaggta cgggggtgtt ttgataaat atctggggag gcggatgttt 360  
 cagtccaaaa ccgccaatta gcggtgaagg atgaaaatgt ccgtccgcgt gtgggatctt 420  
 ggcccaaatt ggcccttggt agtaaagtgc tctgttttgc cacaccatgc caggaagcac 480  
 tcccatagca gtcacgttgc cggttatggg agcagttgta gcattctgat tattgtcagc 540  
 aatctgacca aacatgtccg tgtctcttgg gttggtggca gcaatttctt cttctgatgt 600  
 aaacaacaga ttgtttgctg aggttggtgt gttccgggtg actgatggtc cagggaagat 660  
 gagctgggag ttgctgaagt ccccatctga aggtccagct gttgccattg gaggtccagg 720  
 cgctatgttg ctccagcggg tgtttaaggt atagtgggtg tcatacttta acagagcgtt 780  
 gccccgcgtg gcaggaatct tgtaattttg actggcagtt tttgagaatc tctgctgttt 840  
 aacacaaggc ccaggcagcc agttctttct gtaaaaggca aagtctccac tcctgatttt 900  
 tccaaatgtg gttgctgcat tgccttgatt cagagtctct ccagagggtg tcgactgtaa 960  
 gtgccacagg tactggtcca ggaggggatt catcagtcg tccaggctct ggctgtgagc 1020  
 atacattgag tggaacggca cttctcaaa gttgtaagcc gtttcaaagt tattgccagt 1080  
 tctcagcatt tgtgaaggaa aatactccag gcagtagaaa gcatttctgt ccgtctgggt 1140  
 ctgattttcg ccagtcacaa tgccacagta gccatattga ggcaccatga agacgtcatt 1200  
 ggggaaagga ggcagacttc cctcttgtcc agcgtccatc acgtacggga gtcatacga 1260  
 cgagtcgcga aatatctgaa ccgtgctggt aaggttatta gcgaccgtag tctcgccgtt 1320  
 cgacgttggt acctccttaa cttggatatt gaagatttta acgcgcatgg cttttggtcg 1380  
 tagtccccag ttgttggtga tgagtctttg ccagtcacgt ggtgagaagt gacagtggaa 1440  
 tctgttaaag tcaaagtatc cccagggggg ggagaatccg ttgtaggtgt tgctgtttga 1500  
 tgttgttccg agccgcaggt acaagtgggt gttgtaggtg ggcaagacc aggttctggt 1560  
 cgaggttggt gtgaccttgc cctcagacca ggtggaatcg caatgccaat caccgcagggc 1620  
 attaccact ccacgggaac cttgtccgc atcgacagca tttccgccg gtgctgcacg 1680  
 catttcaatg tctgaagaca tggcgctggt atctgatcct tcagggggtc cgtctccggc 1740

```

tccagtgtcc tcttcaaagt tgagtctctt tttggctggt tgtttgccct ttttgccgat 1800
tcctgaggag gaggcgggct cttgtggtga ctctaaccgt ctcttctttc caggagccgt 1860
cttagcacct tcttcaacca ggcccagagg ttctgagtacc ctcttcttgg cctggaagac 1920
tgctcgcccg aggttgcccc caaaagacgt atcttcttgc agacgctcct gaaactcggc 1980
gtcggcgtgg ttataaccga ggtacggatt gtcaccgct ttgagctgct ggtcgtaggc 2040
cttgctgtgc tcgagggccg ctgcgtccgc cgcgttgacg ggctccccct tgtcaggtcc 2100
gttgaagggc cggaggtact cgtagccagg aagcaccaga ccccgccgt cgtcctgctt 2160
ctgctggttg gccttgggct tgggggctcc aggtttcagg tcccaccact cgcgaatgcc 2220
ctcagagagg ttgtcctcga gccaatctgg aagataaccg tcagcagcca tacctggttt 2280
aagtcattta ttgtcagaa acacagtcac ccaagtccac gttgacgaga tcgcaggccg 2340
aacacgcaat ctgggtgcc cgcccagca gatgatgaat cgcgcacagt ttctgatacg 2400
tcttttttct gacgacgggt tgagattctg acgcgccggg gaagcactct gagcagtctc 2460
tgaccccgct cgtgaagcag acgttgaaat tctgattcat tctctcgcat gtcttgacgg 2520
gaaacagcat ctgaagcatg cccgcgtgac gagaacattt gttttgttac ctgtccgcaa 2580
gggtccaccg tgcttccgct tctgacgtcg atggctccgc aactgagggg caggcccgct 2640
tgggctcgct tatatccgct tcaactgggg cgggtctttt ggtggctccg ccctttctga 2700
cgtagaactc atgcgccacc tcagtcacgt gatcctgagc ccagcgaag aactctttga 2760
cttctgctt ggtcaccttg ccaaagtcgt gctccagacg gcgggtgagc tcgaacttga 2820
acatgcggtc ctgcagcggc tgctggtgct cgaaggtggt gctgttcccg tcgatcacgg 2880
cgcacatgtt ggtgttgag gtgacgatca cgggcgtggg gtcgatctgg gccgatgact 2940
tgacttttg gtccacgcgc accttgcttc cgcccagaat ggccttggcg gactccacga 3000
ccttggcggc catcttgccc tcctcccacc agatcaccat cttgtcgacg caatcgttga 3060
agggaaagtt ctcatgggtc cagttgacgc agcaagggcg aattc 3105

```

&lt;210&gt; 22

&lt;211&gt; 3094

&lt;212&gt; DNA

&lt;213&gt; new AAV serotype, clone F1

&lt;400&gt; 22

```

gaattcgccc ttgctgcgtc aactggacca agagaacttt cccttcaacg attgcgtcga 60
caagatggtg atctggtggg aggagggcaa gatgacggcc aaggtcgtgg agtccgcaa 120
agccattctg ggcggaagca aggtgcgcgt cgacaaaag tgcaagtcct cggcccagat 180
cgatcccacc cccgtgatcg tcacctcaa caccaacatg tgcgccgtga tcgacgggaa 240
cagcaccacc ttcgagcacc agcagccgtt gcaggaccgg atgttcaaat ttgaactcac 300

```

ccgccgtctg gaacacgact ttggcaaggt gaccaagcag gaagtcaaag agttcttccg	360
ctgggctagt gatcacgtga ctgaggtgac gcatgagttc tacgtcagaa agggcggagc	420
cagcaaaaga cccgcccccg atgacgcgga tataagcgag cccaagcggg cctgtccctc	480
agtcacggac ccatcgacgt cagacgcgga aggagctccg gtggactttg ccgacaggta	540
ccaaaacaaa tgttctcgtc acgcgggcat gcttcagatg ctgtttccct gcaaaacgtg	600
cgagagaatg aatcagaatt tcaacatttg cttcacgcac ggggtcagag actgtttaga	660
atgtttcccc ggcgtgtcag aatctcaacc ggtcgtcaga aaaaagacgt atcggaagct	720
gtgtgcgatt catcatctgc tggggcgggc acccgagatt gcttgctcgg cctgcgacct	780
ggccaacgtg gacctggacg actgtgtttc tgagcaataa atgacttaaa ccgggtatgg	840
ctgccgatgg ttatcttcca gattggctcg aggacaacct ctctgagggc attcgcgagt	900
gggtgggacct gaaacctgga gccccgaaac ccaaagccaa ccagcaaaaag caggacgacg	960
gccggggtct ggtgcttcct ggctacaagt acctcggacc cttcaacgga ctcgacaagg	1020
gggagcccggt caacgcggcg gacgcagcgg ccctcgagca cgacaaggcc tacgaccagc	1080
agctcaaagc gggtgacaat ccgtacctgc ggtataacca cgccgacgcc gagtttcagg	1140
agcgtctgca agaagatacg tcatttgggg gcaacctcgg gcgagcagtc ttccaggcca	1200
agaagcgggt tctcgaacct ctcggtctgg ttgaggaagg cgctaagacg gctcctggaa	1260
agaagagacc catagactct ccagactcct ccacgggcat cggcaaaaaa ggccagcagc	1320
ccgctaaaaa gaagctcaat tttggtcaga ctggcgactc agagtcagtc cccgaccctc	1380
aacctcttgg agaacctcca gcagcgccct ctagtgtggg atctggtaca atggctgcag	1440
gcggtggcgc accaatggca gacaataacg aagggtccga cggagtgggt aatgcctcag	1500
gaaattggca ttgcgattcc acatggctgg gcgacagagt catcaccacc agcaccagaa	1560
cctggggcct cccacctac aacaaccacc tctacaagca aatctccagc agcagctcag	1620
gagccaccaa tgacaaccac tacttcggct acagcacccc ctgggggtat tttgacttta	1680
acagattcca ctgccacttc tcaccacgtg actggcagcg actcatcaac aacaactggg	1740
gattccggcc caagaagctg cggttcaagc tcttcaacat ccagggtcaag gaggtcacia	1800
cgaatgacgg cgtcacgacc atcgctaata accttaccag cacgggtcag gtcttctcgg	1860
actcggataa ccagctgccg tacgtcctcg gctctgcgca ccagggtcgc ctgcctccgt	1920
tccccggcga cgtcttcatg attcctcagt acggctacct gactctgaac aacggcagcc	1980
aatcgggtggg ccgttctctc ttctactgcc tggaatattt cccctctcaa atgctgagaa	2040
cgggcaacaa ctttgagttc agttacagct tcgaggacgt gcctttccac agcagctacg	2100
cgcacagcca gagcctagac cggctgatga accctctcat cgaccagtac ctgtactacc	2160
tggccccggac ccagagcacc acgggttcca ccagggaact gcaatttcat caagctgggc	2220

```

ccaatactat ggccgagcag tcaaagaact ggctgcctgg accctgctat aggcaacagg 2280
gactgtcaaa gaacttggac ttttaacaaca acagcaattht tgcttggaat gctgccacta 2340
aatatcatct gaatggcaga aactctttga ccaatcctgg cattcccatg gcaaccaaca 2400
aggatgatga ggaccagttc tttcccatca acgggggtact ggthttttggc aagacgggag 2460
ctgccaaaca aactacgctg gaaaacgttc tgatgaccag cgaggaggag atcaagacca 2520
ctaaccctgt ggctacagaa gaatacggtg tggctctccag caacctgcag ccgtctacag 2580
ccgggacctca atcacagact atcaacagcc agggagcact gcctggcatg gtctggcaga 2640
accgggacgt gtatctgcag ggtcccatct gggccaaaat tcctcacacg gatggcaact 2700
ttcacccgtc tcctctgatg ggcggthttg gactcaaaca cccgcctcca cagatcctga 2760
tcaaaaacac acctgtacct gctaatactc cggaggtgtt tactcctgcc aagthttgcct 2820
ccttcatac gcagtacagc accggacaag tcagcgtgga aatcgagtg gaggctgcaga 2880
aagaaaacag caagcgttg aaccagaaa ttcagtatac ttccaattat gccaagtcta 2940
ataatgttga atthgtgtg aacctgatg gtgtttatac tgagcctcgc cccattggca 3000
ctcgttacct ccccgtaat ctgtaattgc ttgttaatca ataaaccggg tgattcgttt 3060
cagttgaact ttggtctctg cgaagggcga attc 3094

```

<210> 23  
 <211> 3095  
 <212> DNA  
 <213> new AAV serotype, clone F3

```

<400> 23
gaattcgccc ttcgcagaga ccaaagttca actgaaacga atcaaccggg ttattgatta 60
acaagcaatt acagattacg ggtgaggtaa cgagtgccaa tggggcgagg ctcaagtataa 120
acaccatcag ggttcacagc aaattcaaca ttattagact tggcataatt ggaagtatac 180
tgaatthctg ggttcacagc cttgctgttt tctthctgca gctccactc gattthcacg 240
ctgacttgtc cggtgctgta ctgcgtgatg aaggaggcaa acttggcagg agtaaacacc 300
tccggaggat tagcaggtag aggtgtgttt ttgatcagga tctgtggagg cgggtgtttg 360
agtccaaaac cgcccatcag aggagacggg tgaaagttgc catccgtgtg aggaatthtg 420
gccagatgg gacctgcag atacacgtcc cggthctgcc agaccatgcc aggcagtgtc 480
ccctggctgt tgatagtctg tgattgaggc cgggctgtag acgactgcag gthgtggag 540
accacaccgt attctthctg agccacaggg ttagtgggtc tgatctctc ctcgtggtc 600
atcagaacgt thtcagcgt agthttgttg gcagctccg tcttgccaaa aaccagtacc 660
ccgttgatgg gaaagaactg gtcctcatca tccttgthtg ttgccatggg aatgccagga 720
thggtcaaag agththctgcc attcagatga tathtagtg cagcagtcca ggcaaatthg 780

```



ctgttgttgt taaagtccaa gttctttgac agtctctgtt gcctatagca ggggccaggc	840
agccagttct ttgactgctc ggccatagta ttggggccag cttgatgaaa ttgcagttcc	900
ctggtggaac ccgtggtgct ctgggtccgg gccaggtagt acaggtagtg gtcgatgaga	960
gggttcatca gccggtctag gctctggctg tgcgcgtagc tgctgtgga aggcacgtcc	1020
tcgaagctgt aactgaactc aaagttgttg cccgtttctca gcatttgaga ggggaaatat	1080
tccaggcagt agaaggagga acggcccacc gattggctgc cgttgtccag agtcaggtag	1140
ccgtactgag gaatcatgaa gacgtccgcc gggaacggag gcaggcagcc ctggtgcgca	1200
gagccgagga cgtacggcag ctgggtattcc gagtccgaga agacctgaac cgtgctggta	1260
aggttattag cgatggtcgt gacgccgtca ttcgttgtga cctccttgac ctggatgttg	1320
aggagcttga accgcagctt cttgggccgg aatccccagt tgttgttgat gagtcgctgc	1380
cagtcacgtg gtgagaagtg gcagtggaat ctgttaaagt caaaataccc ccaggggggtg	1440
ctgtagccga agtagtggtt gtcattggtg gctcctgagc tgctgctgga gatttgcttg	1500
tagaggtggt tgttgtaggt ggggagggcc caggttctgg tgctggtggt gatgactctg	1560
tcgccagcc atgtggaatc gcaatgcaa tttcctgagg cattaccac tccgtcggca	1620
ccttcgttat tgtctgccat tgggtgcgca ccgcctgcag ccattgtacc agatcccaca	1680
ctagagggcg ctgctggagg ttctccaaga ggttgagggg cggggactga ctctgagtcg	1740
ccagtctgac caaaattgag cttcttttta gcggtctgct ggcctttttt gccgatgcc	1800
gtggaggagt ctggagagcc tatgggtctc ttctttccag gagcgtctt agcgcttcc	1860
tcaaccagac cgagaggttc gagaaccgc ttcttggcct ggaagactgc tcgccgagg	1920
ttgccccaa atgacgtatc ttcttgaga cgctcctgaa actcggcgtc ggcgtggtta	1980
taccgcaggt acggattgtc acccgctttg agctgctggt cgtaggcctt gtcgtgctcg	2040
agggccgctg cgtccgcgc gttgacgggc tcccccttgt cgagtccgtt gaagggtccg	2100
aggtagcttg agccaggaag caccagacc cgccgctcgt cctgcttttg ctggttggct	2160
ttgggtttcg gggctccagg tttcaggctc caccactcgc gaatgccctc agagaggttg	2220
tcctcgagcc aatctggaag ataaccatcg gcagccatac ctggtttaag tcatttattg	2280
ctcagaaaca cagtcgtcca ggtccacgtt gaccaggctg caggccgagc aagcaatctc	2340
gggtgcccgc ccagcagat gatgaatcgc acacagcttc cgatacgtct ttttctgac	2400
gaccggttga gattctgaca cgccggggaa acattctaaa cagtctctga ccccgctgcgt	2460
gaagcaaagt ttgaaattct gattcattct ctgcacgtt ttgcagggaa acagcacctg	2520
aagcatgccc gcgtgacgag aacatttgtt ttggtacctg tcggcaaagt ccaccggagc	2580
tccttcgcgc tctgacgtcg atgggtccgt gactgagggg cgggcccgct tgggtcgcgt	2640
tatatccgcg tcacggggg cggttctttt gctggctccg ccctttctga cgtagaactc	2700

```

atgcgtcacc tcagtcacgt gatcactagc ccagcgggaag aactctttga cttcctgctt 2760
tgtcaccttg ccaaagtcgt gttccagacg gcgggtgagt tcaaatttga acatccggtc 2820
ctgcaacggg tgctggtgct cgaaggtggg gctgttcccg tcgatcacgg cgcacatggt 2880
gggtgttgag gtgacgatca cgggggtggg atcgatctgg gcggacgact tgcacttttg 2940
gtccacgcgc accttgctgc cgccgagaat ggccttggcg gactccacga ccttggccgt 3000
catcttgccc tcctcccacc agatcaccat cttgtcgacg caatcggtga agggaaagt 3060
ctcattgggc cagttgacgc agcaagggcg aattc 3095

```

&lt;210&gt; 24

&lt;211&gt; 3095

&lt;212&gt; DNA

&lt;213&gt; new AAV serotype, clone F5

&lt;400&gt; 24

```

gaattcgccc ttcgcagaga ccaaagttca actgaaacga atcaaccggg ttattgatta 60
acaagcaatt acagattacg ggtgaggtaa cgagtgccaa tggggcgagg ctcaagtataa 120
acaccatcag ggttcacagc aaattcaaca ttattagact tggcataatt ggaagtatac 180
tgaatttctg ggttccagcg cttgctgttt tctttctgca gctccactc gatttccacg 240
ctgacttgct cggtgctgta ctgcgtgatg aaggaggcaa acttggcagg agtaaacacc 300
tccggaggat tagcaggtag aggtgtgttt ttgatcagga tctgtggagg cgggtgttcg 360
agtccaaaac cgccatcagc agggagacggg tgaaagttgc catccgtgtg aggaattttg 420
gccagatgg gaccctgcag atacacgtcc cggttctgcc agaccatgcc aggcagtgtc 480
ccctggctgt tgatagtctg tgattgaggg ccggtgttag acgactgcag gttgctggag 540
accacaccgt attcttctgt agccacaggg ttagtgggtc tgatctctc ctcgctggtc 600
atcagaacgt tttccagcgt agttttgttg gcagctccc tcttgccaaa aaccagtacc 660
ccgttgatgg gaaagaactg gtcctcatca tcctgttggt ttgccatggg aatgccagga 720
ttggtcaaag agtttctgcc attcagatga tatttagtgg cagcagtcca ggcaaaattg 780
ctgttggtgt taaagtccaa gttctttgac agtctctgtt gcctatagca ggggccaggc 840
agccagttct ttgactgctc ggccatagta ttgggccag cttgatgaaa ttgcagttcc 900
ctggtggaac ccgtgggtgt ctgggtccgg gccaggtagt acaggtactg gtcgatgaga 960
gggttcatca gccgggtctag gctctggctg tgcgcgtagc tgctgtggaa aggcacgtcc 1020
tcgaagctgt aactgaactc aaagtgttg cccgttctca gcatttgaga ggggaaatat 1080
tccaggcagt agaaggagga acggccacc gattggctgc cgttgttcag agtcaggtag 1140
ccgtactgag gaatcatgaa gacgtccgcc gggaacggag gcaggcagcc ctggtgcgca 1200
gagccgagga cgtacggcag ctggtattcc gagtccgaga agacctgaac cgtgctggta 1260
aggttattag cgatggctgt gacgccgtca ttcgttgtga ctccttgac ctggatgttg 1320

```

aagagcttga accgcagctt cttgggcccg aatccccagt tgttggtgat gagtcgctgc	1380
cagtcacgtg gtgagaagtg gcagtggaat ctgttaaagt caaaataccc ccagggggtg	1440
ctgtagccga agtagtggtt gtcattggtg gctcctgagc tgctgctgga gatttgcttg	1500
tagagggtgt tgttgtaggt ggggagggcc caggttcttg tgctggtggt gatgactctg	1560
tcgcccagcc atgtggaatc gcaatgccaa tttcctgagg cattaccac tccgtcggca	1620
ccttcgttat tgtctgccgt tggcgcgcca ccgcctgcag ccattgtacc agatcccaca	1680
ctagagggcg ctgctggagg ttctccaaga ggttgagggc cggggactga ctctgagtcg	1740
ccagtctgac caaaattgag cttcttttta gcgggctgct ggcctttttt gccgatgccc	1800
gtggaggagt ctggagagtc tatgggtctc ttctttccag gagccgtctt agcgccttcc	1860
tcaaccagac cgagaggttc gagaaccgcg ttcttggcct ggaagactgc tcgcccagg	1920
ttgcccccaa atgacgtatc ttcttgacgg cgctcctgaa actcggcgctc ggcgtggtta	1980
taccgcaggt acggattgtc acccgctttg agctgctggt cgtaggcctt gtcgtgctcg	2040
agggccgctg cgtccgcgcg gttgacgggc tcccccttg caggtccgtt gaagggtccg	2100
aggtacttgt agccaggaag caccagaccc cggccgtcgt cctgcttttg ctggttggt	2160
ttgggtttcg gggctccagg ttccaggtcc caccactcgc gaatgccctc agagaggttg	2220
tcctcgagcc aatctggaag ataaccatcg gcagccatac ctggtttaag ccattttattg	2280
ctcagaaaca cagtcgtcca ggtccacgtt gaccaggtcg caggccgagc aggcaatctc	2340
gggtgcccgc ccagcagat gatgaatcg acacagcttc cgatacgtct tttttctgac	2400
gaccggttga gattctgaca cgccggggaa acattctaaa cagtctctga ccccgctgcg	2460
gaagcaaattg ttgaaattct gattcattct ctgcacgtt ttgcaggga acagcatctg	2520
aagcatgccc gcgtggcgag aacatttggt ttggtacctg tcggcaaagt ccaccggagc	2580
tccttccgcg tctgacgtcg atgggtccgt gactgaggga caggcccgt tgggtcgt	2640
tatatccgcg tcacggggg cggtctttt gctggctccg ccctttctga cgtagaactc	2700
atgcgtcacc tcagtcacgt gatcactagc ccagcggag aactctttga cttcctgctt	2760
tgtcaccttg ccaaagtcgt gttccagacg gcgggtgagt tcaaatttga acatccggtc	2820
ctgcaacggc tgctggtgct cgaagggtgt gctgttccc tgatcacgg cgcgcatgtt	2880
ggtgttgag gtgacgatca cgggggtggg atcgatctgg gcggacgact tgcacttttg	2940
gtccacgcgc accttgctgc cgccgagaat ggccttggcg gactccacga ccttggccgt	3000
catcttgccc tcctcccacc agatcaccat cttgtcgacg caatcggtga agggaaagtt	3060
ctcattggtc cagttgacgc agcaaggcg aattc	3095

<210> 25  
 <211> 3142  
 <212> DNA  
 <213> new AAV serotype, clone H6

<400> 25  
 aaaacgacgg gccagtgatt gtaatacgac tcactatagg gcgaaattga aattagcggc 60  
 cgcgaattcg cctttcgcag agaccaaagt tcaactgaaa cgaattaaac ggtttattga 120  
 ttaacaagca attacagatt acgagtcagg tatctggtgc caatggggcg aggctctgaa 180  
 tacacaccat tagtgtccac agtaaagtcc acattaacag acttggtgta gttggaagtg 240  
 tactgaattt cgggattcca gcgtttgctg ttctccttct gcagctccca ctcgatctcc 300  
 acgctgacct gtcccggtga atactgtgtg atgaaagaag caaacttggc agaactgaag 360  
 tttgtgggag gattggctgg aacgggagtg tttttgatca tgatctgagg aggcgggtgt 420  
 ttgagtccaa aacctcccat cagtggagaa ggatgaaagt gtccatcggg gtgaggaatc 480  
 ttggcccaaa tgggtccctg caggtacacg tctcgatcct gccacaccat accaggtaac 540  
 gtccttggg gattgacagt tccagtagtt ggaccagtggt ttgagttttg caaattatct 600  
 gacacagtcc cgtactgctc cgtagccacg ggattggtgg ccctgatttc ttcttcatct 660  
 gtaatcatga cattttccaa atccgcgtcg ttggcatttg ttccttgttt accaaatatc 720  
 agggttccat gcatggggaa aaacttttct tcgtcatcct tgtgactggc catagctggg 780  
 cctggattaa ccaacgagtc ccggccattt agatgatact ttgtagctgc agtccaggga 840  
 aagttgctgt tgttgttgc gtttgccctgt tttgacagac gctgctgtct gtagcaagg 900  
 ccaggcagcc agtttttagc ttgaagagac atgttggttg gtccagcttg gctaaacagt 960  
 agccgagact gctgaagagt tccactatct gtttgtgtct tgttcagata atacaggtag 1020  
 tggctgatca gaggattcat cagccgatcc agactctggc tgtgagcgta gctgctgtgg 1080  
 aaaggcacgt cttcaaaagt gtagctgaac tgaaagtgtt ttccagtacg cagcatctga 1140  
 gaaggaaagt actccaggca gtaaaaggaa gagcgtccta ccgcctgact cccgttgctc 1200  
 aggggtgaggt atccatactg tgggaccatg aagacgtccg ctggaaacgg cgggagggcat 1260  
 ccttgatgcg ccgagcccag gacgtacggg agctggtact ccgagtcagt aaacacctga 1320  
 accgtgctgg taagggttatt ggcaatcgtc gtcgtaccgt cattctgcgt gacctcttg 1380  
 acttgaatat taaagagctt gaagttgagt cttttgggcc ggaatccccg gttgttggtg 1440  
 acgagtcttt gccagtcacg tggtgaaaag tggcagtgga atctgttgaa gtcaaaatac 1500  
 ccccaggggg tgctgtagcc aaagtagtgg ttgtcgttgc tggctcctga ttggctggag 1560  
 atttgcttgt agaggtgggt gttgtatgtg ggcagggccc aggttcgggt gctgggtggtg 1620  
 atgactctgt cggccagcca ttgggaatcg caatgccaat ttcctgagga attaccact 1680  
 ccatcggcac cctcgttatt gtctgccatt ggtgcgccac tgcctgtagc cattgtagta 1740

```

gatcccagac cagagggggc tgctggtggc tgtccgagag gctgggggtc aggtacggag 1800
tctgctcttc cagtctgacc aaaatttaat ctttttcttg caggctgctg gcccgctttt 1860
ccggttcccc aggaggagtc tggctccaca ggagagtgtc ctaccggcct cttttttccc 1920
ggagccgtct taacaggctc ctcaaccagg ccagagggtt caagaaccct ctttttcgcc 1980
tggaagactg ctctgcccag gttgccccca aaagacgtat cttctttaag gcgctcctga 2040
aactctgctg cggcgtgggt gtacttgagg tacgggttgt ctccgctgtc gagctgccgg 2100
tcgtaggcct tgtctgtctc gagggccgcg gcgtctgcct cgttgaccgg ctcccccttg 2160
tcgagtcctg tgaagggtcc gaggtacttg taccaggaa gcacaagacc cctgctgtcg 2220
tccttatgcc gctctgcggg ctttggtggt ggtgggccag gtttgagctt ccaccactgt 2280
cttattcctt cagagagagt gtcctcgagc caatctggaa gataaccatc ggcagccata 2340
cctgatttaa atcatttatt gttcagagat gcagtcattc aaatccacat tgaccagatc 2400
gcaggcagtg caagcgtctg gcaccttcc catgatatga tgaatgtagc acagtttctg 2460
atacgccctt ttgacgacag aaacgggttg agattctgac acgggaaagc actctaaaca 2520
gtctttctgt ccgtgagtga agcagatatt tgaattctga ttcattctct cgcattgtct 2580
gcagggaaac agcatcagat tcatgccac gtgacgagaa catttgtttt ggtacctgtc 2640
cgcgtagtgt atcgaagctt ccgcgtctga cgtcgatggc tgcgcaactg actcgcgcgc 2700
ccggttgggc tcacttatat ctgcgtcact gggggcgggt cttttcttag ctccaccctt 2760
tttgacgtag aattcatgct ccacctcaac cacgtgatcc tttgccacc ggaaaaagtc 2820
tttcaacttc tgcttggtga cttttccaaa gtcattgatc agacggcggg taagttcaaa 2880
tttgaacatc cggctcttga acggctgctg gtgctcgaag gtcgttgagt tcccgtaat 2940
cacggcgcac atgttggtgt tggagggtgac gatcacggga gtcgggtcta tctgggccga 3000
ggacttgcat ttctggtcca cacgcacctt gtttctcca agaattggctt tggccgactc 3060
cacgaccttg gcggtcatct tccccctctc ccaccagatc accatcttgt cgacgcaatg 3120
gtaaaaggaa agttctcatt gg 3142

```

&lt;210&gt; 26

&lt;211&gt; 3075

&lt;212&gt; DNA

&lt;213&gt; new AAV serotype, clone H2

&lt;400&gt; 26

```

tgagaacttt cttttcaacg attgcgtcgg acaagatggg gatctggtgg gagggggga 60
agatgaccgc caaggtcgtg gagtcggcca aagccattct tggaggaagc aaggtgctg 120
tggaccagaa atgcaagtcc tcggcccaga tagaccgac tcccgatgac gtcacctcca 180
acaccaacat gtgcgccgtg attgacggga actcaacgac cttcgagcac cagcagccgt 240
tgcaagaccg gatgttcaaa tttgaactta cccgccgtct ggatcatgac tttggaaagg 300

```

tcaccaagca ggaagtgaaa gactttttcc ggtgggcaaa ggatcacgtg gttgaggtgg	360
agcatgaatt ctacgtcaaa aaggttgag ctaagaaaag acccgcccc agtgacgcag	420
atataagtga gcccacacgg gcgcgcgagt cagttgcga gccatcaacg tcagacgcgg	480
aagcttcgat caactacgcg gacaggtacc aaaaacaaat gttctcgtca cgtgggcatg	540
aatctgatgc tgtttccctg cagacaatgc gagagaatga atcagaattc aaatatctgc	600
ttcactcacg gacagaaaga ctgttttagag tgctttcccg tgtcagaatc tcaaccggtt	660
tctgtcgtca aaaaggcgta tcagaaactg tgctacattc atcatatcat gggaaaggtg	720
ccagacgctt gcactgcctg cgatctggtc aatgtggatt tggatgactg catctctgaa	780
caataaatga tttaaatcag gtatggctgc cgatggttat cctccagatt ggctcgagga	840
cactctctct gaagggataa gacagtgggtg gaagctcaaa cctggcccac caccacaaa	900
gcccgcagag cggcataagg acgacagcag gggctctgtg cttcctgggt acaagtacct	960
cggacccttc aacggactcg acaaggggga gccggtcaac gaggcagacg ccgcggccct	1020
cgagcacgac aaggcctacg accggcagct cgacacgcga gacaaccgt acctcaagta	1080
caaccacgcc gacgcagagt ttcaggagcg ccttaaagaa gatacgtctt ttgggggcaa	1140
cctcggacga gcagtcttcc aggcgaaaaa gagggttctt gaacctctgg gcctggttga	1200
ggaacctgtt aagacggctc cgggaaaaaa gaggccggtg gagcactctc ctgtggagcc	1260
agactcctcc tcgggaaccg gaaaagcggg ccagcggcct gcaagaaaaa gattaaattt	1320
tggtcagact ggagacgcag actccgtacc tgacccccag cctctcggac agccaccagc	1380
agccccctct ggtctgggat ctactacaat ggctacaggc agtggcgcac caatggcaga	1440
caataacgag ggtgccgatg gagtgggtaa ttcctcagga aattggcatt gcgattccca	1500
atggctgggc gacagagtca tcaccaccag caccgaacc tgggccctgc ccacatacaa	1560
caaccacctc tacaagcaaa tctccagcca atcaggagcc agcaacgaca accactactt	1620
tggtacagc accccctggg ggtattttga cttcaacaga ttccactgcc acttttcacc	1680
acgtgactgg caaagactca tcaacaacaa ctggggattc cggcccaaaa gactcaactt	1740
caagctcttt aatattcaag tcaaagaggt cacgcagaat gacggtacga cgacgattgc	1800
caataacctt accagcacgg ttcaggtgtt tactgactcg gactaccagc tcccgtacgt	1860
cctgggctcg gcgcatcaag gatgcctccc gccgtttcca gcggacgtct tcatggctcc	1920
acagtatgga tacctcacc tgaacaacgg gagtcaggcg gtaggacgct cttcctttta	1980
ctgcctggag tactttcctt ctcagatgct gcgtactgga aacaactttc agttcagcta	2040
cacttttgaa gacgtgcctt tccacagcag ctacgctcac agccagagtc tggatcggct	2100
gatgaatcct ctgatcgacc agtacctgta ttatctgaac aagacacaaa caaatagtgg	2160
aactcttcag cagtctcggc tactgttttag ccaagctgga ccaaccaaca tgtctcttca	2220

```

agctaaaaac tggctgcctg gaccttgcta cagacagcag cgtctgtcaa aacaggcaaa 2280
cgacaacaac aacagcaact ttccctggac tgcagctaca aagtatcatc taaatggccg 2340
ggactcgttg gttaatccag gaccagctat ggccagtcac aaggatgacg aagaaaagtt 2400
tttccccatg catggaaccc tgatatttgg taaacaagga acaaatgcca acgacgcgga 2460
tttgaaaaat gtcattgatta cagatgaaga agaaatcagg gccaccaatc ccgtggctac 2520
ggagcagtac gggactgtgt caaataatct gcaaaactca aacactgggc caactactgg 2580
aactgtcaat cgccaaggag cgttacctgg tatggtgtgg caggatcgag acgtgtacct 2640
gcagggaccc atttgggcca agattcctca caccgatgga cactttcatc cttctccact 2700
gatgggaggt tttggactca aacaccgcc tcctcagatc atgatcaaaa aactcccgt 2760
tccagccaat cctcccacaa acttcagttc tgccaagttt gcttctttca tcacacagta 2820
ttccacggga caggtcagcg tggagatcga gtgggagctg cagaaggaga acagcaaacg 2880
ctggaatccc gaaattcagt acacttccaa ctacaacaag tctgttaatg tggactttac 2940
tgtggacact aatggtgtgt attcagagcc tcgccccatt ggcaccagat acctgactcg 3000
taatctgtaa ttgcttgta atcaataaac cgtttaattc gtttcagttg aactttggtc 3060
tctgcgaagg gcgaa 3075

```

```

<210> 27
<211> 3128
<212> DNA
<213> new AAV serotype, clone 42.8

```

```

<400> 27
gaattcgccc ttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
gcgtcgacaa gatggtgatc tgggtggagg agggcaagat gacggccaag gtcgtggagt 120
ccgccaaggc cattctcggc ggcagcaagg tgcgctgga ccaaaagtgc aagtcttccg 180
cccagatcga tcccccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg 240
acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg 300
aactcaccgg ccgtctggag cagactttg gcaagggtgac aaagcaggaa gtcaaagagt 360
tcttcgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg 420
gtggagccaa caagagaccc gccccgatg acgcgataa aagcgagccc aagcgggcct 480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg ttccctgca 600
agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660
gttcagaatg tttccccggc gtgtcagaat ctcaaccggc cgtcagaaag aggacgtatc 720
ggaaactctg tgccattcat catctgctag ggcgggctcc cgagattgct tgctcgccct 780

```

gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840  
 ggtatggctg ccgatggtta tcttcagat tggctcgagg acaacctctc tgagggcatt 900  
 cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag 960  
 gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020  
 gacaaggggg agcccgtaa cgcggcggac gcagcggccc tcgagcacga caaggcctac 1080  
 gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag 1140  
 tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggag agcagtcttc 1200  
 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260  
 cctggaaaga agagaccggt agagccatca cccagcgtt ctccagactc ctctacgggc 1320  
 atcggcaaga caggccagca gcccgcgaaa aagagactca actttgggca gactggcgac 1380  
 tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc ccgaggccc ctctgggtctg 1440  
 ggatctggta caatggctgc aggcgggtggc gctccaatgg cagacaataa cgaaggcgcc 1500  
 gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga 1560  
 gtcatacca ccagcaccg aacctgggcc ctccccacct acaacaacca cctctacaag 1620  
 caaatctcca acgggacatc gggaggaagc accaacgaca acacctactt cggtacagc 1680  
 accccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg 1740  
 cagcgactca tcaacaacaa ctggggattc cgcccaaga gactcaactt caagctcttc 1800  
 aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt 1860  
 accagcacga ttcaggtctt tacggactcg gaataccagc tcccgtacgt cctcggctct 1920  
 gcgcaccagg gctgcctgcc tccgttcccc gcggagctct tcatgattcc tcagtacggg 1980  
 tacctgactc tgaacaacgg cagtcaggcc gtgggccgtt cctccttcta ctgcctggag 2040  
 tactttcctt ctcaaagct gagaacgggc aacaactttg agttcagcta ccagtttgag 2100  
 gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc 2160  
 ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga 2220  
 actcagcagt tgctattttc tcaggccggg cctaataaca tgtcggctca ggccaaaaac 2280  
 tggctacccg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaataac 2340  
 aacagcaact ttgcttgac cggtgccacc aagtatcatc tgaatggcag agactctctg 2400  
 gtaaatcccc gtgtcgctat ggcaacgcac aaggacgacg aagagcgatt ttttccatcc 2460  
 agcggagtct tgatgtttgg gaaacagggg gctggaaaag acaacgtgga ctatagcagc 2520  
 gttatgctaa ccagtgagga agaaatcaaa accaccaacc cagtggccac agaacagtac 2580  
 ggcgtggtag ccgataacct gcaacagcaa aacgccgtc ctattgtagg ggccgtcaac 2640  
 agtcaaggag ccttacctgg catggctctg cagaaccggg acgtgtacct gcagggtcct 2700



```

atctgggcca agattcctca cacggacggc aactttcatc cttcgccgct gatgggaggc 2760
tttgactga aacacccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggat 2820
cctccaacta ccttcagtca agccaagctg gcgtcgttca tcacgcagta cagcaccgga 2880
caggtcagcg tggaaattga atgggagctg cagaaagaga acagcaagcg ctggaacca 2940
gagattcagt atacttccaa ctactacaaa tctacaaatg tggactttgc tgtcaatact 3000
gagggctactt attcagagcc tcgccccatt ggcaccggtt acctcaccgg taacctgtaa 3060
ttgcctgtta atcaataaac cggctaattc gtttcagttg aactttgggc tctgcgaagg 3120
gcgaattc 3128

```

```

<210> 28
<211> 3128
<212> DNA
<213> new AAV serotype, clone 42.15

```

```

<400> 28
gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
gcgtcgacaa gatggtgatc tgggtggagg agggcaagat gacggccaag gtcgtggagt 120
ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg 180
cccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240
acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaaatTTg 300
aactcaccgg ccgtctggag catgactttg gcaagggtgac aaagcaggaa gtcaaagagt 360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg 420
gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct 480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540
acaggtagca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
agacatgca gagaatgaat cagaatttca acatttgctt cacgcgcggg accagagact 660
gttcagaatg tttcccgggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc 720
ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780
gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840
ggtatggctg ccgatggtta tcttcagat tggctcgagg acaacctctc tgagggcatt 900
cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag 960
gacgacggcc ggggtctggt gcttcttggc tacaagtacc tcggaccctt caacggactc 1020
gacaaggggg agcccgtaa cgcggcggac gcagcggccc tcgagcacga caaggcctac 1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag 1140
tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc 1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260

```

cctggaaaga agagaccggt agagccatca cccagcggtt ctccagactc ctctacgggc 1320  
 atcggcaaga caggccagca gcccgcgaaa aagagactca actttgggca gactggcgac 1380  
 tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc ccgcaggccc ctctgggtctg 1440  
 ggatctggta caatggctgc agggcggtggc gctccaatgg cagacaataa cgaaggcgcc 1500  
 gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga 1560  
 gtcatcacca ccagcaccgg aacctggggc ctccccacct acaacaacca cctctacaag 1620  
 caaatctcca acgggacatc gggaggaagc accaacgaca acacctactt cggctacagc 1680  
 accccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg 1740  
 cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc 1800  
 aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt 1860  
 accagcacga ttcaggtctt tacggactcg gaataccagc tcccgtagct cctcggctct 1920  
 gcgcaccagg gctgcccgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg 1980  
 tacctgactc tgaacaacgg cagtcaggcc gtgggcccgtt cctccttcta ctgcctggag 2040  
 tactttcctt ctcaaatgcg gagaacgggc aacaactttg agttcagcta ccagtttgag 2100  
 gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc 2160  
 ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga 2220  
 actcagcagt tgctattttc tcaggccggg cctaataaca tgtcggctca ggccaaaaac 2280  
 tggctacccg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaataac 2340  
 aacagcaact ttgcttgga cggtgccacc aagtatcatc tgaatggcag agactctctg 2400  
 gtaaattccg gtgtcgctat ggcaacgcac aaggacgacg aagagcgatt ttttccatcc 2460  
 agcggagtct tgatgtttgg gaaacagga gctggaaaag acaacgtgga ctatagcagc 2520  
 gttatgctaa ccagtggagga agaaatcaaa accaccaacc cagtggccac agaacgtac 2580  
 ggcgtgggtg ccgataacct gcaacagcaa aacgccgctc ctattgtagg ggccgtcaac 2640  
 agtcaaggag ccttacctgg catgggtctg cagaaccggg acgtgtacct gcagggtcct 2700  
 atctgggcca agattcctca cacggacggc aactttcatc cttegccgct gatgggaggc 2760  
 tttggactga aacaccgccc tcctcagatc ctgattaaga atacacctgt tcccgcgat 2820  
 cctccaacta ccttcagtca agccaagctg gcgtcgttca tcacgcagta cagcaccgga 2880  
 caggtcagcg tggaaattga atgggagctg cagaaagaga acagcaagcg ctggaaccca 2940  
 gagattcagt atacttccaa ctactacaaa tctacaaatg tggactttgc tgtcaatact 3000  
 gagggtactt attcagagcc tcgccccatt ggcaccggtt acctcaccgg taacctgtaa 3060  
 ttgcctgtta atcaataaac cggttaattc gtttcagttg aactttggtc tctgcgaagg 3120  
 gcgaattc 3128

<210> 29  
 <211> 3197  
 <212> DNA  
 <213> new AAV serotype. clone 42.5b

<400> 29  
 gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60  
 gcgtcgacaa gatggtgatc tgggtggagg agggcaagat gacggccaag gtcgtggagt 120  
 ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaagtgc aagtcgtccg 180  
 cccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240  
 acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg 300  
 aactcaccgc cgtctcggag cagcactttg gcaagggtgac aaagcaggaa gtcaaagagt 360  
 tcttccgctg ggcgcaggat cagctgaccg aggtggcgca tgagtcttac gtcagaaagg 420  
 gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct 480  
 gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540  
 acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600  
 agacatgcga gagaatgaat cagaatttca acatttgctt cagcacggg accagagact 660  
 gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc 720  
 ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780  
 gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840  
 ggtatggctg ccgatgggta tcttcagat tggctcgagg acaacctctc tgagggcatt 900  
 cgcgagtggg gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960  
 gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020  
 gacaagggag agccggtcaa cgaggcagac gccgcggccc tcgagcacga caaggcctac 1080  
 gacaagcagc tcgagcaggg ggacaacccg tacctcaagt acaaccacgc cgacgccgag 1140  
 tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggag agcagtcctc 1200  
 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260  
 cctggaaaga agagaccggt agagccatca cccagcgtt ctccagactc ctctacgggc 1320  
 atcggcaaga caggccagca gcccgcgaaa aagagactca actttgggca gactggcgac 1380  
 tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg 1440  
 ggatctggta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc 1500  
 gacggagtgg gtagttcctc aggaatttgg cattgcgatt ccacatggct gggcgacaga 1560  
 gtcatcacca ccagcaccgc aacctgggccc ctccccacct acaacaacca cctctacaag 1620  
 caaatctcca acgggacatc gggaggaagc accaacgaca acacctactt cggctacagc 1680  
 accccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg 1740

cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc 1800  
 aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt 1860  
 accagcacga ttcaggtctt tacggactcg gaataccagc tcccgtagct cctcggctct 1920  
 gcgcaccagg gctgcctgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg 1980  
 tacctgactc tgaacaacgg cagtcaggcc gtgggccgtt cctccttcta ctgcctggag 2040  
 tactttcctt ctcaaatgct gagaacgggc aacaactttg agttcagcta ccagtttgag 2100  
 gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccgggt gatgaacccc 2160  
 ctcacgcacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga 2220  
 actcagcagt tgctatcttc tcaggccggg cctaataaca tgcggctca ggccaaaaac 2280  
 tggctacccg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaataac 2340  
 aacagcaact ttgcttgga cggtgccacc aagtatcatc tgaatggcag agactctctg 2400  
 gtaaattccc gtgtcgctat ggcaacgcac aaggacgacg aagagcgatt tttccatcc 2460  
 agcggagctt tgatgtttgg gaaacagga gctggaaaag acaacgtgga ctatagcagc 2520  
 gttatgctaa ccagttagga agaaatcaaa accaccaacc cagtggccac agaacagtac 2580  
 ggcgtggtgg ccgataacct gcaacagcaa aacgccgctc ctattgtagg ggccgtcaac 2640  
 agtcaaggag ccttacctgg catggtctgg cagaaccggg acgtgtacct gcagggctct 2700  
 atctgggcca agattcctca cacggacggc aactttcatc ctcgccgct gatgggaggg 2760  
 tttggactga aacacccgcc tcctcagatc ctgattaaga atacacctgt tccgcgggat 2820  
 cctccaacta ccttcagtca agccaagctg gcgtcgttca tcacgcagta cagcaccgga 2880  
 caggtcagcg tggaaattga atgggagctg cagaaagaga acagcaagcg ctggaacca 2940  
 gagattcagt atacttccaa ctactacaaa tctacaaatg tggactttgc tgtcaatact 3000  
 gagggctactt attcagagcc tcgccccatt ggcacccgtt acctcaccg taacctgtaa 3060  
 ttgcctgtta atcaataaac cggttaattc gtttcagttg aactttgggc tctgcgaagg 3120  
 gcgaattcgt ttaaacctgc aggactagtc cctttagtga gggttaattc tgagcttggc 3180  
 gtaatcatgg gtcatag 3197

<210> 30  
 <211> 2501  
 <212> DNA  
 <213> new AAV serotype, clone 42.1b

<400> 30  
 gaattcggcc ttggctgcgt caactggacc aatgagaact ttcccttcaa cgattgcgtc 60  
 gacaagatgg tgatctggtg ggaggagggc aagatgacgg ccaaggtcgt ggagtccgcc 120  
 aaggccattc atcatctgct ggggcgggct cccgagattg cttgctcggc ctgcgatctg 180  
 gtcaacgtgg acctggatga ctgtgtttct gagcaataaa tgacttaaac caggtatggc 240

tgccgatggt tatcttccag attggctcga ggacaacctc tctgagggca ttcgcgagtg	300
gtgggacttg agacctggag ccccgaaacc caaagccaac cagcaaaagc aggacgacgg	360
ccgggggtctg gtgcttcttg gctacaagta cctcggaccc ttcaacggac tcgacaaggg	420
agagccgggtc aacgaggcag acgccgcggc cctcgagcac gacaaggcct acgacaagca	480
gctcgagcag ggggacaacc cgtacctcaa gtacaaccac gccgacgccg agtttcagga	540
gcgtcttcaa gaagatacgt cttttggggg caacctcggg cgagcagtct tccaggccaa	600
gaagcggggtt ctogaacctc tcgggtctggt tgaggaaggc gctaagacgg ctcttgaaa	660
gaagagaccc atagaatccc ccgactcttc caccggcctc ggcaagaaag gccagcagcc	720
cgctaaaaag agactcaact ttgggcagac tggcgactca gagtcagtgc ccgaccctca	780
accaatcgga gaaccccccg caggccccctc tgggtctggga tctggcacia tggtgcagg	840
cggtggcgct ccaatggcag acaataacga aggcgcgcgac ggagtgggta gttcctcagg	900
aaattggcat tgcgattcca catggctggg cgacagagtc atcaccacca gcacccgaac	960
ctggggccctc cccacctaca acaaccacct ctacaagcaa atctccaacg ggacatcggg	1020
aggaagcacc aacgacaaca cctacttcgg ctacagcacc ccctgggggt attttgactt	1080
taacagattc cactgccact tctcaccacg tgactggcag cgactcatca acaacaactg	1140
gggattccgg cccaagagac tcaacttcaa gctcttcaac atccagggtca aggaggtcac	1200
gcagaatgaa ggcaccaaga ccatcgccaa taaccttacc agcacgattc aggtctttac	1260
ggactcggaa taccagctcc cgtacgtcct cggctctgag caccagggct gcctgcctcc	1320
gttcccggcg gacgtcttca tgattcctca gtacgggtac ctgactctga acaacggcag	1380
tcaggccgtg ggccgttcct ccttctactg cctggagtac tttccttctc aaatgctgag	1440
aacgggcaac aactttgagt tcagctacca gtttgaggac gtgccttttc acagcagcta	1500
tgcgcacagc caaagcctgg accggctgat gaacccccctc atcgaccagt acctgtacta	1560
cctgtctcgg actcagtcca cgggaggtac cgcaggaact cagcagttgc tattttctca	1620
ggccgggcct aataacatgt cggctcaggc caaaaactgg ctacccgggc cctgctaccg	1680
gcagcaacgc gtctccacga cagtgtcgca aaataacaac agcaactttg cttggaccgg	1740
tgccaccaag tatcatctga atggcagaga ctctctggta aatcccggtg tcgctatggc	1800
aacgcacaag ggcgacgaag agcgattttt tccatccagc ggagtcttga tgtttgggaa	1860
acaggagct ggaaaagaca acgtagacta tagcagcgtt atgctaacca gtgaggaaga	1920
aatcaaaacc accaaccagc tggccacaga acagtacggc gtggtggccg ataacctgca	1980
acagcaaaac gccgtccta ttgtaggggc cgtcaacagt caaggagcct tacctggcat	2040
ggtctggcag aaccgggacg tgtacctgca gggctctatc tgggccaaga ttcttcacac	2100
ggacggcaac tttcatcctt cgccgctgat gggaggcttt ggactgaaac acccgctcc	2160

tcagatcctg attaagaata cacctgttcc cgcggtacct ccaactacct tcagtcaagc 2220  
 caagctggcg tcgttcatca cgagttacag caccggacag gtcagcgtgg aaattgaatg 2280  
 ggagctgcag aaagagaaca gcaagcgtg gaaccagag attcagtata cttccaacta 2340  
 ctacaaatct acaaagtgtg actttgctgt caatactgag ggtacttatt cagagcctcg 2400  
 ccccatgtgg acccgttacc tcaccgtaa cctgtaattg cctgttaatc aataaacggg 2460  
 ttgattcgtt tcagttgaac tttggtctca agggcgaatt c 2501

<210> 31  
 <211> 3113  
 <212> DNA  
 <213> new AAV serotype, clone 42.13

<400> 31  
 gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60  
 gcgtcgacaa gatggtgatc tgggtggagg agggcaagat gacggccaag gtcgtggagt 120  
 ccgccaaggc cattctcggc ggcagcaagg tgcgctgga ccaaaagtgc aagtcgtccg 180  
 cccagatcga tcccaccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg 240  
 acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg 300  
 aactcaccgg ccgtctggag catgactttg gcaaggtgac aaagcaggaa gtcaaagagt 360  
 tcttcgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg 420  
 gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct 480  
 gcccctcagt cgcggtacca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540  
 acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600  
 agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660  
 gttcagaatg tttccccggc gtgtcagaat ctcaaccggc cgtcagaaag aggacgtatc 720  
 ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780  
 gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840  
 ggtatggctg ccgatggtta tcttcagat tggctcgagg acaacctctc tgagggcatt 900  
 cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag 960  
 gacgacggcc ggggtctggt gcttctctggc tacaagtacc tcggaccctt caacggactc 1020  
 gacaaggggg agcccgtaa cgcgggcgac gcagcggccc tcgagcacga caaggcctac 1080  
 gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag 1140  
 tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcggggc agcagtcttc 1200  
 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260  
 cctggaaaga agagacccat agaatcccc gactcctcca cgggcatcgg caagaaaggc 1320  
 cagcagcccc ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtgtcc 1380

```

gacctcaac caatcggaga acccccccga gggccctctg gtctgggatc tgggtacaatg 1440
gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg agtgggtagt 1500
tcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcac caccaccagc 1560
accogaacct gggccctccc cacctacaac aaccacctct acaagcaaat ctccaacggg 1620
acatcgggag gaagcaccaa cgacaacacc tacttcgggt acagcacccc ctgggggtat 1680
tttgacttta acagattcca ctgccacttc tcaccacgtg actggcagcg actcatcaac 1740
aacaactggg gattccggcc caagagactc aacttcaagc tcttcaacat ccagggtcaag 1800
gaggtcacgc agaataagg caccaagacc atcgccaata accttaccag cagattcag 1860
gtctttacgg actcgaata ccagctcccg tacgtcctcg gctctgcgca ccagggctgc 1920
ctgcctccgt tccggcgga cgtcttcattg attcctcagt acgggtacct gactctgaac 1980
aacggcagtc aggcggtggg ccgttcctcc ttctactgcc tggagtactt tccttctcaa 2040
atgctgagaa cgggcaacaa ctttgagttc agctaccagt ttgaggacgt gccttttcac 2100
agcagctatg cgcacagcca aagcctggac cggctgatga acccctcat cgaccagtac 2160
ctgtactacc tgtctcggac tcagtccacg ggaggtaccg caggaaactca gcagttgcta 2220
ttttctcagg ccgggcctaa taacatgtcg gctcaggcca aaaactggct acccgggccc 2280
tgctaccggc agcaacgcgt ctccacgaca gtgtcgcaaa ataacaacag caactttgct 2340
tggaccggtg ccaccaagta tcattctgaat ggcagagact ctctggtaaa tcccggtgct 2400
gctatggcaa cgcacaaggg cgacgaagag cgattttttc catccagcg agtcttgatg 2460
tttgggaaac agggagctgg aaaagacaac gtggactata gcagcgttat gctaaccagt 2520
gaggaagaaa taaaaccac caaccagtg gccacagaac agtacggcgt ggtggccgat 2580
aacctgcaac agcaaacgc cgctcctatt gtaggggccg tcaacagtca aggagcctta 2640
cctggcatgg tctggcagaa ccgggacgtg tacctgcagg gtcctatctg ggccaagatt 2700
cctcacacgg acggcaactt tcctccttcg ccgctgatgg gaggctttgg actgaaacac 2760
ccgcctctc agatcctgat taagaatata cctgttcccg cggatcctcc aactaccttc 2820
agtcaagcca agctggcgtc gttcatcacg cagtacagca ccggacaggt cagcgtggaa 2880
attgaatggg agctgcagaa agagaacagc aagcgctgga acccagagat tcagtatact 2940
tccaactact acaaactctac aaatgtggac tttgctgtca atactgaggg tacttattca 3000
gagcctcgcc ccattggcac ccgttacctc acccgtagcc tgtaattgcc tgttaatcaa 3060
taaaccgggt gattcgtttc agttgaactt tggctctctgc gaagggcgaa ttc 3113

```

```

<210> 32
<211> 3113
<212> DNA
<213> new AAV serotype, clone 42.3a

```

<400> 32  
 gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60  
 gcgtcgacaa gatggtgatc tgggtggagg agggcaagat gacggccaag gtcgtggagt 120  
 ccgccaaggc cattctcggc ggcagcaagg tgcgctgga ccaaaagtgc aagtcgtccg 180  
 cccagatcga tcccccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg 240  
 acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg 300  
 aactcaccgg ccgtctggag catgactttg gcaagggtgac aaagcaggaa gtcaaagagt 360  
 tcttcgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg 420  
 gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct 480  
 gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540  
 acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg cttccctgca 600  
 agacatgcga gagaatgaat cagaatttca gcatttgctt cacgcacggg accagagact 660  
 gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaaag aggacgtatc 720  
 ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780  
 gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840  
 ggtatggctg ccgatggtca tcttcagat tggctcgagg acaacctctc tgagggcatt 900  
 cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag 960  
 gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020  
 gacaaggggg agcccgtaaa cgcggcgagc gcagcggccc tcgagcacga caaggcctac 1080  
 gaccagcagc tcaaagcggg tgacaatccg tacctgcggg ataaccacgc cgacgccgag 1140  
 tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggag agcagtcttc 1200  
 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260  
 cctggaaaaga agagacccat agaatcccc gactcctcca cgggcatcgg caagaaaggc 1320  
 cagcagcccc ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtcccc 1380  
 gaccctcaac caatcggaga accccccgca ggccctctg gtctgggatc tgggtacaatg 1440  
 gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg agtgggtagt 1500  
 tcctcaggaa attggcattg cgattccaca tagctgggag acagagtcac caccaccagc 1560  
 acccgaacct gggccctccc cacctacaac aaccacctct acaagcaaatt ctccaacggg 1620  
 acatcgggag gaagcaccaa cgacaacacc taactcggct acagcacccc ctgggggtat 1680  
 tttgacttta acagattcca ctgccacttc tcaccacgtg actggcagcg actcatcaac 1740  
 aacagctggg gattccggcc caagagactc aacttcaagc tcttcaacat ccaggtcaag 1800  
 gaggtcacgc agaataagc caccaagacc atcgccaata accttaccag cagattcag 1860  
 gtctttacgg actcgggaata ccagctcccg tacgtcctcg gctctgcgca ccagggtcgc 1920



ctgcctccgt tcccggcgga cgtcttcatg attcctcagt acgggtacct gactctgaac 1980  
 aacggcagtc aggccgtggg ccgttcctcc ttctactgcc tggagtactt tcctttctcaa 2040  
 atgctgagaa cgggcaacaa ctttgagttc agctaccagt ttgaggacgt gccttttcac 2100  
 agcagctacg cgcacagcca aagcctggac cggctgatga accccctcat cgaccagtac 2160  
 ctgtactacc tgtctcggac tcagtccacg ggaggtaccg caggaactca gcagttgcta 2220  
 ttttctcagg cggggcctaa taacatgtcg gctcaggcca aaaactgggt acccgggccc 2280  
 tgctaccggc agcaacgcgt ctccacgaca ctgtcgcaaa ataacaacag caactttgct 2340  
 tggaccggtg ccaccaagta tcatctgaat ggcagagact ctctggtaaa tcccgggtgc 2400  
 gctatggcaa cgcacaagga cgacgaagag cgattttttc catccagcgg agtcttgatg 2460  
 tttgggaaac agggagctgg aaaagacaac gtggactata gcagcgttat gctaaccagt 2520  
 gaggaagaaa tcaaaaccac caaccagtg gccacagaac agtacggcgt ggtggccgat 2580  
 aacctgcaac agcaaaacgc cgctcctatt gtaggggccc tcaacagtca aggagcctta 2640  
 cctggcatgg tctggcagaa ccgggacgtg tacctgcagg gtcctatctg ggccaagatt 2700  
 cctcacacgg acggcaactt tcatccttcg ccgctgatgg gaggccttgg actgaaacac 2760  
 ccgcctcctc agatcctgat taagaatata cctgttcccg cggatcctcc aactaccttc 2820  
 agtcaagcca agctggcgtc gttcatcacg cagtacagca ccggacaggt cagcgtggaa 2880  
 attgaatggg agctgcagaa agagaacagc aagcgtgga acccagagat tcagtatact 2940  
 tccaactact acaaactctac aaatgtggac tttgctgtca atactgaggg tacttattca 3000  
 gagcctcgcc ccattggcac ccgttacctc acccgttaacc tgtaattgcc tgttaatcaa 3060  
 taaaccgggt aattcgtttc agttgaactt tggctctctgc gaagggcgaa ttc 3113

<210> 33  
 <211> 2504  
 <212> DNA  
 <213> new AAV serotype, clone 42.4

<400> 33  
 gaattcggcc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60  
 gcgtcgacaa gatggtgatc tgggtggagg agggcaagat gacggccaag gtcgtggagt 120  
 ccgccaaggc cattcatcat ctgctggggc gggctcccga gattgcttgc tcggcctgcg 180  
 atctggtcaa cgtggacctg gatgactgtg tttctgagca ataatgact taaaccaggt 240  
 atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc 300  
 gagtgggtggg acttgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac 360  
 gacggccggg gtctggtgct tcctggctac aagtacctcg gacccttcaa cggactcgac 420  
 aaggagagc cgttcaacga ggcagacgcc gcggccctcg agcacgacaa ggcctacgac 480  
 aagcagctcg agcaggggga caaccgtac ctcaagtaca accacgccga cgccgagttt 540

caggagcgtc ttcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttccag	600
gccaagaagc gggttctcga acctctcggt ctgggtgagg aaggcgctaa gacggctcct	660
ggaaagaaga gacccataga atccccgcac tcctccacgg gcatcggcaa gaaaggccag	720
cagcccgccta aaaagaagct caactttggg cagactggcg actcagagtc agtgcccgcac	780
cctcaaccaa tcggagaacc ccccgagggc ccctctgggtc tgggatctgg tacaatggct	840
gcaggcgggtg gcgctccaat ggcagacaat aacgaaggcg ccgacggagt gggtaatgcc	900
tccggaaatt ggcatcgca ttccacatgg ctgggcgaca gagtcatcac caccagcacc	960
cgcacctggg ccctgcccac ctacaacaac cacctctaca agcagatata aagtcagagc	1020
ggggctacca acgacaacca cttcttcggc tacagcacc cctggggcta ttttgacttc	1080
aacagattcc actgccactt ctcatcacgt gactggcagc gactcatcaa caacaactgg	1140
ggattccggc ccaagagact caacttcaag ctcttcaaca tccagggtcaa ggaggtcacg	1200
cagaatgaag gcaccaagac catcgccaat aaccttacca gcacgattca ggtctttacg	1260
gactcggaat accggctccc gtacgtcctc ggctctgcgc accagggctg cctgcctccg	1320
ttcccggcgg acgtcttcat gattcctcag tacgggtacc tgactctgaa caacggcagt	1380
caggccgtgg gccgttcctc cttctactgc ctggagtact ttccttctca aatgctgaga	1440
acgggcaaca actttgagtt cagctaccag tttgaggacg tgccctttca cagcagctac	1500
gcgcacagcc aaagcctgga ccggctgatg aacccctca tcgaccagta cctgtactac	1560
ctgtctcgga ctcagtcac gggaggtagc gcaggaactc agcagttgct atttctcag	1620
gccgggccta ataacatgtc ggctcaggcc aaaaactggc taccggggcc ctgctaccgg	1680
cagcaacgcg tctccacgac actgtcgcaa aataacaaca gcaactttgc ttggaccgggt	1740
gccaccaagt atcatctgaa tggcagagac tctctggtaa atcccggtgt cgctatggca	1800
acgcacaagg acgacgaaga gcgattttt ccacccagcg gactcttgat gtttgggaaa	1860
caggagctg gaaaagacaa cgtggactat agcagcgta tgctaaccag tgaggaagaa	1920
atcaaaacca ccaaccaggt ggccacagaa cagtacggcg tggggccga taacctgcaa	1980
cagcaaaacg ccgctcctat tgtaggggcc gtcaacagtc aaggagcctt acctggcatg	2040
gtctggcaga accgggacgt gtacctgcag ggtcctatct gggccaagat tcctcacacg	2100
gacggcaact ttcattcctt gccgctgatg ggaggctttg gactgaaaca cccgcctcct	2160
cagatcctga ttaagaatac acctgttccc gcggatcctc caactacctt cagtcaagcc	2220
aagccggcgt cgttcacac gcagtacagc accggacagg tcagcgtgga aattgaatgg	2280
gagctgcaga aagagaacag caagcgctgg aaccagaga ttcagtatac ttccaactac	2340
tacaaatcta caaatgtgga ctttgctgtc aatactgagg gtacttattc agagcctcgc	2400
cccattggca cccgttacct caccgtaac ctgtaattgc ctgttaatca ataaaccgggt	2460

taattcgttt cagttgaact ttggtctctg cgaagggcga attc

2504

<210> 34

<211> 3106

<212> DNA

<213> new AAV serotype, clone 42.5a

<400> 34

gaattcgccc ttctacggct gcgtcaactg gaccaatgag aactttccct tcaacgattg	60
cgtcgacaag atggtgatct ggtgggagga gggcaagatg acggccaagg tcgtggagtc	120
cgccaaggcc attctcggcg gcagcaaggt gcgcgtggac caaaagtgc agtcgtccgc	180
ccagatcgac cccacccccg tgatcgtcac ctccaacacc aacatgtgcg ccgtgattga	240
cgggaaacagc accaccttcg agcaccagca gccgttgacg gaccggatgt tcaaatttga	300
actcaccgcg cgtctggagc atgacttttg caaggcgaca aagcaggaag tcaaagagtt	360
cttccgctgg gcgcaggatc acgtgaccga ggtggcgcac gagttctacg tcagaaaggg	420
tggagccaac aagagacccg ccccgatga cgcgataaaa agcgagccca agcgggcccg	480
cccctcagtc gcggatccat cgacgtcaga cgcggaagga gctccggtgg actttgccga	540
caggtaccaa aacaaatgtt ctcgtcacgc gggcatgctt cagatgctgt ttccctgcaa	600
aacatgcgag agaataatc agaatttcaa catttgcttc acgcacggga ccagagactg	660
ttcagaatgt ttccccggcg tgtcagaatc tcaaccggtc gtcagaaaga ggacgtatcg	720
gaaactctgt gccattcatc atctgctggg gcgggctccc gagattgctt gctcggcctg	780
cgatctggtc aacgtggacc tggatgactg tgtttctgag caataaatga cttaaaccag	840
gtatggctgc cgatggttat cttccagatt ggctcgagga caacctctct gagggcattc	900
gcgagtgggtg ggacttgaaa cctggagccc cgaaacccaa agccaaccag caaaagcagg	960
acgacggccg gggctctggtg cttcctggct acaagtacct cggacccttc aacggactcg	1020
acaagggaga gccggtcaac gaggcagacg ccgcgggcct cgagcacgac aaggcctacg	1080
acaagcagct cgagcagggg gacaacccgt acctcaagta caaccacgcc gacgccgagt	1140
ttcaggagcg tcttcaagaa gatactctt ttgggggcaa cctcgggcga gcagtcttcc	1200
gggccaagaa gcgggttctc gaacctctcg gtctggttga ggaaggcgct aagacggctc	1260
ctggaaagaa gagaccata gaatcccccg actcctccac gggcatcggc aagaaaggcc	1320
agcagcccgc taaaaagaag ctcaactttg ggcagactgg cgactcagag tcagtgcccg	1380
acccccaacc tctcgagaa cctcccgccg cgcctcagg tctgggatct ggtacaatgg	1440
ctgcaggcgg tggcgacca atggcagaca ataacgaagg cgccgacgga gtgggtaatg	1500
cctccgaaa ttggcattgc gattccacat ggctgggcga cagagtcac accaccagca	1560
ccgcacctg ggcctgccc acctacaaca accacctcta caagcagata tcaagtcaga	1620
gcggggctac caacgacaac cacttcttcg gctacagcac cccctggggc tattttgact	1680

```

tcaacagatt ccaactgccac ttctcaccac gtgactggca gcgactcatc aacaacaacc 1740
ggggattccg gcccagaaag ctgcggttca agttgttcaa catccaggtc aaggagggtca 1800
cgacgaacga cggcggttacg accatcgcta ataaccttac cagcacgatt cagggtcttct 1860
cggactcgga gtaccaactg ccgtacgtcc tcggtctctgc gcaccagggc tgcctccctc 1920
cgttccctgc ggacgtgttc atgattcctc agtacggata tctgactcta aacaacggca 1980
gtcagtctgt gggacgttcc tccttctact gcctggagta ctttccttct cagatgctga 2040
gaacgggcaa taactttgaa ttcagctacc agtttgagga cgtgcccttt cacagcagct 2100
acgcgcacag ccaaagcctg gaccggctga tgaacccct catcgaccag tacctgtact 2160
acctgtctcg gactcagtcc acgggaggta ccgcaggaac tcagcagttg ctatcttctc 2220
aggccggggc taataacatg tcggctcagg ccaaaaactg gctaccggg ccctgctacc 2280
ggcagcaacg cgtctccacg aactgtctgc aaaataacaa cagcaacttt gcttggaccg 2340
gtgccaccaa gtatcatctg aatggcagag actctctggt aaatcccggt gtcgctatgg 2400
caacgcacaa ggacgacgaa gagcgatttt ttccatccag cggagtcttg atgtttggga 2460
aacagggagc tggaaaagac aacgtggact atagcagcgt tatgctaacc agtgaggaag 2520
aatcaaaac caccaacca gtggccacag aacagtacgg cgtggtggcc gataacctgc 2580
aacagcaaaa cgccgctcct attgtagggg ccgtcaacag tcaaggagcc ttacctggca 2640
tggcctggca gaaccgggac gtgtacctgc agggtcctat ctgggccaag attcctcaca 2700
cggacggcaa ctttcatcct tcgccgctga tgggaggctt tggactgaaa caccgcctc 2760
ctcagatcct gattaagaat acacctgttc ccgcggatcc tccaactacc ttcagtcaag 2820
ccaagctggc gtcgttcatc acgcagtaca gcaccggaca ggtcagcgtg gaaattgaat 2880
gggagctgca gaaagagaac agcaagcgtt ggaaccaga gattcagtat acttccaact 2940
actacaaatc tacaaatgtg gactttgctg tcaatactga gggacttat tcagagcctc 3000
gccccattgg caccggttac ctcaccgta acctgtaatt gcctgttaat caataaccg 3060
gttaattcgt ttcagttgaa ctttggcttc tgcaagggc gaattc 3106

```

&lt;210&gt; 35

&lt;211&gt; 2489

&lt;212&gt; DNA

&lt;213&gt; new AAV serotype, clone 42.10

&lt;400&gt; 35

```

gaattcgccc ttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
gcgtcgacaa gatggtgatc tgggtggagg agggcaagat gacggccaag gtcgtgaagt 120
ccgccaaagg cattcatcat ctgctggggc gggctcccgga gattgcttgc tcggcctgcg 180
atctggtcaa cgtggacctg gatgactgtg tttctgagca ataaatgact taaaccaggt 240
atggctgccc atgggttatct tcagattgg ctcgaggaca acctctctga gggcattcgc 300

```

gagtgggtggg	acttgaaacc	tggagccccg	aaacccaaag	ccaaccagca	aaagcaggac	360
gacggccggg	gtctggtgct	tcctggctac	aagtacctcg	gacccttcaa	cggactcgac	420
aagggagagc	cggccaacga	ggcagacgcc	gcggccctcg	agcacgacaa	ggcctacgac	480
aagcagctcg	agcaggggga	caaccctgac	ctcaagtaca	accacgccga	cgccgagttt	540
caggagcgtc	ttcaagaaga	tacgtctttt	gggggcaacc	tcgggcgagc	agtcttccag	600
gccaagaagc	gggttctcga	acctctcggt	ctggttgagg	aaggcgctaa	gacggctcct	660
ggaaagaaga	gacccataga	atcccccgac	tcctccacgg	gcacggcgag	gaaaggccag	720
cagcccgtca	aaaagaagct	caactttggg	cagactggcg	actcagagtc	agtgcccgac	780
cctcaaccaa	tcggagaacc	ccccgcaggc	ccctctggtc	tgggatctgg	tacaatggct	840
gcaggcgggtg	gcgctccaat	ggcagacaat	aacgaaggcg	ccgacggagt	gggtaatgcc	900
tccggaaatt	ggcattgcga	ttccacatgg	ctgggcgaca	gagtcatcac	caccagcacc	960
cgcacctggg	ccctgcccac	ctacaacaac	cacctctaca	agcagatata	aagtcagagc	1020
ggggctacca	acgacaacca	cttcttcggc	tacagcacc	cctggggcta	ttttgacttc	1080
aacagattcc	actgccactt	ctcaccacgt	gactggcgagc	gactcatcaa	caacaactgg	1140
ggattccggc	ccagaaagct	gcgggtcaag	ttgttcaaca	tccaggtcaa	ggaggtcacg	1200
acgaacgacg	gcgttacgac	catcgccaat	aaccttacca	gcacgattca	ggtcttctcg	1260
gactcggagt	accaactgcc	gtacgtcctc	ggctctgcmc	accagggctg	cctccctccg	1320
ttccctgcgg	acgtgttcat	gattcctcag	tacggatata	tgactctaaa	caacggcagt	1380
cagtctgtgg	gacgttcctc	cttctactgc	ctggagtact	ttccttctca	gatgctgaga	1440
acgggcaata	actttgaatt	cagctacacc	tttgaggaag	tgcttttcca	cagcagctat	1500
gcgcacagcc	agagcctgga	ccggctgatg	aatccctca	tcgaccagta	cctgtactac	1560
ctggcccggg	cccagagcac	tacgggggtcc	acaagggagc	tgagtttcca	tcaggctggg	1620
cccaacacca	tggccgagca	atcaaagaac	tggctgcccg	gaccctgtta	tcggcagcag	1680
agactgtcaa	aaaacataga	cagcaacaac	aacagtaact	ttgcctggac	cggggccact	1740
aaataccatc	tgaatggtag	aaattcatta	accaaccggg	gcgtagccat	ggccaccaac	1800
aaggacgacg	aggaccagtt	ctttcccatc	aacggagtgc	tggttttttg	caaaacgggg	1860
gctgccaaca	agacaacgct	ggaaaacgtg	ctaataacca	gcgaggagga	gatcaaaacc	1920
accaatcccg	tggctacaga	agaatacggg	gtggtctcca	gcaacctgca	atcgtctacg	1980
gccggacccc	agacacagac	tgtcaacagc	cagggggctc	tgcccggcat	ggtctggcag	2040
aaccgggacg	tgtacctgca	gggtcccatc	tgggccaaaa	ttcctcacac	ggacggcaac	2100
tttcacccgt	ctcccctgat	gggcggattt	ggactcaaac	acccgcctcc	tcaaattctc	2160
atcaaaaaca	ccccggtacc	tgctaatact	ccagaggtgt	ttactcctgc	caagtttgcc	2220

tcattttatca cgcagtagacag caccggccag gtcagcgtgg agatcgagtg ggaactgcag 2280  
 aaagaaaaca gcaaacgctg gaatccagag attcagtaca cctcaaatta tgccaagtct 2340  
 aataatgtgg aatttgctgt caacaacgaa ggggtttata ctgagcctcg cccattggc 2400  
 acccgttacc tcaccgtaa cctgtaattg cctgttaatc aataaaccgg ttaattcggt 2460  
 tcagttgaac tttggtcaag ggcgaattc 2489

<210> 36  
 <211> 2495  
 <212> DNA  
 <213> new AAV serotype, clone 42.3b

<400> 36  
 gaattcgccc tttctacggc tgcgtcaact agaccaatga gaactttccc ttcaacgatt 60  
 gcgtcgacaa gatggtgatc tgggtggagg agggcaagat gacggccaag gtcgtggagt 120  
 ccgccaaggc cattcatcat ctgctggggc gggctccga gattgcttgc tcggcctgcg 180  
 atctggtcaa cgtggacctg gatgactgtg tttctgagca ataatgact taaaccagggt 240  
 atggctgccg atggttatct tccagattgg ctgaggaca acctctctga gggcattcgc 300  
 gagtgggtggg acttgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac 360  
 gacggccggg gtctggtgct tcctggctac aagtacctcg gacccttcaa cggactcgac 420  
 aaggagagc cgggtcaacga ggcagacgcc gcggccctcg agcacgacaa ggcctacgac 480  
 aagcagctcg agcaggggga caaccgtag ctcaagtaca accacgccga cgcgagttt 540  
 caggagcgtc ttcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttccag 600  
 gccaaagaagc ggggttctga acctctcggt ctggttgagg aaggcgctaa gacggctcct 660  
 ggaaagaaga gacctataga atccccgac tcctccacgg gcatcgcaa gaaaggccag 720  
 cagcccgtc aaaagaagct caactttggg cagactggcg actcagagtc agtgcccgac 780  
 cctcaaccaa tcggagaacc ccccgaggc ccctctggtc tgggatctgg tacaatggct 840  
 gcaggcgggtg gcgctccaat ggcagacaat aacgaaggcg ccgacggagt gggtaatgcc 900  
 tccggaaatt ggcattgcga ttccacatgg ctgggcgaca gagtcatcac caccagcacc 960  
 cgcacctggg ccctgcccac ctacaacaac cacctctaca agcagatatc aagtcagagc 1020  
 ggggctacca acgacaacca cttcttcggc tacagcacc cctggggcta ttttgacttc 1080  
 aacagattcc actgccactt ctaccacgt gactggcagc gactcatcaa caacaactgg 1140  
 ggattccggc ccagaaagct gcggttcaag ttgttcaaca tccaggtaa ggaggtcacg 1200  
 acgaacgacg gcgttacgac catcgctaataaaccttacca gcacgattca ggtcttctcg 1260  
 gactcggagt accaactgcc gtacgtctc ggctctgcgc accagggtcg cctccctccg 1320  
 ttccctgcgg acgtgttcat gattcctcag tacggatatc tgactctaaa caacggcagt 1380  
 cagtctgtgg gacgttcctc cttctactgc ctggagtact ttccttctca gatgctgaga 1440

```

acgggcaata actttgaatt cagctacacc tttgaggaag tgcctttcca cagcagctat 1500
gcgcacagcc agagcctgga cgggtgatg aatccccctca tcgaccagta cctgtactac 1560
ctggcccggga cccagagcac tacgggggtcc acaaggggagc tgcagttcca tcaggctggg 1620
cccaacacca tggccgagca atcaaagaac tggtgccccg gaccctgtta tcggcagcag 1680
agactgtcaa aaaacataga cagcaacaac accagtaact ttgcctggac cggggccact 1740
aaataccatc tgaatggtag aaattcatta accaaccggg gcgtagccat ggccaccaac 1800
aaggacgacg aggaccagtt ctttcccatc aacggagtgc tggtttttgg caaaacgggg 1860
gctgccaaaca agacaacgct ggaaaacgtg ctaatgacca gcgaggagga gatcaaaacc 1920
accaatcccg tggctacaga acagtacggt gtggtctcca gcaacctgca atcgtctacg 1980
gccggacccc agacacagac tgtcaacagc caggggggtc tgcccgcat ggtctggcag 2040
aaccgggacg tgtacctgca gggccccatc tggggccaaa ttcctcacac ggacggcaac 2100
tttcccccgt cttccctgat gggcggattt ggactcaaac acccgctcc tcaaattctc 2160
atcaaaaaca ccccggtacc tgctaactct ccagaggtgt ttactcctgc caagtttgcc 2220
tcatttatca cgcagtacag caccggccag gtcagcgtgg agatcgagtg ggaactgcag 2280
aaagaaaaca gcaaacgctg gaatccagag attcagtaca cctcaaatta tgccaagtct 2340
aataatgtgg aatttgctgt caacaacgaa ggggtttata ctgagcctcg cccattggc 2400
acccgttacc tcaccgtaa cctgtaattg cctgttaatc aataaaccgg ttaattcggt 2460
tcagttgaac tttggtctct gcgaagggcg aattc 2495

```

```

<210> 37
<211> 3098
<212> DNA
<213> new AAV serotype, clone 42.11

```

```

<400> 37
gaattcgccc tttctacggc tgctgcaact ggaccaatga gaactttccc ttcaacgatt 60
gcgtcgacaa gatggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120
ccgccaaggc cattctcggc ggcagcaagg tgcgcggtga ccaaaagtgc aagtcttccg 180
cccagatcga tcccaccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg 240
acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg 300
aactcaccgg ccgtctggag cacgactttg gcaaggtgac aaagcaggaa gtcaaagagt 360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg 420
gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct 480
gccccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
agacatgcga gagaatgaat cagaatttca acatttgctt cagcacggg accggagact 660

```

gttcagaatg tttccccggc gtgtcagaat ctcaaccggc cgtcagaaag aggacgtatc	720
ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct	780
gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca	840
ggtatggctg ccgatgggta tcttcagat tggctcgagg acaacctctc tgagggcatt	900
cgcgagtggg gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag	960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc	1020
gacaagggag agccggtcaa cgcggcggac gcagcggccc tcgagcacga caaggcctac	1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggg ataaccacgc cgacgccgag	1140
tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc	1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct	1260
cctggaaaga agagacccat agaatcccc gactcctcca cgggcatcgg caagaaaggc	1320
cagcagcccg ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtgcgc	1380
gacctcaac caatcggaga acccccgca gggccctctg gtctgggatc tgggtacaatg	1440
gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg agtgggtaat	1500
gcctccggaa attggcattg cgattccaca tggctgggcg acagagtcac caccaccagc	1560
acccgcacct gggccctgcc cacctacaac aaccacctct acaagcagat atcaagtcag	1620
agcggggcta ccaacgacaa ccacttcttc ggctacagca cccctgggg ctattttgac	1680
ttcaacagat tccactgcc cttctacca cgtgactggc agcgactcat caacaacaac	1740
tggggattcc ggcccagaaa gctgcgggtc aagttgttca acatccaggt caaggaggtc	1800
acgacgaacg acggcggttac gaccatcgct aataacctta ccagcacgat tcaggtcttc	1860
tcggactcgg agtaccaact gccgtacgtc ctcggctctg cgcaccaggg ctgcctcct	1920
ccgttccctg cggacgtggt catgattcct cagtacggat atctgactct aaacaacggc	1980
agtcagtctg tgggacgttc ctccttctac tgcttgaggt actttccttc tcagatgctg	2040
agaacgggca ataactttga attcagctac acctttgagg aagtgccttt ccacagcagc	2100
tatgcgcaca gccagagcct ggaccggctg atgaatcccc tcatcgacca gtacctgtac	2160
tacctggccc ggaccagag cactacgggg tccacaaggg agctgcagtt ccatcaggct	2220
gggccaaca ccatggccga gcaatcaaag aactggctgc ccggaccctg ttatcggcgg	2280
cagagactgt caaaagacat agacagcaac aacaacagta actttgcctg gaccggggcc	2340
actaaatacc atctgaatgg tagaaattca ttaaccaacc cgggcgtagc catggccacc	2400
aacaaggacg acgaggacca gttctttccc atcaacggag tgctggtttt tggcaaacg	2460
ggggctgcc acaagacaac gctggaaaac gtgctaataa ccagcgagga ggagatcaaa	2520
accaccaatc ccgtggctac agaagaatac ggtgtggtct ccagcaacct gcaatcgtct	2580



acggccggac cccagacaca gactgtcaac agccaggggg ctctgcccgg catggtctgg 2640  
 cagaaccggg acgtgtacct gcagggtccc atctgggcca aaattcctca cacggacggc 2700  
 aactttcacc cgtctcccct gatgggcgga ttgggactca aacacccgcc tcctcaaatt 2760  
 ctcatcaaaa acaccccggt acctgctaatt cctccagagg tgtttactcc tgccaagttt 2820  
 gcctcatтта tcacgcagta cagcacgggc caggtcagcg tggagatcga gtgggaactg 2880  
 cagaaagaga acagcaaacg ctggaatcca gagattcagt acacctcaaа ttatgccaag 2940  
 tctaataatg tggaatttgc tgtcaacaac gaagggttt atactgagcc tcgccccatt 3000  
 ggcacccgtt acctaccccg taacctgtaa ttacttgтта atcaataaac cggttgattc 3060  
 gtttcagttg aactttggtc tctgcgaagg gcgaattc 3098

<210> 38  
 <211> 3276  
 <212> DNA  
 <213> new AAV serotype, clone 42.6a

<400> 38  
 gaattcgccc ttgcagaga ccaaagttca actgaaacga attaaccggt ttattgatta 60  
 acaggcaatt acaggttacg ggtgaggtaa cgggtgccaa tggggcgagg ctcagtataa 120  
 accccttcgt tgttgacagc aaattccaca ttattagact tggcataatt tgagggttac 180  
 tgaatctctg gattccagcg tttgctgttt tctttctgca gttcccactc gatctccacg 240  
 ctgacctggc cgggtgctgta ctgctgata aatgaggcaa acttggcagg agtaaacacc 300  
 tctggaggat tagcaggtag cggggtgttt ttgatgagaa tttgaggagg cgggtgtttg 360  
 agtccaaatc cgtccatcag gggagacggg tgaaagttgc cgtccgtgtg aggaattttg 420  
 gccagatgg gacctgcag gtacacgtcc cggttctgcc agaccatgcc gggcagagcc 480  
 ccctggctgt tgacagtctg tgtctggggt ccggccgtag acgattgcag gttgctggag 540  
 accacaccgt attcttctgt agccacggga ttggtggttt tgatctcctc ctgctgggtc 600  
 attagcacgt tttccagcgt tgtcttgttg gcagcccccg ttttgccaaa aaccagcact 660  
 ccgttgatgg gaaagaactg gtctctgtcg tccttgttgg tggccatggc tacgcccggg 720  
 ttggttaatg aatttctacc attcagatgg tatttagtgg ccccggtcca ggcaaagtta 780  
 ctgttgttgt tgctgtctat gttttttgac agtctctgct gccgataaca ggggtccgggc 840  
 agccagttct ttgattgctc ggccatggtg ttggggccag cctgatggaa ctgcagctcc 900  
 cttgtggacc ccgtagtgtc ctgggtccgg gccaggtagt acaggtagt gtcgatgagg 960  
 ggattcatca gccgggtccag gctctggcta tgccatagc tgctgtggaa aggcacttcc 1020  
 tcaaagggtg agctgaattc aaagtatttg ccggttctca gcattctgaga aggaaagtac 1080  
 tccaggcagt agaaggagga acgtcccaca gactgactgc cgttggttag agtcagatat 1140  
 ccgtactgag gaatcatgaa cacgtccgca gggaacggag ggaggcagcc ctggtgcgca 1200

gagccgagga cgtacggcag ttggtactcc gagtccgaga agacctgaat cgtgctggta	1260
aggttatttag cgatggtcgt aacgccgtcg tccgtcgtga cctccttgac ctggatgttg	1320
aacaacttga accgcagctt tctgggccgg aatccccagt tgttgttgat gagtcgctgc	1380
cagtcacgtg gtgagaagtg gcagtggaaat ctgttaaagt caaaataccc ccaggggggtg	1440
ctgtagccga agtaggtgtt gtcgttggtg cttcctcccg atgtcccggt ggagatttgc	1500
ttgtagaggt ggttggtgta ggtggggagg gccaggttc ggggtgctggt ggtgatgact	1560
ctgtcgccca gccatgtgga atcgcaatgc caatttcctg aggaactacc cactccgtcg	1620
gcgccttcgt tattgtctgc cattggagcg ccaccgcctg cagccattgt accagatccc	1680
agaccagagg ggcctgcggg gggttctccg attggttgag ggtcgggcac tgactctgag	1740
tcgccagtct gcccaaagtt gagtctcttt ttcgcgggct gctggcctgt cttgccgatg	1800
cccgtagagg agtctggaga acgctgggggt gatggctcta ccggtctctt ctttccagga	1860
gccgtcttag cgccttcctc aaccagaccg agaggttcga gaaccgcctt cttggcctgg	1920
aagactgctc gcccgagggt gccccaaaa gacgtatctt cttgaagacg ctctgaaac	1980
tcggcgctcg cgtgggttgta cttgaggtag gggttgtccc cctgctcgag ctgcttgtcg	2040
taggccttgt cgtgctcgag ggccgcggcg tctgcctcgt tgaccggctc tcccttgtcg	2100
agtccgttga aggggtccgag gtactttag ccaggaagca ccagaccccg gccgtcgtcc	2160
tgcttttgct ggttggtctt gggtttcggg gctccagggt tcaagtccca ccactcgcga	2220
atgccctcag agaggttgtc ctcgagccaa tctggaagat aaccatcggc agccatacct	2280
ggtttaagtc atttattgct cagaaacaca gtcattccagg tccacgttga ccagatcgca	2340
ggccgagcaa gcaatctcgg gagcccggc cagcagatga tgaatggcac agagtttccg	2400
atacgtcctc tttctgacga ccggttgaga ttctgacacg ccggggaaac attctgaaca	2460
gtctctggtc ccgtgcgtga agcaaagtgt gaaattctga ttcatctct cgcattgtctt	2520
gcagggaaac agcatctgaa gcatgccgc gtgacgagaa cacttgttt ggtacctgtc	2580
ggcaaagtcc accggagctc cttccgcgtc tgacgtcgat ggatgcaaaa tgtcgcaaaa	2640
gcactcacgt gacagctaata acaggaccac tcccctatga cgtgatttac gtcagcgcta	2700
tgcccgctg acgagaacat ttgttttggt acctgtcggc aaagtccacc ggagctcctt	2760
ccgcgtctga cgtcgatgga tccgcgactg aggggcaggc ccgcttgggc tcgcttttat	2820
ccgcgtcatc gggggcgggt ctcttggttg ctcaccctt tctgacgtag aactcatgcg	2880
ccacctcggt cacgtgatcc tgcgcccagc ggaagaactc tttgacttcc tgctttgtca	2940
ccttgccaaa gtcattgtcc agacggcggg tgagttcaaa tttgaacatc cggtcctgca	3000
acggctgctg gtgctcgaag gtggtgctgt tcccgtaaat cagggcgac atgttggtgt	3060
tggaagtgc gatcacggg gtgggatcga tctggcgga agacttgac ttttgggtcca	3120

cgcgacacctt gctgccgccg agaatggcct tggcggactc cagcaccttg gccgtcatct 3180  
 tgccctcctc ccaccagatc accatcttgt cgacgcaatc gttgaaggga aagttctcat 3240  
 tgggtccagtt gacgcagccg tagaaagggc gaattc 3276

<210> 39  
 <211> 3084  
 <212> DNA  
 <213> new AAV serotype, clone 43.1

<400> 39  
 gaattcgccc tttctacggc tgcataact ggaccaatga gaactttccc ttcaacgatt 60  
 gcgtcgacaa gatggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120  
 ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg 180  
 cccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240  
 acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagttcg 300  
 aactcaccgg ccgtctggag cagcactttg gcaagggtgac caagcaggaa gtcaaagagt 360  
 tcttccgctg ggcgagcagg cagctgaccg aggtggcgca tgagttctac gtcagaaagg 420  
 gcggagccag caaaagaccc gccccgatg acgcggatat aagcgagccc aagcgggcct 480  
 gccctcagt cgcgatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540  
 acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600  
 aaacgtgcga gaaaatgaat cagaatttca acatttgctt cagcacggg gtcagagact 660  
 gctcagaatg tttccccggt gcatcagaat ctcaaccggt cgtcagaaaa aaaacgtatc 720  
 agaaaactgtg tgccattcat catctgctgg ggccggcacc cgagattgct tgctcggcct 780  
 gcgatctggt caacgtggac ctggacgact gtgtttctga gcaataaatg acttaaacca 840  
 ggtatggctg ccgatggtta tcttccagat tggcttgagg acaacctctc tgagggcatt 900  
 cgcgagtggg gggacctgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag 960  
 gacgacggcc ggggtctggt gcttctggc tacaagtacc tcggaccctt caacggactc 1020  
 gacaaggggg agcccgtaa cgcgcgagc gcagcgccc tcgagcacga caaggcctac 1080  
 gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag 1140  
 tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggag agcagtcctc 1200  
 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260  
 cctggaaaaga agagaccggt agagccatca cctcagcgtt cccccgactc ctccacgggc 1320  
 atcggcaaga aagggcacca gcccgcgaga aagagactga actttgggca gactggcgac 1380  
 tcggagttag tccccgaccc tcaaccaatc ggagaaccac cagcaggccc ctctggtctg 1440  
 ggatctggtg caatggctgc aggcgggtggc gctccaatgg cagacaataa cgaaggcgcc 1500  
 gacggagtgg gtagttcctc aggaatttgg cattgcgatt ccacatggct gggcgacaga 1560

```

gtcatcacca ccagcaccgc aacctggggc ctgcccacct acaacaacca tctctacaag 1620
caaattctcca acgggacatc gggaggaagc actaacgaca acacctactt tggctacagc 1680
accccttggg ggtattttga cttcaacaga ttccactgcc acttctcacc acgtgactgg 1740
cagcgactca tcaacaataa ctggggattc cggcccaaga gactcaactt caagctcttc 1800
aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt 1860
accagcacga ttcaggtgtt tacggactcg gaataccagc tcccgtacgt ccccggtctt 1920
gcgcaccagg gctgcctccc tccgttcccc gcggacgtct tcatgattcc tcagtacggg 1980
tatctgaccc taaacaatgg cagtcaggct gtggggccgtt cctccttcta ctgcctggaa 2040
tacttccctt ctcaaagtct gaggacgggc aacaactttg aattcagcta caccttcgag 2100
gacgtgcctt tccacagcag ctacgcgcac agccagagcc tggaccggct gatgaacctt 2160
ctcatcgacc agtacctgta ttacttatcc agaactcagt ccacaggagg aactcaaggt 2220
actcagcaat tggtattttc tcaagccggg cccgcaaaca tgtcgggtca ggccaagaac 2280
tggctacctg gaccgtgtta ccgtcagcaa cgagtttcca cgacactgtc gcaaaacaac 2340
aacagcaatt ttgcttggac cgggtgccacc aagtatcacc tgaatggcag agactccctg 2400
gttaatcccc gcgttgccat ggctaccac aaggacgacg aggagcgctt cttcccgta 2460
agcggagttc taatgtttgg caagcagggg gctggaaaag acaatgtgga ctacagcagc 2520
gtgatgctca ccagcgaaga agaaattaaa actactaacc cagtggctac agagcagtat 2580
gggtgtgtgg cagacaacct gcagcagacc aacggagctc ccattgtggg aactgtcaac 2640
agccaggggg ccttacctgg tatggtctgg caaaaccggg acgtgtacct gcagggcccc 2700
atctggggcca aaattcctca cacggacggc aactttcatc cttcgccgct gatgggaggc 2760
tttgactga aacacccgcc tcctcagatc ctggtgaaaa aactcctgt tcctgcggat 2820
cctccgacca ccttcagcca ggccaagctg gcttctttta tcacgcagta cagcaccgga 2880
caggtcagcg tggaaatcga atgggagctg cagaaagaaa acagcaagcg ctggaaccca 2940
gagattcagt atacttccaa ctactacaaa tctacaaatg tggactttgc tgtcaatact 3000
gagggctactt attcagagcc tcgccccatt ggcaactcgtt atctcaccgg taatctgtaa 3060
ttgcttgcta atcaataaac cggt 3084

```

```

<210> 40
<211> 2370
<212> DNA
<213> new AAV serotype, clone 43.5

```

```

<400> 40
gaattcgccc tttctacggc tgctcaact ggaccaatga gaactttccc ttcaacgatt 60
gcgtcgacaa gatggtgatc tgggtggagg agggcaagat gacggccaag gtcgtggagt 120
ccgccaaggc cattctcggc ggcagcaagg tgcgcggtgga caaaagtgc aagtcgtccg 180

```

cccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg	240
acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagttcg	300
aactcaccgg ccgtctggag cagcactttg gcaaggtgac caagcaggaa gtcaaagagt	360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg	420
gcgagaccag caaaagaccc gccccgatg acgcggatat aagcgagccc aagcgggcct	480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agtccgggtg gactttgccg	540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagacgtg tttccctgca	600
aaacgtgcga gagaatgaat cagaatttca acatttgctt cacgcacggg gtcagagact	660
gctcagaatg tttccccggt gcatcagaat ctcaaccggg cgtcagaaaa aaaacgtatc	720
agaaactgtg tgccattcat catctgctgg ggcgggcacc cgagattgct tgctcggcct	780
gcgatctggt caacgtggac ctggacgact gtgtttctga gcaataaatg acttaacca	840
ggtatggctg ccgatggtta tcttcagat tggcttgagg acaacctctc tgagggcatt	900
cgcgagtggg gggacctgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag	960
gacgacggcc ggggtctggt gcttctggc tacaagtacc tcggaccctt caacggactc	1020
gacaaggggg agcccgtaa cgcggcgac gcagcggccc tcgagcacga caaggcctac	1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggg ataaccacgc cgacgccgag	1140
tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggag agcagtcttc	1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct	1260
cctggaaaga agagaccggg agagccatca cctcagcgtt cccccgactc ctccacgggc	1320
atcggcaaga aaggccacca gcccgcgaga aagagactga actttgggca gactggcgac	1380
tcggagtcag tccccgaccc tcaaccaatc ggagaaccac cagcaggccc ctctggtctg	1440
ggatctggtta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc	1500
gacggagtgg gtagttcctc aggaatttg cattgcgatt ccacatggct ggcgacaga	1560
gtcatcacca ccagcaccgg aacctgggccc ctgcccacct acaacaacca tctctacaag	1620
caaatctcca acgggacatc gggaggaagc actaacgaca acacctactt tggctacagc	1680
accccctggg ggtattttga cttcaacaga ttccactgcc acttctcacc acgtgactgg	1740
cagcgactca tcaacaataa ctggggattc cggcccaaga gactcaactt caagctcttc	1800
aacatccagg tcaaggaggc cagcagaat gaaggcacca agaccatcgc caataacctt	1860
accagcacga ttcagggtgt tacggactcg gaataccagc tcccgtagct cctcggctct	1920
gcgcaccagg gctgcctccc tccgttcccg gcggacgtct tcatgattcc tcagtacggg	1980
tatctgaccc taaacaatgg cagtcaggct gtgggcccgt cctccttcta ctgcctggaa	2040
tacttccctt ctcaaatgct gaggacgggc aacaactttg aattcagcta caccttcgag	2100

gacgtgcctt tccacagcag ctacgcgcac agccagagcc tggaccggct gatgaaccct 2160  
 ctcatcgacc agtacctgta ttacttatcc agaactcagt ccacaggagg aactcaagggt 2220  
 actcagcaat tgttattttc tcaagccggg cccgcaaaca tgytyggctca ggccaagaac 2280  
 tggctacctg gaccgtgtta ccgtcagcaa cgagtttcca cgacactgtc gcaaaacaac 2340  
 aacagcaatt ttgctggacc ggtgccacca 2370

<210> 41

<211> 3123

<212> DNA

<213> new AAV serotype, clone 43.12

<400> 41

gaattcgccc ttggctgcgt caactggacc aatgagaact ttcccttcaa cgattgcgtc 60  
 gacaagatgg tgatctggtg ggaggagggc aagatgacgg ccaagggtcgt ggagtcgcc 120  
 aaggccattc tcggcggcag caagggtgcgc gtggaccaa agtgcaagtc gtccgccag 180  
 atcgacccca ccccggtgat cgtcacctcc aacaccaaca tgtgcgccgt gattgacggg 240  
 aacagcacca ctttcgagca ccagcagccg ttgcaggacc ggatgttcaa gttcgaactc 300  
 acccgccgtc tggagcacga ctttggaag gtgaccaagc aggaagtcaa agagttcttc 360  
 cgctggggcg aggatcacgt gaccgaggtg gcgcatgagt tctacgtcag aaagggcgga 420  
 gccagcaaaa gaccgcgcc cgatgacgcg gatataagcg agcccaagcg ggcctgcccc 480  
 tcagtcgcgg atccatcgac gtcagacgcg gaaggagctc cgggtggactt tgccgacagg 540  
 taccaaaaca aatgttctcg tcacgcgggc atgctccaga tgctgtttcc ctgcaaaacy 600  
 tgcgagagaa tgaatcagaa tttcaacatt tgcttcacgc acgggggtcag agactgtctc 660  
 gaatgtttcc ccggtgcatc agaattctcaa ccggtcgtca gaaaaaaaaac gtatcagaaa 720  
 ctgtgtgcca ttcacatctt gctggggcgg gcacccgaga ttgcttgctc ggcctgcat 780  
 ctggtcaacg tggacctgga cgactgtgtt tctgagcaat aaatgactta aaccaggat 840  
 ggctgccgat gggtatcttc cagattggct tgaggacaac ctctctgagg gcattcgca 900  
 gtggtgggac ctgaaacctg gagccccgaa acccaaagcc aaccagcaaa agcaggacga 960  
 cggccgggggt ctggtgcttc ctggctacaa gtacctcgga cccttcaacg gactcgacaa 1020  
 gggggagccc gtcaacgcgg cggacgcagc ggccctcgag cacgacaagg cctacgacca 1080  
 gcagctcaaa gcgggtgaca atccgtacct gcggtataac cacgccgacg ccgagtttca 1140  
 ggagcgtctg caagaagata cgtcttttgg gggcaacctc gggcgagcag tcttcaggc 1200  
 caagaagcgg gttctogaac ctctcgtctt gggtgaggaa ggcgctaaga cggctcctgg 1260  
 aaagaagaga ccggtagagc catcacctca gcgttcccc gactcctcca cgggcatcgg 1320  
 caagaaaggc caccagcccg cgagaaagag actgaacttt gggcagactg gcgactcgga 1380  
 gtcagtcccc gacctcaac caatcggaga accaccagca ggccctctg gtctgggatc 1440

```

tggtacaatg gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg 1500
agtgggtagt tcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcac 1560
caccaccagc acccgaacct gggccctgcc cacctacaac aaccatctct acaagcaaata 1620
ctccaacggg acatcgggag gaagcactaa cgacaacacc tactttgggt acagcacccc 1680
ctgggggtat tttgacttca acagattcca ctgccacttc tcaccacgtg actggcagcg 1740
actcatcaac aataactggg gattccggcc caagagactc aacttcaagc tcttcaacat 1800
ccaggtcaag gaggtcacgc agaatgaagg caccaagacc atcgccaata accttaccag 1860
cacgattcag gtgtttacgg actcggaata ccagctcccg tacgtcctcg gctctgcgca 1920
ccagggctgc ctccctccgt tcccgcgga cgtcttcatg attcctcagt acgggtatct 1980
gaccctaaac aatggcagtc aggtctgtgg cgttctctcc ttctactgcc tggaataactt 2040
cccttctcaa atgctgagga cgggcaacaa ctttgaattc agctacacct tcgaggacgt 2100
gcctttccac agcagctacg cgcacagcca gagcctggac cggtgatga accctctcat 2160
cgaccagtac ctgtattact tatccagaac tcagtccaca ggaggaactc aaggtactca 2220
gcaattgtta ttttctcaag ccgggcccgc aaacatgtcg gctcaggcca agaactggct 2280
acctggaccg tgttaccgtc agcaacgagt ttccacgaca ctgtcgcaa acaacaacag 2340
caatthttgct tggaccggtg ccaccaagta tcacctgaat ggcagagact ccctggttaa 2400
tcccgcggtt gccatggcta cccacaagga cgacgaggag cgcttcttcc cgtcaagcgg 2460
agttctaata tttggcaagc agggggctgg aaaagacaat gtggactaca gcagcgtgat 2520
gctcaccagc gaagaagaaa ttaaaactac taaccagtg gctacagagc agtatggtgt 2580
ggtggcagac aacctgcagc agaccaacgg agctcccatt gtgggaactg tcaacagcca 2640
gggggcctta cctgggtatgg tctggcaaaa ccgggacgtg tacctgcagg gcccacatctg 2700
ggccaaaatt cctcacacgg acggcaactt tcctctctcg ccgctgatgg gaggtcttgg 2760
actgaaacac ccgcctcctc agatcctggt gaaaaacact cctgttcttg cggatcctcc 2820
gaccaccttc agccaggcca agctggcttc ttttatcacg cagtacagca ccggacaggt 2880
cagcgtggaa atcgaatggg agctgcagaa agaaaacagc aagcgtgga acccagagat 2940
tcagtatact tccaactact acaaactctac aaatgtggac tttgctgtca atactgaggg 3000
tacttattca gagcctcgcc ccattggcac tcgttatctc acccgtaatc tgtaattgct 3060
tggtaatcaa taaaccggtt aattcgttc agttgaactt tggctctctg gaaggcgaa 3120
ttc 3123

```

&lt;210&gt; 42

&lt;211&gt; 3122

&lt;212&gt; DNA

&lt;213&gt; new AAV serotype, clone 43.20

<400> 42  
 gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60  
 gcgctcgacaa gatggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120  
 ccgccaaggc cattctcggc ggcagcaagg tgcgtgtgga ccaaaagtgc aagtcttccg 180  
 cccagatcga tcccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240  
 acgggaacag cgccaccttc gagcaccagc agccgttgca ggaccggatg ttcaaatttg 300  
 aactcaccgg ccgtctggag catgactttg gcaaggtgac gaagcaggaa gtcaaagagt 360  
 tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagtccac gtcagaaagg 420  
 gtggagccaa caagagaccc gccccgatg acgcggatat aagcgagccc aagcgggcct 480  
 gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agtccggtg gactttgccg 540  
 acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600  
 agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660  
 gttcagaatg tttcccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc 720  
 ggaaactctg tgcgattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780  
 gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840  
 ggtatggctg ccgatggtta tcttcagat tggctcgagg acaacctctc tgagggcatt 900  
 cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag 960  
 gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020  
 gacaaggggg agcccgtaa cgcggcggac gcagcggccc tcgagcacga caaagcctac 1080  
 gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataatcacgc cgacgccgag 1140  
 tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc 1200  
 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260  
 cctggaaaga agagactggt agagcagtcg ccacaagagc cagactcctc ctcgggcatc 1320  
 ggcaagacag gccagcagcc cgctaaaaag agactcaatt ttggtcagac tggcgactca 1380  
 gagtcagtcc ccgaccaca acctctcgga gaacctccag cagccccctc aggtctggga 1440  
 cctaatacaa tggcttcagg cgggtggcgt ccaatggcag acaataacga aggcgccgac 1500  
 ggagtgggta attcctcggg aaattggcat tgcgattcca catggctggg ggacagagtc 1560  
 atcaccacca gcaccgaac ctgggcctg cccacctaca acaaccacct ctacaagcaa 1620  
 atctccaacg gcacctcggg aggaagcacc aacgacaaca cctattttgg ctacagcacc 1680  
 ccctgggggt attttgactt caacagattc cactgtcact tttcaccag tgactggcaa 1740  
 cgactcatca acaacaattg gggattccgg cccaaaagac tcaacttcaa gctgttcaac 1800  
 atccagggtca aggaagtcac gacgaacgaa ggcaccaaga ccatcgccaa taatctcacc 1860  
 agcaccgtgc aggtctttac ggactcggag taccagttac cgtacgtgct aggatccgct 1920



```

caccagggat gtctgcctcc gttcccggcg gacgtcttca cggttcctca gtacggctat 1980
ttaacttttaa acaatggaag ccaagccctg ggacgttctt ccttctactg tctggagtat 2040
ttcccatcgc agatgctgag aaccggcaac aactttcagt tcagctacac cttcgaggac 2100
gtgcctttcc acagcagcta cgcgcacagc cagagcctgg acaggctgat gaatccccctc 2160
atcgaccagt acctgtacta cctgggtcaga acgcaaacga ctggaactgg agggacgcag 2220
actctggcat tcagccaagc gggtcctagc tcaatggcca accaggctag aaattgggtg 2280
cccggaacctt gctaccggca gcagcgcgtc tccacgacaa ccaaccagaa caacaacagc 2340
aactttgcct ggacgggagc tgccaagttt aagctgaacg gccgagactc tctaataaat 2400
ccgggcgctg caatggcttc ccacaaggat gacgacgacc gcttcttccc ttcgagcggg 2460
gtcctgattt ttggcaagca aggagccggg aacgatggag tggattacag ccaagtgtg 2520
attacagatg aggaagaaat caaggctacc aaccccgctg ccacagaaga atatggagca 2580
gtggccatca acaaccaggc cgccaatacg caggcgagca ccggactcgt gcacaaccag 2640
ggggtgattc ccggcatggt gtggcagaat agagacgtgt acctgcaggg tcccatctgg 2700
gccaaaattc ctcacacgga cggcaacttt caccgctctc ccctgatggg cggctttgga 2760
ctgaagcacc cgcctcctca aattctcatc aagaacacac cggttccagc ggaccgccg 2820
cttaccttca accaggccaa gctgaactct ttcacacgc agtacagcac cggacaggtc 2880
agcgtggaaa tcgagtggga gctgcagaaa gaaaacagca aacgctggaa tccagagatt 2940
caatacactt ccaactacta caaatctaca aatgtggact ttgctgtcaa cacggaagga 3000
gtttatagcg agcctcgccc cattggcacc cgttacctca cccgcaacct gtaattacat 3060
gttaatcaat aaaccggtta attcgtttca gttgaacttt ggtctctgcg aagggcgaat 3120
tc 3122

```

&lt;210&gt; 43

&lt;211&gt; 3117

&lt;212&gt; DNA

&lt;213&gt; new AAV serotype, clone 43.21

&lt;400&gt; 43

```

gaattcgccc ttggtgcgt caactggacc aatgagaact ttcccttcaa cgattgcgtc 60
gacaagatgg tgatctggtg ggaggagggc aagatgacgg ccaaggctcg ggagtccgcc 120
aaggccattc tcggcggcag caagggtcgt gtggaccaa agtgcaagtc ttccgcccag 180
atcgatccca ccccgctgat cgtcacctcc aacaccaaca tgtgcgccgt gattgacggg 240
aacagcacca ccttcgagca ccagcagccg ttgcaggacc ggatgttcaa atttgaactc 300
acccgccgtc tggagcatga ctttggcaag gtgacgaagc aggaagtcaa agagtcttcc 360
cgctgggcgc aggatcacgt gaccgaggtg gcgcatgagt tccacgtcag aaagggtgga 420

```

gccacaaga gacccgcccc cgatgacgcg gatataagcg agcccaagcg ggcctgcccc	480
tcagtcgctg atccatcgac gtcagacgcg gaaggagctc cggaggactt tgccgacagg	540
tacaaaaaca aatgttctcg tcacgcgggc atgcttcaga tgctgtttcc ctgcaagaca	600
tgcgagagaa tgaatcagaa tttcaacatt tgcttcacgc acgggaccag agactgttca	660
gaatgtttcc ccggcggtgc agaattctcaa ccggctcgta gaaagaggac gtatcgaaaa	720
ctctgtgcga ttcatcatct gctggggcgg gctcccgaga ttgcttgctc ggcctgcgat	780
ctggtcaacg tggacctgga tgactgtgtt tctgagcaat aaatgactta aaccaggtat	840
ggctgccgat ggttatcttc cagattggct cgaggacaac ctctctgagg gcattcgcga	900
gtggtgggac ttgaaacctg gagccccgaa acccaaagcc aaccagcaaa agcaggacga	960
cgccgggggt ctggtgcttc ctggctacaa gtacctcgga cccttcaacg gactcgacaa	1020
gggggagccc gtcaacgcgg cggacgcagc ggcctcgag cacgacaaag cctacgacca	1080
gcagctcaaa gcgggtgaca atccgtacct gcggtataat cacgccgacg ccgagtttca	1140
ggagcgtctg caagaagata cgtcttttgg gggcaacctc gggcgagcag tcttccaggc	1200
caagaagcgg gttctcgaa ctctcggctt ggttgaggaa ggcgctaaga cggtcctgg	1260
aaagaagaga ccggtagagc agtcgccaca agagccagac tcctcctcgg gcatcggcaa	1320
gacaggccag cagcccgcta aaaagagact caattttggt cagactggcg actcagagtc	1380
agtccccgac ccacaacctc tcggagaacc tccagcagcc ccctcaggtc tgggacctaa	1440
tacaatggct tcaggcgggt gcgctccaat ggcagacaat aacgaaggcg ccgacggagt	1500
gggtaattcc tcgggaaatt ggcattgcga ttccacatgg ctgggggaca gagtcatcac	1560
caccagcacc cgaacctggg ccctgcccac ctacaacaac cacctctaca agcaaatctc	1620
caacggcacc tcgggaggaa gcaccaacga caacacctat tttggctaca gcacccctg	1680
ggggatattt gacttcaaca gattccactg tcacttttca ccacgtgact ggcaacgact	1740
catcaacaac aattggggat tccggcccaa aagactcaac ttcaagctgt tcaacatcca	1800
gtcaaggaa gtcacgacga acgaaggcac caagaccatc gccataatc tcaccagcac	1860
cgtgcgggtc tttacggact cggagtacca gttaccgtac gtgctaggat ccgctcacca	1920
gggatgtctg cctccgttcc cggcgagctt cttcatggtt cctcagtacg gctatttaac	1980
tttaaacaat ggaagccaag ccctgggacg ttcctccttc tactgtctgg agtatttccc	2040
atcgcatatg ctgagaaccg gcaacaactt tcagttcagc tacaccttcg aggacgtgcc	2100
tttccacagc agctacgcgc acagccagag cctggacagg ctgatgaatc ccctcatcga	2160
ccagtacctg tactacctgg tcagaacgca aacgactgga actggaggga cgcagactct	2220
ggcattcagc caagcgggtc ctagctcaat ggccaaccag gctagaaatt gggtgcccg	2280
accttgctac cggcagcagc gcgtctccac gacaaccaac cagagcaaca acagcaactt	2340

```

tgcttgacg ggagctgcc agtttaagct gaacggccga gactctctaa tgaatccggg 2400
cgtggcaatg gcttcccaca aggatgacga cgaccgcttc ttcccttcga gcggggtcct 2460
gatttttggc aagcaaggag ccgggaacga tggagtggat tacagccaag tgctgattac 2520
agatgaggaa gaaatcaagg ctaccaaccc cgtggccaca gaagaatatg gagcagtggc 2580
catcaacaac caggccgcc atacgcaggc gcagaccgga ctctgacaca accaggggggt 2640
gattccccgc atggtgtggc agaatagaga cgtgtacctg cagggtccca tctggggcaa 2700
aattcctcac acggacggca actttcaccc gtctcccctg atgggcggct ttggactgaa 2760
gcacccgcct cctcaaattc tcatcaagaa cacaccgggt ccagcggacc cgccgcttac 2820
cttcaaccag gccaaactga actctttcat cacgcagtac agcaccggac aggtcagcgt 2880
ggaaatcgag tgggagctgc agaaagaaaa cagcaaacgc tggaatccag agattcaata 2940
cacttccaac tactacaaat ctacaaatgt ggactttgct gtcaacacgg aaggagttaa 3000
tagcgagcct cgccccattg gcacccgtta cctcaccgc aacctgtaat tacatgttaa 3060
tcaataaacc ggttaattcg ttccagttga actttggtct ctggaaggc cgaattc 3117

```

```

<210> 44
<211> 3121
<212> DNA
<213> new AAV serotype, clone 43.23

```

```

<400> 44
gaattcgccc ttctacggct gcgtcaactg gaccaatgag aactttccct tcaacgattg 60
cgtcgacaag atggtgatct ggtgggagga gggcaagatg acggccaagg tcgtggagtc 120
cgccaaggcc attctcggcg gcagcaaggt gcgtgtggac caaaagtgc agtcttccgc 180
ccagatcgat cccacccccg tgatcgtcac ctccaacacc aacatgtgcg ccgtgattga 240
cggaacagc accaccttcg agcaccagca gccgttgacg gaccggatgt tcaaatttga 300
actcaccgc cgtctggagc atgacttttg caaggtgacg aagcaggaag tcaaagagtt 360
cttccgctgg gcgcaggatc acgtgaccga ggtggcgcat gagttccacg tcagaaaggg 420
tggcgccaac aagagacccg ccccgatga cgcgatata agcgagccca agcgggcctg 480
cccctcagtc gcggatccat cgacgtcaga cgcggaagga gctccggtgg actttgccga 540
caggtaccaa acaaatgtt ctctgcacgc gggcatgctt cagatgctgt ttccctgcaa 600
gacatgcgag agaataatc agaatttcaa catttgcttc acgcacggga ccagagactg 660
ttcagaatgt ttccccggcg tgtcagaatc tcaaccggtc gtcagaaaga ggacgtatcg 720
gaaactctgt gcgattcatc atctgctggg gcgggctccc gagattgctt gctcggcctg 780
cgatctggtc aacgtggacc tggatgactg tgtttctgag caataaatga cttaaacag 840
gtatggctgc cgatggttat cttccagatt ggctcgagga caacctctct gagggcattc 900
gcgagtgggtg ggacttgaaa cctggagccc cgaaacccaa agccaaccag caaaagcagg 960

```

acgacggccg gggctctggtg cttcctggct acaagtacct cggacccttc aacggactcg	1020
acaaggggga gcccgtcaac gcggcggacg cagcggccct cgagcacgac aaagcctacg	1080
accagcagct caaagcgggt gacaatccgt acctgcggta taatcacgcc gacgccgagt	1140
ttcaggagcig tctgcaagaa gatacgtcct ttgggggcaa cctcgggcga gcagtcttcc	1200
aggccaagaa gcgggttctc gaacctctcg gtctggttga ggaaggcgct aagacggctc	1260
ctggaaagaa gagaccggtg gagcagtcgc cacaagagcc agactcctcc tcgggcatcg	1320
gcaagacagg ccagcagccc gctaaaaaga gactcaattt tggtcagact ggcgactcag	1380
agtcagtccc cgaccacaa cctctcggag aacctccagc agccccctca ggtctgggac	1440
ctaatacaat ggcttcaggc ggtggcgctc caatggcaga caataacgaa ggcgccgacg	1500
gagtgggtaa ttctcggga aattggcatt gcgattccac atggctgggg gacagagtca	1560
tcaccaccag caccgaacc tgggccctgc ccacctaca caaccacctc tacaagcaaa	1620
tctccaacgg cacctcggga ggaagcacca acgacaacac ctattttggc tacagcacc	1680
cctgggggta ttttgacttc aacagattcc actgtcactt ttcaccagt gactggcaac	1740
gactcatcaa caacaattgg ggattccggc ccaaagact caacttcaag ctgttcaaca	1800
tccagggtcaa ggaagtcacg acgaacgaag gcaccaagac catcgccaat aatctcacca	1860
gcaccgtgca ggtctttacg gacttgaggt accagttacc gtacgtgcta ggatccgctc	1920
accagggatg tctgcctccg ttcccgcgcg acgtcttcat ggttcctcag tacggctatt	1980
taactttaaa caatggaagc caagccctgg gacgttctc cttctactgt ctggagtatt	2040
tcccatcgca gatgccgaga accggcaaca actttcagtt cagctacacc ttcgaggacg	2100
tgcctttcca cagcagctac gcgcacagcc agagcctgga caggctgatg aatccccctca	2160
tcgaccagta cctgtactac ctggtcagaa cgcaaacgac tggaactgga gggacgcaga	2220
ctctggcatt cagccaagcg ggtcctagct caatggccaa ccaggctaga aattgggtgc	2280
ccggaccttg ctaccggcag cagcgcgtct ccacgacaac caaccagaac aacaacagca	2340
actttgcctg gacgggagct gccaaagtta agctgaacgg ccgagactct ctaatgaatc	2400
cgggcgtggc aatggcttcc cacaaggatg acgacgaccg cttcttccct tcgagcgggg	2460
tcctgatttt tggcaagcaa ggagccggga acgatggagt ggattacagc caagtgtga	2520
ttacagatga ggaagaaatc aaggctacca acccgtggc cacagaagaa tatggagcag	2580
tggccatcaa caaccaggcc gccaatagc aggcgcagac cggactcgtg cacaaccagg	2640
gggtgattcc cggcattgtg tggcagaata gagacgtgta cctgcagggt cccatctggg	2700
ccaaaattcc tcacacggac ggcaactttc acccgtctcc cctgatgggc ggctttggac	2760
tgaagcacc gcctcctcaa attctcatca agaacacacc ggttccagcg gaccgcgcg	2820
ttaccttcaa ccaggccaag ctgaactctt tcatcacgca gtacagcacc ggacagggtca	2880

gcgtggaaat cgagtgggag ctgcagaaag aaaacagcaa acgctggaat ccagagattc 2940  
 aatacacttc caactactac aaatctacaa atgtggactt tgctgtcaac acggaaggag 3000  
 tttatagcga gcctcgcccc attggcaccg gttacctcac ccgcaacctg taattacatg 3060  
 ttaatcaata aaccgggtta ttcgtttcag ttgaactttg gtctctgcga agggcggaatt 3120  
 c 3121

<210> 45  
 <211> 3122  
 <212> DNA  
 <213> new AAV serotype, clone 43.25

<400> 45  
 gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60  
 gcgtcgacaa gatggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120  
 ccgccaaggc cattctcggc ggcagcaagg tgcgtgtgga ccaaaagtgc aagtcttccg 180  
 cccagatcga tcccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240  
 acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaaatttg 300  
 aactcaccgg ccgtctggag catgactttg gcaaggtgac gaagcaggaa gtcaaagggt 360  
 tcttccgctg ggcgaggat cacgtgaccg aggtggcgca tgagttccac gtgcgagccc 420  
 aagcgggcct gcccctcagt cgcggatcca tcgacgtcag accagaaagg gtggagccaa 480  
 caagagaccc gccccgatg acgcggatat aagcggaagg agctccggtg gactttgccg 540  
 acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600  
 agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660  
 gttcagaatg tttccccggc gtgtcagaat ctcaaccggc cgtcagaaag aggacgtatc 720  
 ggaaactctg tgcgattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780  
 gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840  
 ggtatggctg ccgatgggta ttttccagat tggtcagagg acaacctctc tgagggcatt 900  
 cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag 960  
 gacgacggcc ggggtctggt gcttctcggc tacaagtacc tcggaccctt caacggactc 1020  
 gacaaggggg agcccgtaaa cgcggcggac gcagcggccc tcgagcacga caaagcctac 1080  
 gaccagcagc tcaaagcggg tgacaatccg tacctgcggg ataatcacgc cgacgccgag 1140  
 tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggag agcagtcttc 1200  
 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260  
 cctggaaaga agagaccggt agagcagtcg ccacaagagc cagactcctc ctcgggcctc 1320  
 ggcaagacag gccagcagcc cgctaaaaag agactcaatt ttggtcagac tggcgactca 1380  
 gagtcagtcc ccgaccaca acctctcgga gaacctccag cagccccctc aggtctggga 1440

```

cctaatacaa tggcttcagg cgggtggcgct ccaatggcag acaataacga aggcgcgcgac 1500
ggagtgggta attcctcggg aaattggcat tgcgattcca catggctggg ggacagagtc 1560
atcaccacca gcacccgaac ctggggcctg cccacctaca acaaccacct ctacaagcaa 1620
atctccaacg gcacctcggg aggaagcacc aacgacaaca cctattttgg ctacagcacc 1680
ccctgggggt attttgactt caacagattc cactgtcact tttcaccacg tgactggcaa 1740
cgactcatca acaacaattg gggattccgg cccaaaagac tcaacttcaa gctgttcaac 1800
atocagggtca aggaagtac gacgaacgaa ggcaccaaga ccatcgccaa taatctcacc 1860
agcacctgac aggtctttac ggactcggag taccagttac cgtacgtgct aggatccgct 1920
caccagggat gtctgcctcc gttcccgggc gacgtcttca tggttcctca gtacggctat 1980
ttaactttaa acaatggaag ccaagccctg ggacgttcct ctttctactg tctggagtat 2040
ttcccatcgc agatgctgag aaccggcaac aactttcagt tcagctacac cttcaggagc 2100
gtgcctttcc acagcagcta cgcgcacagc cagagcctgg acaggctgat gaatcccctc 2160
atcgaccagt acctgtacta cctggtcaga acgcaaacga ctggaactgg agggacgcag 2220
actctggcat tcagccaagc gggtcctagc tcaatggcca accaggctag aaattgggtg 2280
cccggacctt gctaccggca gcagcgcgtc tccacgacaa ccaaccagaa caacaacagc 2340
aactttgcct ggacgggagc tgccaagttt aagctgaacg gccgagactc tctaataaat 2400
ccgggcgtgg caatggcttc ccacaaggat gacgacgacc gcttcttccc ttcgagcggg 2460
gtcctgattt ttggcaagca aggagccggg aacgatggag tggattacag ccaagtgtg 2520
attacagatg aggaagaaat caaggctacc aaccccgctg ccacagaaga atatggagca 2580
gtggccatca acaaccaggc cgccaatacg caggcgagca ccggactcgt gcacaaccag 2640
ggggtgattc ccggcatggt gtggcagaat agagacgtgt acctgcaggg tcccatctgg 2700
gccaaaattc ctacacgga cggcaacttt caccgctctc ccctgatggg cggctttgga 2760
ctgaagcacc cgcctcctca aattctcctc aagaacacac cggttccagc ggacccgccg 2820
cttaccttca accaggccaa gctgaactct ttcacacgc agtacagcac cggacaggtc 2880
agcgtggaaa tcgagtggga gctgcagaaa gaaaacagca aacgctggaa tccagagatt 2940
caatacactt ccaactacta caaatctaca aatgtggact ttgctgtcaa cacggagggg 3000
gtttatagcg agcctcgccc cattggcacc cgttacctca cccgcaacct gtaattacat 3060
gttaatcaat aaaccggtta attcgtttca gttgaacttt ggtctctgcg aagggcgaat 3120
tc 3122

```

```

<210> 46
<211> 3128
<212> DNA
<213> new AAV serotype, clone 44.1

```

<400> 46  
gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60  
gcgtcgacaa gatgttgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120  
ccgccaaggc cattctcggc ggcagcaaag tgcgcgtgga ccaaaagtgc aagccgtccg 180  
cccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240  
acgggaacag caccaccttc gagcaccagc agccgttgcg ggaccggatg ttcaagtttg 300  
aactcaccg ccgtctggag cacgactttg gcaaggtgac aaagcaggaa gtcagagagt 360  
tcttcgcgtg ggcgcaggat cacgtgaccg aggtggcgca cgagttctac gtcagaaagg 420  
gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct 480  
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540  
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600  
aaacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660  
gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaaa aagacgtatc 720  
ggaaactctg tgcgattcat catctgctgg ggcgggcacc cgagattgct tgctcggcct 780  
gcgatctggt caacgtggac ctagatgact gtgtttctga gcaataaatg acttaaacca 840  
ggtatggctg ccgatggtta tcttcagat tggctcgagg acaacctctc tgagggcatt 900  
cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag 960  
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020  
gacaaggggg agcccgtaa cgcggcgac gcagcggccc tcgagcacga caaggcctac 1080  
gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag 1140  
tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggag agcagtcttc 1200  
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260  
cctggaaaga agagaccggt agagccatca cccagcgtt ctccagactc ctctacgggc 1320  
atcggcaaga aaggccagca gccgcgaaa aagagactca actttgggca gactggcgac 1380  
tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg 1440  
ggatctggta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc 1500  
gacggagtgg gtagttctc aggaatttg cattgcgatt ccacatggct gggcgacaga 1560  
gtcatcacca ccagcaccg aacctgggccc ctccccacct acaacaacca cctctacaag 1620  
caaatctcca acgggacttc gggaggaagc accaacgaca acacctactt cggtacagc 1680  
acccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg 1740  
cagcgactca tcaacaacaa ctggggattc cggccaaga gactcaactt caagctcttc 1800  
aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt 1860  
accagcacga ttcaggtctt tacggactcg gaataccagc tcccgtagct cctcggctct 1920

```

gcgccaccagg gctgcctgcc tccgttcccc gcggacgtct tcatgattcc tcagtacggg 1980
tacctgactc tgaacaatgg cagtcaggcc gtgggcccgtt cctccttcta ctgcctggag 2040
tactttcctt ctcaaagtct gagaacgggc aacaactttg agttcagcta ccagtttgag 2100
gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc 2160
ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga 2220
actcagcagt tgctattttc tcaggccggg cctaataaca tgtcggctca ggccaaaaac 2280
tggtatcccg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaataac 2340
aacagcaact gtaaatcccg gtgtcgctat ggcaaccac aaggacgacg aagagcgatt 2400
ttgcctggac cggtgccacc aagtatcatc tgaatggcag agactctctg tttccgtcc 2460
agcggagtct taatgtttgg gaaacagga gctggaaaag acaacgtgga ctatagcagc 2520
gttatgctaa ccagtgagga agaaattaaa accaccaacc cagtggccac ggaacagtac 2580
ggcgtgggtg cgcataacct gcaacagcaa aacgccgtc ctattgtagg ggccgtcaac 2640
agtcaaggag ccttacctgg catggtcttg cagaaccggg acgtgtacct gcagggtcct 2700
atctgggcca agattcctca cacggacgga aactttcatc cctcgccgct gatgggaggg 2760
tttgactga aacaccgcc tcctcagatc ctgattaaga atacacctgt tcccgcgat 2820
cctccaacta ccttcagtca agctaagctg gcgtcgttca tcacgcagta cagcaccgga 2880
caggtcagcg tggaaattga atgggagctg cagaaagaaa acagcaaacg ctggaaccca 2940
gagattcaat acacttcaa ctactacaaa tctacaaatg tggacttcgc tgtaacaca 3000
gatggcactt attctgagcc tcgccccatt ggcaccggtt acctaccccg taatctgtaa 3060
ttgctcgta atcaataaac cggttgattc gtttcagttg aactttggtc tctgcgaagg 3120
gcgaattc 3128

```

```

<210> 47
<211> 3128
<212> DNA
<213> new AAV serotype, clone 44.5

```

```

<400> 47
gaattcgccc tttctacggc tgctcaact ggaccaatga gaactttccc ttcaacgatt 60
gcgtcgacaa gatggtgatc tgggtggagg agggcaagat gacggccaag gtcgtggagt 120
ccgccaaagg cattctcggc ggcagcaaag tgcgcgtgga ccaaagtgc aagtcgtccg 180
cccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240
acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagtttg 300
aactcaccgc cgtctggag cacgactttg gcaaggtgac aaagcaggaa gtcagagagt 360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca cgagttctac gtcagaaagg 420
gtggagccaa caagagaccc gccccgatg acgcggataa aagcgagccc aagcgggcct 480

```



gccctcagt cgcgatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540  
 acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600  
 aaacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660  
 gttcagaatg tttccccggc gtgtcagaat ctcaaccggt tgtcagaaaa aagacgtatc 720  
 ggaaactctg tgcgattcat catctgctgg ggccggcacc cgagattgct tgctcggcct 780  
 gcgatctggt caacgtggac ctagatgact gtgtttctga gcaataaatg acttaacca 840  
 ggtatggctg ccgatgggta tcttcagat tggctcgagg acaacctctc tgagggcatt 900  
 cgcgagtggg gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960  
 gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020  
 gacaaggggg agcccgtaa cgcgccggac gcagcggccc tcgagcacga caaggcctac 1080  
 gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag 1140  
 tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc 1200  
 caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260  
 cctggaaaga agagaccggt agagccatca cccagcgtt ctccagactc ctctacgggc 1320  
 atcggcaaga aaggccagca gcccgcgaaa aagagactca actttgggca gactggcgac 1380  
 tcagagtcag tgcccgacc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg 1440  
 ggatctggta caatggctgc aggcgggtggc gctccaatgg cagacaataa cgaaggcgcc 1500  
 gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga 1560  
 gtcacacca ccagcaccg aacctgggccc ctccccacct acaacaacca cctctacaag 1620  
 caaatctcca acgggacttc gggaggaagc accaacgaca acacctactt cggctacagc 1680  
 accccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg 1740  
 cagcgactca tcaacaacaa ctggggatc cgcccaaga gaccaactt caagctcttc 1800  
 aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt 1860  
 accagcacga ttcaggctct tacggactcg gaataccagc tccgtacgt cctcggctct 1920  
 gcgcaccagg gctgcctgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg 1980  
 tacctgactc tgaacaatgg cagtcaggcc gtgggccgtt cctccttcta ctgcctggag 2040  
 tactttcctt ctcaaatgct gagaacgggc aacaactttg agttcagcta ccagtttgag 2100  
 gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc 2160  
 ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga 2220  
 actcagcagt tgctattttc tcaggccggg cctaataaca tgtcggctca ggccaaaac 2280  
 tggctacccg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaataac 2340  
 aacagcaact ttgcctggac cgggtgccacc aagtatcatc tgaatggcag agactctctg 2400

```

gtaaatcccg gtgtcgctat ggcaaccac aaggacgacg aagagcgatt ttttccgtcc 2460
agcggagtct taatgttttg gaaacagga gctggaaaag acaacgtgga ctatagcagc 2520
gttatgctaa ccagtgagga agaaattaaa accaccaacc cagtggccac agaacagtac 2580
ggcgtggttg ccgataacct gcaacagcaa aacgccgctc ctattgtagg ggccgtcaac 2640
agtcaaggag ccttacctgg catggctctg cagaaccggg acgtgtacct gcagggtcct 2700
atctgggcca agattcctca cacggacgga aactttcatc cctcgccgct gatgggaggc 2760
tttgactga aacacccgcc tctcagatc ctgattaaga atacacctgt tcccgcggat 2820
cctccaacta cttcagtca agctaagctg gcgtcggtca tcacgcagta cagcaccgga 2880
caggtcagcg tggaaattga atgggagctg cagaaagaaa acagcaaacg ctggaacca 2940
gagattcaat acacttccaa ctactacaaa tctacaaatg tggactttgc tgtaacaca 3000
gatggcactt attctgagcc tcgccccatt ggcaccggtt acctcacccg taatctgtaa 3060
ttgcttggtt atcaataaac cggttgattc gtttcagttg aactttggtc tctgcgaagg 3120
gcgaattc 3128

```

```

<210> 48
<211> 1933
<212> DNA
<213> new AAV serotype, clone 223.10

```

```

<220>
<221> misc feature
<222> (1302)..(1302)
<223> can be a, c, g or t

```

```

<400> 48
caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc 60
cgacgccgag tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg 120
agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc 180
taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg 240
caagaaaggc cagcagcccg cgaaaagag actcaacttt gggcagactg gcgactcaga 300
gtcagtcccc gacctcaac caatcgga accaccagca ggcccctctg gtctgggatac 360
tggtacaatg gctgcaggcg gtggcgacc aatggctgac aataacgagg gcgccgacgg 420
agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcac 480
caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat 540
ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcgggtaca gcacccctg 600
ggggatattt gacttcaaca gattccattg ccaacttctc ccacgtgact ggcagcgact 660
tatcaaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca 720
ggtcaaggag gtcacgacga atgacggtgt cacaaccatc gctaataacc ttaccagcac 780

```

```

ggttcaggtc ttttcggact cggaatatca actgccgtac gtctcgggct ccgcgcacca      840
gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtagc gatacctgac      900
tctgaacaat ggagccaat cggtaggccg ttcctccttc tactgcctgg agtactttcc      960
ttctcagatg ctgagaacgg gcaacaactt caccttttagc tacaccttcg aggacgtgcc     1020
tttccacagc agctacgcgc acagccagag tctggaccgg ctgatgaatc ccctcatcga     1080
ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtactg ctggcaatcg     1140
ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct     1200
gcccggacct tgcttcgggc aacagagagt atccaagacg ctggatcaaa ataacaacag     1260
caactttgcc tggactgggtg ccacaaaata ccatttaaatt gnaagaaatt cattgggttaa     1320
tcccgggtgc gccatggcaa ccacaaagga cgacaggaa cgcttcttcc cttcgagcgg      1380
agtttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat     1440
gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt     1500
aagcagcaac ttgcaggcgg ctagcaccgc agccagaca caagttgtta acaaccaggg     1560
agccttacct ggcattgtct ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc     1620
caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact     1680
gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga     1740
agtgtttact cctgccaaagt ttgcttcctt catcacgcag tacagcaccg ggcaagtcag     1800
cgttgagatc gagtgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca     1860
gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt     1920
ttactctgag cct                                                         1933

```

<210> 49  
<211> 1933  
<212> DNA  
<213> new AAV serotype, clone 223.2

```

<400> 49
caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccaacgc      60
cgacgccgag tttcaggagt gtcttcaaga agatacgtct tttgggggca acctcggggc      120
agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc      180
taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg      240
caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga      300
gtcagtcccc gacctcaac caatcggaga accaccagca ggcccctctg gtctgggata      360
tggtacaatg gttgcaggcg gtggcgcacc aatggctgac aataacgagg gcgccgacgg      420
agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcac      480
caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat      540

```

```

ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcacccctg      600
ggggatatttt gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact      660
tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca      720
ggtcaaggag gtcacgacga atgacggtgt cacaaccatc gctaataacc ttaccagcac      780
ggttcagggtc ttttcggact cggaatatca actgccgtac gtcctcggct ccgcgcacca      840
gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac      900
tctgaacaat ggcagccaat cggtaggccg ttcctccttc tactgcctgg agtactttcc      960
ttctcagatg ctgagaacgg gcaacaactt caccttttagc tacaccttcg aggacgtgcc     1020
tttccacagc agctacgcgc acagccagag tctggaccgg ctgatgaatc ccctcatcga     1080
ccagtacctg tactacttgg ccagaacaca gagcaacgca ggagggtactg ctggcaatcg     1140
ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct     1200
gccccgacct tgcttcgggc aacagagagt atccaagacg ctggatcaaa ataacaacag     1260
caactttgcc tggactgggtg ccacaaaata ccatttaaat ggaagaaatt cattgggttaa     1320
tcccgggtgtc gccatggcaa cccacaagga cgacgaggaa cgcttctccc cttcagcgcg     1380
agtttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat     1440
gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt     1500
aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg     1560
agccttacct ggcatggtct ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc     1620
caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact     1680
gaaacacccg cctcccaga tcctgatcaa aaacacgccg gtacctgcta atcctccaga     1740
agtgtttact cctgccaagt ttgcttcctt catcacgcag tacagcaccg ggcaagtcag     1800
cgttgagatc gagtgggagc tgcaaaaaga gaacagcaag cgctggaacc cagagattca     1860
gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt     1920
ttactctgag cct                                                    1933

```

<210> 50  
<211> 1933  
<212> DNA  
<213> new AAV serotype, clone 223.4

```

<400> 50
caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc      60
cgacgccgag tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg     120
agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc     180
taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcacatcg     240
caagaaaggc cagcagccccg cgaaaaagag actcaacttt gggcagactg gcgactcaga     300

```

```

gccagtcccc gaccctcaac caatcggaga accaccagca ggcccctctg gtctgggatac 360
tggtacaatg gctgcaggcg gtggcgacacc aatggctgac aataacgagg gcgccgacgg 420
agtgggtaat gcctcaggaa attggcattg cgattccaca cggctgggcg acagagtcac 480
caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaata 540
ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcacccctg 600
ggggatattt gacttcaaca gattccattg ccacttctca ccacgtgact ggagcgact 660
tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca 720
gttcaaggag gtcacgacga atgacggcgt cacaaccatc gctaataacc ttaccagcac 780
ggttcaggtc ttttcggact cggaatatca actgccgtac gtcctcggct ccgcgcacca 840
gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtagc gatacctgac 900
tctgaacaat ggcagccaat cggtaggccg ttcctccttc tactgcctgg agtactttcc 960
ttctcagatg ctgagaacgg gcaacaactt caccttttagc tacaccttcg aggacgtgcc 1020
tttccacagc agctacgcgc acagccagag tctgggcccg ctgatgaatc ccctcatcga 1080
ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtactg ctggcaatcg 1140
ggaactgcag ttttatcagg gcgacacctac caccatggcc gaacaagcaa agaactggct 1200
gcccggacct tgcttcgggc aacagagagt atccaagacg ctggatcaaa ataacaacag 1260
caactttgcc tggactgggtg ccacaaaata ccatttaaata ggaagaaatt cattgggttaa 1320
tcccgggtgc gccatggcaa cccacaagga cgacgaggaa cgcttcttcc cttcgagcgg 1380
agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat 1440
gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt 1500
aagcagcaac ttgcaggcgg ctagcacgcg agcccagaca caagttgtta acaaccaggg 1560
agccttacct ggcatggtct ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc 1620
caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact 1680
gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga 1740
agtgtttact cctgccaagt ttgcttcctt catcacgcag tacagcaccg ggcaagtcag 1800
cgttgagatc gaatgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860
gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt 1920
ttactctgag cct 1933

```

```

<210> 51
<211> 1933
<212> DNA
<213> new AAV serotype, clone 223.5

```

```

<400> 51
caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggg ataaccacgc 60

```

cgacgccgag tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg	120
agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc	180
taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg	240
caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga	300
gccagtcccc gacctcaac caatcggaga accaccagca ggcccctctg gtctgggatac	360
tggtacaatg gctgcaggcg gtggcgacc aatggctgac aataacgagg gcgccgacgg	420
agtgggtaat gcctcaggaa attggcattg cgattccaca cggctgggcg acagagtcac	480
caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat	540
ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcgggtaca gcacccctg	600
ggggtatattt gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact	660
tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca	720
ggtcaaggag gtcacgacga atgacggcgt cacaaccatc gctaataacc ttaccagcac	780
ggttcaggtc ttttcggact cggaatatca actgccgtac gtccctcggct ccgcgcacca	840
gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac	900
tctgaacaat ggcagccaat cggtaggccg ttctctcttc tactgcctgg agtactttcc	960
ttctcagatg ctgagaacgg gcaacaactt caccttttagc tacaccttcg aggacgtgcc	1020
tttccacagc agctacgcgc acagccagag tctgggcccg ctgatgaatc ccctcatcga	1080
ccagtacctg tactacttgg ccagaacaca gagcaacgca ggagggtactg ctggcaatcg	1140
ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct	1200
gcccggacct tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag	1260
caactttgcc tggactggtg ccacaaaata ccatttaaatt ggaagaaatt cattgggttaa	1320
tcccggtgtc gccatggcaa ccacaaagga cgacgaggaa cgcttcttcc cttcgagcgg	1380
agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat	1440
gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt	1500
aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg	1560
agccttacct ggcattggtc ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc	1620
caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact	1680
gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga	1740
agtgtttact cctgccaaagt ttgcttctt catcacgcag tacagcaccg ggcaagtcag	1800
cgttgagatc gaatgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca	1860
gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt	1920
ttactctgag cct	1933

<210> 52  
 <211> 1933  
 <212> DNA  
 <213> new AAV serotype, clone 223.6

<400> 52  
 caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc 60  
 cgacgccgag tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg 120  
 agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc 180  
 taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg 240  
 caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga 300  
 gtcagtcccc gacctcaac caatcggaga accaccagca ggcccctctg gtctgggatc 360  
 tgggtacaatg gctgcaggcg gtggcgacc aatggctgac aatagcgagg gcgcgcagcg 420  
 agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcy acagagtcac 480  
 caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaata 540  
 ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcacccccctg 600  
 ggggtatttt gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact 660  
 tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca 720  
 ggtcaaggag gtcacgacga atgacggtgt cacaaccatc gctaataacc ttaccagcac 780  
 ggttcaggctc ttttcggact cggaatatca actgccgtac gtccctcggct ccgcgcacca 840  
 gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtagc gatacctgac 900  
 tctgaacaat ggcagccaat cggtagggcg ttcctccttc tactgcctgg agtactttcc 960  
 ttctcagatg ctgagaacgg gcaacaactt caccttttagc tacaccttcg aggacgtgcc 1020  
 tttccacagc agctacgcy acagccagag tctggaccgg ctgatgaatc ccctcatcga 1080  
 ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtactg ctggcaatcg 1140  
 ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct 1200  
 gcccggaact tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag 1260  
 caactttgcc tggactggtg ccacaaaata ccatttaaat ggaagaaatt cattgggtta 1320  
 tcccggtgtc gccatggcaa cccacaagga cgacgaggaa cgcttcttcc cttcgagcgg 1380  
 agttctaatt tttggcaaaa ctggagcagc taataaaaact acattagaaa acgtgctcat 1440  
 gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt 1500  
 aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg 1560  
 agccttacct ggcattggtc ggcagaaccg ggacgtgtac ctgcaaggct ccatttgggc 1620  
 caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact 1680  
 gaaacacccg cctccccaga tctgatcaa aaacacaccg gtacctgcta atcctccaga 1740

```

agtgtttact cctgccaagc ttgcttcctt catcacgcag tacagcaccg ggcaagtcag 1800
cgttgagatc gagtgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860
gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt 1920
ttactctgag cct 1933

```

```

<210> 53
<211> 1933
<212> DNA
<213> new AAV serotype, clone 223.7

```

```

<400> 53
caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc 60
cgacgccgag tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg 120
agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc 180
taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg 240
caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga 300
gtcagtcccc gaccctcaac caatcgga accaccagca ggccctctg gtctgggatc 360
tggtacaatg gctgcaggcg gtggcgacc aatggctgac aataacgagg gcgccgacgg 420
agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcac 480
caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat 540
ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcacccctg 600
ggggtatddd gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact 660
tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca 720
gggtcaaggag gtcacgacga atgacggcgt cacaaccatc gctaataacc ttaccagcac 780
ggttcaggtc ttttcggacc cggaatatca actgccgtac gtccctcggt ccgcgcacca 840
gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac 900
tctgaacaat ggcagccaat cggtaggccg ttcctccttc tactgcctgg agtactttcc 960
ttctcagatg ctgagaacgg gcaacaactt cacctttagc tacaccttcg aggacgtgcc 1020
tttccacagc agctacgcgc acagccagag tctggaccgg ctgatgaatc ccctcatcga 1080
ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtactg ctggcaatcg 1140
ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct 1200
gcccgacct tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag 1260
caactttgcc tggactggtg ccacaaaata ccatttaaatt ggaagaaatt cattgggtta 1320
tcccggtgtc gccatggcaa ccacaagga cgacgaggaa cgcttcttcc cttcgagcgg 1380
agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat 1440
gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt 1500

```



aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg 1560  
agccttacct ggcatggtct ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc 1620  
caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact 1680  
gaaacacccg cctccccaga tctgatcaa aaacacaccg gtacctgcta atcctccaga 1740  
agtgtttact cctgccaaga ttgcttcctt catcacgcag tacagcaccg ggcaagtcag 1800  
cgttgagatc gagtgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860  
gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt 1920  
ttactctgag cct 1933

<210> 54  
<211> 3123  
<212> DNA  
<213> new AAV serotype, clone A3.4

<400> 54  
gaattcgccc tttctacggc tgcgtcaact ggaccaatga aaactttccc ttcaacgatt 60  
gcgtcgacaa gatggtgatc tgggtgggagg agggaaagat gaccgccaag gtcgtggaat 120  
ctgccaagac cattctgggt ggaagcaagg ttcgtgtgga ccagaaatgc aagtcttcgg 180  
cccagatcga cccgactccg gtgattgtca cctctaacac caacatgtgc gccgtgattg 240  
acggaaactc gaccaccttc gagcaccagc agccgttgca agaccggatg ttcaaatttg 300  
aacttaccgg ccgtttggat catgactttg ggaagggtcac caagcaggaa gtcaaagact 360  
ttttccggtg ggctcaagat cacgtgactg aggtggagca tgagttctac gtcaaaaagg 420  
gtggagccaa gaaaaggccc gcccccgatg atgtatatat aaatgagccc aagcgggagc 480  
gcgagtcagt tgcgcagcca tcgacgtcag acgcggaagc ttcgataaac tacgcgggca 540  
ggtaccaaaa caaatgttct cgtcacgtgg gcatgaatct gatgctgttt ccctgtcgac 600  
aatgcgaaag aatgaatcag aattcaaata tctgcttcac acacgggcaa aaagactgtt 660  
tggaatgctt tcccgtgtca gaatctcaac ccgtttctgt cgtcagaaaa acgtatcaga 720  
aactttgtta cattcatcat atcatgggaa aagaaccaga cgctgcact gcctgcgacc 780  
tggtaaatgt ggacttgat gactgtattt ctgagcaata aatgacttaa atcaggatatg 840  
gctgctgacg gttatcttcc agattggctc gaggacactc tctctgaagg aatcagacag 900  
tggtggaagc tcaaacctgg cccaccaccg ccgaaacctc accaacaaca ccgggacgac 960  
agtaggggtc ttgtgcttcc tgggtacaag tacctcggac ctttcaacgg actcgacaaa 1020  
ggagagccgg tcaacgaggc agacgccgcg gccctcgagc acgacaaagc ctacgaccac 1080  
cagctcaagc aaggggacaa cccgtacctc aaatacaacc acgcggacgc tgaatttcag 1140  
gagcgtcttc aagaagatac gtctttcggg ggcaacctcg ggcgagcagt cttccaggcc 1200  
aaaaagaggg tactcgagcc tcttggtctg gttgaggaag ctgttaagac ggctcctgga 1260

aaaaagagac ctatagagca gtctcctgca gaaccggact cttcctcggg catcggcgaa	1320
tcaggccagc agcccgctaa gaaaagactc aattttggtc agactggcga cacagagtca	1380
gtcccagacc ctcaaccaat cggagaaccc cccgcagccc cctctggtgt gggatctaata	1440
acaatggctt caggcgggtg ggcaccaatg gcagacgata acgaaggcgc cgacggagt	1500
ggtaattcct cgggaaattg gcattgcatg tccacatgga tgggcgacag agttatcacc	1560
accagcacia gaacctgggc cctccccacc tacaataatc acctctacia gcaaatctcc	1620
agcgaatcgg gagccaccaa cgacaaccac tacttcgggt acagcaccac ctgggggtat	1680
tttgacttta acagattcca ctgtcacttc tcaccacgtg actggcagcg actcatcaac	1740
aacaactggg gatthagacc caagaaactc aatttcaagc tcttcaacat ccaagtcaag	1800
gaggtcacgc agaattgatg aaccacgacc atcgccaata accttaccag cagggtgcag	1860
gtcttcacag actctgagta ccagctgccc tacgtcctcg gtccggctca ccagggtgc	1920
cttcgccgt tcccagcaga cgtcttcattg attcctcagt acggctactt gactctgaac	1980
aatggcagcc aagcggtagg acgttcttca ttctactgtc tagagtattt tccctctcag	2040
atgtgagga cgggaaacaa cttcaccttc agctacactt ttgaagacgt gcctttccac	2100
agcagctacg cgcacagcca gagtctggat cggctgatga atcctctcat tgaccagtac	2160
ctgtattacc tgagcaaaac tcagggtaca agtgaacaa cgcagcaatc gagactgcag	2220
ttcagccaag ctgggcctag ctccatgggt cagcaggcca aaaactgggt accgggaccc	2280
agctaccgac agcagcgaat gtctaagacg gctaattgaca acaacaacag tgaatttgct	2340
tggactgcag ccaccaataa ttacctgaat ggaagaaatt ctctggtcaa tccggggccc	2400
ccaatggcca gtcacaagga cgatgaggaa aagtatttcc ccatgcacgg aaatctcatc	2460
tttgaaaaac aaggcacagg aactaccaat gtggacattg aatcagtgtc tattacagac	2520
gaagaagaaa tcagaacaac taatcctgtg gctacagaac aatacggaca gggtgccacc	2580
aaccatcaga gtcaggacac cacagcttcc tatggaagtg tggacagcca gggaatttta	2640
cctggaatgg tgtggcagga ccgcgatgtc tatcttcaag gtcccatttg ggccaaaact	2700
cctcacacgg acggacactt tcctccttct ccgctcatgg gaggttttg actgaaacac	2760
cctcctcccc agatcctgat caaaaacaca cctgtgccag cgaatccgc gaccatttc	2820
actcctggaa agtttgcttc gttcattacc cagtattcca ccggacaggt cagcgtggaa	2880
atagagtggg agctgcagaa agaaaacagc aaacgctgga accagaaat tcagtacacc	2940
tccaactaca acaagtcggg gaattgtggg tttaccgtgg acgcaaacgg tgtttattct	3000
gaaccccgcc ctattggcac tcgttacctt acccggaact tgtaatttcc tgtaaatgaa	3060
taaaccgatt tatgcgtttc agttgaactt tgggtctctgc gaagggcgaa ttcgcggccg	3120
cta	3123

<210> 55  
 <211> 3113  
 <212> DNA  
 <213> new AAV serotype, clone A3.5

<400> 55  
 gaattcgccc tttctacggc tgcgtcaact ggaccaatga aaactttccc ttcaacgatt 60  
 gcgtcgacaa gatggtgatc tgggtggagg agggaaagat gaccgccaag gtcgtggaat 120  
 ctgccaaagc cattctgggt ggaagcaagg ttcgtgtgga ccagaaatgc aagtcttcgg 180  
 ccagatcgca ccgactccg gtgattgtca cctctaacac caacatgtgc gccgtgattg 240  
 acggaaactc gaccaccttc gagcaccagc agccgttgca agaccggatg ttcaaatttg 300  
 aacttaccgg ccgtttggat catgactttg ggaagggtcac caagcaggaa gtcaaagact 360  
 ttttcgggtg ggctcaagat cacgtgactg aggtggagca tgagttctac gtcaaaaagg 420  
 gtggagccaa gaaaaggccc gccccgatg atgtatatat aaatgagccc aagcgggccc 480  
 gcgagtcagt tgcgcagcca tcgacgtcag acgcggaagc ttcgataaac tacgcggaca 540  
 ggtacaaaaa caaatgttct cgtcacgtgg gcatgaatct gatgctgttt ccctgtcgac 600  
 aatgcgaaag aatgaatcag aattcaaata tctgcttcac acacgggcaa aaagactgtt 660  
 tggaatgctt tcccgtgtca gaatctcaac ccgttcctgt cgtcagaaaa acgtatcaga 720  
 aactttgtta cattcatcat atcatgggaa aagtaccaga cgctgcact gcctgcgacc 780  
 tggtaaagtgt ggacttggat gactgtatct ctgagcaata aatgacttaa atcaggatatg 840  
 gctgctgacg gttatcttcc agattggctc gaggacactc tctctgaagg aatcagacag 900  
 tgggtggaagc tcaaacctgg cccaccaccg ccgaaacctt accaacaaca ccgggacgac 960  
 agtaggggtc ttgtgcttcc tgggtacaag tacctcggac ctttcaacgg actcgacaaa 1020  
 ggagagccgg tcaacgaggc agacgccgcg gccctcgagc acgacaaagc ctacgaccac 1080  
 cagctcaagc aaggggacaa cccgtacctc aaatacaacc acgcggacgc tgaatttcag 1140  
 gagcgtcttc aagaagatac gtctttcggg ggcaacctcg ggcgagcagt cttccaggcc 1200  
 aaaaagaggg tactcgagcc tcttggtctg gttgaggaag ctgttaagac ggctcctgga 1260  
 aaaaagagac ctatagagca gtctcctgca gaaccggact cttcctcggg catcggcaaa 1320  
 tcaggccagc agcccgctaa gaaaagactc aattttggtc agactggcga cacagagtca 1380  
 gtcccagacc ctcaaccaat cggagaacct cccgcagccc cctctggtgt gggatctaat 1440  
 acaatggctt caggcgggtg ggacccaatg gcagacaata acgaaggcgc cgacggagtg 1500  
 ggtaattcct cgggaaattg gcattgcgat tccacatgga tgggcgacag agttatcacc 1560  
 accagcacia gaacctgggc cctccccacc tacaataatc acctctacaa gcaaattctc 1620  
 agcgaatcgg gagccaccaa cgacaaccac tacttcggct acagcacccc ctgggggtat 1680  
 ttgacttta acagattcca ctgtcacttc tcaccacgtg actggcagcg actcatcaat 1740

```

aacaactggg gatttagacc caagaaactc aatttcaagc tcttcaacat ccaagtcaag 1800
gaggtcacgc agaatgatgg aaccacgacc atcgccaata accttaccag cacggtgcag 1860
gtcttcacag actctgagta ccagctgccc tacgtcctcg gttcgggtca ccagggctgc 1920
cttcgcccggt tcccagcaga cgtcttcatg attcctcagt acggctactt gactctgaac 1980
aatggcagcc aagcggtagg acgttcttca ttctactgtc tagagtattt tccctctcag 2040
atgctgagga cgggaaacaa cttcaccttc agctacactt ttgaagacgt gcctttccac 2100
agcagctacg cgcacagcca gagtctggat cggctgatga atcctctcat tgaccagtac 2160
ctgtattacc tgagcaaaac tcagggtaca agtggaacaa cgcagcaatc gagactgcag 2220
ttcaaccaag ctgggcctag ctccatggct cagcaggcca aaaactggct accgggaccc 2280
agctaccgac agcagcgaat gtctaagacg gctaatagaca acaacaacag tgaatttgct 2340
tggaactgcag ccaccaataa ttaccggaat ggaagaaatt ctctggtcaa tcccgggccc 2400
ccaatggcca gtcacaagga cgatgaggaa aagtatttcc ccatgcacgg aaatctcatc 2460
tttggaanaa aaggcacagg aactaccaat gtggacattg aatcagtgtc tattacagac 2520
gaagaagaaa tcagaacgac taatcctgtg gctacagaac aatacggaca ggttgccacc 2580
aaccgtcaga gtcagaacac cacagcttcc tatggaagtg tggacagcca gggaaatctta 2640
cctggaatgg tgtggcagga ccgcatgtc tatcttcaag gtcccatttg ggccaaaact 2700
cctcacacgg acggacactt tcatccttct ccgctcatgg gaggcttttg actgaaacac 2760
cctcctcccc agatcctgat caaaaacaca cctgtgccag cgaatccgc gaccactttc 2820
actcctggaa agtttgcttc gttcattacc cagtattcca ccggacaggt cagcgtggaa 2880
atagagtggg agctgcagaa agaaaacagc aaacgctgga acccggaat tcagtacacc 2940
tccaactaca acaagtcggt gaatgtggag ttaccgtgg acgcaaacgg tgtttattct 3000
gaaccccgcc ctattggcac tcgttacctt acccggaact tgtaatttcc tgtaaatgaa 3060
taaaccgatt tatgcgtttc agttgaactt tggctctctg gaagggcgaa ttc 3113

```

```

<210> 56
<211> 3122
<212> DNA
<213> new AAV serotype, clone A3.7

```

```

<400> 56
agcggccgcg aattcgccct ttctacggct gcgtcaactg gaccaatgaa aactttccct 60
tcaacgattg cgtcgacaag atggtgatct ggtgggagga gggaaagatg accgccaagg 120
tcgtggaatc tgccaaagcc attctgggtg gaagcaaggt tcgtgtggac cagaaatgca 180
ggctcttcggc ccagatcgac ccgactccgg tgattgtcac ctctaaccac aacatgtgcg 240
ccgtgattga cggaaactcg accaccttcg agcaccagca gccgttgcaa gaccggatgt 300
tcaaatttga acttaccgcg cgtttggatc atgacttttg gaaggtcacc aagcaggaag 360

```

tcaaagactt tttccggtgg gctcaagatc acgtgactga ggtggagcat gagttctacg	420
tcaaaaaggg tggagccaag aaaaggcccc ccccgatga tgtatatata aatgagccca	480
agcgggcgcg cgagtcagtt gcgcagccat cgacgtcaga cgcggaagct tcgataaact	540
acgcggacag gtacaaaaac aaatgttctc gtcacgtggg catgaatctg atgctgtttc	600
cctgtcgaca atgcgaaaga atgaatcaga attcaaatac ctgcttcaca cacgggcaaa	660
aagactgttt ggaatgcttt cccgtgtcag aatctcaacc cgtttctgtc gtcagaaaaa	720
cgtatcagaa actttgttac attcatcata tcatgggaaa agtaccagac gcctgcactg	780
cctgcgacct ggtaaagtgt gacttggatg actgtatttc tgagcaataa atgacttaaa	840
tcaggtatgg ctgctgacgg ttatcttcca gattggctcg aggacactct ctctgaagga	900
atcagacagt ggtggaagct caaacctggc ccaccaccgc cgaaacctaa ccaacaacac	960
cgggacgaca gtaggggtct tgtgcttcct gggtacaagt acctcggacc cttcaacgga	1020
ctcgacaaag gagagccggt caacgaggca gacgccgcg ccctcgagca cgacaaagcc	1080
tacgaccacc agctcaagca aggggacaac ccgtacctca aatacaacca cgcggacgct	1140
gaatttcagg agcgtcttca agaagatacg tctttcgggg gcaacctcgg gcgagcagtc	1200
ttccaggcca aaaagagggg actcgagcct cttgggtctgg ttgaggaagc tgттаagacg	1260
gctcctggaa aaaagagacc tatagagcag tctcctgcag aaccggactc ttctcggggc	1320
atcggcaaat caggccagca gcccgctaag aaaagactca attttggta gactggcgac	1380
acagagtcag tcccagaccc tcaaccaatc ggagaacccc ccgcagcccc ctctggtgtg	1440
ggatctaata caatggcttc aggcggtggg gcaccaatgg cagacaataa cgaaggcgcc	1500
gacggagtgg gtaattcctc gggaaattgg cattgcgatt ccacatggat gggcgacaga	1560
gttatcacca ccagcacaag aacctggggc ctccccacct acaataatcg cctctacaag	1620
caaatctcca gcgaatcggg agccaccaac gacaaccact acttcggcta cagcaccccc	1680
tgggggtatt ttgactttaa cagattccac tgtcacttct caccacgtga ctggcagcga	1740
ctcatcaaca acaactgggg atttagaccc aagaaactca atttcaagct cttcaacatc	1800
caagtcaagg aggtcacgca gaatgatgga accacgacca tcgccaataa ccttaccagc	1860
acggtgcagg tcttcacaga ctctgagtag cagctgccct acgtcctcgg ttcggctcac	1920
cagggctgcc ttccgccgtt cccagcagac gtcttcatga ttctcagta cggctacttg	1980
actctgaaca atggcagcca agcggtagga cgttcttcat tctactgtct agagtatttt	2040
ccctctcaga tgctgaggac gggaaacaac ttcaccttca gctacacttt tgaagacgtg	2100
cctttccaca gcagctacgc gcacagccag agtctggatc ggctgatgaa tcctctcatt	2160
gaccagtacc tgtattacct gagcaaaact cagggtaaaa gtggaacaac gcagcaatcg	2220
agactgcagt tcagccaagc tgggcctagc tccatggctc agcaggccaa aaactggcta	2280

ccgggaccca gctaccgaca gcagcgaatg tctaagacgg ctaatgacaa caacaacagt 2340  
 gaatttgctt ggactgcagc caccaaatat tacctgaatg gaagaaattc tctgggtcaat 2400  
 cccgggcccc caatggccag tcacaaggac gatgaggaaa agtatttccc catgcacgga 2460  
 aatctcatct ttggaaaaca aggcacagga actaccaatg tggacattga atcagtgtt 2520  
 attacagacg aagaagaaat cagaacaact aatcctgtgg ctacagaaca atacggacag 2580  
 gttgccacca accatcagag tcagaacacc acagcttcct atggaagtgt ggacagccag 2640  
 ggaatcttac ctggaatggt gtggcaggac cgcgatgtct atcttcaagg tcccatttgg 2700  
 gccaaaactc ctcacacgga cggacacttt catccttctc cgctcatggg aggcttttga 2760  
 ctgaaacacc ctctcccca gatcctgac aaaaacacac ctgtgccagc gaatcccgcg 2820  
 accactttca ctcttgaaa gtttgcttcg ttcattacc agtattccac cggacaggtc 2880  
 agcgtggaaa tagagtggga gctgcagaaa gaaaacagca aacgctggaa cccagaaatt 2940  
 cagtacacct ccaactacaa caagtcggtg aatgtggagt ttaccgtgga cgcaaacggt 3000  
 gtttattctg aaccccgccc tattggcact cgttacctta cccggaactt gtaatttct 3060  
 gttaatgaat aaaccgattt atgcgtttca gttgaacttt ggtctctgcg aagggcgaat 3120  
 tc 3122

<210> 57

<211> 3123

<212> DNA

<213> new AAV serotype, clone A3.3

<400> 57

gaattcgccc tttctacggc tgcgtcaact ggaccaatga aaactttccc ttcaacgatt 60  
 gcgtcgacaa gatggtgac tgggtggagg agggaaagat gaccgccaag gtcgtggaat 120  
 ctgccaaagc cattctgggt ggaggcaagg ttcgtgtgga ccagaaatgc aagtcttcgg 180  
 ccagatcgca ccgactccg gtgattgtca cctctaacac caacatgtgc gccgtgattg 240  
 acggaaactc gaccaccttc gagcaccagc agccgttgca agaccggatg ttcaaatttg 300  
 aacttaccgg ccgtttggat catgactttg ggaagggtcac caagcaggaa gtcaaagact 360  
 ttttcggtg ggctcaagat cacgtgactg aggtggagca tgagttctac gtcaaaaagg 420  
 gtggagccaa gaaaaggccc gccccgatg atgtatatat aaatgagccc aagcgggcgc 480  
 gcgagtcagt tgcgcagcca tcgacgtcag acgcggaagc ttcgataaac tacgcggaca 540  
 ggtacaaaaa caaatgttct cgtcacgtgg gcatgaatct gatgctgttt cctgtcgac 600  
 aatgcgaaag aatgaatcag aattcaaata tctgcttcac acacgggcaa aaagactgtt 660  
 tggaatgctt tcccgtgtca gaatctcaac ccgtttctgt cgtcagaaaa acgtatcaga 720  
 aactttgtta cattcatcat atcatgggaa aagtaccaga cgcctgcact gcctgcgacc 780  
 tggtaaattg ggacttggat gactgtattt ctgagcaata aatgacttaa atcagggtatg 840

gctgctgacg gttatcttcc agattggctc gaggacactc tctctgaagg aatcagacag	900
tgggtggaagc tcaaacctgg cccaccaccg ccgaaacctc accaacaaca cggggacgac	960
agtaggggtc ttgtgcttcc tgggtacaag tacctcggac ctttcaacgg actcgacaaa	1020
ggagagccgg tcaacgaggg agacgccggc gccctcgagc acgacaaagc ctacgaccac	1080
cagctcaagc aaggggacaa cccgtacctc aaatacaacc acgcggacgc tgaatttcag	1140
gagcgtcttc aagaagatac gtctttcggg ggcaacctcg ggcgagcagt cttccaggcc	1200
aaaaagaggg tactcgagcc tcttggctctg gttgaggaag ctgttaagac ggctcctgga	1260
aaaaagagac ctatagagca gtctcctgca gaaccggact cttcctcggg catcggcaaa	1320
tcaggccagc agcccgctaa gaaaagactc aattttggtc agactggcga cacagagtca	1380
gtcccaggcc ctcaaccaat cggagaaccc ccgcgagccc cctctgggtg gggatctaata	1440
acaatggctt caggcgggtg ggcaccaatg gcagacaata acgaaggcgc cgacggagtg	1500
ggtaattcct cgggaaattg gcattgcgat tccacatgga tgggcgacag agttatcacc	1560
accagcacia gaacctgggc cctccccacc tacaataatc acctctacaa gcaaattctc	1620
agcgaatcgg gagccaccaa cgacaaccac tacttcggct acagcacccc ctgggggtat	1680
tttgacttta acagattcca ctgtcacttc tcaccacgtg actggcagcg actcatcaac	1740
aacaactggg gatttagacc caagaaactc aatttcaagc tcttcaacat ccaagtcaag	1800
gaggtcacgc agaattgatg aaccacgacc atcgccaata accttaccag cgcggtgcag	1860
gtcttcacag actctgagta ccagctgccc tacgtcctcg gttcgggtca ccagggtgc	1920
cttcgccgt tcccagcaga cgtcttcatg attcctcagt acggctactt gactctgaac	1980
aatggcagcc aagcggtagg acgttcttca ttctactgtc tagagtattt tccctctcag	2040
atgctgagga cgggaaacaa cttcaccttc agctacactt ttgaagacgt gcctttccac	2100
agcagctacg cgcacagcca gagtctggat cggctgatga atcctctcat tgaccagtac	2160
ctgtattacc tgagcaaac tcagggtaca agtggaaaca cgcagcaatc gagactgcag	2220
ttcagccaag ctgggcctag ctccatggct cagcaggcca aaaactggct accgggaccc	2280
agctaccgac agcagcgaat gtctaagacg gctaatagaca acaacaacag tgaatttgct	2340
tggactgcag ccaccaaata ttacctgaat ggaagaaatt ctctgggtcaa tccccggccc	2400
ccagtggcca gtcacaagga cgatgaggaa aagtatttcc ccatgcacgg aaatctcatc	2460
tttgaaaaac aaggcacagg aactaccaat gtggacattg aatcagtgtc tattacagac	2520
gaagaagaaa tcagaacaac taatcctgtg gctacagaac aatacggaca ggttgccacc	2580
aaccatcaga gtcagaacac cacagcttcc tatggaagtg tggacagcca gggaatctta	2640
cctggaatgg tgtggcagga ccgcgatgtc tatcttcaag gtcccatttg ggccaaaact	2700
cctcacacgg acggacactt tcctccttct ccgctcatgg gaggttttg actgaaacac	2760

```

cctcctcccc agatcctgat caaaaacaca cctgtgccag cgaatcccgc gaccactttc 2820
actcctggaa agtttgcttc gttcattacc cagtattcca cctgacaggt cagcgtggaa 2880
atagagtggg agctgcagaa agaaaacagc aaacgctgga acccagaaat tcagtacacc 2940
tccaactaca acaagtcggt gaatgtggag tttaccgtgg acgcaaacgg tgtttattct 3000
gaaccccgcc ctattggcac tcgttacctt acccggaact tgtaatttcc tgттаатgaa 3060
taagccgatt tatgcgtttc agttgaactt tggctctctgc gaagggcgaa ttcgttttaa 3120
cct 3123

```

&lt;210&gt; 58

&lt;211&gt; 2969

&lt;212&gt; DNA

&lt;213&gt; new AAV serotype, clone 42.12

&lt;400&gt; 58

```

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
gcgtcgacaa gatggtgatc tgggtggagg agggcaagat gacggccaag gtcgtggagt 120
ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg 180
cccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240
acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg 300
aactcaccog ccgtctggag cagcactttg gcaaggtgac aaagcaggaa gtcaaagagt 360
tcttccgctg ggcgaggat cactgaccg aggtggcgca tgagttctac gtcagaaagg 420
gtggagccaa caagagaccc gccccgatg acgcgataa aagcgagccc aagcgggcct 480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
agacatgcga gagaatgaat cagaatttca acatttgctt cagcacggg accagagact 660
gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc 720
ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780
gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840
ggtatggctg ccgatggtta tcttcagat tggctcgagg acaacctctc tgagggcatc 900
cgcgagtggg gggacttgaa acctggagcc ccgaaacca aagccaacca gcaaaagcag 960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
gacaagggag agccggtcaa cgaggcagac gccgcggccc tcgagcacga caaggcctac 1080
gacaagcagc tcgagcaggg ggacaacccg tacctcaagt acaaccacgc cgacgccgag 1140
tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggag agcagtcttc 1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
cctggaaaga agagaccggt agagccatca cccagcgtt ctccagactc ctctacgggc 1320

```



```

atcggcaaga caggccagca gcccgcgaaa aagagactca actttgggca gactggcgac 1380
tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg 1440
ggatctggta caatggctgc aggcgggtggc gctccaatgg cagacaataa cgaaggcgcc 1500
gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga 1560
gtcatcacca ccagcaccgc aacctgggcc ctccccacct acaacaacca cctctacaag 1620
caaatctcca acgggacatc gggaggaagc accaacgaca acacctactt cggctacagc 1680
acccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg 1740
cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc 1800
aacatccagg tcaaggaggt cagcgagaat gaaggcacca agaccatcgc caataacctt 1860
accagcacga ttacggtctt tacggactcg gaataccagc tcccgtagct cctcggtctt 1920
gcgcaccagg gctgcctgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg 1980
tacctgactc tgaacaacgg cagtcaggcc gtgggccgtt cctccttcta ctgcctggag 2040
tactttcctt ctcaaagtct gagaacgggc aacaactttg agttcagcta ccagtttgag 2100
gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gacgaacccc 2160
ctcatcgacc agtacctgta ctacctggcc cggaccaga gcactacggg gtccacaagg 2220
gggctgcagt tccatcaggc tgggcccac accatggccg agcaatcaaa gaactggctg 2280
cccgaccct gttatcgga gcagagactg tcaaaaaaca tagacagcaa caacaacagt 2340
aactttgcct ggaccggggc cactaaatac catctgaatg gtagaaattc attaaccaac 2400
ccgggcgtag ccatggccac caacaaggac gacgaggacc agttctttcc catcaacgga 2460
gtgctggttt ttggcaaaac gggggctgcc aacaagacaa cgctggaaaa cgtgctaattg 2520
accagcgagg aggagatcaa aaccaccaat cccgtggcta cagaagaata cgggtgtggtc 2580
tccagcaacc tgcaatcgtc tacggccgga cccagacac agactgtcaa cagccagggg 2640
gctctgcccg gcatggtctg gcagaaccgg gacgtgtacc tgcagggtcc catctgggcc 2700
aaaattcctc acacggacgg caactttcac ccgtctccc tgatgggcgg atttgactc 2760
aaacaccgc ctccctcaa tctcatcaag tatacttcca actactaaa atctacaaat 2820
gtggactttg ctgtcaatac tgagggtact tattcagagc ctgccccat tggcaccgt 2880
tacctcacc gtaacctgta attgcctgtt aatcaataaa ccggttaatt cgtttcagtt 2940
gaactttggt ctctgcgaag ggcgaattc 2969

```

<210> 59  
 <211> 3129  
 <212> DNA  
 <213> new AAV serotype, clone 44.2

```

<400> 59
gaattcgccc ttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60

```

gcgtcgacaa gatggtgatc tgggtgggagg agggcaagat gacggccaag gtcgtggagt 120  
 ccgccaaggc cattctcggc ggcagcaaag tgcgcgtgga ccaaaagtgc aagtcgtccg 180  
 cccagatcga cccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240  
 acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagtttg 300  
 aactcaccgc ccgtctggag cacgactttg gcaagggtgac aaagcaggaa gtcagagagt 360  
 tcttcgcgtg ggcgaggat cacgtgaccg aggtggcgca cgagtcttac gtcagaaagg 420  
 gtggagccaa caagagaccc gccccgatg acgcgataa aagcgagccc aagcgggcct 480  
 gcccctcagt cgcgatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540  
 acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600  
 aaacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660  
 gttcagaatg tttccccggc gtgtcagaat ctcaaccggc cgtcagaaaa aagacgtatc 720  
 ggaaactctg tgcgattcat catctgctgg gggcgggcac ccgagattgc ttgctcggcc 780  
 tgcgatctgg tcaacgtgga cctagatgac tgtgtttctg agcaataaat gacttaaacc 840  
 aggtatggct gccgatgggt atcttccaga ttggctcgag gacaacctct ctgagggcat 900  
 tcgcgagtgg tgggacttga aacctggagc cccgaaacct aaagccaacc agcaaaagca 960  
 ggacgacggc cggggtctgg tgcttcctgg ctacaagtac ctcgaccct tcaacggact 1020  
 cgacaagggg gagcccgta acgcgcgga cgcagcggcc ctcgagcacg acaaggccta 1080  
 cgaccagcag ctcaaagcgg gtgacaatcc gtacctgagg tataaccacg ccgacgccga 1140  
 gtttcaggag cgtctgcaag aagatacgtc ttttgggggc aacctcgggc gagcagtctt 1200  
 ccaggccaag aagcgggttc tcgaacctct cggctctggt gaggaaggcg ctaagacggc 1260  
 tcctggaaag aagagaccgg tagagccatc accccagcgt tctccagact cctctacggg 1320  
 catcggaag aaaggccagc agcccgcaa aaagagactc aactttgggc agactggcga 1380  
 ctgagagtca gtgcccgaac ctcaaccaat cggagaacct cccgcaggcc cctctggtct 1440  
 gggatctggt acaatggctg caggcgggtg cgctccaatg gcagacaata acgaaggcgc 1500  
 cgacggagtg ggtagttcct caggaaattg gcattgcgat tccacatggc tgggcgacag 1560  
 agtcatcacc accagcacc gaacctgggc cctccccacc tacaacaacc acctctaaa 1620  
 gcaaatctcc aacgggactt cgggaggaag caccaacgac aacacctact tcggctacag 1680  
 cccccctgg gggtattttg actttaacag attccactgc cacttctcac cacgtgactg 1740  
 gcagcgactc atcaacaaca actggggatt ccggcccaag agactcaact tcaagctctt 1800  
 caacatccag gtcaaggagg tcacgcagaa tgaaggcacc aagaccatcg ccaataacct 1860  
 taccagcacg attcaggtct ttacggactc ggaataccag ctcccgtacg tcctcggctc 1920  
 tgcgaccag ggctgcctgc ctccgttccc ggcgagctc ttcattgatc ctcagtacgg 1980

```

gtacctgact ctgaacaatg gcagtcaggc cgtggggccgt tcctccttct actgcctgga 2040
gtacttttct tctcaaatgc tgagaacggg caacaacttt gagttcagct accagtttga 2100
ggacgtgcct tttcacagca gctacgcgca cagccaaagc ctggaccggc tgatgaaccc 2160
cctcatcgac cagtacctgt actacctgtc tcggactcag tccacgggag gtaccgcagg 2220
aactcagcag ttgctatttt ctcaggccgg gcctaataac atgtcggctc aggccaaaaa 2280
ctggctaccc gggccctgct accggcagca acgcgtctcc acgacactgt cgcaaaataa 2340
caacagcaac tttgcctgga ccggtgccac caagtatcat ctgaatggca gagactctct 2400
ggtaaattccc ggtgtcgcta tggcaaccca caaggacgac gaagagcgat tttttccgtc 2460
cagcggagtc ttaatgtttg ggaaacaggg agctggaaaa gacaacgtgg actatagcag 2520
cgttatgcta accagtgagg aagaaattaa aaccaccaac ccagtggcca cagaacagta 2580
cggcgtggtg gccgataacc tgcaacagca aaacgccgct cctattgtag gggccgtcaa 2640
cagtcaagga gccttacctg gcatggtctg gcagaaccgg gacgtgtacc tgcagggtcc 2700
tatctggggc aagattcctc acacggacgg aaactttcat ccctcgccgc tgatgggagg 2760
ctttggactg aaacacccgc ctcctcagat cctgattaag aatacacctg ttcccgcgga 2820
tcctccaact accttcagtc aagctaagct ggcgtcgttc atcacgcagt acagcaccgg 2880
acaggtcagc gtggaaattg aatgggagct gcagaaagaa aacagcaaac gctggaaccc 2940
agagattcaa tacacttcca actactacaa atctacaaat gtggactttg ctgttaacac 3000
agatggcact tattctgagc ctcgccccat cggcaccggt tacctcaccg gtaatctgta 3060
attgcttggt aatcaataaa ccggttgatt cgtttcagtt gaactttggt ctctgcgaag 3120
ggcgaattc 3129

```

<210> 60

<211> 733

<212> PRT

<213> capsid protein of AAV serotype, clone C1VP1

<400> 60

```

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1           5           10           15

```

```

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
                20           25           30

```

```

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35           40           45

```

```

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50           55           60

```

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Leu Glu Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly Lys  
 145 150 155 160

Lys Gly Lys Gln Pro Ala Lys Lys Arg Leu Asn Phe Glu Glu Asp Thr  
 165 170 175

Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Asp Thr Ser Ala Met Ser  
 180 185 190

Ser Asp Ile Glu Met Arg Ala Ala Pro Gly Gly Asn Ala Val Asp Ala  
 195 200 205

Gly Gln Gly Ser Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys  
 210 215 220

Asp Ser Thr Trp Ser Glu Gly Lys Val Thr Thr Thr Ser Thr Arg Thr  
 225 230 235 240

Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Leu Arg Leu Gly Thr  
 245 250 255

Thr Ser Asn Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr  
 260 265 270

Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln  
 275 280 285

Arg Leu Ile Asn Asn Asn Trp Gly Leu Arg Pro Lys Ala Met Arg Val  
 290 295 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu  
 305 310 315 320

Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp  
 325 330 335

Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser  
 340 345 350

Leu Ser Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr  
 355 360 365

Cys Gly Ile Val Thr Gly Glu Asn Gln Asn Gln Thr Asp Arg Asn Ala  
 370 375 380

Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn  
 385 390 395 400

Asn Phe Glu Met Ala Tyr Asn Phe Gly Lys Val Pro Phe His Ser Met  
 405 410 415

Tyr Ala Tyr Ser Gln Ser Pro Asp Arg Leu Met Asn Pro Leu Leu Asp  
 420 425 430

Gln Tyr Leu Trp His Leu Gln Ser Thr Thr Ser Gly Glu Thr Leu Asn  
 435 440 445

Gln Gly Asn Ala Ala Thr Thr Phe Gly Lys Ile Arg Ser Gly Asp Phe  
 450 455 460

Ala Phe Tyr Arg Lys Asn Trp Leu Pro Gly Pro Cys Val Lys Gln Gln  
 465 470 475 480

Arg Leu Ser Lys Thr Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly  
 485 490 495

Gly Asn Ala Leu Leu Lys Tyr Asp Thr His Tyr Thr Leu Asn Asn Arg  
 500 505 510

Trp Ser Asn Ile Ala Pro Gly Pro Pro Met Ala Thr Ala Gly Pro Ser  
 515 520 525

Asp Gly Asp Phe Ser Asn Ala Gln Leu Ile Phe Pro Gly Pro Ser Val  
 530 535 540

Thr Gly Asn Thr Thr Thr Ser Ala Asn Asn Leu Leu Phe Thr Ser Glu  
 545 550 555 560

Glu Glu Ile Ala Ala Thr Asn Pro Arg Asp Thr Asp Met Phe Gly Gln  
 565 570 575

Ile Ala Asp Asn Asn Gln Asn Ala Thr Thr Ala Pro Ile Thr Gly Asn  
580 585 590

Val Thr Ala Met Gly Val Leu Pro Gly Met Val Trp Gln Asn Arg Asp  
595 600 605

Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Ala Asp Gly  
610 615 620

His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His Pro  
625 630 635 640

Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Ala  
645 650 655

Thr Thr Phe Thr Ala Ala Arg Val Asp Ser Phe Ile Thr Gln Tyr Ser  
660 665 670

Thr Gly Gln Val Ala Val Gln Ile Glu Trp Glu Ile Glu Lys Glu Arg  
675 680 685

Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn Tyr Gly Asn  
690 695 700

Gln Ser Ser Met Leu Trp Ala Pro Asp Thr Thr Gly Lys Tyr Thr Glu  
705 710 715 720

Pro Arg Val Ile Gly Ser Arg Tyr Leu Thr Asn His Leu  
725 730

<210> 61

<211> 733

<212> PRT

<213> capsid protein of AAV serotype, clone C2VP1

<400> 61

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Leu  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe His Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Leu Glu Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly Lys  
 145 150 155 160

Lys Gly Lys Gln Pro Ala Lys Lys Arg Leu Asn Phe Glu Glu Asp Thr  
 165 170 175

Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Asp Thr Ser Ala Met Ser  
 180 185 190

Ser Asp Ile Glu Met Arg Ala Ala Pro Gly Gly Asn Ala Val Asp Ala  
 195 200 205

Gly Gln Gly Ser Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys  
 210 215 220

Asp Ser Thr Trp Ser Glu Gly Lys Val Thr Thr Thr Ser Thr Arg Thr  
 225 230 235 240

Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Leu Arg Leu Gly Thr  
 245 250 255

Thr Ser Asn Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr  
 260 265 270

Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln  
 275 280 285

Arg Leu Ile Asn Asn Asn Trp Gly Leu Arg Pro Lys Ala Met Arg Val  
 290 295 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu  
 305 310 315 320

Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp  
 325 330 335

Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser  
 340 345 350  
 Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr  
 355 360 365  
 Cys Gly Ile Val Thr Gly Glu Asn Gln Asn Gln Thr Asp Arg Asn Ala  
 370 375 380  
 Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn  
 385 390 395 400  
 Asn Phe Glu Met Ala Tyr Asn Phe Glu Lys Val Pro Phe His Ser Met  
 405 410 415  
 Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro Leu Leu Asp  
 420 425 430  
 Gln Tyr Leu Trp His Leu Gln Ser Thr Thr Ser Gly Glu Thr Leu Asn  
 435 440 445  
 Gln Gly Asn Ala Ala Thr Thr Phe Gly Lys Ile Arg Ser Gly Asp Phe  
 450 455 460  
 Ala Phe Tyr Arg Lys Asn Trp Leu Pro Gly Pro Cys Val Lys Gln Gln  
 465 470 475 480  
 Arg Phe Ser Lys Thr Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly  
 485 490 495  
 Gly Asn Ala Leu Leu Lys Tyr Asp Thr His Tyr Thr Leu Asn Asn Arg  
 500 505 510  
 Trp Ser Asn Ile Ala Pro Gly Pro Pro Met Ala Thr Ala Gly Pro Ser  
 515 520 525  
 Asp Gly Asp Phe Ser Asn Ala Gln Leu Ile Phe Pro Gly Pro Ser Val  
 530 535 540  
 Thr Gly Asn Thr Thr Thr Ser Ala Asn Asn Leu Leu Phe Thr Ser Glu  
 545 550 555 560  
 Gly Glu Ile Ala Ala Thr Asn Pro Arg Asp Thr Asp Met Phe Gly Gln  
 565 570 575  
 Ile Ala Asp Asn Asn Gln Asn Ala Thr Thr Ala Pro Ile Thr Gly Asn  
 580 585 590



Val Thr Ala Met Gly Val Leu Pro Gly Met Val Trp Gln Asn Arg Asp  
 595 600 605

Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Ala Asp Gly  
 610 615 620

His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His Pro  
 625 630 635 640

Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Ala  
 645 650 655

Thr Thr Phe Thr Ala Ala Arg Val Asp Ser Phe Ile Thr Gln Tyr Ser  
 660 665 670

Thr Gly Gln Val Ala Val Gln Ile Glu Trp Glu Ile Glu Lys Glu Arg  
 675 680 685

Ser Lys Arg Arg Asn Pro Glu Val Gln Phe Thr Ser Asn Tyr Gly Asn  
 690 695 700

Gln Ser Ser Met Leu Trp Ala Pro Asp Thr Thr Gly Lys Tyr Thr Glu  
 705 710 715 720

Pro Arg Val Ile Gly Ser Arg Tyr Leu Thr Asn His Leu  
 725 730

<210> 62

<211> 733

<212> PRT

<213> capsid protein of AAV serotype, clone C5VP1@2

<400> 62

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Glu Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Leu Glu Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly Lys  
 145 150 155 160

Lys Gly Lys Gln Pro Ala Lys Lys Arg Leu Asn Phe Glu Glu Asp Thr  
 165 170 175

Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Asp Thr Ser Ala Met Ser  
 180 185 190

Ser Asp Ile Glu Met Arg Ala Ala Pro Gly Gly Asn Ala Val Asp Ala  
 195 200 205

Gly Gln Gly Ser Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys  
 210 215 220

Asp Ser Thr Trp Ser Glu Gly Lys Val Thr Thr Thr Ser Thr Arg Thr  
 225 230 235 240

Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Leu Arg Leu Gly Thr  
 245 250 255

Thr Ser Asn Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr  
 260 265 270

Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln  
 275 280 285

Arg Leu Ile Asn Asn Asn Trp Gly Leu Arg Pro Lys Ala Met Arg Val  
 290 295 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu  
 305 310 315 320

Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp  
 325 330 335

Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser  
 340 345 350

Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr  
 355 360 365

Cys Gly Ile Val Thr Gly Glu Asn Gln Asn Gln Thr Asp Arg Asn Ala  
 370 375 380

Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn  
 385 390 395 400

Asn Phe Glu Thr Ala Tyr Asn Phe Glu Lys Val Pro Phe His Ser Met  
 405 410 415

Tyr Ala His Ser Gln Ser Leu Asp Gly Leu Met Asn Pro Leu Leu Asp  
 420 425 430

Gln Tyr Leu Trp His Leu Gln Ser Thr Thr Ser Gly Glu Thr Leu Asn  
 435 440 445

Gln Gly Asn Ala Ala Thr Thr Phe Gly Lys Ile Arg Ser Gly Asp Phe  
 450 455 460

Ala Phe Tyr Arg Lys Asn Trp Leu Pro Gly Pro Cys Val Lys Gln Gln  
 465 470 475 480

Arg Phe Ser Lys Thr Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly  
 485 490 495

Gly Asn Ala Leu Leu Lys Tyr Asp Thr His Tyr Thr Leu Asn Asn Arg  
 500 505 510

Trp Ser Asn Ile Ala Pro Gly Pro Pro Met Ala Thr Ala Gly Pro Ser  
 515 520 525

Asp Gly Asp Phe Ser Asn Ala Gln Leu Ile Phe Pro Gly Pro Ser Val  
 530 535 540

Thr Gly Asn Thr Thr Thr Ser Ala Asn Asn Leu Leu Phe Thr Ser Glu  
 545 550 555 560

Glu Glu Ile Ala Ala Thr Asn Pro Arg Asp Thr Asp Met Phe Gly Gln  
 565 570 575

Ile Ala Asp Asn Asn Gln Asn Ala Thr Thr Ala Pro Ile Thr Gly Asn  
 580 585 590

Val Thr Ala Met Gly Val Leu Pro Gly Met Val Trp Gln Asn Arg Asp  
 595 600 605

Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Ala Asp Gly  
610 615 620

His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His Pro  
625 630 635 640

Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Tyr Pro Ala  
645 650 655

Thr Thr Phe Thr Ala Ala Arg Val Asp Ser Phe Ile Thr Gln Tyr Ser  
660 665 670

Thr Gly Gln Val Ala Val Gln Ile Glu Trp Glu Ile Glu Lys Glu Arg  
675 680 685

Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn Cys Gly Asn  
690 695 700

Gln Ser Ser Met Leu Trp Ala Pro Asp Thr Thr Gly Lys Tyr Thr Glu  
705 710 715 720

Pro Arg Val Ile Gly Ser Arg Tyr Leu Thr Asn His Leu  
725 730

<210> 63

<211> 734

<212> PRT

<213> capsid protein of AAV serotype, clone AAV4VP1

<400> 63

Met Thr Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser Glu  
1 5 10 15

Gly Val Arg Glu Trp Trp Ala Leu Gln Pro Gly Ala Pro Lys Pro Lys  
20 25 30

Ala Asn Gln Gln His Gln Asp Asn Ala Arg Gly Leu Val Leu Pro Gly  
35 40 45

Tyr Lys Tyr Leu Gly Pro Gly Asn Gly Leu Asp Lys Gly Glu Pro Val  
50 55 60

Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp Gln  
65 70 75 80

Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala Asp  
85 90 95

Ala Glu Phe Gln Gln Arg Leu Gln Gly Asp Thr Ser Phe Gly Gly Asn  
100 105 110

Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro Leu  
 115 120 125

Gly Leu Val Glu Gln Ala Gly Glu Thr Ala Pro Gly Lys Lys Arg Pro  
 130 135 140

Leu Ile Glu Ser Pro Gln Gln Pro Asp Ser Ser Thr Gly Ile Gly Lys  
 145 150 155 160

Lys Gly Lys Gln Pro Ala Lys Lys Lys Leu Val Phe Glu Asp Glu Thr  
 165 170 175

Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Thr Ser Gly Ala Met Ser  
 180 185 190

Asp Asp Ser Glu Met Arg Ala Ala Ala Gly Gly Ala Ala Val Glu Gly  
 195 200 205

Gly Gln Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys  
 210 215 220

Asp Ser Thr Trp Ser Glu Gly His Val Thr Thr Thr Ser Thr Arg Thr  
 225 230 235 240

Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Arg Leu Gly Glu  
 245 250 255

Ser Leu Gln Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr  
 260 265 270

Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln  
 275 280 285

Arg Leu Ile Asn Asn Asn Trp Gly Met Arg Pro Lys Ala Met Arg Val  
 290 295 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu  
 305 310 315 320

Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp  
 325 330 335

Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser  
 340 345 350

Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr  
 355 360 365

Cys Gly Leu Val Thr Gly Asn Thr Ser Gln Gln Gln Thr Asp Arg Asn  
 370 375 380

Ala Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly  
 385 390 395 400

Asn Asn Phe Glu Ile Thr Tyr Ser Phe Glu Lys Val Pro Phe His Ser  
 405 410 415

Met Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro Leu Ile  
 420 425 430

Asp Gln Tyr Leu Trp Gly Leu Gln Ser Thr Thr Thr Gly Thr Thr Leu  
 435 440 445

Asn Ala Gly Thr Ala Thr Thr Asn Phe Thr Lys Leu Arg Pro Thr Asn  
 450 455 460

Phe Ser Asn Phe Lys Lys Asn Trp Leu Pro Gly Pro Ser Ile Lys Gln  
 465 470 475 480

Gln Gly Phe Ser Lys Thr Ala Asn Gln Asn Tyr Lys Ile Pro Ala Thr  
 485 490 495

Gly Ser Asp Ser Leu Ile Lys Tyr Glu Thr His Ser Thr Leu Asp Gly  
 500 505 510

Arg Trp Ser Ala Leu Thr Pro Gly Pro Pro Met Ala Thr Ala Gly Pro  
 515 520 525

Ala Asp Ser Lys Phe Ser Asn Ser Gln Leu Ile Phe Ala Gly Pro Lys  
 530 535 540

Gln Asn Gly Asn Thr Ala Thr Val Pro Gly Thr Leu Ile Phe Thr Ser  
 545 550 555 560

Glu Glu Glu Leu Ala Ala Thr Asn Ala Thr Asp Thr Asp Met Trp Gly  
 565 570 575

Asn Leu Pro Gly Gly Asp Gln Ser Asn Ser Asn Leu Pro Thr Val Asp  
 580 585 590

Arg Leu Thr Ala Leu Gly Ala Val Pro Gly Met Val Trp Gln Asn Arg  
 595 600 605

Asp Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp  
 610 615 620

Gly His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His  
625 630 635 640

Pro Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Asn Pro  
645 650 655

Ala Thr Thr Phe Ser Ser Thr Pro Val Asn Ser Phe Ile Thr Gln Tyr  
660 665 670

Ser Thr Gly Gln Val Ser Val Gln Ile Asp Trp Glu Ile Gln Lys Glu  
675 680 685

Arg Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn Tyr Gly  
690 695 700

Gln Gln Asn Ser Leu Leu Trp Ala Pro Asp Ala Ala Gly Lys Tyr Thr  
705 710 715 720

Glu Pro Arg Ala Ile Gly Thr Arg Tyr Leu Thr His His Leu  
725 730

<210> 64

<211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone AAV1

<400> 64

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly  
 145 150 155 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro  
 180 185 190

Ala Thr Pro Ala Ala Val Gly Pro Thr Thr Met Ala Ser Gly Gly Gly  
 195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala  
 210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
 225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 245 250 255

Tyr Lys Gln Ile Ser Ser Ala Ser Thr Gly Ala Ser Asn Asp Asn His  
 260 265 270

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe  
 275 280 285

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn  
 290 295 300

Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln  
 305 310 315 320

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn  
 325 330 335

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro  
 340 345 350

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala  
 355 360 365

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly  
 370 375 380



Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro  
 385 390 395 400

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe  
 405 410 415

Glu Glu Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp  
 420 425 430

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg  
 435 440 445

Thr Gln Asn Gln Ser Gly Ser Ala Gln Asn Lys Asp Leu Leu Phe Ser  
 450 455 460

Arg Gly Ser Pro Ala Gly Met Ser Val Gln Pro Lys Asn Trp Leu Pro  
 465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Lys Thr Asp Asn  
 485 490 495

Asn Asn Ser Asn Phe Thr Trp Thr Gly Ala Ser Lys Tyr Asn Leu Asn  
 500 505 510

Gly Arg Glu Ser Ile Ile Asn Pro Gly Thr Ala Met Ala Ser His Lys  
 515 520 525

Asp Asp Glu Asp Lys Phe Phe Pro Met Ser Gly Val Met Ile Phe Gly  
 530 535 540

Lys Glu Ser Ala Gly Ala Ser Asn Thr Ala Leu Asp Asn Val Met Ile  
 545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Arg  
 565 570 575

Phe Gly Thr Val Ala Val Asn Phe Gln Ser Ser Ser Thr Asp Pro Ala  
 580 585 590

Thr Gly Asp Val His Ala Met Gly Ala Leu Pro Gly Met Val Trp Gln  
 595 600 605

Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620

Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640

Lys Asn Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
645 650 655

Asn Pro Pro Ala Glu Phe Ser Ala Thr Lys Phe Ala Ser Phe Ile Thr  
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Val Gln Tyr Thr Ser Asn  
690 695 700

Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr Val Asp Asn Asn Gly Leu  
705 710 715 720

Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Pro Leu  
725 730 735

<210> 65

<211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone AAV6VP1

<400> 65

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
115 120 125

Phe Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly  
 145 150 155 160  
 Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175  
 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro  
 180 185 190  
 Ala Thr Pro Ala Ala Val Gly Pro Thr Thr Met Ala Ser Gly Gly Gly  
 195 200 205  
 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala  
 210 215 220  
 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
 225 230 235 240  
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 245 250 255  
 Tyr Lys Gln Ile Ser Ser Ala Ser Thr Gly Ala Ser Asn Asp Asn His  
 260 265 270  
 Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe  
 275 280 285  
 His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn  
 290 295 300  
 Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln  
 305 310 315 320  
 Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn  
 325 330 335  
 Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro  
 340 345 350  
 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala  
 355 360 365  
 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly  
 370 375 380  
 Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro  
 385 390 395 400

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe  
 405 410 415

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp  
 420 425 430

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg  
 435 440 445

Thr Gln Asn Gln Ser Gly Ser Ala Gln Asn Lys Asp Leu Leu Phe Ser  
 450 455 460

Arg Gly Ser Pro Ala Gly Met Ser Val Gln Pro Lys Asn Trp Leu Pro  
 465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Lys Thr Asp Asn  
 485 490 495

Asn Asn Ser Asn Phe Thr Trp Thr Gly Ala Ser Lys Tyr Asn Leu Asn  
 500 505 510

Gly Arg Glu Ser Ile Ile Asn Pro Gly Thr Ala Met Ala Ser His Lys  
 515 520 525

Asp Asp Lys Asp Lys Phe Phe Pro Met Ser Gly Val Met Ile Phe Gly  
 530 535 540

Lys Glu Ser Ala Gly Ala Ser Asn Thr Ala Leu Asp Asn Val Met Ile  
 545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Arg  
 565 570 575

Phe Gly Thr Val Ala Val Asn Leu Gln Ser Ser Ser Thr Asp Pro Ala  
 580 585 590

Thr Gly Asp Val His Val Met Gly Ala Leu Pro Gly Met Val Trp Gln  
 595 600 605

Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620

Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655

Asn Pro Pro Ala Glu Phe Ser Ala Thr Lys Phe Ala Ser Phe Ile Thr  
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Val Gln Tyr Thr Ser Asn  
690 695 700

Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr Val Asp Asn Asn Gly Leu  
705 710 715 720

Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Pro Leu  
725 730 735

<210> 66

<211> 735

<212> PRT

<213> capsid protein of AAV serotype, clone A3.3

<400> 66

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser  
1 5 10 15

Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro  
20 25 30

Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
115 120 125

Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg  
130 135 140

Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly  
 145 150 155 160

Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175

Gly Asp Thr Glu Ser Val Pro Gly Pro Gln Pro Ile Gly Glu Pro Pro  
 180 185 190

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly  
 195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser  
 210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile  
 225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 245 250 255

Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr  
 260 265 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His  
 275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp  
 290 295 300

Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val  
 305 310 315 320

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu  
 325 330 335

Thr Ser Ala Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr  
 340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp  
 355 360 365

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser  
 370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser  
 385 390 395 400

Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu  
 405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg  
 420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr  
 435 440 445

Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Ser Gln  
 450 455 460

Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly  
 465 470 475 480

Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn  
 485 490 495

Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Leu Asn Gly  
 500 505 510

Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Val Ala Ser His Lys Asp  
 515 520 525

Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys  
 530 535 540

Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr  
 545 550 555 560

Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr  
 565 570 575

Gly Gln Val Ala Thr Asn His Gln Ser Gln Asn Thr Thr Ala Ser Tyr  
 580 585 590

Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp  
 595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr  
 610 615 620

Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys  
 625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn  
 645 650 655

Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln  
                   660                  665                  670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys  
                   675                  680                  685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr  
                   690                  695                  700

Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr  
                   705                  710                  715                  720

Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
                   725                  730                  735

<210> 67

<211> 735

<212> PRT

<213> capsid protein of AAV serotype, clone A3.7

<400> 67

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser  
   1                  5                  10                  15

Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro  
                   20                  25                  30

Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro  
                   35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
                   50                  55                  60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
                   65                  70                  75                  80

His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
                   85                  90                  95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
                   100                  105                  110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
                   115                  120                  125

Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg  
                   130                  135                  140

Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly  
                   145                  150                  155                  160



Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175  
 Gly Asp Thr Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro  
 180 185 190  
 Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly  
 195 200 205  
 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser  
 210 215 220  
 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile  
 225 230 235 240  
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn Arg Leu  
 245 250 255  
 Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr  
 260 265 270  
 Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His  
 275 280 285  
 Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp  
 290 295 300  
 Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val  
 305 310 315 320  
 Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu  
 325 330 335  
 Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr  
 340 345 350  
 Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp  
 355 360 365  
 Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser  
 370 375 380  
 Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser  
 385 390 395 400  
 Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu  
 405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg  
 420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr  
 435 440 445

Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Ser Gln  
 450 455 460

Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly  
 465 470 475 480

Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn  
 485 490 495

Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Leu Asn Gly  
 500 505 510

Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Met Ala Ser His Lys Asp  
 515 520 525

Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys  
 530 535 540

Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr  
 545 550 555 560

Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr  
 565 570 575

Gly Gln Val Ala Thr Asn His Gln Ser Gln Asn Thr Thr Ala Ser Tyr  
 580 585 590

Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp  
 595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr  
 610 615 620

Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys  
 625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn  
 645 650 655

Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln  
 660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys  
 675 680 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr  
 690 695 700

Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr  
 705 710 715 720

Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

<210> 68

<211> 735

<212> PRT

<213> capsid protein of AAV serotype, clone A3.4

<400> 68

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro  
 20 25 30

Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly  
 145 150 155 160

Glu Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175

Gly Asp Thr Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro  
 180 185 190

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly  
 195 200 205

Ala Pro Met Ala Asp Asp Asn Glu Gly Ala Asp Gly Val Gly Asn Ser  
 210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile  
 225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 245 250 255

Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr  
 260 265 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His  
 275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp  
 290 295 300

Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val  
 305 310 315 320

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu  
 325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr  
 340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp  
 355 360 365

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser  
 370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser  
 385 390 395 400

Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu  
 405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg  
 420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr  
 435 440 445

Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Ser Gln  
 450 455 460

Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly  
 465 470 475 480

Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn  
 485 490 495

Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Leu Asn Gly  
 500 505 510

Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Met Ala Ser His Lys Asp  
 515 520 525

Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys  
 530 535 540

Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr  
 545 550 555 560

Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr  
 565 570 575

Gly Gln Val Ala Thr Asn His Gln Ser Gln Asp Thr Thr Ala Ser Tyr  
 580 585 590

Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp  
 595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr  
 610 615 620

Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys  
 625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn  
 645 650 655

Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln  
 660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys  
 675 680 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr  
690 695 700

Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr  
705 710 715 720

Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
725 730 735

<210> 69

<211> 735

<212> PRT

<213> capsid protein of AAV serotype, clone A3.5

<400> 69

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser  
1 5 10 15

Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro  
20 25 30

Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
115 120 125

Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg  
130 135 140

Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly  
145 150 155 160

Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
165 170 175

Gly Asp Thr Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro  
180 185 190

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly  
 195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser  
 210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile  
 225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 245 250 255

Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr  
 260 265 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His  
 275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp  
 290 295 300

Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val  
 305 310 315 320

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu  
 325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr  
 340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp  
 355 360 365

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser  
 370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser  
 385 390 395 400

Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu  
 405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg  
 420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr  
 435 440 445

Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Asn Gln  
 450 455 460

Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly  
 465 470 475 480

Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn  
 485 490 495

Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Pro Asn Gly  
 500 505 510

Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Met Ala Ser His Lys Asp  
 515 520 525

Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys  
 530 535 540

Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr  
 545 550 555 560

Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr  
 565 570 575

Gly Gln Val Ala Thr Asn Arg Gln Ser Gln Asn Thr Thr Ala Ser Tyr  
 580 585 590

Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp  
 595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr  
 610 615 620

Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys  
 625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn  
 645 650 655

Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln  
 660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys  
 675 680 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr  
 690 695 700



Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr  
 705 710 715 720

Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

<210> 70

<211> 735

<212> PRT

<213> capsid protein of AAV serotype, clone AAV2

<400> 70

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro  
 20 25 30

Lys Pro Ala Glu Arg His Lys Asp Asp Ser Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Arg Gln Leu Asp Ser Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Lys Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Pro Val Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Val Glu His Ser Pro Val Glu Pro Asp Ser Ser Ser Gly Thr Gly  
 145 150 155 160

Lys Ala Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175

Gly Asp Ala Asp Ser Val Pro Asp Pro Gln Pro Leu Gly Gln Pro Pro  
 180 185 190

Ala Ala Pro Ser Gly Leu Gly Thr Asn Thr Met Ala Thr Gly Ser Gly  
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser  
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile  
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
245 250 255

Tyr Lys Gln Ile Ser Ser Gln Ser Gly Ala Ser Asn Asp Asn His Tyr  
260 265 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His  
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp  
290 295 300

Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val  
305 310 315 320

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu  
325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr  
340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp  
355 360 365

Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser  
370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser  
385 390 395 400

Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu  
405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg  
420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr  
435 440 445

Asn Thr Pro Ser Gly Thr Thr Thr Gln Ser Arg Leu Gln Phe Ser Gln  
 450 455 460

Ala Gly Ala Ser Asp Ile Arg Asp Gln Ser Arg Asn Trp Leu Pro Gly  
 465 470 475 480

Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Ser Ala Asp Asn Asn  
 485 490 495

Asn Ser Glu Tyr Ser Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly  
 500 505 510

Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Ser His Lys Asp  
 515 520 525

Asp Glu Glu Lys Phe Phe Pro Gln Ser Gly Val Leu Ile Phe Gly Lys  
 530 535 540

Gln Gly Ser Glu Lys Thr Asn Val Asp Ile Glu Lys Val Met Ile Thr  
 545 550 555 560

Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr  
 565 570 575

Gly Ser Val Ser Thr Asn Leu Gln Arg Gly Asn Arg Gln Ala Ala Thr  
 580 585 590

Ala Asp Val Asn Thr Gln Gly Val Leu Pro Gly Met Val Trp Gln Asp  
 595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr  
 610 615 620

Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys  
 625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn  
 645 650 655

Pro Ser Thr Thr Phe Ser Ala Ala Lys Phe Ala Ser Phe Ile Thr Gln  
 660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys  
 675 680 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr  
 690 695 700

Asn Lys Ser Val Asn Val Asp Phe Thr Val Asp Thr Asn Gly Val Tyr  
 705 710 715 720

Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

<210> 71

<211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone AAV3

<400> 71

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Val Pro Gln Pro  
 20 25 30

Lys Ala Asn Gln Gln His Gln Asp Asn Arg Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Gly Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Ile Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Ala Ala Lys Thr Ala Pro Gly Lys Lys Gly  
 130 135 140

Ala Val Asp Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Val Gly  
 145 150 155 160

Lys Ser Gly Lys Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro  
 180 185 190

Ala Ala Pro Thr Ser Leu Gly Ser Asn Thr Met Ala Ser Gly Gly Gly  
 195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser  
 210 215 220  
 Ser Gly Asn Trp His Cys Asp Ser Gln Trp Leu Gly Asp Arg Val Ile  
 225 230 235 240  
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 245 250 255  
 Tyr Lys Gln Ile Ser Ser Gln Ser Gly Ala Ser Asn Asp Asn His Tyr  
 260 265 270  
 Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His  
 275 280 285  
 Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp  
 290 295 300  
 Gly Phe Arg Pro Lys Lys Leu Ser Phe Lys Leu Phe Asn Ile Gln Val  
 305 310 315 320  
 Arg Gly Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu  
 325 330 335  
 Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr  
 340 345 350  
 Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp  
 355 360 365  
 Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser  
 370 375 380  
 Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser  
 385 390 395 400  
 Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr Phe Glu  
 405 410 415  
 Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg  
 420 425 430  
 Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg Thr  
 435 440 445  
 Gln Gly Thr Thr Ser Gly Thr Thr Asn Gln Ser Arg Leu Leu Phe Ser  
 450 455 460

Gln Ala Gly Pro Gln Ser Met Ser Leu Gln Ala Arg Asn Trp Leu Pro  
 465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Leu Ser Lys Thr Ala Asn Asp Asn  
 485 490 495

Asn Asn Ser Asn Phe Pro Trp Thr Ala Ala Ser Lys Tyr His Leu Asn  
 500 505 510

Gly Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Ser His Lys  
 515 520 525

Asp Asp Glu Glu Lys Phe Phe Pro Met His Gly Asn Leu Ile Phe Gly  
 530 535 540

Lys Glu Gly Thr Thr Ala Ser Asn Ala Glu Leu Asp Asn Val Met Ile  
 545 550 555 560

Thr Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln  
 565 570 575

Tyr Gly Thr Val Ala Asn Asn Leu Gln Ser Ser Asn Thr Ala Pro Thr  
 580 585 590

Thr Gly Thr Val Asn His Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
 595 600 605

Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620

Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640

Lys His Pro Pro Pro Gln Ile Met Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655

Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr  
 660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 690 695 700

Tyr Asn Lys Ser Val Asn Val Asp Phe Thr Val Asp Thr Asn Gly Val  
 705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
                               725                              730                              735

<210> 72

<211> 737

<212> PRT

<213> capsid protein of AAV serotype, clone 3.3bVP1

<400> 72

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
   1                              5                              10                              15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
                               20                              25                              30

Lys Ala Asn Gln Gln Lys Gln Asp Asn Gly Arg Gly Leu Val Leu Pro  
                               35                              40                              45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
                               50                              55                              60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
   65                              70                              75                              80

Gln Gln Leu Asn Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
                               85                              90                              95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
                               100                              105                              110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
                               115                              120                              125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Ala Lys Lys Arg  
                               130                              135                              140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
   145                              150                              155                              160

Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln  
                               165                              170                              175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro  
                               180                              185                              190

Pro Ala Ala Pro Ser Ser Val Gly Ser Gly Thr Val Ala Ala Gly Gly  
                               195                              200                              205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn  
 210 215 220

Ala Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255

Leu Tyr Glu Gln Ile Ser Ser Glu Thr Ala Gly Ser Thr Asn Asp Asn  
 260 265 270

Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg  
 275 280 285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn  
 290 295 300

Asn Trp Gly Phe Arg Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile  
 305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn  
 325 330 335

Asn Leu Thr Ser Thr Ile Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu  
 340 345 350

Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro  
 355 360 365

Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn  
 370 375 380

Gly Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe  
 385 390 395 400

Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser  
 405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu  
 420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala  
 435 440 445

Arg Thr Gln Ser Asp Pro Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln  
 450 455 460



Phe Tyr Gln Gly Gly Pro Ser Thr Met Ala Glu Gln Ala Lys Asn Trp  
 465 470 475 480

Leu Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp  
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510

Leu Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525

His Lys Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile  
 530 535 540

Phe Gly Lys Thr Gly Ala Thr Asn Lys Thr Thr Leu Glu Asn Val Leu  
 545 550 555 560

Met Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu  
 565 570 575

Glu Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Asn Thr Ala Ala  
 580 585 590

Gln Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp  
 595 600 605

Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro  
 610 615 620

His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly  
 625 630 635 640

Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro  
 645 650 655

Ala Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile  
 660 665 670

Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu  
 675 680 685

Gln Lys Glu Asn Ser Lys Arg Trp Asp Pro Glu Ile Gln Tyr Thr Ser  
 690 695 700

Asn Phe Glu Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly  
 705 710 715 720

Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn  
725 730 735

Leu

```
<210> 73
<211> 644
<212> PRT
<213> capsid protein of AAV serotype, clone 223-4
```

<400> 73  
Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg  
1 5 10 15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr  
20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg  
35 40 45

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro  
50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly  
65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
85 90 95

Gly Asp Ser Glu Pro Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro  
100 105 110

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly  
115 120 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala  
130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Arg Leu Gly Asp Arg Val Ile  
145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val  
180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe  
195 200 205

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn  
 210 215 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln  
 225 230 235 240

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn  
 245 250 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro  
 260 265 270

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala  
 275 280 285

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly  
 290 295 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro  
 305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe  
 325 330 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Gly  
 340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg  
 355 360 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe  
 370 375 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu  
 385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln  
 405 410 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu  
 420 425 430

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His  
 435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe  
 450 455 460

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met  
465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu  
485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln  
500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
530 535 540

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
545 550 555 560

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr  
580 585 590

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
595 600 605

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
610 615 620

Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val  
625 630 635 640

Tyr Ser Glu Pro

<210> 74

<211> 644

<212> PRT

<213> capsid protein of AAV serotype, clone 223.5

<400> 74

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg  
1 5 10 15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr  
20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg  
35 40 45

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro  
 50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly  
 65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 85 90 95

Gly Asp Ser Glu Pro Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro  
 100 105 110

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly  
 115 120 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala  
 130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Arg Leu Gly Asp Arg Val Ile  
 145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val  
 180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe  
 195 200 205

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn  
 210 215 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln  
 225 230 235 240

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn  
 245 250 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro  
 260 265 270

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala  
 275 280 285

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly  
 290 295 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro  
 305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe  
 325 330 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Gly  
 340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg  
 355 360 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe  
 370 375 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu  
 385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln  
 405 410 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu  
 420 425 430

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His  
 435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe  
 450 455 460

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met  
 465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu  
 485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln  
 500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
 515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 530 535 540

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 545 550 555 560

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr  
580 585 590

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
595 600 605

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
610 615 620

```
Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val  
625                      630          635          640
```

Tyr Ser Glu Pro

```
<210> 75
<211> 644
<212> PRT
<213> capsid protein of AAV serotype, clone 223.10
```

```
<220>
<221> MISC_FEATURE
<222> (434)..(434)
<223> can be any amino acid
```

<400> 75

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg  
1 5 10 15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr  
20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg  
35 40 45

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro  
50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly  
65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
85 90 95

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro  
100 105 110

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly  
 115 120 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala  
 130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
 145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val  
 180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe  
 195 200 205

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn  
 210 215 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln  
 225 230 235 240

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn  
 245 250 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro  
 260 265 270

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala  
 275 280 285

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly  
 290 295 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro  
 305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe  
 325 330 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp  
 340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg  
 355 360 365



Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe  
 370 375 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu  
 385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln  
 405 410 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu  
 420 425 430

Asn Xaa Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His  
 435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe  
 450 455 460

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met  
 465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu  
 485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln  
 500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
 515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 530 535 540

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 545 550 555 560

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr  
 580 585 590

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 595 600 605

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 610 615 620

Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val  
 625 630 635 640

Tyr Ser Glu Pro

<210> 76

<211> 644

<212> PRT

<213> capsid protein of AAV serotype, clone 223.2

<400> 76

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg  
 1 5 10 15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Cys Leu Gln Glu Asp Thr  
 20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg  
 35 40 45

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro  
 50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly  
 65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 85 90 95

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro  
 100 105 110

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Val Ala Gly Gly Gly  
 115 120 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala  
 130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
 145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val  
 180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe  
 195 200 205

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn  
 210 215 220  
 Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln  
 225 230 235 240  
 Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn  
 245 250 255  
 Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro  
 260 265 270  
 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala  
 275 280 285  
 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly  
 290 295 300  
 Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro  
 305 310 315 320  
 Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe  
 325 330 335  
 Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp  
 340 345 350  
 Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg  
 355 360 365  
 Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe  
 370 375 380  
 Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu  
 385 390 395 400  
 Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln  
 405 410 415  
 Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu  
 420 425 430  
 Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His  
 435 440 445  
 Lys Asp Asp Glu Glu Arg Phe Ser Pro Ser Ser Gly Val Leu Ile Phe  
 450 455 460

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met  
 465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu  
 485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln  
 500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
 515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 530 535 540

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 545 550 555 560

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr  
 580 585 590

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 595 600 605

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 610 615 620

Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val  
 625 630 635 640

Tyr Ser Glu Pro

<210> 77

<211> 644

<212> PRT

<213> capsid protein of AAV serotype, clone 223.7

<400> 77

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg  
 1 5 10 15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr  
 20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg  
 35 40 45  
 Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro  
 50 55 60  
 Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly  
 65 70 75 80  
 Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 85 90 95  
 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro  
 100 105 110  
 Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly  
 115 120 125  
 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala  
 130 135 140  
 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
 145 150 155 160  
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 165 170 175  
 Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val  
 180 185 190  
 Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe  
 195 200 205  
 His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn  
 210 215 220  
 Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln  
 225 230 235 240  
 Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn  
 245 250 255  
 Leu Thr Ser Thr Val Gln Val Phe Ser Asp Pro Glu Tyr Gln Leu Pro  
 260 265 270  
 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala  
 275 280 285

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly  
 290 295 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro  
 305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe  
 325 330 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp  
 340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg  
 355 360 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe  
 370 375 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu  
 385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln  
 405 410 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu  
 420 425 430

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His  
 435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe  
 450 455 460

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met  
 465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu  
 485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln  
 500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
 515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 530 535 540

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 545 550 555 560

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Ile Ala Ser Phe Ile Thr  
 580 585 590

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 595 600 605

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 610 615 620

Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val  
 625 630 635 640

Tyr Ser Glu Pro

<210> 78

<211> 644

<212> PRT

<213> capsid protein of AAV serotype, clone 223.6

<400> 78

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg  
 1 5 10 15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr  
 20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg  
 35 40 45

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro  
 50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly  
 65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 85 90 95

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro  
 100 105 110

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly  
 115 120 125

Ala Pro Met Ala Asp Asn Ser Glu Gly Ala Asp Gly Val Gly Asn Ala  
 130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
 145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val  
 180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe  
 195 200 205

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn  
 210 215 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln  
 225 230 235 240

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn  
 245 250 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro  
 260 265 270

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala  
 275 280 285

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly  
 290 295 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro  
 305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe  
 325 330 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp  
 340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg  
 355 360 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe  
 370 375 380



Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu  
385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln  
405 410 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu  
420 425 430

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His  
435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe  
450 455 460

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met  
465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu  
485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln  
500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
530 535 540

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
545 550 555 560

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Leu Ala Ser Phe Ile Thr  
580 585 590

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
595 600 605

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
610 615 620

Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val  
625 630 635 640

Tyr Ser Glu Pro

<210> 79

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 44.1

<400> 79

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln  
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro  
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly  
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser  
 210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp  
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn  
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn  
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala  
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln  
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe  
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr  
 405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu  
 450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp  
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser  
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met  
 530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val  
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr  
 565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala  
 580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val  
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile  
 610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe  
 625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val  
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe  
 660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
 675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
 690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp  
 705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
 725 730 735

Asn Leu

<210> 80  
 <211> 738  
 <212> PRT  
 <213> capsid protein of AAV serotype, clone 44.5

<400> 80

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
 145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln  
 165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro  
 180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly  
 195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser  
 210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp  
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn  
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Pro Asn Phe Lys Leu Phe Asn  
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala  
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln  
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe  
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr  
 405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu  
 450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp  
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser  
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met  
 530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val  
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr  
 565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala  
 580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val  
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile  
 610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe  
 625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val  
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe  
 660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
 675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
 690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp  
 705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
725 730 735

Asn Leu

<210> 81

<211> 738

<212> PRT

<212> PRI  
<213> capsid protein of AAV serotype, clone 44.2

<400> 81

```

<400>      81
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1              5              10              15

```

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln  
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro  
180 185 190

Pro Ala Gly    Pro Ser Gly Leu Gly Ser Gly Thr Met    Ala Ala Gly Gly  
               195                          200                          205



Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser  
 210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp  
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn  
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn  
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala  
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln  
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe  
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr  
 405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu  
 450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp  
 465 470 475 480  
 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser  
 485 490 495  
 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510  
 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525  
 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met  
 530 535 540  
 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val  
 545 550 555 560  
 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr  
 565 570 575  
 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala  
 580 585 590  
 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val  
 595 600 605  
 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile  
 610 615 620  
 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe  
 625 630 635 640  
 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val  
 645 650 655  
 Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe  
 660 665 670  
 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
 675 680 685  
 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
 690 695 700  
 Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp  
 705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
725 730 735

Asn Leu

```
<210> 82
<211> 738
<212> PRT
<213> capsid protein of AAV serotype, clone 29.3VP1
```

<400> 82

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
85 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Thr Thr Gly Ile  
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln  
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro  
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly  
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser  
 210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp  
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn  
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn  
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala  
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln  
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala Arg Gln Gly Cys Leu Pro Pro Phe  
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr  
 405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu  
 450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp  
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser  
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met  
 530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Gly Asn Val Asp Tyr Ser Ser Val  
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr  
 565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala  
 580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val  
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile  
 610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe  
 625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val  
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe  
 660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
 675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
 690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp  
 705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
725 730 735

Asn Leu

<210> 83

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 29.5VP1

<400> 83

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln  
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro  
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly  
 195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser  
 210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Gly Val  
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp  
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn  
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Ser Leu Asn Phe Lys Leu Phe Asn  
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala  
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln  
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe  
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr  
 405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu  
 450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp  
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser  
 485 490 495

Gln Asn Asp Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met  
 530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val  
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr  
 565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala  
 580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val  
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile  
 610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe  
 625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val  
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe  
 660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
 675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
 690 695 700



Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp  
 705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
 725 730 735

Asn Leu

<210> 84  
 <211> 738  
 <212> PRT  
 <213> capsid protein of AAV serotype, clone 42.15

<400> 84

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
 145 150 155 160

Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln  
 165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro  
 180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly  
 195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser  
 210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp  
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn  
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn  
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala  
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln  
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Pro Pro Pro Phe  
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400

Phe Pro Ser Gln Met Arg Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr  
 405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu  
 450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp  
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser  
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met  
 530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val  
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr  
 565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala  
 580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val  
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile  
 610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe  
 625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val  
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe  
 660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
 675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
 690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu  
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
725 730 735

Asn Leu

<210> 85

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone 42.8

<400> 85

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
145 150 155 160

Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln  
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro  
 180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly  
 195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser  
 210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp  
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn  
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn  
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala  
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln  
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe  
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr  
 405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu  
 450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp  
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser  
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met  
 530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val  
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr  
 565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala  
 580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val  
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile  
 610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe  
 625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val  
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe  
 660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
 675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
 690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu  
 705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
 725 730 735

Asn Leu

<210> 86

<211> 733

<212> PRT

<213> amino acid of AAV serotype, clone 42.13

<400> 86

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln  
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
 165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser  
 180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala  
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser Ser Ser Gly Asn Trp  
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255

Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn Thr Tyr Phe Gly  
 260 265 270

Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His  
 275 280 285

Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe  
 290 295 300

Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu  
 305 310 315 320

Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser  
 325 330 335

Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu  
 340 345 350

Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe  
 355 360 365

Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala  
 370 375 380

Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met  
 385 390 395 400

Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val  
 405 410 415

Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met  
 420 425 430



Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser .  
 435 440 445

Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly  
 450 455 460

Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys  
 465 470 475 480

Tyr Arg Gln Gln Arg Val Ser Thr Thr Val Ser Gln Asn Asn Asn Ser  
 485 490 495

Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp  
 500 505 510

Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His Lys Gly Asp Glu  
 515 520 525

Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly  
 530 535 540

Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu  
 545 550 555 560

Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val  
 565 570 575

Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala  
 580 585 590

Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp  
 595 600 605

Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly  
 610 615 620

Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro  
 625 630 635 640

Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro  
 645 650 655

Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser  
 660 665 670

Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn  
 675 680 685

Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys  
 690 695 700

Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu  
 705 710 715 720

Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Ser Leu  
 725 730

<210> 87

<211> 733

<212> PRT

<213> capsid protein of AAV serotype, clone 42.3A

<400> 87

Met Ala Ala Asp Gly His Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln  
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
 165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser  
 180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala  
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser Ser Ser Gly Asn Trp  
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255

Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn Thr Tyr Phe Gly  
 260 265 270

Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His  
 275 280 285

Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Ser Trp Gly Phe  
 290 295 300

Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu  
 305 310 315 320

Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser  
 325 330 335

Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu  
 340 345 350

Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe  
 355 360 365

Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala  
 370 375 380

Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met  
 385 390 395 400

Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val  
 405 410 415

Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met  
 420 425 430

Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser  
 435 440 445

Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly  
 450 455 460

Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys  
 465 470 475 480

Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser Gln Asn Asn Asn Ser  
 485 490 495

Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp  
 500 505 510

Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His Lys Asp Asp Glu  
 515 520 525

Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly  
 530 535 540

Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu  
 545 550 555 560

Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val  
 565 570 575

Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala  
 580 585 590

Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp  
 595 600 605

Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly  
 610 615 620

Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro  
 625 630 635 640

Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro  
 645 650 655

Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser  
 660 665 670

Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn  
 675 680 685

Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys  
 690 695 700

Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu  
705 710 715 720

Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
725 730

<210> 88

<211> 731

<212> PRT

<213> capsid protein of AAV serotype, clone 42.4

<400> 88

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln  
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser  
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala  
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp  
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser  
 260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser  
 275 280 285

Ser Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro  
 290 295 300

Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr  
 305 310 315 320

Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile  
 325 330 335

Gln Val Phe Thr Asp Ser Glu Tyr Arg Leu Pro Tyr Val Leu Gly Ser  
 340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile  
 355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala Val Gly  
 370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg  
 385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val Pro Phe  
 405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro  
 420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser Thr Gly  
 435 440 445

Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly Pro Asn  
 450 455 460

Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg  
 465 470 475 480

Gln Gln Arg Val Ser Thr Thr Leu Ser Gln Asn Asn Asn Ser Asn Phe  
 485 490 495

Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp Ser Leu  
 500 505 510

Val Asn Pro Gly Val Ala Met Ala Thr His Lys Asp Asp Glu Glu Arg  
 515 520 525

Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly Ala Gly  
 530 535 540

Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu Glu Glu  
 545 550 555 560

Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val Val Ala  
 565 570 575

Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala Val Asn  
 580 585 590

Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr  
 595 600 605

Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe  
 610 615 620

His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro  
 625 630 635 640

Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro Thr Thr  
 645 650 655

Phe Ser Gln Ala Lys Pro Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly  
 660 665 670

Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys  
 675 680 685

Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys Ser Thr  
 690 695 700

Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu Pro Arg  
 705 710 715 720

Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730

<210> 89

<211> 731

<212> PRT

<213> capsid protein of AAV serotype, clone 42.5A

<400> 89

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Arg Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln  
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
 165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser  
 180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala  
 195 200 205



Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp  
 210 215 220  
 .  
 His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240  
 Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255  
 Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser  
 260 265 270  
 Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser  
 275 280 285  
 Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Arg Gly Phe Arg Pro  
 290 295 300  
 Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr  
 305 310 315 320  
 Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile  
 325 330 335  
 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser  
 340 345 350  
 Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile  
 355 360 365  
 Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly  
 370 375 380  
 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg  
 385 390 395 400  
 Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val Pro Phe  
 405 410 415  
 His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro  
 420 425 430  
 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser Thr Gly  
 435 440 445  
 Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly Pro Asn  
 450 455 460

Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg  
 465 470 475 480

Gln Gln Arg Val Ser Thr Thr Leu Ser Gln Asn Asn Asn Ser Asn Phe  
 485 490 495

Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp Ser Leu  
 500 505 510

Val Asn Pro Gly Val Ala Met Ala Thr His Lys Asp Asp Glu Glu Arg  
 515 520 525

Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly Ala Gly  
 530 535 540

Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu Glu Glu  
 545 550 555 560

Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val Val Ala  
 565 570 575

Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala Val Asn  
 580 585 590

Ser Gln Gly Ala Leu Pro Gly Met Ala Trp Gln Asn Arg Asp Val Tyr  
 595 600 605

Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe  
 610 615 620

His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro  
 625 630 635 640

Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro Thr Thr  
 645 650 655

Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly  
 660 665 670

Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys  
 675 680 685

Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys Ser Thr  
 690 695 700

Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu Pro Arg  
 705 710 715 720

Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
725 730

<210> 90

<211> 733

<212> PRT

<213> capsid protein of AAV serotype, clone 42.1B

<400> 90

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Arg Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln  
145 150 155 160

Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser  
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala  
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser Ser Ser Gly Asn Trp  
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255

Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn Thr Tyr Phe Gly  
 260 265 270

Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His  
 275 280 285

Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe  
 290 295 300

Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu  
 305 310 315 320

Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser  
 325 330 335

Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu  
 340 345 350

Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe  
 355 360 365

Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala  
 370 375 380

Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met  
 385 390 395 400

Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val  
 405 410 415

Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met  
 420 425 430

Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser  
 435 440 445

Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly  
 450 455 460

Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys  
 465 470 475 480

Tyr Arg Gln Gln Arg Val Ser Thr Thr Val Ser Gln Asn Asn Asn Ser  
 485 490 495

Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp  
 500 505 510

Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His Lys Gly Asp Glu  
 515 520 525

Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly  
 530 535 540

Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu  
 545 550 555 560

Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val  
 565 570 575

Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala  
 580 585 590

Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp  
 595 600 605

Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly  
 610 615 620

Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro  
 625 630 635 640

Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro  
 645 650 655

Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser  
 660 665 670

Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn  
 675 680 685

Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys  
 690 695 700

Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu  
 705 710 715 720

Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730

<210> 91  
 <211> 738  
 <212> PRT  
 <213> capsid protein of AAV serotype, clone 42.5B

<400> 91  
 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
 Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
 85 90 95  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125  
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140  
 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
 145 150 155 160  
 Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln  
 165 170 175  
 Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro  
 180 185 190  
 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly  
 195 200 205  
 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser  
 210 215 220  
 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240  
 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp  
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn  
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn  
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala  
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln  
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe  
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr  
 405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu  
 450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp  
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser  
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525  
 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met  
 530 535 540  
 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val  
 545 550 555 560  
 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr  
 565 570 575  
 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala  
 580 585 590  
 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val  
 595 600 605  
 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile  
 610 615 620  
 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe  
 625 630 635 640  
 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val  
 645 650 655  
 Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe  
 660 665 670  
 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
 675 680 685  
 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
 690 695 700  
 Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu  
 705 710 715 720  
 Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
 725 730 735  
 Asn Leu

&lt;210&gt; 92

&lt;211&gt; 738

&lt;212&gt; PRT

&lt;213&gt; capsid protein of AAV serotype, clone 43.1



&lt;400&gt; 92

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
 145 150 155 160

Gly Lys Lys Gly His Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln  
 165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro  
 180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly  
 195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser  
 210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp  
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn  
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn  
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala  
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln  
 340 345 350

Leu Pro Tyr Val Pro Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe  
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr  
 405 410 415

Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Gln Gly Thr Gln Gln Leu Leu  
 450 455 460

Phe Ser Gln Ala Gly Pro Ala Asn Met Ser Ala Gln Ala Lys Asn Trp  
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser  
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met  
 530 535 540  
 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val  
 545 550 555 560  
 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr  
 565 570 575  
 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Thr Asn Gly Ala  
 580 585 590  
 Pro Ile Val Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val  
 595 600 605  
 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile  
 610 615 620  
 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe  
 625 630 635 640  
 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Val Lys Asn Thr Pro Val  
 645 650 655  
 Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe  
 660 665 670  
 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
 675 680 685  
 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
 690 695 700  
 Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu  
 705 710 715 720  
 Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
 725 730 735  
 Asn Leu

<210> 93  
 <211> 738  
 <212> PRT  
 <213> capsid protein of AAV serotype, clone 43.12

<400> 93  
 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
  
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
  
 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
  
 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95  
  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125  
  
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140  
  
 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
 145 150 155 160  
  
 Gly Lys Lys Gly His Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln  
 165 170 175  
  
 Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro  
 180 185 190  
  
 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly  
 195 200 205  
  
 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser  
 210 215 220  
  
 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240  
  
 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp  
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn  
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn  
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala  
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln  
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe  
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr  
 405 410 415

Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Gln Gly Thr Gln Gln Leu Leu  
 450 455 460

Phe Ser Gln Ala Gly Pro Ala Asn Met Ser Ala Gln Ala Lys Asn Trp  
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser  
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp  
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn  
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn  
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala  
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln  
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe  
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr  
 405 410 415

Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Gln Gly Thr Gln Gln Leu Leu  
 450 455 460

Phe Ser Gln Ala Gly Pro Ala Asn Met Ser Ala Gln Ala Lys Asn Trp  
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser  
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met  
 530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val  
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr  
 565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Thr Asn Gly Ala  
 580 585 590

Pro Ile Val Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val  
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile  
 610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe  
 625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Val Lys Asn Thr Pro Val  
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe  
 660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
 675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
 690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu  
 705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
 725 730 735

Asn Leu

<210> 94  
 <211> 738  
 <212> PRT  
 <213> capsid protein of AAV serotype, clone 43.5

<400> 94  
 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
  
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
  
 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
  
 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95  
  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125  
  
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140  
  
 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
 145 150 155 160  
  
 Gly Lys Lys Gly His Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln  
 165 170 175  
  
 Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro  
 180 185 190  
  
 Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly  
 195 200 205  
  
 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser  
 210 215 220  
  
 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240  
  
 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255



Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp  
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn  
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn  
305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala  
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln  
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe  
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr  
405 410 415

Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Gln Gly Thr Gln Gln Leu Leu  
450 455 460

Phe Ser Gln Ala Gly Pro Ala Asn Met Ser Ala Gln Ala Lys Asn Trp  
465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser  
485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met  
 530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val  
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr  
 565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Thr Asn Gly Ala  
 580 585 590

Pro Ile Val Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val  
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile  
 610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe  
 625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Val Lys Asn Thr Pro Val  
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe  
 660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
 675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
 690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu  
 705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
 725 730 735

Asn Leu

<210> 95

<211> 738

<212> PRT

<213> capsid protein of AAV serotype, clone AAV8

&lt;400&gt; 95

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Gln Gln Leu Gln Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
 145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln  
 165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro  
 180 185 190

Pro Ala Ala Pro Ser Gly Val Gly Pro Asn Thr Met Ala Ala Gly Gly  
 195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser  
 210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ala Thr Asn Asp  
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn  
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Ser Phe Lys Leu Phe Asn  
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala  
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln  
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe  
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Thr Tyr  
 405 410 415

Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445

Ser Arg Thr Gln Thr Thr Gly Gly Thr Ala Asn Thr Gln Thr Leu Gly  
 450 455 460

Phe Ser Gln Gly Gly Pro Asn Thr Met Ala Asn Gln Ala Lys Asn Trp  
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Gly  
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Ala Gly Thr Lys Tyr His  
 500 505 510

Leu Asn Gly Arg Asn Ser Leu Ala Asn Pro Gly Ile Ala Met Ala Thr  
 515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Asn Gly Ile Leu Ile  
 530 535 540

Phe Gly Lys Gln Asn Ala Ala Arg Asp Asn Ala Asp Tyr Ser Asp Val  
 545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr  
 565 570 575

Glu Glu Tyr Gly Ile Val Ala Asp Asn Leu Gln Gln Gln Asn Thr Ala  
 580 585 590

Pro Gln Ile Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val  
 595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile  
 610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe  
 625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val  
 645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Asn Gln Ser Lys Leu Asn Ser Phe  
 660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
 675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
 690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Ser Val Asp Phe Ala Val Asn Thr Glu  
 705 710 715 720

Gly Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
 725 730 735

Asn Leu

<210> 96  
 <211> 736  
 <212> PRT  
 <213> capsid protein of AAV serotype, clone 43.21  
  
 <400> 96  
 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125  
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140  
 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly  
 145 150 155 160  
 Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175  
 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro  
 180 185 190  
 Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly  
 195 200 205  
 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser  
 210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
 225 230 235 240  
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 245 250 255  
 Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn  
 260 265 270  
 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg  
 275 280 285  
 Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn  
 290 295 300  
 Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile  
 305 310 315 320  
 Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn  
 325 330 335  
 Asn Leu Thr Ser Thr Val Arg Val Phe Thr Asp Ser Glu Tyr Gln Leu  
 340 345 350  
 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro  
 355 360 365  
 Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn  
 370 375 380  
 Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe  
 385 390 395 400  
 Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr  
 405 410 415  
 Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu  
 420 425 430  
 Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val  
 435 440 445  
 Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser  
 450 455 460  
 Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro  
 465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Ser  
485 490 495

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn  
500 505 510

Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys  
515 520 525

Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly  
530 535 540

Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile  
545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu  
565 570 575

Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln  
580 585 590

Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln  
595 600 605

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
645 650 655

Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr  
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
690 695 700

Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val  
705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
725 730 735



<210> 97  
 <211> 736  
 <212> PRT  
 <213> capsid protein of AAV serotype, clone 43.25

<400> 97  
 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly  
 145 150 155 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro  
 180 185 190

Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly  
 195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser  
 210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
 225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 245 250 255

Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn  
 260 265 270

Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg  
 275 280 285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn  
 290 295 300

Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile  
 305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn  
 325 330 335

Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu  
 340 345 350

Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro  
 355 360 365

Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn  
 370 375 380

Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe  
 385 390 395 400

Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr  
 405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu  
 420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val  
 435 440 445

Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser  
 450 455 460

Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro  
 465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn  
 485 490 495

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn  
 500 505 510

Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys  
 515 520 525

Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly  
 530 535 540

Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile  
 545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu  
 565 570 575

Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln  
 580 585 590

Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln  
 595 600 605

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655

Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr  
 660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 690 695 700

Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val  
 705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

<210> 98  
 <211> 736  
 <212> PRT  
 <213> capsid protein of AAV serotype, clone 43.23

<400> 98  
 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
  
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
  
 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
  
 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95  
  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125  
  
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140  
  
 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly  
 145 150 155 160  
  
 Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175  
  
 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro  
 180 185 190  
  
 Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly  
 195 200 205  
  
 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser  
 210 215 220  
  
 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
 225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 245 250 255

Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn  
 260 265 270

Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg  
 275 280 285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn  
 290 295 300

Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile  
 305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn  
 325 330 335

Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Leu Glu Tyr Gln Leu  
 340 345 350

Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro  
 355 360 365

Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn  
 370 375 380

Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe  
 385 390 395 400

Pro Ser Gln Met Pro Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr  
 405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu  
 420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val  
 435 440 445

Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser  
 450 455 460

Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro  
 465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn  
 485 490 495

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn  
 500 505 510

Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys  
 515 520 525

Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly  
 530 535 540

Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile  
 545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu  
 565 570 575

Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln  
 580 585 590

Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln  
 595 600 605

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655

Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr  
 660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 690 695 700

Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val  
 705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

<210> 99  
 <211> 736  
 <212> PRT  
 <213> capsid protein of AAV serotype, clone 43.20

<400> 99  
 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Leu Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly  
 145 150 155 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro  
 180 185 190

Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly  
 195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser  
 210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
 225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 245 250 255  
 Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn  
 260 265 270  
 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg  
 275 280 285  
 Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn  
 290 295 300  
 Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile  
 305 310 315 320  
 Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn  
 325 330 335  
 Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu  
 340 345 350  
 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro  
 355 360 365  
 Ala Asp Val Phe Thr Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn  
 370 375 380  
 Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe  
 385 390 395 400  
 Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr  
 405 410 415  
 Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu  
 420 425 430  
 Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val  
 435 440 445  
 Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser  
 450 455 460  
 Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro  
 465 470 475 480  
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn  
 485 490 495



Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn  
 500 505 510

Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys  
 515 520 525

Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly  
 530 535 540

Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile  
 545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu  
 565 570 575

Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln  
 580 585 590

Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln  
 595 600 605

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655

Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr  
 660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 690 695 700

Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val  
 705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

<210> 100

<211> 736

<212> PRT

<213> capsid protein of AAV serotype, clone AAV9

400&gt; 100

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
  
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
  
 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
  
 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95  
  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125  
  
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140  
  
 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly  
 145 150 155 160  
  
 Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175  
  
 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro  
 180 185 190  
  
 Glu Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly  
 195 200 205  
  
 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser  
 210 215 220  
  
 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
 225 230 235 240  
  
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 245 250 255

Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn  
 260 265 270  
 Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg  
 275 280 285  
 Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn  
 290 295 300  
 Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile  
 305 310 315 320  
 Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn  
 325 330 335  
 Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu  
 340 345 350  
 Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro  
 355 360 365  
 Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn  
 370 375 380  
 Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe  
 385 390 395 400  
 Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr  
 405 410 415  
 Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu  
 420 425 430  
 Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val  
 435 440 445  
 Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser  
 450 455 460  
 Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro  
 465 470 475 480  
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn  
 485 490 495  
 Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn  
 500 505 510

Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys  
 515 520 525

Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly  
 530 535 540

Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile  
 545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu  
 565 570 575

Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln  
 580 585 590

Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln  
 595 600 605

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655

Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr  
 660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 690 695 700

Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val  
 705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

<210> 101  
 <211> 728  
 <212> PRT  
 <213> capsid protein of AAV serotype, clone 24.1

<400> 101  
 Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Arg Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Val Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln  
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
 165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser  
 180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala  
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp  
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Ser Tyr Ser  
 260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser  
 275 280 285  
 Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro  
 290 295 300  
 Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr  
 305 310 315 320  
 Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile  
 325 330 335  
 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser  
 340 345 350  
 Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile  
 355 360 365  
 Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly  
 370 375 380  
 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg  
 385 390 395 400  
 Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe  
 405 410 415  
 His Ser Ser Tyr Val His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro  
 420 425 430  
 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr  
 435 440 445  
 Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met  
 450 455 460  
 Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln  
 465 470 475 480  
 Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp  
 485 490 495  
 Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn  
 500 505 510  
 Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe  
 515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys  
 530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr  
 545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu  
 565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly  
 580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Cys Leu Gln Gly  
 595 600 605

Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser  
 610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu  
 625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro  
 645 650 655

Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser  
 660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn  
 675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu  
 690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly  
 705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu  
 725

<210> 102

<211> 728

<212> PRT

<213> capsid protein of AAV serotype, clone 42.2REAL

<400> 102

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln  
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
 165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser  
 180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala  
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp  
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser  
 260 265 270



Pro Ile Asn Gly Val Leu Val Phe Gly Glu Thr Gly Ala Ala Asn Lys  
 530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr  
 545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu  
 565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly  
 580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly  
 595 600 605

Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser  
 610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu  
 625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro  
 645 650 655

Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser  
 660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn  
 675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu  
 690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly  
 705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu  
 725

<210> 103

<211> 728

<212> PRT

<213> capsid protein of AAV serotype, clone 7.2VP1

<400> 103

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Gly Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Arg Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Asn Gly Gln  
 145 150 155 160

Pro Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
 165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser  
 180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala  
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp  
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser  
 260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser  
 275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro  
 290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr  
 305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile  
 325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser  
 340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile  
 355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly  
 370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg  
 385 390 395 400

Thr Gly Asp Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe  
 405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro  
 420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr  
 435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met  
 450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln  
 465 470 475 480

Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp  
 485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn  
 500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe  
 515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys  
 530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr  
545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu  
565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly  
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly  
595 600 605

Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser  
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu  
625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro  
645 650 655

Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser  
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn  
675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu  
690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly  
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu  
725

<210> 104

<211> 728

<212> PRT

<213> capsid protein of AAV serotype, clone 27.3VP1

<400> 104

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Ser Gly Lys Lys Arg  
 130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln  
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
 165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser  
 180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala  
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp  
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser  
 260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser  
 275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro  
 290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr  
 305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile  
 325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser  
 340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile  
 355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly  
 370 375 380

Arg Ser Ser Phe Cys Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg  
 385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe  
 405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro  
 420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr  
 435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Val  
 450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln  
 465 470 475 480

Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp  
 485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn  
 500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Leu  
 515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys  
 530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr  
545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu  
565 570 575

Gln Ser Ser Thr Ala Gly Pro Arg Thr Gln Thr Val Asn Ser Gln Gly  
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly  
595 600 605

Pro Ile Trp Ala Glu Ile Pro His Thr Asp Gly Asn Phe His Pro Ser  
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu  
625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro  
645 650 655

Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser  
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn  
675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu  
690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly  
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu  
725

<210> 105

<211> 728

<212> PRT

<213> capsid protein of AAV serotype, clone 16.3VP1

<400> 105

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln  
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
 165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser  
 180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala  
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp  
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser  
 260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser  
 275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro  
 290 295 300



Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr  
 305 310 315 320  
 Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile  
 325 330 335  
 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser  
 340 345 350  
 Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile  
 355 360 365  
 Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Met Gly  
 370 375 380  
 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg  
 385 390 395 400  
 Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe  
 405 410 415  
 His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro  
 420 425 430  
 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr  
 435 440 445  
 Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met  
 450 455 460  
 Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln  
 465 470 475 480  
 Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp  
 485 490 495  
 Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn  
 500 505 510  
 Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Gly Gln Phe Phe  
 515 520 525  
 Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys  
 530 535 540  
 Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr  
 545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu  
565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly  
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly  
595 600 605

Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser  
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu  
625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Gly Val Phe Thr Pro  
645 650 655

Ala Leu Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser  
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn  
675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu  
690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly  
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu  
725

<210> 106

<211> 728

<212> PRT

<213> capsid protein of AAV serotype, clone 42.10

<400> 106

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Arg Lys Gly Gln  
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
 165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser  
 180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala  
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp  
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser  
 260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser  
 275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro  
 290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr  
 305 310 315 320  
 Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile  
 325 330 335  
 Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser  
 340 345 350  
 Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile  
 355 360 365  
 Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly  
 370 375 380  
 Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg  
 385 390 395 400  
 Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe  
 405 410 415  
 His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro  
 420 425 430  
 Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr  
 435 440 445  
 Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met  
 450 455 460  
 Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln  
 465 470 475 480  
 Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp  
 485 490 495  
 Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn  
 500 505 510  
 Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe  
 515 520 525  
 Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys  
 530 535 540  
 Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr  
 545 550 555 560

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln  
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
 165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser  
 180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala  
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp  
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser  
 260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser  
 275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro  
 290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr  
 305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile  
 325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser  
 340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile  
 355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly  
 370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg  
 385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe  
 405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro  
 420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr  
 435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met  
 450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln  
 465 470 475 480

Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Thr Ser Asn Phe Ala Trp  
 485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn  
 500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe  
 515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys  
 530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr  
 545 550 555 560

Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val Val Ser Ser Asn Leu  
 565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly  
 580 585 590  
 Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly  
 595 600 605  
 Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser  
 610 615 620  
 Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu  
 625 630 635 640  
 Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro  
 645 650 655  
 Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser  
 660 665 670  
 Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn  
 675 680 685  
 Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu  
 690 695 700  
 Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly  
 705 710 715 720  
 Thr Arg Tyr Leu Thr Arg Asn Leu  
 725

<210> 108  
 <211> 728  
 <212> PRT  
 <213> capsid protein of AAV serotype, clone 42.11

<400> 108

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60



Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln  
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
 165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser  
 180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala  
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp  
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser  
 260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser  
 275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro  
 290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr  
 305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile  
 325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser  
 340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile  
 355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly  
 370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg  
 385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe  
 405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro  
 420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr  
 435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met  
 450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Arg Gln  
 465 470 475 480

Arg Leu Ser Lys Asp Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp  
 485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn  
 500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe  
 515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys  
 530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr  
 545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu  
 565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly  
 580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly  
 595 600 605

Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser  
 610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu  
 625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro  
 645 650 655

Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser  
 660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn  
 675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu  
 690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly  
 705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu  
 725

<210> 109  
 <211> 729  
 <212> PRT  
 <213> capsid protein of AAV serotype, clone F1VP1

<400> 109

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Ile Asp Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln  
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
 165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser  
 180 185 190

Ser Val Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala  
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp  
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255

Ser Ser Ser Ser Ser Gly Ala Thr Asn Asp Asn His Tyr Phe Gly Tyr  
 260 265 270

Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe  
 275 280 285

Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg  
 290 295 300

Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val  
 305 310 315 320

Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr  
 325 330 335

Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly  
 340 345 350  
 Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met  
 355 360 365  
 Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val  
 370 375 380  
 Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu  
 385 390 395 400  
 Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser Phe Glu Asp Val Pro  
 405 410 415  
 Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn  
 420 425 430  
 Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr  
 435 440 445  
 Thr Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr  
 450 455 460  
 Met Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln  
 465 470 475 480  
 Gln Gly Leu Ser Lys Asn Leu Asp Phe Asn Asn Asn Ser Asn Phe Ala  
 485 490 495  
 Trp Thr Ala Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr  
 500 505 510  
 Asn Pro Gly Ile Pro Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe  
 515 520 525  
 Phe Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn  
 530 535 540  
 Lys Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys  
 545 550 555 560  
 Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn  
 565 570 575  
 Leu Gln Pro Ser Thr Ala Gly Pro Gln Ser Gln Thr Ile Asn Ser Gln  
 580 585 590

Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln  
 595 600 605

Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro  
 610 615 620

Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile  
 625 630 635 640

Leu Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr  
 645 650 655

Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val  
 660 665 670

Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp  
 675 680 685

Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val  
 690 695 700

Glu Phe Ala Val Asn Pro Asp Gly Val Tyr Thr Glu Pro Arg Pro Ile  
 705 710 715 720

Gly Thr Arg Tyr Leu Pro Arg Asn Leu  
 725

<210> 110

<211> 729

<212> PRT

<213> capsid protein of AAV serotype, clone F5VP103

<400> 110

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Ile Asp Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln  
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
 165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser  
 180 185 190

Ser Val Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Thr Ala  
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp  
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255

Ser Ser Ser Ser Ser Gly Ala Thr Asn Asp Asn His Tyr Phe Gly Tyr  
 260 265 270

Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe  
 275 280 285

Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg  
 290 295 300

Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val  
 305 310 315 320

Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr  
 325 330 335

Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly  
 340 345 350

Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met  
 355 360 365

Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val  
 370 375 380

Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu  
 385 390 395 400

Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser Phe Glu Asp Val Pro  
 405 410 415

Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn  
 420 425 430

Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr  
 435 440 445

Thr Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr  
 450 455 460

Met Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln  
 465 470 475 480

Gln Arg Leu Ser Lys Asn Leu Asp Phe Asn Asn Asn Ser Asn Phe Ala  
 485 490 495

Trp Thr Ala Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr  
 500 505 510

Asn Pro Gly Ile Pro Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe  
 515 520 525

Phe Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn  
 530 535 540

Lys Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys  
 545 550 555 560

Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn  
 565 570 575

Leu Gln Ser Ser Thr Ala Gly Pro Gln Ser Gln Thr Ile Asn Ser Gln  
 580 585 590

Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln  
 595 600 605



Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro  
610 615 620

Ser Pro Leu Met Gly Gly Phe Gly Leu Glu His Pro Pro Pro Gln Ile  
625 630 635 640

Leu Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr  
645 650 655

Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val  
660 665 670

Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp  
675 680 685

Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val  
690 695 700

Glu Phe Ala Val Asn Pro Asp Gly Val Tyr Thr Glu Pro Arg Pro Ile  
705 710 715 720

Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
725

<210> 111

<211> 729

<212> PRT

<213> capsid protein of AAV serotype, clone F3VP1

<400> 111

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Ile Gly Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln  
 145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu  
 165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser  
 180 185 190

Ser Val Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala  
 195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp  
 210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr  
 225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile  
 245 250 255

Ser Ser Ser Ser Ser Gly Ala Thr Asn Asp Asn His Tyr Phe Gly Tyr  
 260 265 270

Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe  
 275 280 285

Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg  
 290 295 300

Pro Lys Lys Leu Arg Phe Lys Leu Leu Asn Ile Gln Val Lys Glu Val  
 305 310 315 320

Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr  
 325 330 335

Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly  
 340 345 350

Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met  
 355 360 365

Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asp Asn Gly Ser Gln Ser Val  
 370 375 380

Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu  
 385 390 395 400

Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser Phe Glu Asp Val Pro  
 405 410 415

Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn  
 420 425 430

Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr  
 435 440 445

Thr Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr  
 450 455 460

Met Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln  
 465 470 475 480

Gln Arg Leu Ser Lys Asn Leu Asp Phe Asn Asn Asn Ser Asn Phe Ala  
 485 490 495

Trp Thr Ala Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr  
 500 505 510

Asn Pro Gly Ile Pro Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe  
 515 520 525

Phe Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn  
 530 535 540

Lys Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys  
 545 550 555 560

Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn  
 565 570 575

Leu Gln Ser Ser Thr Ala Gly Pro Gln Ser Gln Thr Ile Asn Ser Gln  
 580 585 590

Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln  
 595 600 605

Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro  
610 615 620

Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile  
625 630 635 640

Leu Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr  
645 650 655

Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val  
660 665 670

Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp  
675 680 685

Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val  
690 695 700

Glu Phe Ala Val Asn Pro Asp Gly Val Tyr Thr Glu Pro Arg Pro Ile  
705 710 715 720

Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
725

<210> 112

<211> 735

<212> PRT

<213> capsid protein of AAV serotype, clone 42.6B

<400> 112

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
 145 150 155 160

Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln  
 165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro  
 180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly  
 195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser  
 210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp  
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn  
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Arg Lys Leu Arg Phe Lys Leu Phe Asn  
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Thr Asp Asp Gly Val Thr Thr Ile Ala  
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Ser Asp Ser Glu Tyr Gln  
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe  
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380

Asn Gly Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr  
 405 410 415

Thr Phe Glu Glu Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445

Ala Arg Thr Gln Ser Thr Thr Gly Ser Thr Arg Glu Leu Gln Phe His  
 450 455 460

Gln Ala Gly Pro Asn Thr Met Ala Glu Gln Ser Lys Asn Trp Leu Pro  
 465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Leu Ser Lys Asn Ile Asp Ser Asn  
 485 490 495

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn  
 500 505 510

Gly Arg Asn Ser Leu Thr Asn Pro Gly Val Ala Met Ala Thr Asn Lys  
 515 520 525

Asp Asp Glu Asp Gln Phe Phe Pro Ile Asn Gly Val Leu Val Phe Gly  
 530 535 540

Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met Thr  
 545 550 555 560

Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr  
 565 570 575

Gly Val Val Ser Ser Asn Leu Gln Ser Ser Thr Ala Gly Pro Gln Thr  
 580 585 590

Gln Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn  
 595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr  
 610 615 620

Asp Gly Asn Phe His Pro Ser Pro Leu Met Asp Gly Phe Gly Leu Lys  
 625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn  
 645 650 655

Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln  
 660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys  
 675 680 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr  
 690 695 700

Ala Lys Ser Asn Asn Val Glu Phe Ala Val Asn Asn Glu Gly Val Tyr  
 705 710 715 720

Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

<210> 113

<211> 685

<212> PRT

<213> capsid protein of AAV serotype, clone 42.12

<400> 113

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
 145 150 155 160

Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln  
 165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro  
 180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly  
 195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser  
 210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His  
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp  
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn  
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn  
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala  
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln  
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe  
 355 360 365



Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr  
 405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430

Leu Asp Arg Leu Thr Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445

Ala Arg Thr Gln Ser Thr Thr Gly Ser Thr Arg Gly Leu Gln Phe His  
 450 455 460

Gln Ala Gly Pro Asn Thr Met Ala Glu Gln Ser Lys Asn Trp Leu Pro  
 465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Leu Ser Lys Asn Ile Asp Ser Asn  
 485 490 495

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn  
 500 505 510

Gly Arg Asn Ser Leu Thr Asn Pro Gly Val Ala Met Ala Thr Asn Lys  
 515 520 525

Asp Asp Glu Asp Gln Phe Phe Pro Ile Asn Gly Val Leu Val Phe Gly  
 530 535 540

Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met Thr  
 545 550 555 560

Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr  
 565 570 575

Gly Val Val Ser Ser Asn Leu Gln Ser Ser Thr Ala Gly Pro Gln Thr  
 580 585 590

Gln Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn  
 595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr  
 610 615 620

Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys  
625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Tyr Thr Ser Asn Tyr Tyr Lys  
645 650 655

Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu  
660 665 670

Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
675 680 685

<210> 114

<211> 724

<212> PRT

<213> capsid protein of AAV serotype, clone AAV5CAP

<400> 114

Met Ser Phe Val Asp His Pro Pro Asp Trp Leu Glu Glu Val Gly Glu  
1 5 10 15

Gly Leu Arg Glu Phe Leu Gly Leu Glu Ala Gly Pro Pro Lys Pro Lys  
20 25 30

Pro Asn Gln Gln His Gln Asp Gln Ala Arg Gly Leu Val Leu Pro Gly  
35 40 45

Tyr Asn Tyr Leu Gly Pro Gly Asn Gly Leu Asp Arg Gly Glu Pro Val  
50 55 60

Asn Arg Ala Asp Glu Val Ala Arg Glu His Asp Ile Ser Tyr Asn Glu  
65 70 75 80

Gln Leu Glu Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala Asp  
85 90 95

Ala Glu Phe Gln Glu Lys Leu Ala Asp Asp Thr Ser Phe Gly Gly Asn  
100 105 110

Leu Gly Lys Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro Phe  
115 120 125

Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Thr Gly Lys Arg Ile  
130 135 140

Asp Asp His Phe Pro Lys Arg Lys Lys Ala Arg Thr Glu Glu Asp Ser  
145 150 155 160

Lys Pro Ser Thr Ser Ser Asp Ala Glu Ala Gly Pro Ser Gly Ser Gln  
165 170 175

Gln Leu Gln Ile Pro Ala Gln Pro Ala Ser Ser Leu Gly Ala Asp Thr  
 180 185 190

Met Ser Ala Gly Gly Gly Gly Pro Leu Gly Asp Asn Asn Gln Gly Ala  
 195 200 205

Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys Asp Ser Thr Trp  
 210 215 220

Met Gly Asp Arg Val Val Thr Lys Ser Thr Arg Thr Trp Val Leu Pro  
 225 230 235 240

Ser Tyr Asn Asn His Gln Tyr Arg Glu Ile Lys Ser Gly Ser Val Asp  
 245 250 255

Gly Ser Asn Ala Asn Ala Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr  
 260 265 270

Phe Asp Phe Asn Arg Phe His Ser His Trp Ser Pro Arg Asp Trp Gln  
 275 280 285

Arg Leu Ile Asn Asn Tyr Trp Gly Phe Arg Pro Arg Ser Leu Arg Val  
 290 295 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Val Gln Asp Ser Thr  
 305 310 315 320

Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp  
 325 330 335

Asp Asp Tyr Gln Leu Pro Tyr Val Val Gly Asn Gly Thr Glu Gly Cys  
 340 345 350

Leu Pro Ala Phe Pro Pro Gln Val Phe Thr Leu Pro Gln Tyr Gly Tyr  
 355 360 365

Ala Thr Leu Asn Arg Asp Asn Thr Glu Asn Pro Thr Glu Arg Ser Ser  
 370 375 380

Phe Phe Cys Leu Glu Tyr Phe Pro Ser Lys Met Leu Arg Thr Gly Asn  
 385 390 395 400

Asn Phe Glu Phe Thr Tyr Asn Phe Glu Glu Val Pro Phe His Ser Ser  
 405 410 415

Phe Ala Pro Ser Gln Asn Leu Phe Lys Leu Ala Asn Pro Leu Val Asp  
 420 425 430

Gln Tyr Leu Tyr Arg Phe Val Ser Thr Asn Asn Thr Gly Gly Val Gln  
 435 440 445  
 Phe Asn Lys Asn Leu Ala Gly Arg Tyr Ala Asn Thr Tyr Lys Asn Trp  
 450 455 460  
 Phe Pro Gly Pro Met Gly Arg Thr Gln Gly Trp Asn Leu Gly Ser Gly  
 465 470 475 480  
 Val Asn Arg Ala Ser Val Ser Ala Phe Ala Thr Thr Asn Arg Met Glu  
 485 490 495  
 Leu Glu Gly Ala Ser Tyr Gln Val Pro Pro Gln Pro Asn Gly Met Thr  
 500 505 510  
 Asn Asn Leu Gln Gly Ser Asn Thr Tyr Ala Leu Glu Asn Thr Met Ile  
 515 520 525  
 Phe Asn Ser Gln Pro Ala Asn Pro Gly Thr Thr Ala Thr Tyr Leu Glu  
 530 535 540  
 Gly Asn Met Leu Ile Thr Ser Glu Ser Glu Thr Gln Pro Val Asn Arg  
 545 550 555 560  
 Val Ala Tyr Asn Val Gly Gly Gln Met Ala Thr Asn Asn Gln Ser Ser  
 565 570 575  
 Thr Thr Ala Pro Ala Thr Gly Thr Tyr Asn Leu Gln Glu Ile Val Pro  
 580 585 590  
 Gly Ser Val Trp Met Glu Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp  
 595 600 605  
 Ala Lys Ile Pro Glu Thr Gly Ala His Phe His Pro Ser Pro Ala Met  
 610 615 620  
 Gly Gly Phe Gly Leu Lys His Pro Pro Pro Met Met Leu Ile Lys Asn  
 625 630 635 640  
 Thr Pro Val Pro Gly Asn Ile Thr Ser Phe Ser Asp Val Pro Val Ser  
 645 650 655  
 Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Thr Val Glu Met Glu  
 660 665 670  
 Trp Glu Leu Lys Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln  
 675 680 685

Tyr Thr Asn Asn Tyr Asn Asp Pro Gln Phe Val Asp Phe Ala Pro Asp  
 690 695 700

Ser Thr Gly Glu Tyr Arg Thr Thr Arg Pro Ile Gly Thr Arg Tyr Leu  
 705 710 715 720

Thr Arg Pro Leu

<210> 115  
 <211> 9  
 <212> DNA  
 <213> DraIII restriction enzyme site

<400> 115

caccacgtc

9

<210> 116  
 <211> 28  
 <212> DNA  
 <213> AV2cas

<400> 116

cgcagagacc aaagttcaac tgaaacga

28

<210> 117  
 <211> 255  
 <212> DNA  
 <213> adeno-associated virus serotype 10

<400> 117

ggtaattcct ccggaattg gcattgcgat tccacatggc tgggcgacag agtcatcacc 60  
 accagcaccc gaacctgggt cctgcccacc tacaacaacc acatctacaa gcaaattctcc 120  
 agcgagacag gagccaccaa cgacaaccac tacttcggct acagcacccc ctgggggtat 180  
 tttgacttta acagattcca ctgccacttt tcaccacgtg actggcagcg actcatcaac 240  
 aacaactggg gattc 255

<210> 118  
 <211> 258  
 <212> DNA  
 <213> adeno-associated virus serotype 11

<400> 118

ggtaattcct ccggaattg gcattgcgat tccacatggc tgggcgacag agtcatcacc 60  
 accagcaccc gaacctgggc cctgccaacc tacaacaacc acctctacaa acaaattctcc 120  
 agcgcttcaa cgggggcccag caacgacaac cactactttg gctacagcac cccctggggg 180

tattttgact ttaacagatt ccaactgccac ttctcaccac gtgactggca gcgactcatc 240  
aacaacaact ggggattc 258

<210> 119  
<211> 255  
<212> DNA  
<213> adeno-associated virus serotype 12

<400> 119  
ggtaattcct ccggaaattg gcattgcat tccacatggc tgggcgaccg agtcattacc 60  
accagcaccg ggacttgggc cctgcccacc tacaacaacc acctctacaa gcaaatctcc 120  
agccaatcgg gtgccaccaa cgacaaccac tacttcggct acagcaccgc ttgggggtat 180  
tttgatttca acagattcca ctgccatttc tcaccacgtg actggcagcg actcatcaac 240  
aacaactggg gattc 255

<210> 120  
<211> 2205  
<212> DNA  
<213> adeno-associated virus serotype, clone A3.lvp1

<400> 120  
atggctgccg atggttatct tccagattgg ctcgaggaca ctctctctga aggaatcaga 60  
cagtgggtga agctcaaacc tggcccacca ccgccgaaac ctaaccaaca acaccgggac 120  
gacagtaggg gtcttgtgct tcctgggtac aagtacctcg gacccttcaa cggactcgac 180  
aaaggagagc cgggtcaacga ggcagacgcc gcggccctcg agcagacaa agcctacgac 240  
caccagctca agcaagggga caacccttac ctcaaataca accacgcgga cgctgaattt 300  
caggagcgct ttcaagaaga tacgtctttc gggggcaacc tcgggcgagc agtcttccag 360  
gccaaaaaga ggggtactga gcctcttggc ctggttgagg aagctgttaa gacggctcct 420  
ggaaaaaaga gacctataga gcagtctcct gcagaaccgg actcttcctc gggcatcggc 480  
aatcaggcc agcagcccgc taagaaaaga ctcaattttg gtcagactgg cgacacagag 540  
tcagtcccag accctcaacc aatcggagaa cccccgcag cccctctgg tgtgggatct 600  
aatacaatgg cttcaggcgg tggggcacca atggcagaca ataacgaagg cgccgacgga 660  
gtgggttaatt cctcgggaaa ttggcattgc gattccacat ggatgggcga cagagttatc 720  
accaccagca caagaacctg ggccctcccc acctacaata atcacctcta caagcaaata 780  
tccagcgaat cgggagccac caacgacaac cactacttcg gctacagcac cccctggggg 840  
tattttgact ttaacagatt ccaactgtcac ttctcaccac gtgactggca gcgactcatc 900  
aacaacaact ggggatttag acccaagaaa ctcaatttca agctcttcaa catccaagtc 960  
aaggaggtca cgcagaatga tggaaccacg accatcgcca ataaccttac cagcaggtg 1020

caggtcttca cagactctga gtaccagctg ccctacgtcc tcggttcggc tcaccagggc	1080
tgccttccgc cgttcccagc agacgtcttc atgattcctc agtacggcta cttgactctg	1140
aacaatggca gccaaagcggg aggacgttct tcattctact gtctagagta ttttccctct	1200
cagatgctga ggacgggaaa caacttcacc ttcagctaca cttttgaaga cgtgcctttc	1260
cacagcagct acgcgcacag ccagagtctg gatcggctga tgaatcctct cattgaccag	1320
tacctgtatt acctgagcaa aactcagggg acaagtggaa caacgcagca atcgagactg	1380
cagttcagcc aagctgggccc tagctccatg gctcagcagg ccaaaaactg gctaccggga	1440
cccagctacc gacagcagcg aatgtctaag acggctaattg acaacaacaa cagtgaattt	1500
gcttgagctg cagccaccaa atattacctg aatggaagaa attctctggg caatcccggg	1560
cccccaatgg ccagtcacaa ggacgatgag gaaaagtatt tccccatgca cggaaatctc	1620
atctttggaa aacaaggcac aggaactacc aatgtggaca ttgaatcagt gcttattaca	1680
gacgaagaag aaatcagaac aactaatcct gtggctacag aacaatacgg acaggttgcc	1740
accaaccatc agagtcagaa caccacagct tcctatggaa gtgtggacag ccagggaatc	1800
ttacctggaa tgggtgtggca ggaccgcgat gtctatcttc aaggtcccat ttggggccaaa	1860
actcctcaca cggacggaca ctttcatcct tctccgctca tgggaggctt tggactgaaa	1920
caccctcctc ccagatcct gatcaaaaac acacctgtgc cagcgaatcc cgcgaccact	1980
ttcactcctg gaaagtttgc ttcgttcatt acccagtatt ccaccggaca ggtcagcgtg	2040
gaaatagagt gggagctgca gaaagaaaac agcaaacgct ggaaccaga aattcagtac	2100
acctccaact acaacaagtc ggtgaatgtg gagtttaccg tggacgcaaa cgggtgtttat	2160
tctgaacccc gccctattgg cactcgttac cttaccgga acttg	2205

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
22 May 2003 (22.05.2003)

PCT

(10) International Publication Number  
**WO 03/042397 A2**

- (51) International Patent Classification<sup>7</sup>: **C12Q**
- (21) International Application Number: PCT/US02/33629
- (22) International Filing Date:  
12 November 2002 (12.11.2002)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/350,607 13 November 2001 (13.11.2001) US  
60/341,117 17 December 2001 (17.12.2001) US  
60/377,066 1 May 2002 (01.05.2002) US  
60/386,675 5 June 2002 (05.06.2002) US
- (71) Applicant (*for all designated States except US*): **THE TRUSTEES OF THE UNIVERSITY OF PENNSYLVANIA** [US/US]; Suite 200, 3160 Chestnut Street, Philadelphia, PA 19104 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): **GAO, Guangping** [US/US]; 408 Yorkshire Road, Rosemont, PA 19010 (US). **WILSON, James, M.** [US/US]; 1350 N. Avignon Drive, Gladwyne, PA 19035 (US). **ALVIRA, Mauricio** [US/US]; 4417 Pine Street, Apt. 203, Philadelphia, PA 19104 (US).
- (74) Agents: **KODROFF, Cathy, A.** et al.; Howson & Howson, Spring House Corporate Center, P.O. Box 457, Spring House, PA 19477 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:**  
— *without international search report and to be republished upon receipt of that report*
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: A METHOD OF DETECTING AND/OR IDENTIFYING ADENO-ASSOCIATED VIRUS (AAV) SEQUENCES AND ISOLATING NOVEL SEQUENCES IDENTIFIED THEREBY

(57) Abstract: A method for detecting and isolating AAV sequences in a sample of DNA obtained from tissue or cells is provided. The invention further provides AAV sequences identified by this method, and vectors constructed using these sequences.

WO 03/042397 A2



# A METHOD OF DETECTING AND/OR IDENTIFYING ADENO-ASSOCIATED VIRUS (AAV) SEQUENCES AND ISOLATING NOVEL SEQUENCES IDENTIFIED THEREBY

## 5 BACKGROUND OF THE INVENTION

Adeno-associated virus (AAV), a member of the Parvovirus family, is a small nonenveloped, icosahedral virus with single-stranded linear DNA genomes of 4.7 kilobases (kb) to 6 kb. AAV is assigned to the genus, Dependovirus, because the virus was discovered as a contaminant in purified adenovirus stocks. AAV's life cycle includes a latent phase at which AAV genomes, after infection, are site specifically integrated into host chromosomes and an infectious phase in which, following either adenovirus or herpes simplex virus infection, the integrated genomes are subsequently rescued, replicated, and packaged into infectious viruses. The properties of non-pathogenicity, broad host range of infectivity, including non-dividing cells, and potential site-specific chromosomal integration make AAV an attractive tool for gene transfer.

Recent studies suggest that AAV vectors may be the preferred vehicle for gene therapy. To date, there have been 6 different serotypes of AAVs isolated from human or non-human primates (NHP) and well characterized. Among them, human serotype 2 is the first AAV that was developed as a gene transfer vector; it has been widely used for efficient gene transfer experiments in different target tissues and animal models. Clinical trials of the experimental application of AAV2 based vectors to some human disease models are in progress, and include such diseases as cystic fibrosis and hemophilia B.

What are desirable are AAV-based constructs for gene delivery.

## 25 SUMMARY OF THE INVENTION

In one aspect, the invention provides a novel method of detecting and identifying AAV sequences from cellular DNAs of various human and non-human primate (NHP) tissues using bioinformatics analysis, PCR based gene amplification and cloning technology, based on the nature of latency and integration of AAVs in the absence of helper virus co-infection.

In another aspect, the invention provides method of isolating novel AAV sequences detected using the above described method of the invention. The invention further comprises methods of generating vectors based upon these novel AAV serotypes, for serology and gene

transfer studies solely based on availability of capsid gene sequences and structure of rep/cap gene junctions.

In still another aspect, the invention provides a novel method for performing studies of serology, epidemiology, biodistribution and mode of transmission, using reagents according to the invention, which include generic sets of primers/probes and quantitative real time PCR.

In yet another aspect, the invention provides a method of isolating complete and infectious genomes of novel AAV serotypes from cellular DNA of different origins using RACE and other molecular techniques.

In a further aspect, the invention provides a method of rescuing novel serotypes of AAV genomes from human and NHP cell lines using adenovirus helpers of different origins.

In still a further aspect, the invention provides novel AAV serotypes, vectors containing same, and methods of using same.

These and other aspects of the invention will be readily apparent from the following detailed description of the invention.

## BRIEF DESCRIPTION OF THE DRAWINGS

Figs. 1A through 1AAAR provide an alignment of the nucleic acid sequences encoding at least the cap proteins for the AAV serotypes. The full-length sequences including the ITRs, the rep region, and the capsid region are provided for novel AAV serotype 7 [SEQ ID NO:1], and for previously published AAV1 [SEQ IN NO:6], AAV2 [SEQ ID NO:7]; and AAV3 [SEQ ID NO:8]. Novel AAV serotypes AAV8 [SEQ ID NO:4] and AAV9 [SEQ ID NO:5] are the subject of co-filed applications. The other novel clones of the invention provided in this alignment include: 42-2 [SEQ ID NO:9], 42-8 [SEQ ID NO:27], 42-15 [SEQ ID NO:28], 42-5b [SEQ ID NO: 29], 42-1b [SEQ ID NO:30]; 42-13 [SEQ ID NO: 31], 42-3a [SEQ ID NO: 32], 42-4 [SEQ ID NO:33], 42-5a [SEQ ID NO: 34], 42-10 [SEQ ID NO:35], 42-3b [SEQ ID NO: 36], 42-11 [SEQ ID NO: 37], 42-6b [SEQ ID NO:38], 43-1 [SEQ ID NO: 39], 43-5 [SEQ ID NO: 40], 43-12 [SEQ ID NO:41], 43-20 [SEQ ID NO:42], 43-21 [SEQ ID NO: 43], 43-23 [SEQ ID NO:44], 43-25 [SEQ ID NO: 45], 44.1 [SEQ ID NO:47], 44.5 [SEQ ID NO:47], 223.10 [SEQ ID NO:48], 223.2 [SEQ ID NO:49], 223.4 [SEQ ID NO:50], 223.5 [SEQ ID NO: 51], 223.6 [SEQ ID NO: 52], 223.7 [SEQ ID NO: 53], A3.4 [SEQ ID NO: 54], A3.5 [SEQ ID NO:55], A3.7 [SEQ ID NO: 56], A3.3 [SEQ ID NO:57], 42.12 [SEQ ID NO: 58], 44.2 [SEQ ID NO: 59]. The nucleotide sequences of the signature regions of AAV10 [SEQ ID NO: 117], AAV11 [SEQ ID NO:

118] and AAV12 [SEQ ID NO:119] are provided in this figure. Critical landmarks in the structures of AAV genomes are shown. Gaps are demonstrated by dots. The 3' ITR of AAV1 [SEQ ID NO:6] is shown in the same configuration as in the published sequences. TRS represents terminal resolution site. Notice that AAV7 is the only AAV reported that uses

5 GTG as the initiation codon for VP3.

Figs. 2A through 2F are an alignment of the amino acid sequences of the proteins of the vp1 capsid proteins of previously published AAV serotypes 1 [SEQ ID NO:64], AAV2 [SEQ ID NO:70], AAV3 [SEQ ID NO: 71], AAV4 [SEQ ID NO:63], AAV5 [SEQ ID NO:114], and AAV6 [SEQ ID NO:65] and novel AAV sequences of the invention,

10 including: C1 [SEQ ID NO:60], C2 [SEQ ID NO:61], C5 [SEQ ID NO:62], A3-3 [SEQ ID NO:66], A3-7 [SEQ ID NO:67], A3-4 [SEQ ID NO:68], A3-5 [SEQ ID NO: 69], 3.3b [SEQ ID NO: 62], 223.4 [SEQ ID NO: 73], 223-5 [SEQ ID NO:74], 223-10 [SEQ ID NO:75], 223-2 [SEQ ID NO:76], 223-7 [SEQ ID NO: 77], 223-6 [SEQ ID NO: 78], 44-1 [SEQ ID NO: 79], 44-5 [SEQ ID NO:80], 44-2 [SEQ ID NO:81], 42-15 [SEQ ID NO: 84], 42-8 [SEQ ID

15 NO: 85], 42-13 [SEQ ID NO:86], 42-3A [SEQ ID NO:87], 42-4 [SEQ ID NO:88], 42-5A [SEQ ID NO:89], 42-1B [SEQ ID NO:90], 42-5B [SEQ ID NO:91], 43-1 [SEQ ID NO: 92], 43-12 [SEQ ID NO: 93], 43-5 [SEQ ID NO:94], 43-21 [SEQ ID NO:96], 43-25 [SEQ ID NO: 97], 43-20 [SEQ ID NO:99], 24.1 [SEQ ID NO: 101], 42.2 [SEQ ID NO:102], 7.2 [SEQ ID NO: 103], 27.3 [SEQ ID NO: 104], 16.3 [SEQ ID NO: 105], 42.10 [SEQ ID NO: 106],

20 42-3B [SEQ ID NO: 107], 42-11 [SEQ ID NO: 108], F1 [SEQ ID NO: 109], F5 [SEQ ID NO: 110], F3 [SEQ ID NO:111], 42-6B [SEQ ID NO: 112], 42-12 [SEQ ID NO: 113].

Novel serotypes AAV8 [SEQ ID NO:95] and AAV9 [SEQ ID NO:100] are the subject of co-filed patent applications.

Figs. 3A through 3C provide the amino acid sequences of the AAV7 rep

25 proteins [SEQ ID NO:3].

## DETAILED DESCRIPTION OF THE INVENTION

In the present invention, the inventors have found a method which takes advantage of the ability of adeno-associated virus (AAV) to penetrate the nucleus, and, in the absence of a

30 helper virus co-infection, to integrate into cellular DNA and establish a latent infection. This method utilizes a polymerase chain reaction (PCR)-based strategy for detection, identification and/or isolation of sequences of AAVs from DNAs from tissues of human and non-human primate origin as well as from other sources. Advantageously, this method is

also suitable for detection, identification and/or isolation of other integrated viral and non-viral sequences, as described below.

The invention further provides nucleic acid sequences identified according to the methods of the invention. One such adeno-associated virus is of a novel serotype, termed  
5 herein serotype 7 (AAV7). Other novel adeno-associated virus serotypes provided herein include AAV10, AAV11, and AAV12. Still other novel AAV serotypes identified according to the methods of the invention are provided in the present specification. See, Figures and Sequence Listing, which is incorporated by reference.

Also provided are fragments of these AAV sequences. Among particularly desirable  
10 AAV fragments are the cap proteins, including the vp1, vp2, vp3, the hypervariable regions, the rep proteins, including rep 78, rep 68, rep 52, and rep 40, and the sequences encoding these proteins. Each of these fragments may be readily utilized in a variety of vector systems and host cells. Such fragments may be used alone, in combination with other AAV  
sequences or fragments, or in combination with elements from other AAV or non-AAV viral  
15 sequences. In one particularly desirable embodiment, a vector contains the AAV cap and/or rep sequences of the invention.

As described herein, alignments are performed using any of a variety of publicly or commercially available Multiple Sequence Alignment Programs, such as "Clustal W", accessible through Web Servers on the internet. Alternatively, Vector NTI utilities are also  
20 used. There are also a number of algorithms known in the art which can be used to measure nucleotide sequence identity, including those contained in the programs described above. As another example, polynucleotide sequences can be compared using Fasta, a program in GCG Version 6.1. Fasta provides alignments and percent sequence identity of the regions of the best overlap between the query and search sequences. For instance, percent sequence  
25 identity between nucleic acid sequences can be determined using Fasta with its default parameters (a word size of 6 and the NOPAM factor for the scoring matrix) as provided in GCG Version 6.1, herein incorporated by reference. Similar programs are available for amino acid sequences, e.g., the "Clustal X" program. Generally, any of these programs are used at default settings, although one of skill in the art can alter these settings as needed.  
30 Alternatively, one of skill in the art can utilize another algorithm or computer program which provides at least the level of identity or alignment as that provided by the referenced algorithms and programs.

The term "substantial homology" or "substantial similarity," when referring to a nucleic acid, or fragment thereof, indicates that, when optimally aligned with appropriate

nucleotide insertions or deletions with another nucleic acid (or its complementary strand), there is nucleotide sequence identity in at least about 95 to 99% of the aligned sequences. Preferably, the homology is over full-length sequence, or an open reading frame thereof, or another suitable fragment which is at least 15 nucleotides in length. Examples of suitable fragments are described herein.

The term "substantial homology" or "substantial similarity," when referring to amino acids or fragments thereof, indicates that, when optimally aligned with appropriate amino acid insertions or deletions with another amino acid, there is amino acid sequence identity in at least about 95 to 99% of the aligned sequences. Preferably, the homology is over full-length sequence, or a protein thereof, e.g., a cap protein, a rep protein, or a fragment thereof which is at least 8 amino acids, or more desirably, at least 15 amino acids in length. Examples of suitable fragments are described herein.

By the term "highly conserved" is meant at least 80% identity, preferably at least 90% identity, and more preferably, over 97% identity. Identity is readily determined by one of skill in the art by resort to algorithms and computer programs known by those of skill in the art.

The term "percent sequence identity" or "identical" in the context of nucleic acid sequences refers to the residues in the two sequences which are the same when aligned for maximum correspondence. The length of sequence identity comparison may be over the full-length of the genome, the full-length of a gene coding sequence, or a fragment of at least about 500 to 5000 nucleotides, is desired. However, identity among smaller fragments, e.g. of at least about nine nucleotides, usually at least about 20 to 24 nucleotides, at least about 28 to 32 nucleotides, at least about 36 or more nucleotides, may also be desired. Similarly, "percent sequence identity" may be readily determined for amino acid sequences, over the full-length of a protein, or a fragment thereof. Suitably, a fragment is at least about 8 amino acids in length, and may be up to about 700 amino acids. Examples of suitable fragments are described herein.

The AAV sequences and fragments thereof are useful in production of rAAV, and are also useful as antisense delivery vectors, gene therapy vectors, or vaccine vectors. The invention further provides nucleic acid molecules, gene delivery vectors, and host cells which contain the AAV sequences of the invention.

As described herein, the vectors of the invention containing the AAV capsid proteins of the invention are particularly well suited for use in applications in which the neutralizing antibodies diminish the effectiveness of other AAV serotype based vectors, as well as other viral vectors. The rAAV vectors of the invention are particularly advantageous in rAAV readministration and repeat gene therapy.

These and other embodiments and advantages of the invention are described in more detail below. As used throughout this specification and the claims, the terms "comprising" and "including" and their variants are inclusive of other components, elements, integers, steps and the like. Conversely, the term "consisting" and its variants is exclusive of other components, elements, integers, steps and the like.

## I. Methods of the Invention

### A. Detection of Sequences Via Molecular Cloning

In one aspect, the invention provides a method of detecting and/or identifying target nucleic acid sequences in a sample. This method is particularly well suited for detection of viral sequences which are integrated into the chromosome of a cell, e.g., adeno-associated viruses (AAV) and retroviruses, among others. The specification makes reference to AAV, which is exemplified herein. However, based on this information, one of skill in the art may readily perform the methods of the invention on retroviruses [e.g., feline leukemia virus (FeLV), HTLV I and HTLV II], and lentivirinae [e.g., human immunodeficiency virus (HIV), simian immunodeficiency virus (SIV), feline immunodeficiency virus (FIV), equine infectious anemia virus, and spumavirinal)], among others. Further, the method of the invention may also be used for detection of other viral and non-viral sequences, whether integrated or non-integrated into the genome of the host cell.

As used herein, a sample is any source containing nucleic acids, e.g., tissue, tissue culture, cells, cell culture, and biological fluids including, without limitation, urine and blood. These nucleic acid sequences may be DNA or RNA from plasmids, natural DNA or RNA from any source, including bacteria, yeast, viruses, and higher organisms such as plants or animals. DNA or RNA is extracted from the sample by a variety of techniques known to those of skill in the art, such as those described by Sambrook, *Molecular Cloning: A Laboratory Manual* (New York: Cold Spring Harbor Laboratory). The origin of the sample and the method by which the nucleic acids are obtained for application of the method of the

invention is not a limitation of the present invention. Optionally, the method of the invention can be performed directly on the source of DNA, or on nucleic acids obtained (e.g., extracted) from a source.

5 The method of the invention involves subjecting a sample containing DNA to amplification via polymerase chain reaction (PCR) using a first set of primers specific for a first region of double-stranded nucleic acid sequences, thereby obtaining amplified sequences.

As used herein, each of the "regions" is predetermined based upon the alignment of the nucleic acid sequences of at least two serotypes (e.g., AAV) or strains (e.g.,  
10 lentiviruses), and wherein each of said regions is composed of sequences having a 5' end which is highly conserved, a middle which is preferably, but necessarily, variable, and a 3' end which is highly conserved, each of these being conserved or variable relative to the sequences of the at least two aligned AAV serotypes. Preferably, the 5' and/or 3' end is highly conserved over at least about 9, and more preferably, at least 18 base pairs (bp).  
15 However, one or both of the sequences at the 5' or 3' end may be conserved over more than 18 bp, more than 25 bp, more than 30 bp, or more than 50 bp at the 5' end. With respect to the variable region, there is no requirement for conserved sequences, these sequences may be relatively conserved, or may have less than 90, 80, or 70% identity among the aligned serotypes or strains.

20 Each of the regions may span about 100 bp to about 10 kilobase pairs in length. However, it is particularly desirable that one of the regions is a "signature region", i.e., a region which is sufficiently unique to positively identify the amplified sequence as being from the target source. For example, in one embodiment, the first region is about 250 bp in length, and is sufficiently unique among known AAV sequences, that it positively  
25 identifies the amplified region as being of AAV origin. Further, the variable sequences within this region are sufficiently unique that can be used to identify the serotype from which the amplified sequences originate. Once amplified (and thereby detected), the sequences can be identified by performing conventional restriction digestion and comparison to restriction digestion patterns for this region in any of AAV1, AAV2, AAV3, AAV4, AAV5, or AAV6,  
30 or that of AAV7, AAV10, AAV11, AAV12, or any of the other novel serotypes identified by the invention, which is predetermined and provided by the present invention.

Given the guidance provided herein, one of skill in the art can readily identify such regions among other integrated viruses to permit ready detection and identification of these sequences. Thereafter, an optimal set of generic primers located

within the highly conserved ends can be designed and tested for efficient amplification of the selected region from samples. This aspect of the invention is readily adapted to a diagnostic kit for detecting the presence of the target sequence (e.g., AAV) and for identifying the AAV serotype, using standards which include the restriction patterns for the AAV serotypes described herein or isolated using the techniques described herein. For example, quick identification or molecular serotyping of PCR products can be accomplished by digesting the PCR products and comparing restriction patterns.

Thus, in one embodiment, the "signature region" for AAV spans about bp 2800 to about 3200 of AAV 1 [SEQ ID NO:6], and corresponding base pairs in AAV 2, AAV3, AAV4, AAV5, and AAV6. More desirably, the region is about 250 bp, located within bp 2886 to about 3143 bp of AAV 1 [SEQ ID NO:6], and corresponding base pairs in AAV 2 [SEQ ID NO:7], AAV3 [SEQ ID NO:8], and other AAV serotypes. See, Fig. 1. To permit rapid detection of AAV in the sample, primers which specifically amplify this signature region are utilized. However, the present invention is not limited to the exact sequences identified herein for the AAV signature region, as one of skill in the art may readily alter this region to encompass a shorter fragment, or a larger fragment of this signature region.

The PCR primers are generated using techniques known to those of skill in the art. Each of the PCR primer sets is composed of a 5' primer and a 3' primer. See, e.g., Sambrook et al, cited herein. The term "primer" refers to an oligonucleotide which acts as a point of initiation of synthesis when placed under conditions in which synthesis of a primer extension product which is complementary to a nucleic acid strand is induced. The primer is preferably single stranded. However, if a double stranded primer is utilized, it is treated to separate its strands before being used to prepare extension products. The primers may be about 15 to 25 or more nucleotides, and preferably at least 18 nucleotides. However, for certain applications shorter nucleotides, e.g., 7 to 15 nucleotides are utilized.

The primers are selected to be sufficiently complementary to the different strands of each specific sequence to be amplified to hybridize with their respective strands. Therefore, the primer sequence need not reflect the exact sequence of the region being amplified. For example, a non-complementary nucleotide fragment may be attached to the 5' end of the primer, with the remainder of the primer sequence being completely complementary to the strand. Alternatively, non-complementary bases or longer sequences can be interspersed into the primer, provided that the primer sequence has sufficient



complementarity with the sequence of the strand to be amplified to hybridize therewith and form a template for synthesis of the extension product of the other primer.

The PCR primers for the signature region according to the invention are based upon the highly conserved sequences of two or more aligned sequences (e.g., two or more AAV serotypes). The primers can accommodate less than exact identity among the two or more aligned AAV serotypes at the 5' end or in the middle. However, the sequences at the 3' end of the primers correspond to a region of two or more aligned AAV serotypes in which there is exact identity over at least five, preferably, over at least nine base pairs, and more preferably, over at least 18 base pairs at the 3' end of the primers. Thus, the 3' end of the primers is composed of sequences with 100% identity to the aligned sequences over at least five nucleotides. However, one can optionally utilize one, two, or more degenerate nucleotides at the 3' end of the primer.

For example, the primer set for the signature region of AAV was designed based upon a unique region within the AAV capsid, as follows. The 5' primer was based upon nt 2867-2891 of AAV2 [SEQ ID NO:7], 5'-GGTAATTCCTCCGGAATTGGCATT3'. See, Fig. 1. The 3' primer was designed based upon nt 3096-3122 of AAV2 [SEQ ID NO:7], 5'-GACTCATCAACAACAACCTGGGGATTTC-3'. However, one of skill in the art may have readily designed the primer set based upon the corresponding regions of AAV 1, AAV3, AAV4, AAV5, AAV6, or based upon the information provided herein, AAV7, AAV10, AAV11, AAV12, or another novel AAV of the invention. In addition, still other primer sets can be readily designed to amplify this signature region, using techniques known to those of skill in the art.

#### B. Isolation of Target Sequences

As described herein, the present invention provides a first primer set which specifically amplifies the signature region of the target sequence, e.g., an AAV serotype, in order to permit detection of the target. In a situation in which further sequences are desired, e.g., if a novel AAV serotype is identified, the signature region may be extended. Thus, the invention may further utilize one or more additional primer sets.

Suitably, these primer sets are designed to include either the 5' or 3' primer of the first primer set and a second primer unique to the primer set, such that the primer set amplifies a region 5' or 3' to the signature region which anneals to either the 5' end or the 3' end of the signature region. For example, a first primer set is composed of a 5' primer, P1

and a 3' primer P2 to amplify the signature region. In order to extend the signature region on its 3' end, a second primer set is composed of primer P1 and a 3' primer P4, which amplifies the signature region and contiguous sequences downstream of the signature region. In order to extend the signature region on its 5' end, a third primer set is composed of a 5' primer, P5, and primer P2, such that the signature region and contiguous sequences upstream of the signature region are amplified. These extension steps are repeated (or performed at the same time), as needed or desired. Thereafter, the products results from these amplification steps are fused using conventional steps to produce an isolated sequence of the desired length.

The second and third primer sets are designed, as with the primer set for the signature region, to amplify a region having highly conserved sequences among the aligned sequences. Reference herein to the term "second" or "third" primer set is for each of discussion only, and without regard to the order in which these primers are added to the reaction mixture, or used for amplification. The region amplified by the second primer set is selected so that upon amplification it anneals at its 5' end to the 3' end of the signature region. Similarly, the region amplified by the third primer set is selected so that upon amplification it anneals at its 3' end anneals to the 5' end of the signature region. Additional primer sets can be designed such that the regions which they amplify anneal to the either the 5' end or the 3' end of the extension products formed by the second or third primer sets, or by subsequent primer sets.

For example, where AAV is the target sequence, a first set of primers (P1 and P2) are used to amplify the signature region from the sample. In one desirable embodiment, this signature region is located within the AAV capsid. A second set of primers (P1 and P4) is used to extend the 3' end of the signature region to a location in the AAV sequence which is just before the AAV 3' ITR, i.e., providing an extension product containing the entire 3' end of the AAV capsid when using the signature region as an anchor. In one embodiment, the P4 primer corresponds to nt 4435 to 4462 of AAV2 [SEQ ID NO:7], and corresponding sequences in the other AAV serotypes. This results in amplification of a region of about 1.6 kb, which contains the 0.25 kb signature region. A third set of primers (P3 and P2) is used to extend the 5' end of signature region to a location in the AAV sequences which is in the 3' end of the rep genes, i.e., providing an extension product containing the entire 5' end of the AAV capsid when using the signature region as an anchor. In one embodiment, the P3 primer corresponds to nt 1384 to 1409 of AAV2 [SEQ ID NO:7], and corresponding sequences in the other AAV serotypes. This results in amplification of a region of about 1.7

kb, which contains the 0.25 kb signature region. Optionally, a fourth set of primers are used to further extend the extension product containing the entire 5' end of the AAV capsid to also include the rep sequences. In one embodiment, the primer designated P5 corresponds to nt 108 to 133 of AAV2 [SEQ ID NO:7], and corresponding sequences in the other AAV serotypes and is used in conjunction with the P2 primer.

Following completion of the desired number of extension steps, the various extension products are fused, making use of the signature region as an anchor or marker, to construct an intact sequence. In the example provided herein, AAV sequences containing, at a minimum, an intact AAV cap gene are obtained. Larger sequences may be obtained, depending upon the number of extension steps performed.

Suitably, the extension products are assembled into an intact AAV sequence using methods known to those of skill in the art. For example, the extension products may be digested with DraIII, which cleaves at the DraIII site located within the signature region, to provide restriction fragments which are re-ligated to provide products containing (at a minimum) an intact AAV cap gene. However, other suitable techniques for assembling the extension products into an intact sequence may be utilized. See, generally, Sambrook et al, cited herein.

As an alternative to the multiple extension steps described above, another embodiment of the invention provides for direct amplification of a 3.1 kb fragment which allows isolation of full-length cap sequences. To directly amplify a 3.1 kb full-length cap fragment from NHP tissue and blood DNAs, two other highly conserved regions were identified in AAV genomes for use in PCR amplification of large fragments. A primer within a conserved region located in the middle of the rep gene is utilized (AV1ns: 5' GCTGCGTCAACTGGACCAATGAGAAC 3', nt of SEQ ID NO:6) in combination with the 3' primer located in another conserved region downstream of the Cap gene (AV2cas: 5' CGCAGAGACCAAAGTTCAACTGAAACGA 3', SEQ ID NO: 7) for amplification of AAV sequences including the full-length AAV cap. Typically, following amplification, the products are cloned and sequence analysis is performed with an accuracy of  $\geq 99.9\%$ . Using this method, the inventors have isolated at least 50 capsid clones which have subsequently been characterized. Among them, 37 clones were derived from Rhesus macaque tissues (rh.1 – rh.37), 6 clones from cynomologous macaques (cy.1 – cy.6), 2 clones from Baboons (bb.1 and bb.2) and 5 clones from Chimps (ch.1 – ch.5). These clones are identified

elsewhere in the specification, together with the species of animal from which they were identified and the tissues in that animal these novel sequences have been located.

C. Alternative method for isolating novel AAV

In another aspect, the invention provides an alternative method for isolating novel AAV from a cell. This method involves infecting the cell with a vector which provides helper functions to the AAV; isolating infectious clones containing AAV; sequencing the isolated AAV; and comparing the sequences of the isolated AAV to known AAV serotypes, whereby differences in the sequences of the isolated AAV and known AAV serotypes indicates the presence of a novel AAV.

In one embodiment, the vector providing helper functions provides essential adenovirus functions, including, e.g., E1a, E1b, E2a, E4ORF6. In one embodiment, the helper functions are provided by an adenovirus. The adenovirus may be a wild-type adenovirus, and may be of human or non-human origin, preferably non-human primate (NHP) origin. The DNA sequences of a number of adenovirus types are available from Genbank, including type Ad5 [Genbank Accession No. M73260]. The adenovirus sequences may be obtained from any known adenovirus serotype, such as serotypes 2, 3, 4, 7, 12 and 40, and further including any of the presently identified human types [see, e.g., Horwitz, cited above]. Similarly adenoviruses known to infect non-human animals (e.g., chimpanzees) may also be employed in the vector constructs of this invention. See, e.g., US Patent No. 6,083,716. In addition to wild-type adenoviruses, recombinant viruses or non-viral vectors (e.g., plasmids, episomes, etc.) carrying the necessary helper functions may be utilized. Such recombinant viruses are known in the art and may be prepared according to published techniques. See, e.g., US Patent No. 5,871,982 and US Patent 6,251,677, which describe a hybrid Ad/AAV virus. The selection of the adenovirus type is not anticipated to limit the following invention. A variety of adenovirus strains are available from the American Type Culture Collection, Manassas, Virginia, or available by request from a variety of commercial and institutional sources. Further, the sequences of many such strains are available from a variety of databases including, e.g., PubMed and GenBank.

In another alternative, infectious AAV may be isolated using genome walking technology (Siebert *et al.*, 1995, *Nucleic Acid Research*, 23:1087-1088, Friezner-Degen *et al.*, 1986, *J. Biol. Chem.* 261:6972-6985, BD Biosciences Clontech, Palo Alto, CA). Genome walking is particularly well suited for identifying and isolating the sequences adjacent to the novel sequences identified according to the method of the invention. For

example, this technique may be useful for isolating inverted terminal repeat (ITRs) of the novel AAV serotype, based upon the novel AAV capsid and/or rep sequences identified using the methods of the invention. This technique is also useful for isolating sequences adjacent to other AAV and non-AAV sequences identified and isolated according to the present invention. See, Examples 3 and 4.

The methods of the invention may be readily used for a variety of epidemiology studies, studies of biodistribution, monitoring of gene therapy via AAV vectors and vector derived from other integrated viruses. Thus, the methods are well suited for use in pre-packaged kits for use by clinicians, researchers, and epidemiologists.

## II. Diagnostic Kit

In another aspect, the invention provides a diagnostic kit for detecting the presence of a known or unknown adeno-associated virus (AAV) in a sample. Such a kit may contain a first set of 5' and 3' PCR primers specific for a signature region of the AAV nucleic acid sequence. Alternatively, or additionally, such a kit can contain a first set of 5' and 3' PCR primers specific for the 3.1 kb fragment which includes the full-length AAV capsid nucleic acid sequence identified herein (e.g., the AV1ns and AV2cas primers.) Optionally, a kit of the invention may further contain two or more additional sets of 5' and 3' primers, as described herein, and/or PCR probes. These primers and probes are used according to the present invention amplify signature regions of each AAV serotype, e.g., using quantitative PCR.

The invention further provides a kit useful for identifying an AAV serotype detected according to the method of the invention and/or for distinguishing novel AAV from known AAV. Such a kit may further include one or more restriction enzymes, standards for AAV serotypes providing their "signature restriction enzyme digestions analyses", and/or other means for determining the serotype of the AAV detected.

In addition, kits of the invention may include, instructions, a negative and/or positive control, containers, diluents and buffers for the sample, indicator charts for signature comparisons, disposable gloves, decontamination instructions, applicator sticks or containers, and sample preparator cups, as well as any desired reagents, including media, wash reagents and concentration reagents. Such reagents may be readily selected from among the reagents described herein, and from among conventional concentration reagents. In one desirable embodiment, the wash reagent is an isotonic saline solution which has been

buffered to physiologic pH, such as phosphate buffered saline (PBS); the elution reagent is PBS containing 0.4 M NaCl, and the concentration reagents and devices. For example, one of skill in the art will recognize that reagents such as polyethylene glycol (PEG), or  $\text{NH}_4\text{SO}_4$  may be useful, or that devices such as filter devices. For example, a filter device with a 100 K membrane would concentrate rAAV.

The kits provided by the present invention are useful for performing the methods described herein, and for study of biodistribution, epidemiology, mode of transmission of novel AAV serotypes in human and NHPs.

Thus, the methods and kits of the invention permit detection, identification, and isolation of target viral sequences, particularly integrated viral sequences. The methods and kits are particularly well suited for use in detection, identification and isolation of AAV sequences, which may include novel AAV serotypes.

In one notable example, the method of the invention facilitated analysis of cloned AAV sequences by the inventors, which revealed heterogeneity of proviral sequences between cloned fragments from different animals, all of which were distinct from the known six AAV serotypes, with the majority of the variation localized to hypervariable regions of the capsid protein. Surprising divergence of AAV sequences was noted in clones isolated from single tissue sources, such as lymph node, from an individual rhesus monkey. This heterogeneity is best explained by apparent evolution of AAV sequence within individual animals due, in part, to extensive homologous recombination between a limited number of co-infecting parenteral viruses. These studies suggest sequence evolution of widely disseminated virus during the course of a natural AAV infection that presumably leads to the formation of swarms of quasispecies which differ from one another in the array of capsid hypervariable regions. This is the first example of rapid molecular evolution of a DNA virus in a way that formerly was thought to be restricted to RNA viruses.

Sequences of several novel AAV serotypes identified by the method of the invention and characterization of these serotypes is provided.

### III. Novel AAV Serotypes

#### A. Nucleic Acid Sequences

Nucleic acid sequences of novel AAV serotypes identified by the methods of the invention are provided. See, SEQ ID NO:1, 9 – 59, and 117 – 120, which are incorporated by reference herein. See also, Fig. 1 and the sequence listing.

For novel serotype AAV7, the full-length sequences, including the AAV 5' ITRs, capsid, rep, and AAV 3' ITRs are provided in SEQ ID NO:1.

For other novel AAV serotypes of the invention, the approximately 3.1 kb fragment isolated according to the method of the invention is provided. This fragment  
5 contains sequences encoding full-length capsid protein and all or part of the sequences encoding the rep protein. These sequences include the clones identified below.

For still other novel AAV serotypes, the signature region encoding the capsid protein is provided. For example, the AAV10 nucleic acid sequences of the invention include those illustrated in Fig. 1 [See, SEQ ID NO:117, which spans 255 bases]. The  
10 AAV11 nucleic acid sequences of the invention include the DNA sequences illustrated in Fig. 1 [See, SEQ ID NO:118 which spans 258 bases]. The AAV12 nucleic acid sequences of the invention include the DNA sequences illustrated in Fig. 1 [See, SEQ ID NO:119, which consists of 255 bases ]. Using the methodology described above, further AAV10, AAV11 and AAV12 sequences can be readily identified and used for a variety of purposes, including  
15 those described for AAV7 and the other novel serotypes herein.

Figure 1 provides the non-human primate (NHP) AAV nucleic acid sequences of the invention in an alignment with the previously published AAV serotypes, AAV 1 [SEQ ID NO:6], AAV2 [SEQ ID NO:7], and AAV3 [SEQ ID NO:8]. These novel NHP sequences include those provided in the following Table I, which are identified by  
20 clone number:

Table 1

AAV Cap Sequence	Clone Number	Source		
		Species	Tissue	SEQ ID NO (DNA)
Rh.1	Clone 9 (AAV9)	Rhesus	Heart	5
Rh.2	Clone 43.1	Rhesus	MLN	39
Rh.3	Clone 43.5	Rhesus	MLN	40
Rh.4	Clone 43.12	Rhesus	MLN	41
Rh.5	Clone 43.20	Rhesus	MLN	42
Rh.6	Clone 43.21	Rhesus	MLN	43
Rh.7	Clone 43.23	Rhesus	MLN	44

Table 1 (cont'd)

Rh.8	Clone 43.25	Rhesus	MLN	45
Rh.9	Clone 44.1	Rhesus	Liver	46
Rh.10	Clone 44.2	Rhesus	Liver	59
Rh.11	Clone 44.5	Rhesus	Liver	47
Rh.12	Clone 42.1B	Rhesus	MLN	30
Rh.13	42.2	Rhesus	MLN	9
Rh.14	Clone 42.3A	Rhesus	MLN	32
Rh.15	Clone 42.3B	Rhesus	MLN	36
Rh.16	Clone 42.4	Rhesus	MLN	33
Rh.17	Clone 42.5A	Rhesus	MLN	34
Rh.18	Clone 42.5B	Rhesus	MLN	29
Rh.19	Clone 42.6B	Rhesus	MLN	38
Rh.20	Clone 42.8	Rhesus	MLN	27
Rh.21	Clone 42.10	Rhesus	MLN	35
Rh.22	Clone 42.11	Rhesus	MLN	37
Rh.23	Clone 42.12	Rhesus	MLN	58
Rh.24	Clone 42.13	Rhesus	MLN	31
Rh.25	Clone 42.15	Rhesus	MLN	28
Rh.26	Clone 223.2	Rhesus	Liver	49
Rh.27	Clone 223.4	Rhesus	Liver	50
Rh.28	Clone 223.5	Rhesus	Liver	51
Rh.29	Clone 223.6	Rhesus	Liver	52
Rh.30	Clone 223.7	Rhesus	Liver	53
Rh.31	Clone 223.10	Rhesus	Liver	48
Rh.32	Clone C1	Rhesus	Spleen, Duo, Kid & Liver	19
Rh.33	Clone C3	Rhesus		20
Rh.34	Clone C5	Rhesus		21
Rh.35	Clone F1	Rhesus	Liver	22
Rh.36	Clone F3	Rhesus		23
Rh.37	Clone F5	Rhesus		24
Cy.1	Clone 1.3	Cyno	Blood	14
Cy.2	Clone 13.3B	Cyno	Blood	15
Cy.3	Clone 24.1	Cyno	Blood	16
Cy.4	Clone 27.3	Cyno	Blood	17
Cy.5	Clone 7.2	Cyno	Blood	18
Cy.6	Clone 16.3	Cyno	Blood	10



Table 1 (cont'd)				
bb.1	Clone 29.3	Baboon	Blood	11
bb.2	Clone 29.5	Baboon	Blood	13
Ch.1	Clone A3.3	Chimp	Blood	57
Ch.2	Clone A3.4	Chimp	Blood	54
Ch.3	Clone A3.5	Chimp	Blood	55
Ch.4	Clone A3.7	Chimp	Blood	56

A novel NHP clone was made by splicing capsids fragments of two chimp adenoviruses into an AAV2 rep construct. This new clone, A3.1, is also termed Ch.5 [SEQ ID NO:20]. Additionally, the present invention includes two human AAV sequences, termed  
5 H6 [SEQ ID NO:25] and H2 [SEQ ID NO:26].

The AAV nucleic acid sequences of the invention further encompass the strand which is complementary to the strands provided in the sequences provided in Fig. 1 and the Sequence Listing [SEQ ID NO:1, 9 – 59, 117 – 120], nucleic acid sequences, as well as the RNA and cDNA sequences corresponding to the sequences provided in Fig. 1 and the  
10 Sequence Listing [SEQ ID NO:1, 9 – 59, 117-120], and their complementary strands. Also included in the nucleic acid sequences of the invention are natural variants and engineered modifications of the sequences of Fig1 and the Sequence Listing [SEQ ID NO:1, 9 – 59, 117-120], and their complementary strands. Such modifications include, for example, labels which are known in the art, methylation, and substitution of one or more of the naturally  
15 occurring nucleotides with a degenerate nucleotide.

Further included in this invention are nucleic acid sequences which are greater than 85%, preferably at least about 90%, more preferably at least about 95%, and most preferably at least about 98 to 99% identical or homologous to the sequences of the invention, including Fig. 1 and the Sequence Listing [SEQ ID NO:1, 9 – 59, 117-120].  
20 These terms are as defined herein.

Also included within the invention are fragments of the novel AAV sequences identified by the method described herein. Suitable fragments are at least 15 nucleotides in length, and encompass functional fragments, i.e., fragments which are of biological interest. In one embodiment, these fragments are fragments of the novel  
25 sequences of Fig. 1 and the Sequence Listing [SEQ ID NO:1, 9 – 59, 117-120], their complementary strands, cDNA and RNA complementary thereto.

Examples of suitable fragments are provided with respect to the location of these fragments on AAV1, AAV2, or AAV7. However, using the alignment provided herein (obtained using the Clustal W program at default settings), or similar techniques for

generating an alignment with other novel serotypes of the invention, one of skill in the art can readily identify the precise nucleotide start and stop codons for desired fragments.

Examples of suitable fragments include the sequences encoding the three variable proteins (vp) of the AAV capsid which are alternative splice variants: vp1 [e.g., nt 825 to 3049 of AAV7, SEQ ID NO: 1]; vp2 [e.g., nt 1234 - 3049 of AAV7, SEQ ID NO: 1]; and vp 3 [e.g., nt 1434 - 3049 of AAV7, SEQ ID NO:1]. It is notable that AAV7 has an unusual GTG start codon. With the exception of a few house-keeping genes, such a start codon has not previously been reported in DNA viruses. The start codons for vp1, vp2 and vp3 for other AAV serotypes have been believed to be such that they permit the cellular mechanism of the host cell in which they reside to produce vp1, vp2 and vp3 in a ratio of 10%:10%:80%, respectively, in order to permit efficient assembly of the virion. However, the AAV7 virion has been found to assemble efficiently even with this rare GTG start codon. Thus, the inventors anticipate this it is desirable to alter the start codon of the vp3 of other AAV serotypes to contain this rare GTG start codon, in order to improve packaging efficiency, to alter the virion structure and/or to alter location of epitopes (e.g., neutralizing antibody epitopes) of other AAV serotypes. The start codons may be altered using conventional techniques including, e.g., site directed mutagenesis. Thus, the present invention encompasses altered AAV virions of any selected serotype, composed of a vp 3, and/or optionally, vp 1 and/or vp2 having start codons altered to GTG.

Other suitable fragments of AAV, include a fragment containing the start codon for the AAV capsid protein [e.g., nt 468 to 3090 of AAV7, SEQ ID NO:1, nt 725 to 3090 of AAV7, SEQ ID NO: 1, and corresponding regions of the other AAV serotypes]. Still other fragments of AAV7 and the other novel AAV serotypes identified using the methods described herein include those encoding the rep proteins, including *rep* 78 [e.g., initiation codon 334 of Fig 1 for AAV7], *rep* 68 [initiation codon nt 334 of Fig. 1 for AAV7], *rep* 52 [initiation codon 1006 of Fig. 1 for AAV7], and *rep* 40 [initiation codon 1006 of Fig. 1 for AAV7] Other fragments of interest may include the AAV 5' inverted terminal repeats ITRs, [nt 1 to 107 of Fig. 1 for AAV7]; the AAV 3' ITRs [nt 4704 to 4721 of Fig. 1 for AAV7], P19 sequences, AAV P40 sequences, the rep binding site, and the terminal resolute site (TRS). Still other suitable fragments will be readily apparent to those of skill in the art. The corresponding regions in the other novel serotypes of the invention can be readily determined by reference to Figure 1, or by utilizing conventional alignment techniques with the sequences provided herein.

In addition to including the nucleic acid sequences provided in the figures and Sequence Listing, the present invention includes nucleic acid molecules and sequences which are designed to express the amino acid sequences, proteins and peptides of the AAV serotypes of the invention. Thus, the invention includes nucleic acid sequences which

5 encode the following novel AAV amino acid sequences: C1 [SEQ ID NO:60], C2 [SEQ ID NO:61], C5 [SEQ ID NO:62], A3-3 [SEQ ID NO:66], A3-7 [SEQ ID NO:67], A3-4 [SEQ ID NO:68], A3-5 [SEQ ID NO: 69], 3.3b [SEQ ID NO: 62], 223.4 [SEQ ID NO: 73], 223-5 [SEQ ID NO:74], 223-10 [SEQ ID NO:75], 223-2 [SEQ ID NO:76], 223-7 [SEQ ID NO: 77], 223-6 [SEQ ID NO: 78], 44-1 [SEQ ID NO: 79], 44-5 [SEQ ID NO:80], 44-2 [SEQ ID

10 NO:81], 42-15 [SEQ ID NO: 84], 42-8 [SEQ ID NO: 85], 42-13 [SEQ ID NO:86], 42-3A [SEQ ID NO:87], 42-4 [SEQ ID NO:88], 42-5A [SEQ ID NO:89], 42-1B [SEQ ID NO:90], 42-5B [SEQ ID NO:91], 43-1 [SEQ ID NO: 92], 43-12 [SEQ ID NO: 93], 43-5 [SEQ ID NO:94], 43-21 [SEQ ID NO:96], 43-25 [SEQ ID NO: 97], 43-20 [SEQ ID NO:99], 24.1 [SEQ ID NO: 101], 42.2 [SEQ ID NO:102], 7.2 [SEQ ID NO: 103], 27.3 [SEQ ID NO: 104],

15 16.3 [SEQ ID NO: 105], 42.10 [SEQ ID NO: 106], 42-3B [SEQ ID NO: 107], 42-11 [SEQ ID NO: 108], F1 [SEQ ID NO: 109], F5 [SEQ ID NO: 110], F3 [SEQ ID NO:111], 42-6B [SEQ ID NO: 112], and/or 42-12 [SEQ ID NO: 113], and artificial AAV serotypes generated using these sequences and/or unique fragments thereof.

As used herein, artificial AAV serotypes include, without limitation, AAV

20 with a non-naturally occurring capsid protein. Such an artificial capsid may be generated by any suitable technique, using a novel AAV sequence of the invention (e.g., a fragment of a vp1 capsid protein) in combination with heterologous sequences which may be obtained from another AAV serotype (known or novel), non-contiguous portions of the same AAV serotype, from a non-AAV viral source, or from a non-viral source. An artificial AAV

25 serotype may be, without limitation, a chimeric AAV capsid, a recombinant AAV capsid, or a "humanized" AAV capsid.

#### B. AAV Amino Acid Sequences, Proteins and Peptides

The invention provides proteins and fragments thereof which are encoded by the nucleic acid sequences of the novel AAV serotypes identified herein, including, e.g.,

30 AAV7 [nt 825 to 3049 of AAV7, SEQ ID NO: 1] the other novel serotypes provided herein. Thus, the capsid proteins of the novel serotypes of the invention, including: H6 [SEQ ID NO: 25], H2 [SEQ ID NO: 26], 42-2 [SEQ ID NO:9], 42-8 [SEQ ID NO:27], 42-15 [SEQ ID NO:28], 42-5b [SEQ ID NO: 29], 42-1b [SEQ ID NO:30]; 42-13 [SEQ ID NO: 31], 42-3a

[SEQ ID NO: 32], 42-4 [SEQ ID NO:33], 42-5a [SEQ ID NO: 34], 42-10 [SEQ ID NO:35], 42-3b [SEQ ID NO: 36], 42-11 [SEQ ID NO: 37], 42-6b [SEQ ID NO:38], 43-1 [SEQ ID NO: 39], 43-5 [SEQ ID NO: 40], 43-12 [SEQ ID NO:41], 43-20 [SEQ ID NO:42], 43-21 [SEQ ID NO: 43], 43-23 [SEQ ID NO:44], 43-25 [SEQ ID NO: 45], 44.1 [SEQ ID NO:47], 44.5 [SEQ ID NO:47], 223.10 [SEQ ID NO:48], 223.2 [SEQ ID NO:49], 223.4 [SEQ ID NO:50], 223.5 [SEQ ID NO: 51], 223.6 [SEQ ID NO: 52], 223.7 [SEQ ID NO: 53], A3.4 [SEQ ID NO: 54], A3.5 [SEQ ID NO:55], A3.7 [SEQ ID NO: 56], A3.3 [SEQ ID NO:57], 42.12 [SEQ ID NO: 58], and 44.2 [SEQ ID NO: 59], can be readily generated using conventional techniques from the open reading frames provided for the above-listed clones.

The invention further encompasses AAV serotypes generated using sequences of the novel AAV serotypes of the invention, which are generated using synthetic, recombinant or other techniques known to those of skill in the art. The invention is not limited to novel AAV amino acid sequences, peptides and proteins expressed from the novel AAV nucleic acid sequences of the invention and encompasses amino acid sequences, peptides and proteins generated by other methods known in the art, including, e.g., by chemical synthesis, by other synthetic techniques, or by other methods. For example, the sequences of any of C1 [SEQ ID NO:60], C2 [SEQ ID NO:61], C5 [SEQ ID NO:62], A3-3 [SEQ ID NO:66], A3-7 [SEQ ID NO:67], A3-4 [SEQ ID NO:68], A3-5 [SEQ ID NO: 69], 3.3b [SEQ ID NO: 62], 223.4 [SEQ ID NO: 73], 223-5 [SEQ ID NO:74], 223-10 [SEQ ID NO:75], 223-2 [SEQ ID NO:76], 223-7 [SEQ ID NO: 77], 223-6 [SEQ ID NO: 78], 44-1 [SEQ ID NO: 79], 44-5 [SEQ ID NO:80], 44-2 [SEQ ID NO:81], 42-15 [SEQ ID NO: 84], 42-8 [SEQ ID NO: 85], 42-13 [SEQ ID NO:86], 42-3A [SEQ ID NO:87], 42-4 [SEQ ID NO:88], 42-5A [SEQ ID NO:89], 42-1B [SEQ ID NO:90], 42-5B [SEQ ID NO:91], 43-1 [SEQ ID NO: 92], 43-12 [SEQ ID NO: 93], 43-5 [SEQ ID NO:94], 43-21 [SEQ ID NO:96], 43-25 [SEQ ID NO: 97], 43-20 [SEQ ID NO:99], 24.1 [SEQ ID NO: 101], 42.2 [SEQ ID NO:102], 7.2 [SEQ ID NO: 103], 27.3 [SEQ ID NO: 104], 16.3 [SEQ ID NO: 105], 42.10 [SEQ ID NO: 106], 42-3B [SEQ ID NO: 107], 42-11 [SEQ ID NO: 108], F1 [SEQ ID NO: 109], F5 [SEQ ID NO: 110], F3 [SEQ ID NO:111], 42-6B [SEQ ID NO: 112], and/or 42-12 [SEQ ID NO: 113] by be readily generated using a variety of techniques.

Suitable production techniques are well known to those of skill in the art. See, e.g., Sambrook et al, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Press (Cold Spring Harbor, NY). Alternatively, peptides can also be synthesized by the well known solid phase peptide synthesis methods (Merrifield, *J. Am. Chem. Soc.*, 85:2149

(1962); Stewart and Young, Solid Phase Peptide Synthesis (Freeman, San Francisco, 1969) pp. 27-62). These and other suitable production methods are within the knowledge of those of skill in the art and are not a limitation of the present invention.

Particularly desirable proteins include the AAV capsid proteins, which are  
5 encoded by the nucleotide sequences identified above. The sequences of many of the capsid proteins of the invention are provided in an alignment in Fig. 2 and/or in the Sequence Listing, SEQ ID NO: 2 and 60 to 115, which is incorporated by reference herein. The AAV capsid is composed of three proteins, vp1, vp2 and vp3, which are alternative splice variants. The full-length sequence provided in these figures is that of vp1. Based on the numbering of  
10 the AAV7 capsid [SEQ ID NO:2], the sequences of vp2 span amino acid 138 - 737 of AAV7 and the sequences of vp3 span amino acids 203 - 737 of AAV7. With this information, one of skill in the art can readily determine the location of the vp2 and vp3 proteins for the other novel serotypes of the invention.

Other desirable proteins and fragments of the capsid protein include the  
15 constant and variable regions, located between hypervariable regions (HPV) and the sequences of the HPV regions themselves. An algorithm developed to determine areas of sequence divergence in AAV2 has yielded 12 hypervariable regions (HVR) of which 5 overlap or are part of the four previously described variable regions. [Chiorini *et al*, *J. Virol*, 73:1309-19 (1999); Rutledge *et al*, *J. Virol.*, 72:309-319] Using this algorithm and/or the  
20 alignment techniques described herein, the HVR of the novel AAV serotypes are determined.

For example, with respect to the number of the AAV2 vp1 [SEQ ID NO:70], the HVR are located as follows: HVR1, aa 146-152; HVR2, aa 182-186; HVR3, aa 262-264; HVR4, aa 381-383; HVR5, aa 450-474; HVR6, aa 490-495; HVR7, aa500-504; HVR8, aa 514-522; HVR9, aa 534-555; HVR10, aa 581-594; HVR11, aa 658-667; and HVR12, aa 705-719.  
25 Utilizing an alignment prepared in accordance with conventional methods and the novel sequences provided herein [See, e.g., Figure 2], one can readily determine the location of the HVR in the novel AAV serotypes of the invention. For example, utilizing Figure 2, one can readily determine that for AAV7 [SEQ ID NO:2]. HVR1 is located at aa 146 – 152; HVR2 is located at 182-187; HVR3 is located at aa 263-266, HVR4 is located at aa 383-385, HVR5 is  
30 located at aa 451-475; HVR6 is located at aa 491-496 of AAV7; HVR7 is located at aa 501-505; HVR8 is located at aa 513-521; HVR9 is located at 533-554; HVR10 is located at aa 583-596; HVR11 is located at aa 660-669; HVR12 is located at aa 707-721. Using the

information provided herein, the HVRs for the other novel serotypes of the invention can be readily determined.

In addition, within the capsid, amino acid cassettes of identity have been identified. These cassettes are of particular interest, as they are useful in constructing artificial serotypes, e.g., by replacing a HVR1 cassette of a selected serotype with an HVR1 cassette of another serotype. Certain of these cassettes of identity are noted in Fig. 2. See, Fig. 2, providing the Clustal X alignment, which has a ruler is displayed below the sequences, starting at 1 for the first residue position. The line above the ruler is used to mark strongly conserved positions. Three characters (\*, :, .) are used. "\*" indicates positions which have a single, fully conserved residue. ":" indicates that a "strong" group is fully conserved "." Indicates that a "weaker" group is fully conserved. These are all the positively scoring groups that occur in the Gonnet Pam250 matrix. The strong groups are defined as a strong score >0.5 and the weak groups are defined as weak score <0.5.

Additionally, examples of other suitable fragments of AAV capsids include, with respect to the numbering of AAV2 [SEQ ID NO:70], aa 24 – 42, aa 25 – 28; aa 81 – 85; aa 133-165; aa 134 – 165; aa 137-143; aa 154-156; aa 194-208; aa 261-274; aa 262-274; aa 171-173; aa 413-417; aa 449-478; aa 494-525; aa 534-571; aa 581-601; aa 660-671; aa 709-723. Still other desirable fragments include, for example, in AAV7, amino acids 1 to 184 of SEQ ID NO:2, amino acids 199 to 259; amino acids 274 to 446; amino acids 603 to 659; amino acids 670 to 706; amino acids 724 to 736; aa 185 to 198; aa 260 to 273; aa 447 to 477; aa 495 to 602; aa 660 to 669; and aa 707 to 723. Still other desirable regions, based on the numbering of AAV7 [SEQ ID NO:2], are selected from among the group consisting of aa 185 to 198; aa 260 to 273; aa 447 to 477; aa 495 to 602; aa 660 to 669; and aa 707 to 723. Using the alignment provided herein performed using the Clustal X program at default settings, or using other commercially or publicly available alignment programs at default settings, one of skill in the art can readily determine corresponding fragments of the novel AAV capsids of the invention.

Other desirable proteins are the AAV rep proteins [aa 1 to 623 of SEQ ID NO:3 for AAV7] and functional fragments thereof, including, e.g., aa 1 to 171, aa 172 to 372, aa 373 to 444, aa 445 to 623 of SEQ ID NO:3, among others. Suitably, such fragments are at least 8 amino acids in length. See, Fig. 3. Comparable regions can be identified in the proteins of the other novel AAV of the invention, using the techniques described herein and those which are known in the art. In addition, fragments of other desired lengths may be

readily utilized. Such fragments may be produced recombinantly or by other suitable means, e.g., chemical synthesis.

The sequences, proteins, and fragments of the invention may be produced by any suitable means, including recombinant production, chemical synthesis, or other synthetic means. Such production methods are within the knowledge of those of skill in the art and are not a limitation of the present invention.

#### IV. Production of rAAV with novel AAV capsids

The invention encompasses novel, wild-type AAV serotypes identified by the invention, the sequences of which wild-type AAV serotypes are free of DNA and/or cellular material with these viruses are associated in nature. In another aspect, the present invention provides molecules which utilize the novel AAV sequences of the invention, including fragments thereof, for production of molecules useful in delivery of a heterologous gene or other nucleic acid sequences to a target cell.

The molecules of the invention which contain sequences of a novel AAV serotype of the invention include any genetic element (vector) which may be delivered to a host cell, e.g., naked DNA, a plasmid, phage, transposon, cosmid, episome, a protein in a non-viral delivery vehicle (e.g., a lipid-based carrier), virus, etc. which transfer the sequences carried thereon. The selected vector may be delivered by any suitable method, including transfection, electroporation, liposome delivery, membrane fusion techniques, high velocity DNA-coated pellets, viral infection and protoplast fusion. The methods used to construct any embodiment of this invention are known to those with skill in nucleic acid manipulation and include genetic engineering, recombinant engineering, and synthetic techniques. See, e.g., Sambrook et al, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Press, Cold Spring Harbor, NY.

In one embodiment, the vectors of the invention contain sequences encoding a novel AAV capsid of the invention (e.g., AAV7 capsid, AAV 44-2 (rh.10), an AAV10 capsid, an AAV11 capsid, an AAV12 capsid), or a fragment of one or more of these AAV capsids. Alternatively, the vectors may contain the capsid protein, or a fragment thereof, itself.

Optionally, vectors of the invention may contain sequences encoding AAV rep proteins. Such *rep* sequences may be from the same AAV serotype which is providing the cap sequences. Alternatively, the present invention provides vectors in which the *rep* sequences are from an AAV serotype which differs from that which is providing the *cap*

sequences. In one embodiment, the *rep* and *cap* sequences are expressed from separate sources (e.g., separate vectors, or a host cell and a vector). In another embodiment, these *rep* sequences are expressed from the same source as the *cap* sequences. In this embodiment, the *rep* sequences may be fused in frame to *cap* sequences of a different AAV serotype to form a  
5 chimeric AAV vector. Optionally, the vectors of the invention further contain a minigene comprising a selected transgene which is flanked by AAV 5' ITR and AAV 3' ITR.

Thus, in one embodiment, the vectors described herein contain nucleic acid sequences encoding an intact AAV capsid which may be from a single AAV serotype (e.g., AAV7 or another novel AAV). Alternatively, these vectors contain sequences encoding  
10 artificial capsids which contain one or more fragments of the AAV7 (or another novel AAV) capsid fused to heterologous AAV or non-AAV capsid proteins (or fragments thereof). These artificial capsid proteins are selected from non-contiguous portions of the AAV7 (or another novel AAV) capsid or from capsids of other AAV serotypes. For example, it may be desirable to modify the coding regions of one or more of the AAV vp1, e.g., in one or more  
15 of the hypervariable regions (i.e., HPV1-12), or vp2, and/or vp3. In another example, it may be desirable to alter the start codon of the vp3 protein to GTG. These modifications may be to increase expression, yield, and/or to improve purification in the selected expression systems, or for another desired purpose (e.g., to change tropism or alter neutralizing antibody epitopes).

20 The vectors described herein, e.g., a plasmid, are useful for a variety of purposes, but are particularly well suited for use in production of a rAAV containing a capsid comprising AAV sequences or a fragment thereof. These vectors, including rAAV, their elements, construction, and uses are described in detail herein.

In one aspect, the invention provides a method of generating a recombinant adeno-associated virus (AAV) having an AAV serotype 7 (or another novel AAV) capsid, or a  
25 portion thereof. Such a method involves culturing a host cell which contains a nucleic acid sequence encoding an adeno-associated virus (AAV) serotype 7 (or another novel AAV) capsid protein, or fragment thereof, as defined herein; a functional *rep* gene; a minigene composed of, at a minimum, AAV inverted terminal repeats (ITRs) and a transgene; and  
30 sufficient helper functions to permit packaging of the minigene into the AAV7 (or another novel AAV) capsid protein.

The components required to be cultured in the host cell to package an AAV minigene in an AAV capsid may be provided to the host cell in *trans*. Alternatively, any one or more



of the required components (e.g., minigene, *rep* sequences, *cap* sequences, and/or helper functions) may be provided by a stable host cell which has been engineered to contain one or more of the required components using methods known to those of skill in the art. Most suitably, such a stable host cell will contain the required component(s) under the control of an inducible promoter. However, the required component(s) may be under the control of a constitutive promoter. Examples of suitable inducible and constitutive promoters are provided herein, in the discussion of regulatory elements suitable for use with the transgene. In still another alternative, a selected stable host cell may contain selected component(s) under the control of a constitutive promoter and other selected component(s) under the control of one or more inducible promoters. For example, a stable host cell may be generated which is derived from 293 cells (which contain E1 helper functions under the control of a constitutive promoter), but which contains the *rep* and/or *cap* proteins under the control of inducible promoters. Still other stable host cells may be generated by one of skill in the art.

The minigene, *rep* sequences, *cap* sequences, and helper functions required for producing the rAAV of the invention may be delivered to the packaging host cell in the form of any genetic element which transfer the sequences carried thereon. The selected genetic element may be delivered by any suitable method, including those described herein. The methods used to construct any embodiment of this invention are known to those with skill in nucleic acid manipulation and include genetic engineering, recombinant engineering, and synthetic techniques. See, e.g., Sambrook et al, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Press, Cold Spring Harbor, NY. Similarly, methods of generating rAAV virions are well known and the selection of a suitable method is not a limitation on the present invention. See, e.g., K. Fisher et al, *J. Virol.*, 70:520-532 (1993) and US Patent 5,478,745.

#### A. The Minigene

The minigene is composed of, at a minimum, a transgene and its regulatory sequences, and 5' and 3' AAV inverted terminal repeats (ITRs). It is this minigene which is packaged into a capsid protein and delivered to a selected host cell.

##### 1. The transgene

The transgene is a nucleic acid sequence, heterologous to the vector sequences flanking the transgene, which encodes a polypeptide, protein, or other product, of interest. The nucleic acid coding sequence is operatively linked to regulatory

components in a manner which permits transgene transcription, translation, and/or expression in a host cell.

The composition of the transgene sequence will depend upon the use to which the resulting vector will be put. For example, one type of transgene sequence includes a reporter sequence, which upon expression produces a detectable signal. Such reporter sequences include, without limitation, DNA sequences encoding  $\beta$ -lactamase,  $\beta$ -galactosidase (LacZ), alkaline phosphatase, thymidine kinase, green fluorescent protein (GFP), chloramphenicol acetyltransferase (CAT), luciferase, membrane bound proteins including, for example, CD2, CD4, CD8, the influenza hemagglutinin protein, and others well known in the art, to which high affinity antibodies directed thereto exist or can be produced by conventional means, and fusion proteins comprising a membrane bound protein appropriately fused to an antigen tag domain from, among others, hemagglutinin or Myc.

These coding sequences, when associated with regulatory elements which drive their expression, provide signals detectable by conventional means, including enzymatic, radiographic, colorimetric, fluorescence or other spectrographic assays, fluorescent activating cell sorting assays and immunological assays, including enzyme linked immunosorbent assay (ELISA), radioimmunoassay (RIA) and immunohistochemistry. For example, where the marker sequence is the LacZ gene, the presence of the vector carrying the signal is detected by assays for beta-galactosidase activity. Where the transgene is green fluorescent protein or luciferase, the vector carrying the signal may be measured visually by color or light production in a luminometer.

However, desirably, the transgene is a non-marker sequence encoding a product which is useful in biology and medicine, such as proteins, peptides, RNA, enzymes, or catalytic RNAs. Desirable RNA molecules include tRNA, dsRNA, ribosomal RNA, catalytic RNAs, and antisense RNAs. One example of a useful RNA sequence is a sequence which extinguishes expression of a targeted nucleic acid sequence in the treated animal.

The transgene may be used to correct or ameliorate gene deficiencies, which may include deficiencies in which normal genes are expressed at less than normal levels or deficiencies in which the functional gene product is not expressed. A preferred type of transgene sequence encodes a therapeutic protein or polypeptide which is expressed in a host cell. The invention further includes using multiple transgenes, e.g., to correct or ameliorate a gene defect caused by a multi-subunit protein. In certain situations, a

different transgene may be used to encode each subunit of a protein, or to encode different peptides or proteins. This is desirable when the size of the DNA encoding the protein subunit is large, e.g., for an immunoglobulin, the platelet-derived growth factor, or a dystrophin protein. In order for the cell to produce the multi-subunit protein, a cell is  
5 infected with the recombinant virus containing each of the different subunits. Alternatively, different subunits of a protein may be encoded by the same transgene. In this case, a single transgene includes the DNA encoding each of the subunits, with the DNA for each subunit separated by an internal ribozyme entry site (IRES). This is desirable when the size of the DNA encoding each of the subunits is small, e.g., the total size of the DNA encoding the  
10 subunits and the IRES is less than five kilobases. As an alternative to an IRES, the DNA may be separated by sequences encoding a 2A peptide, which self-cleaves in a post-translational event. See, e.g., M.L. Donnelly, *et al*, *J. Gen. Virol.*, 78(Pt 1):13-21 (Jan 1997); Furler, S., *et al*, *Gene Ther.*, 8(11):864-873 (June 2001); Klump H., *et al.*, *Gene Ther.*, 8(10):811-817 (May 2001). This 2A peptide is significantly smaller than an IRES, making it well suited for  
15 use when space is a limiting factor. However, the selected transgene may encode any biologically active product or other product, e.g., a product desirable for study.

Suitable transgenes may be readily selected by one of skill in the art. The selection of the transgene is not considered to be a limitation of this invention.

## 2. Regulatory Elements

20 In addition to the major elements identified above for the minigene, the vector also includes conventional control elements necessary which are operably linked to the transgene in a manner which permits its transcription, translation and/or expression in a cell transfected with the plasmid vector or infected with the virus produced by the invention. As used herein, "operably linked" sequences include both  
25 expression control sequences that are contiguous with the gene of interest and expression control sequences that act in *trans* or at a distance to control the gene of interest.

Expression control sequences include appropriate transcription initiation, termination, promoter and enhancer sequences; efficient RNA processing signals such as splicing and polyadenylation (polyA) signals; sequences that  
30 stabilize cytoplasmic mRNA; sequences that enhance translation efficiency (i.e., Kozak consensus sequence); sequences that enhance protein stability; and when desired, sequences that enhance secretion of the encoded product. A great number of expression control

sequences, including promoters which are native, constitutive, inducible and/or tissue-specific, are known in the art and may be utilized.

Examples of constitutive promoters include, without limitation, the retroviral Rous sarcoma virus (RSV) LTR promoter (optionally with the RSV enhancer), the cytomegalovirus (CMV) promoter (optionally with the CMV enhancer) [see, e.g., Boshart *et al*, *Cell*, **41**:521-530 (1985)], the SV40 promoter, the dihydrofolate reductase promoter, the  $\beta$ -actin promoter, the phosphoglycerol kinase (PGK) promoter, and the EF1 $\alpha$  promoter [Invitrogen].

Inducible promoters allow regulation of gene expression and can be regulated by exogenously supplied compounds, environmental factors such as temperature, or the presence of a specific physiological state, e.g., acute phase, a particular differentiation state of the cell, or in replicating cells only. Inducible promoters and inducible systems are available from a variety of commercial sources, including, without limitation, Invitrogen, Clontech and Ariad. Many other systems have been described and can be readily selected by one of skill in the art. Examples of inducible promoters regulated by exogenously supplied promoters include the zinc-inducible sheep metallothioneine (MT) promoter, the dexamethasone (Dex)-inducible mouse mammary tumor virus (MMTV) promoter, the T7 polymerase promoter system [WO 98/10088]; the ecdysone insect promoter [No *et al*, *Proc. Natl. Acad. Sci. USA*, **93**:3346-3351 (1996)], the tetracycline-repressible system [Gossen *et al*, *Proc. Natl. Acad. Sci. USA*, **89**:5547-5551 (1992)], the tetracycline-inducible system [Gossen *et al*, *Science*, **268**:1766-1769 (1995), see also Harvey *et al*, *Curr. Opin. Chem. Biol.*, **2**:512-518 (1998)], the RU486-inducible system [Wang *et al*, *Nat. Biotech.*, **15**:239-243 (1997) and Wang *et al*, *Gene Ther.*, **4**:432-441 (1997)] and the rapamycin-inducible system [Magari *et al*, *J. Clin. Invest.*, **100**:2865-2872 (1997)]. Still other types of inducible promoters which may be useful in this context are those which are regulated by a specific physiological state, e.g., temperature, acute phase, a particular differentiation state of the cell, or in replicating cells only.

In another embodiment, the native promoter for the transgene will be used. The native promoter may be preferred when it is desired that expression of the transgene should mimic the native expression. The native promoter may be used when expression of the transgene must be regulated temporally or developmentally, or in a tissue-specific manner, or in response to specific transcriptional stimuli. In a further embodiment,

other native expression control elements, such as enhancer elements, polyadenylation sites or Kozak consensus sequences may also be used to mimic the native expression.

Another embodiment of the transgene includes a transgene operably linked to a tissue-specific promoter. For instance, if expression in skeletal muscle is desired, a promoter active in muscle should be used. These include the promoters from genes encoding skeletal  $\beta$ -actin, myosin light chain 2A, dystrophin, muscle creatine kinase, as well as synthetic muscle promoters with activities higher than naturally-occurring promoters (see Li *et al.*, *Nat. Biotech.*, 17:241-245 (1999)). Examples of promoters that are tissue-specific are known for liver (albumin, Miyatake *et al.*, *J. Virol.*, 71:5124-32 (1997); hepatitis B virus core promoter, Sandig *et al.*, *Gene Ther.*, 3:1002-9 (1996); alpha-fetoprotein (AFP), Arbuthnot *et al.*, *Hum. Gene Ther.*, 7:1503-14 (1996)), bone osteocalcin (Stein *et al.*, *Mol. Biol. Rep.*, 24:185-96 (1997)); bone sialoprotein (Chen *et al.*, *J. Bone Miner. Res.*, 11:654-64 (1996)), lymphocytes (CD2, Hansal *et al.*, *J. Immunol.*, 161:1063-8 (1998); immunoglobulin heavy chain; T cell receptor  $\alpha$  chain), neuronal such as neuron-specific enolase (NSE) promoter (Andersen *et al.*, *Cell. Mol. Neurobiol.*, 13:503-15 (1993)), neurofilament light-chain gene (Piccioli *et al.*, *Proc. Natl. Acad. Sci. USA*, 88:5611-5 (1991)), and the neuron-specific vgf gene (Piccioli *et al.*, *Neuron*, 15:373-84 (1995)), among others.

Optionally, plasmids carrying therapeutically useful transgenes may also include selectable markers or reporter genes may include sequences encoding geneticin, hygromycin or purimycin resistance, among others. Such selectable reporters or marker genes (preferably located outside the viral genome to be rescued by the method of the invention) can be used to signal the presence of the plasmids in bacterial cells, such as ampicillin resistance. Other components of the plasmid may include an origin of replication. Selection of these and other promoters and vector elements are conventional and many such sequences are available [see, e.g., Sambrook *et al.*, and references cited therein].

The combination of the transgene; promoter/enhancer, and 5' and 3' ITRs is referred to as a "minigene" for ease of reference herein. Provided with the teachings of this invention, the design of such a minigene can be made by resort to conventional techniques.

### 3. Delivery of the Minigene to a Packaging Host Cell

The minigene can be carried on any suitable vector, e.g., a plasmid, which is delivered to a host cell. The plasmids useful in this invention may be

engineered such that they are suitable for replication and, optionally, integration in prokaryotic cells, mammalian cells, or both. These plasmids (or other vectors carrying the 5' AAV ITR-heterologous molecule-3' ITR) contain sequences permitting replication of the minigene in eukaryotes and/or prokaryotes and selection markers for these systems.

5 Selectable markers or reporter genes may include sequences encoding geneticin, hygromycin or purimycin resistance, among others. The plasmids may also contain certain selectable reporters or marker genes that can be used to signal the presence of the vector in bacterial cells, such as ampicillin resistance. Other components of the plasmid may include an origin of replication and an amplicon, such as the amplicon system employing the Epstein Barr  
10 virus nuclear antigen. This amplicon system, or other similar amplicon components permit high copy episomal replication in the cells. Preferably, the molecule carrying the minigene is transfected into the cell, where it may exist transiently. Alternatively, the minigene (carrying the 5' AAV ITR-heterologous molecule-3' ITR) may be stably integrated into the genome of the host cell, either chromosomally or as an episome. In certain embodiments,  
15 the minigene may be present in multiple copies, optionally in head-to-head, head-to-tail, or tail-to-tail concatamers. Suitable transfection techniques are known and may readily be utilized to deliver the minigene to the host cell.

Generally, when delivering the vector comprising the minigene by transfection, the vector is delivered in an amount from about 5  $\mu$ g to about 100  $\mu$ g DNA, and  
20 preferably about 10 to about 50  $\mu$ g DNA to about  $1 \times 10^4$  cells to about  $1 \times 10^{13}$  cells, and preferably about  $10^5$  cells. However, the relative amounts of vector DNA to host cells may be adjusted, taking into consideration such factors as the selected vector, the delivery method and the host cells selected.

#### B. *Rep* and *Cap* Sequences

25 In addition to the minigene, the host cell contains the sequences which drive expression of the novel AAV capsid protein (e.g., AAV7 or other novel AAV capsid or an artificial capsid protein comprising a fragment of one or more of these capsids) in the host cell and rep sequences of the same serotype as the serotype of the AAV ITRs found in the minigene. The AAV *cap* and *rep* sequences may be independently obtained  
30 from an AAV source as described above and may be introduced into the host cell in any manner known to one in the art as described above. Additionally, when pseudotyping a novel AAV capsid of the invention, the sequences encoding each of the essential rep proteins may be supplied by the same AAV serotype, or the sequences encoding the rep proteins may

be supplied by different AAV serotypes (e.g., AAV1, AAV2, AAV3, AAV4, AAV5, AAV6, or one of the novel serotypes identified herein). For example, the *rep*78/68 sequences may be from AAV2, whereas the *rep*52/40 sequences may from AAV1.

In one embodiment, the host cell stably contains the capsid protein under the control of a suitable promoter, such as those described above. Most desirably, in this embodiment, the capsid protein is expressed under the control of an inducible promoter. In another embodiment, the capsid protein is supplied to the host cell in *trans*. When delivered to the host cell in *trans*, the capsid protein may be delivered via a plasmid which contains the sequences necessary to direct expression of the selected capsid protein in the host cell. Most desirably, when delivered to the host cell in *trans*, the plasmid carrying the capsid protein also carries other sequences required for packaging the rAAV, e.g., the *rep* sequences.

In another embodiment, the host cell stably contains the *rep* sequences under the control of a suitable promoter, such as those described above. Most desirably, in this embodiment, the essential *rep* proteins are expressed under the control of an inducible promoter. In another embodiment, the *rep* proteins are supplied to the host cell in *trans*. When delivered to the host cell in *trans*, the *rep* proteins may be delivered via a plasmid which contains the sequences necessary to direct expression of the selected *rep* proteins in the host cell. Most desirably, when delivered to the host cell in *trans*, the plasmid carrying the capsid protein also carries other sequences required for packaging the rAAV, e.g., the *rep* and *cap* sequences.

Thus, in one embodiment, the *rep* and *cap* sequences may be transfected into the host cell on a single nucleic acid molecule and exist stably in the cell as an episome. In another embodiment, the *rep* and *cap* sequences are stably integrated into the genome of the cell. Another embodiment has the *rep* and *cap* sequences transiently expressed in the host cell. For example, a useful nucleic acid molecule for such transfection comprises, from 5' to 3', a promoter, an optional spacer interposed between the promoter and the start site of the *rep* gene sequence, an AAV *rep* gene sequence, and an AAV *cap* gene sequence.

Optionally, the *rep* and/or *cap* sequences may be supplied on a vector that contains other DNA sequences that are to be introduced into the host cells. For instance, the vector may contain the rAAV construct comprising the minigene. The vector may

comprise one or more of the genes encoding the helper functions, e.g., the adenoviral proteins E1, E2a, and E4ORF6, and the gene for VAI RNA.

Preferably, the promoter used in this construct may be any of the constitutive, inducible or native promoters known to one of skill in the art or as discussed  
5 above. In one embodiment, an AAV P5 promoter sequence is employed. The selection of the AAV to provide any of these sequences does not limit the invention.

In another preferred embodiment, the promoter for *rep* is an inducible promoter, as are discussed above in connection with the transgene regulatory elements. One preferred promoter for *rep* expression is the T7 promoter. The vector comprising the *rep*  
10 gene regulated by the T7 promoter and the *cap* gene, is transfected or transformed into a cell which either constitutively or inducibly expresses the T7 polymerase. See WO 98/10088, published March 12, 1998.

The spacer is an optional element in the design of the vector. The spacer is a DNA sequence interposed between the promoter and the *rep* gene ATG start site.  
15 The spacer may have any desired design; that is, it may be a random sequence of nucleotides, or alternatively, it may encode a gene product, such as a marker gene. The spacer may contain genes which typically incorporate start/stop and polyA sites. The spacer may be a non-coding DNA sequence from a prokaryote or eukaryote, a repetitive non-coding sequence, a coding sequence without transcriptional controls or a coding sequence with  
20 transcriptional controls. Two exemplary sources of spacer sequences are the  $\lambda$  phage ladder sequences or yeast ladder sequences, which are available commercially, e.g., from Gibco or Invitrogen, among others. The spacer may be of any size sufficient to reduce expression of the *rep78* and *rep68* gene products, leaving the *rep52*, *rep40* and *cap* gene products expressed at normal levels. The length of the spacer may therefore range from about 10 bp  
25 to about 10.0 kbp, preferably in the range of about 100 bp to about 8.0 kbp. To reduce the possibility of recombination, the spacer is preferably less than 2 kbp in length; however, the invention is not so limited.

Although the molecule(s) providing *rep* and *cap* may exist in the host cell transiently (i.e., through transfection), it is preferred that one or both of the *rep* and *cap*  
30 proteins and the promoter(s) controlling their expression be stably expressed in the host cell, e.g., as an episome or by integration into the chromosome of the host cell. The methods employed for constructing embodiments of this invention are conventional genetic engineering or recombinant engineering techniques such as those described in the references



above. While this specification provides illustrative examples of specific constructs, using the information provided herein, one of skill in the art may select and design other suitable constructs, using a choice of spacers, P5 promoters, and other elements, including at least one translational start and stop signal, and the optional addition of polyadenylation sites.

5 In another embodiment of this invention, the rep or cap protein may be provided stably by a host cell.

### C. The Helper Functions

The packaging host cell also requires helper functions in order to package the rAAV of the invention. Optionally, these functions may be supplied by a  
10 herpesvirus. Most desirably, the necessary helper functions are each provided from a human or non-human primate adenovirus source, such as those described above and/or are available from a variety of sources, including the American Type Culture Collection (ATCC), Manassas, VA (US). In one currently preferred embodiment, the host cell is provided with and/or contains an E1a gene product, an E1b gene product, an E2a gene product, and/or an  
15 E4 ORF6 gene product. The host cell may contain other adenoviral genes such as VAI RNA, but these genes are not required. In a preferred embodiment, no other adenovirus genes or gene functions are present in the host cell.

By "adenoviral DNA which expresses the E1a gene product", it is meant any adenovirus sequence encoding E1a or any functional E1a portion. Adenoviral  
20 DNA which expresses the E2a gene product and adenoviral DNA which expresses the E4 ORF6 gene products are defined similarly. Also included are any alleles or other modifications of the adenoviral gene or functional portion thereof. Such modifications may be deliberately introduced by resort to conventional genetic engineering or mutagenic techniques to enhance the adenoviral function in some manner, as well as naturally occurring  
25 allelic variants thereof. Such modifications and methods for manipulating DNA to achieve these adenovirus gene functions are known to those of skill in the art.

The adenovirus E1a, E1b, E2a, and/or E4ORF6 gene products, as well as any other desired helper functions, can be provided using any means that allows their expression in a cell. Each of the sequences encoding these products may be on a separate  
30 vector, or one or more genes may be on the same vector. The vector may be any vector known in the art or disclosed above, including plasmids, cosmids and viruses. Introduction into the host cell of the vector may be achieved by any means known in the art or as disclosed above, including transfection, infection, electroporation, liposome delivery,

membrane fusion techniques, high velocity DNA-coated pellets, viral infection and protoplast fusion, among others. One or more of the adenoviral genes may be stably integrated into the genome of the host cell, stably expressed as episomes, or expressed transiently. The gene products may all be expressed transiently, on an episome or stably integrated, or some of the gene products may be expressed stably while others are expressed transiently. Furthermore, the promoters for each of the adenoviral genes may be selected independently from a constitutive promoter, an inducible promoter or a native adenoviral promoter. The promoters may be regulated by a specific physiological state of the organism or cell (i.e., by the differentiation state or in replicating or quiescent cells) or by exogenously-added factors, for example.

#### D. Host Cells And Packaging Cell Lines

The host cell itself may be selected from any biological organism, including prokaryotic (e.g., bacterial) cells, and eukaryotic cells, including, insect cells, yeast cells and mammalian cells. Particularly desirable host cells are selected from among any mammalian species, including, without limitation, cells such as A549, WEHI, 3T3, 10T1/2, BHK, MDCK, COS 1, COS 7, BSC 1, BSC 40, BMT 10, VERO, WI38, HeLa, 293 cells (which express functional adenoviral E1), Saos, C2C12, L cells, HT1080, HepG2 and primary fibroblast, hepatocyte and myoblast cells derived from mammals including human, monkey, mouse, rat, rabbit, and hamster. The selection of the mammalian species providing the cells is not a limitation of this invention; nor is the type of mammalian cell, i.e., fibroblast, hepatocyte, tumor cell, etc. The most desirable cells do not carry any adenovirus gene other than E1, E2a and/or E4 ORF6; nor do they contain any other virus gene which could result in homologous recombination of a contaminating virus during the production of rAAV; and it is capable of infection or transfection of DNA and expression of the transfected DNA. In a preferred embodiment, the host cell is one that has *rep* and *cap* stably transfected in the cell.

One host cell useful in the present invention is a host cell stably transformed with the sequences encoding *rep* and *cap*, and which is transfected with the adenovirus E1, E2a, and E4ORF6 DNA and a construct carrying the minigene as described above. Stable *rep* and/or *cap* expressing cell lines, such as B-50 (PCT/US98/19463), or those described in U.S. Patent No. 5,658,785, may also be similarly employed. Another desirable host cell contains the minimum adenoviral DNA which is sufficient to express E4 ORF6. Yet other cell lines can be constructed using the novel AAV *rep* and/or novel AAV *cap* sequences of the invention.

The preparation of a host cell according to this invention involves techniques such as assembly of selected DNA sequences. This assembly may be accomplished utilizing conventional techniques. Such techniques include cDNA and genomic cloning, which are well known and are described in Sambrook et al., cited above, use of overlapping oligonucleotide sequences of the adenovirus and AAV genomes, combined with polymerase chain reaction, synthetic methods, and any other suitable methods which provide the desired nucleotide sequence.

Introduction of the molecules (as plasmids or viruses) into the host cell may also be accomplished using techniques known to the skilled artisan and as discussed throughout the specification. In preferred embodiment, standard transfection techniques are used, e.g., CaPO<sub>4</sub> transfection or electroporation, and/or infection by hybrid adenovirus/AAV vectors into cell lines such as the human embryonic kidney cell line HEK 293 (a human kidney cell line containing functional adenovirus E1 genes which provides *trans*-acting E1 proteins).

These novel AAV-based vectors which are generated by one of skill in the art are beneficial for gene delivery to selected host cells and gene therapy patients since no neutralization antibodies to AAV7 have been found in the human population. Further, early studies show no neutralizing antibodies in cyno monkey and chimpanzee populations, and less than 15% cross-reactivity of AAV 7 in rhesus monkeys, the species from which the serotype was isolated. One of skill in the art may readily prepare other rAAV viral vectors containing the AAV7 capsid proteins provided herein using a variety of techniques known to those of skill in the art. One may similarly prepare still other rAAV viral vectors containing AAV7 sequence and AAV capsids of another serotype. Similar advantages are conferred by the vectors based on the other novel AAV of the invention.

Thus, one of skill in the art will readily understand that the AAV7 sequences of the invention can be readily adapted for use in these and other viral vector systems for *in vitro*, *ex vivo* or *in vivo* gene delivery. Similarly, one of skill in the art can readily select other fragments of the novel AAV genome of the invention for use in a variety of rAAV and non-rAAV vector systems. Such vectors systems may include, e.g., lentiviruses, retroviruses, poxviruses, vaccinia viruses, and adenoviral systems, among others. Selection of these vector systems is not a limitation of the present invention.

Thus, the invention further provides vectors generated using the nucleic acid and amino acid sequences of the novel AAV of the invention. Such vectors are

useful for a variety of purposes, including for delivery of therapeutic molecules and for use in vaccine regimens. Particularly desirable for delivery of therapeutic molecules are recombinant AAV containing capsids of the novel AAV of the invention. These, or other vector constructs containing novel AAV sequences of the invention may be used in vaccine regimens, e.g., for co-delivery of a cytokine, or for delivery of the immunogen itself.

#### V. Recombinant Viruses And Uses Thereof

Using the techniques described herein, one of skill in the art may generate a rAAV having a capsid of a novel serotype of the invention, or a novel capsid containing one or more novel fragments of an AAV serotype identified by the method of the invention. In one embodiment, a full-length capsid from a single serotype, e.g., AAV7 [SEQ ID NO: 2] can be utilized. In another embodiment, a full-length capsid may be generated which contains one or more fragments of a novel serotype of the invention fused in frame with sequences from another selected AAV serotype. For example, a rAAV may contain one or more of the novel hypervariable region sequences of an AAV serotype of the invention. Alternatively, the unique AAV serotypes of the invention may be used in constructs containing other viral or non-viral sequences.

It will be readily apparent to one of skill in the art one embodiment, that certain serotypes of the invention will be particularly well suited for certain uses. For example, vectors based on AAV7 capsids of the invention are particularly well suited for use in muscle; whereas vectors based on rh.10 (44-2) capsids of the invention are particularly well suited for use in lung. Uses of such vectors are not so limited and one of skill in the art may utilize these vectors for delivery to other cell types, tissues or organs. Further, vectors based upon other capsids of the invention may be used for delivery to these or other cells, tissues or organs.

##### A. Delivery of Transgene

In another aspect, the present invention provides a method for delivery of a transgene to a host which involves transfecting or infecting a selected host cell with a vector generated with the sequences of the AAV of the invention. Methods for delivery are well known to those of skill in the art and are not a limitation of the present invention.

In one desirable embodiment, the invention provides a method for AAV-mediated delivery of a transgene to a host. This method involves transfecting or infecting a

selected host cell with a recombinant viral vector containing a selected transgene under the control of sequences which direct expression thereof and AAV capsid proteins.

Optionally, a sample from the host may be first assayed for the presence of antibodies to a selected AAV serotype. A variety of assay formats for detecting neutralizing antibodies are well known to those of skill in the art. The selection of such an assay is not a limitation of the present invention. See, e.g., Fisher et al, *Nature Med.*, 3(3):306-312 (March 1997) and W. C. Manning et al, *Human Gene Therapy*, 9:477-485 (March 1, 1998). The results of this assay may be used to determine which AAV vector containing capsid proteins of a particular serotype are preferred for delivery, e.g., by the absence of neutralizing antibodies specific for that capsid serotype.

In one aspect of this method, the delivery of vector with a selected AAV capsid proteins may precede or follow delivery of a gene via a vector with a different serotype AAV capsid protein. Similarly, the delivery of vector with other novel AAV capsid proteins of the invention may precede or follow delivery of a gene via a vector with a different serotype AAV capsid protein. Thus, gene delivery via rAAV vectors may be used for repeat gene delivery to a selected host cell. Desirably, subsequently administered rAAV vectors carry the same transgene as the first rAAV vector, but the subsequently administered vectors contain capsid proteins of serotypes which differ from the first vector. For example, if a first vector has AAV7 capsid proteins [SEQ ID NO:2], subsequently administered vectors may have capsid proteins selected from among the other serotypes, including AAV1, AAV2, AAV3A, AAV3B, AAV4, AAV6, AAV10, AAV11, and AAV12, or any of the other novel AAV capsids identified herein including, without limitation: A3.1, H2, H6, C1, C2, C5, A3-3, A3-7, A3-4, A3-5, 3.3b, 223.4, 223-5, 223-10, 223-2, 223-7, 223-6, 44-1, 44-5, 44-2, 42-15, 42-8, 42-13, 42-3A, 42-4, 42-5A, 42-1B, 42-5B, 43-1, 43-12, 43-5, 43-21, 43-25, 43-20, 24.1, 42.2, 7.2, 27.3, 16.3, 42.10, 42-3B, 42-11, F1, F5, F3, 42-6B, and/or 42-12.

The above-described recombinant vectors may be delivered to host cells according to published methods. The rAAV, preferably suspended in a physiologically compatible carrier, may be administered to a human or non-human mammalian patient. Suitable carriers may be readily selected by one of skill in the art in view of the indication for which the transfer virus is directed. For example, one suitable carrier includes saline, which may be formulated with a variety of buffering solutions (e.g., phosphate buffered saline). Other exemplary carriers include sterile saline, lactose, sucrose, calcium phosphate,

gelatin, dextran, agar, pectin, peanut oil, sesame oil, and water. The selection of the carrier is not a limitation of the present invention.

Optionally, the compositions of the invention may contain, in addition to the rAAV and carrier(s), other conventional pharmaceutical ingredients, such as preservatives, or chemical stabilizers. Suitable exemplary preservatives include chlorobutanol, potassium sorbate, sorbic acid, sulfur dioxide, propyl gallate, the parabens, ethyl vanillin, glycerin, phenol, and parachlorophenol. Suitable chemical stabilizers include gelatin and albumin.

The viral vectors are administered in sufficient amounts to transfect the cells and to provide sufficient levels of gene transfer and expression to provide a therapeutic benefit without undue adverse effects, or with medically acceptable physiological effects, which can be determined by those skilled in the medical arts. Conventional and pharmaceutically acceptable routes of administration include, but are not limited to, direct delivery to the selected organ (e.g., intraportal delivery to the liver), oral, inhalation (including intranasal and intratracheal delivery), intraocular, intravenous, intramuscular, subcutaneous, intradermal, and other parental routes of administration. Routes of administration may be combined, if desired.

Dosages of the viral vector will depend primarily on factors such as the condition being treated, the age, weight and health of the patient, and may thus vary among patients. For example, a therapeutically effective human dosage of the viral vector is generally in the range of from about 1 ml to about 100 ml of solution containing concentrations of from about  $1 \times 10^9$  to  $1 \times 10^{16}$  genomes virus vector. A preferred human dosage may be about  $1 \times 10^{13}$  to  $1 \times 10^{16}$  AAV genomes. The dosage will be adjusted to balance the therapeutic benefit against any side effects and such dosages may vary depending upon the therapeutic application for which the recombinant vector is employed. The levels of expression of the transgene can be monitored to determine the frequency of dosage resulting in viral vectors, preferably AAV vectors containing the minigene. Optionally, dosage regimens similar to those described for therapeutic purposes may be utilized for immunization using the compositions of the invention.

Examples of therapeutic products and immunogenic products for delivery by the AAV-containing vectors of the invention are provided below. These vectors may be used for a variety of therapeutic or vaccinal regimens, as described herein. Additionally, these vectors may be delivered in combination with one or more other vectors or active ingredients in a desired therapeutic and/or vaccinal regimen.

## B. Therapeutic Transgenes

Useful therapeutic products encoded by the transgene include hormones and growth and differentiation factors including, without limitation, insulin, glucagon, growth hormone (GH), parathyroid hormone (PTH), growth hormone releasing factor (GRF),  
 5 follicle stimulating hormone (FSH), luteinizing hormone (LH), human chorionic gonadotropin (hCG), vascular endothelial growth factor (VEGF), angiopoietins, angiostatin, granulocyte colony stimulating factor (GCSF), erythropoietin (EPO), connective tissue growth factor (CTGF), basic fibroblast growth factor (bFGF), acidic fibroblast growth factor (aFGF), epidermal growth factor (EGF), transforming growth factor  $\alpha$  (TGF $\alpha$ ), platelet-  
 10 derived growth factor (PDGF), insulin growth factors I and II (IGF-I and IGF-II), any one of the transforming growth factor  $\beta$  superfamily, including TGF  $\beta$ , activins, inhibins, or any of the bone morphogenic proteins (BMP) BMPs 1-15, any one of the heregluin/neuregulin/ARIA/neu differentiation factor (NDF) family of growth factors, nerve growth factor (NGF), brain-derived neurotrophic factor (BDNF), neurotrophins NT-3 and  
 15 NT-4/5, ciliary neurotrophic factor (CNTF), glial cell line derived neurotrophic factor (GDNF), neurturin, agrin, any one of the family of semaphorins/collapsins, netrin-1 and netrin-2, hepatocyte growth factor (HGF), ephrins, noggin, sonic hedgehog and tyrosine hydroxylase.

Other useful transgene products include proteins that regulate the immune  
 20 system including, without limitation, cytokines and lymphokines such as thrombopoietin (TPO), interleukins (IL) IL-1 through IL-25 (including, IL-2, IL-4, IL-12, and IL-18), monocyte chemoattractant protein, leukemia inhibitory factor, granulocyte-macrophage colony stimulating factor, Fas ligand, tumor necrosis factors  $\alpha$  and  $\beta$ , interferons  $\alpha$ ,  $\beta$ , and  $\gamma$ , stem cell factor, flk-2/flt3 ligand. Gene products produced by the immune system are also  
 25 useful in the invention. These include, without limitations, immunoglobulins IgG, IgM, IgA, IgD and IgE, chimeric immunoglobulins, humanized antibodies, single chain antibodies, T cell receptors, chimeric T cell receptors, single chain T cell receptors, class I and class II MHC molecules, as well as engineered immunoglobulins and MHC molecules. Useful gene products also include complement regulatory proteins such as complement regulatory  
 30 proteins, membrane cofactor protein (MCP), decay accelerating factor (DAF), CR1, CF2 and CD59.

Still other useful gene products include any one of the receptors for the hormones, growth factors, cytokines, lymphokines, regulatory proteins and immune system

proteins. The invention encompasses receptors for cholesterol regulation, including the low density lipoprotein (LDL) receptor, high density lipoprotein (HDL) receptor, the very low density lipoprotein (VLDL) receptor, and the scavenger receptor. The invention also encompasses gene products such as members of the steroid hormone receptor superfamily including glucocorticoid receptors and estrogen receptors, Vitamin D receptors and other nuclear receptors. In addition, useful gene products include transcription factors such as *jun*, *fos*, *max*, *mad*, serum response factor (SRF), AP-1, AP2, *myb*, MyoD and myogenin, ETS-box containing proteins, TFE3, E2F, ATF1, ATF2, ATF3, ATF4, ZF5, NFAT, CREB, HNF-4, C/EBP, SP1, CCAAT-box binding proteins, interferon regulation factor (IRF-1), Wilms tumor protein, ETS-binding protein, STAT, GATA-box binding proteins, e.g., GATA-3, and the forkhead family of winged helix proteins.

Other useful gene products include, carbamoyl synthetase I, ornithine transcarbamylase, arginosuccinate synthetase, arginosuccinate lyase, arginase, fumarylacetylacetate hydrolase, phenylalanine hydroxylase, alpha-1 antitrypsin, glucose-6-phosphatase, porphobilinogen deaminase, factor VIII, factor IX, cystathione beta-synthase, branched chain ketoacid decarboxylase, albumin, isovaleryl-coA dehydrogenase, propionyl CoA carboxylase, methyl malonyl CoA mutase, glutaryl CoA dehydrogenase, insulin, beta-glucosidase, pyruvate carboxylate, hepatic phosphorylase, phosphorylase kinase, glycine decarboxylase, H-protein, T-protein, a cystic fibrosis transmembrane regulator (CFTR) sequence, and a dystrophin cDNA sequence. Still other useful gene products include enzymes such as may be useful in enzyme replacement therapy, which is useful in a variety of conditions resulting from deficient activity of enzyme. For example, enzymes that contain mannose-6-phosphate may be utilized in therapies for lysosomal storage diseases (e.g., a suitable gene includes that encoding  $\beta$ -glucuronidase (GUSB)).

Other useful gene products include non-naturally occurring polypeptides, such as chimeric or hybrid polypeptides having a non-naturally occurring amino acid sequence containing insertions, deletions or amino acid substitutions. For example, single-chain engineered immunoglobulins could be useful in certain immunocompromised patients. Other types of non-naturally occurring gene sequences include antisense molecules and catalytic nucleic acids, such as ribozymes, which could be used to reduce overexpression of a target.

Reduction and/or modulation of expression of a gene is particularly desirable for treatment of hyperproliferative conditions characterized by hyperproliferating cells, as



are cancers and psoriasis. Target polypeptides include those polypeptides which are produced exclusively or at higher levels in hyperproliferative cells as compared to normal cells. Target antigens include polypeptides encoded by oncogenes such as myb, myc, fyn, and the translocation gene bcr/abl, ras, src, P53, neu, trk and EGRF. In addition to oncogene products as target antigens, target polypeptides for anti-cancer treatments and protective regimens include variable regions of antibodies made by B cell lymphomas and variable regions of T cell receptors of T cell lymphomas which, in some embodiments, are also used as target antigens for autoimmune disease. Other tumor-associated polypeptides can be used as target polypeptides such as polypeptides which are found at higher levels in tumor cells including the polypeptide recognized by monoclonal antibody 17-1A and folate binding polypeptides.

Other suitable therapeutic polypeptides and proteins include those which may be useful for treating individuals suffering from autoimmune diseases and disorders by conferring a broad based protective immune response against targets that are associated with autoimmunity including cell receptors and cells which produce "self"-directed antibodies. T cell mediated autoimmune diseases include Rheumatoid arthritis (RA), multiple sclerosis (MS), Sjögren's syndrome, sarcoidosis, insulin dependent diabetes mellitus (IDDM), autoimmune thyroiditis, reactive arthritis, ankylosing spondylitis, scleroderma, polymyositis, dermatomyositis, psoriasis, vasculitis, Wegener's granulomatosis, Crohn's disease and ulcerative colitis. Each of these diseases is characterized by T cell receptors (TCRs) that bind to endogenous antigens and initiate the inflammatory cascade associated with autoimmune diseases.

### C. Immunogenic Transgenes

Alternatively, or in addition, the vectors of the invention may contain AAV sequences of the invention and a transgene encoding a peptide, polypeptide or protein which induces an immune response to a selected immunogen. For example, immunogens may be selected from a variety of viral families. Example of desirable viral families against which an immune response would be desirable include, the picornavirus family, which includes the genera rhinoviruses, which are responsible for about 50% of cases of the common cold; the genera enteroviruses, which include polioviruses, coxsackieviruses, echoviruses, and human enteroviruses such as hepatitis A virus; and the genera aphthoviruses, which are responsible for foot and mouth diseases, primarily in non-human animals. Within the picornavirus family of viruses, target antigens include the VP1, VP2, VP3, VP4, and VPG. Another viral

family includes the calcivirus family, which encompasses the Norwalk group of viruses, which are an important causative agent of epidemic gastroenteritis. Still another viral family desirable for use in targeting antigens for inducing immune responses in humans and non-human animals is the togavirus family, which includes the genera alphavirus, which include

5 Sindbis viruses, Ross River virus, and Venezuelan, Eastern & Western Equine encephalitis, and rubivirus, including Rubella virus. The flaviviridae family includes dengue, yellow fever, Japanese encephalitis, St. Louis encephalitis and tick borne encephalitis viruses. Other target antigens may be generated from the Hepatitis C or the coronavirus family, which includes a number of non-human viruses such as infectious bronchitis virus (poultry),

10 porcine transmissible gastroenteric virus (pig), porcine hemagglutinating encephalomyelitis virus (pig), feline infectious peritonitis virus (cats), feline enteric coronavirus (cat), canine coronavirus (dog), and human respiratory coronaviruses, which may cause the common cold and/or non-A, B or C hepatitis. Within the coronavirus family, target antigens include the E1 (also called M or matrix protein), E2 (also called S or Spike protein), E3 (also called HE

15 or hemagglutinin-esterase) glycoprotein (not present in all coronaviruses), or N (nucleocapsid). Still other antigens may be targeted against the rhabdovirus family, which includes the genera vesiculovirus (e.g., Vesicular Stomatitis Virus), and the general lyssavirus (e.g., rabies). Within the rhabdovirus family, suitable antigens may be derived from the G protein or the N protein. The family filoviridae, which includes hemorrhagic fever viruses such as

20 Marburg and Ebola virus may be a suitable source of antigens. The paramyxovirus family includes parainfluenza Virus Type 1, parainfluenza Virus Type 3, bovine parainfluenza Virus Type 3, rubulavirus (mumps virus, parainfluenza Virus Type 2, parainfluenza virus Type 4, Newcastle disease virus (chickens), rinderpest, morbillivirus, which includes measles and canine distemper, and pneumovirus, which includes respiratory syncytial virus.

25 The influenza virus is classified within the family orthomyxovirus and is a suitable source of antigen (e.g., the HA protein, the N1 protein). The bunyavirus family includes the genera bunyavirus (California encephalitis, La Crosse), phlebovirus (Rift Valley Fever), hantavirus (pneumonia is a hemorrhagic fever virus), nairovirus (Nairobi sheep disease) and various unassigned bunyaviruses. The arenavirus family provides a source of antigens against LCM

30 and Lassa fever virus. The reovirus family includes the genera reovirus, rotavirus (which causes acute gastroenteritis in children), orbiviruses, and cultivirus (Colorado Tick fever, Lebombo (humans), equine encephalosis, blue tongue).

The retrovirus family includes the sub-family oncorivirinal which encompasses such human and veterinary diseases as feline leukemia virus, HTLV I and HTLV II, lentivirinal (which includes human immunodeficiency virus (HIV), simian immunodeficiency virus (SIV), feline immunodeficiency virus (FIV), equine infectious anemia virus, and spumavirinal). Between the HIV and SIV, many suitable antigens have been described and can readily be selected. Examples of suitable HIV and SIV antigens include, without limitation the gag, pol, Vif, Vpx, VPR, Env, Tat and Rev proteins, as well as various fragments thereof. In addition, a variety of modifications to these antigens have been described. Suitable antigens for this purpose are known to those of skill in the art. For example, one may select a sequence encoding the gag, pol, Vif, and Vpr, Env, Tat and Rev, amongst other proteins. See, e.g., the modified gag protein which is described in US Patent 5,972,596. See, also, the HIV and SIV proteins described in D.H. Barouch et al, J. Virol., 75(5):2462-2467 (March 2001), and R.R. Amara, et al, Science, 292:69-74 (6 April 2001). These proteins or subunits thereof may be delivered alone, or in combination via separate vectors or from a single vector.

The papovavirus family includes the sub-family polyomaviruses (BKU and JCU viruses) and the sub-family papillomavirus (associated with cancers or malignant progression of papilloma). The adenovirus family includes viruses (EX, AD7, ARD, O.B.) which cause respiratory disease and/or enteritis. The parvovirus family feline parvovirus (feline enteritis), feline panleucopeniavirus, canine parvovirus, and porcine parvovirus. The herpesvirus family includes the sub-family alpha herpesvirinae, which encompasses the genera simplexvirus (HSV I, HSV II), varicellovirus (pseudorabies, varicella zoster) and the sub-family beta herpesvirinae, which includes the genera cytomegalovirus (HCMV, muromegalovirus) and the sub-family gamma herpesvirinae, which includes the genera lymphocryptovirus, EBV (Burkitt's lymphoma), infectious rhinotracheitis, Marek's disease virus, and rhadinovirus. The poxvirus family includes the sub-family chordopoxvirinae, which encompasses the genera orthopoxvirus (Variola (Smallpox) and Vaccinia (Cowpox)), parapoxvirus, avipoxvirus, capripoxvirus, leporipoxvirus, suipoxvirus, and the sub-family entomopoxvirinae. The hepadnavirus family includes the Hepatitis B virus. One unclassified virus which may be suitable source of antigens is the Hepatitis delta virus. Still other viral sources may include avian infectious bursal disease virus and porcine respiratory and reproductive syndrome virus. The alphavirus family includes equine arteritis virus and various Encephalitis viruses.

The present invention may also encompass immunogens which are useful to immunize a human or non-human animal against other pathogens including bacteria, fungi, parasitic microorganisms or multicellular parasites which infect human and non-human vertebrates, or from a cancer cell or tumor cell. Examples of bacterial pathogens include pathogenic gram-positive cocci include pneumococci; staphylococci; and streptococci. Pathogenic gram-negative cocci include meningococcus; gonococcus. Pathogenic enteric gram-negative bacilli include enterobacteriaceae; pseudomonas, acinetobacteria and eikenella; melioidosis; salmonella; shigella; haemophilus; moraxella; *H. ducreyi* (which causes chancroid); brucella; *Francisella tularensis* (which causes tularemia); yersinia (pasteurella); streptobacillus moniliformis and spirillum; Gram-positive bacilli include listeria monocytogenes; erysipelotheirus rhusiopathiae; *Corynebacterium diphtheria* (diphtheria); cholera; *B. anthracis* (anthrax); donovanosis (granuloma inguinale); and bartonellosis. Diseases caused by pathogenic anaerobic bacteria include tetanus; botulism; other clostridia; tuberculosis; leprosy; and other mycobacteria. Pathogenic spirochetal diseases include syphilis; treponematoses: yaws, pinta and endemic syphilis; and leptospirosis. Other infections caused by higher pathogen bacteria and pathogenic fungi include actinomycosis; nocardiosis; cryptococcosis, blastomycosis, histoplasmosis and coccidioidomycosis; candidiasis, aspergillosis, and mucormycosis; sporotrichosis; paracoccidioidomycosis, petriellidiosis, torulopsosis, mycetoma and chromomycosis; and dermatophytosis. Rickettsial infections include Typhus fever, Rocky Mountain spotted fever, Q fever, and Rickettsialpox. Examples of mycoplasma and chlamydial infections include: mycoplasma pneumoniae; lymphogranuloma venereum; psittacosis; and perinatal chlamydial infections. Pathogenic eukaryotes encompass pathogenic protozoans and helminths and infections produced thereby include: amebiasis; malaria; leishmaniasis; trypanosomiasis; toxoplasmosis; *Pneumocystis carinii*; *Trichans*; *Toxoplasma gondii*; babesiosis; giardiasis; trichinosis; filariasis; schistosomiasis; nematodes; trematodes or flukes; and cestode (tapeworm) infections.

Many of these organisms and/or toxins produced thereby have been identified by the Centers for Disease Control [(CDC), Department of Health and Human Services, USA], as agents which have potential for use in biological attacks. For example, some of these biological agents, include, *Bacillus anthracis* (anthrax), *Clostridium botulinum* and its toxin (botulism), *Yersinia pestis* (plague), variola major (smallpox), *Francisella tularensis* (tularemia), and viral hemorrhagic fever, all of which are currently classified as

Category A agents; *Coxiella burnetti* (Q fever); *Brucella* species (brucellosis), *Burkholderia mallei* (glanders), *Ricinus communis* and its toxin (ricin toxin), *Clostridium perfringens* and its toxin (epsilon toxin), *Staphylococcus* species and their toxins (enterotoxin B), all of which are currently classified as Category B agents; and Nipah virus and hantaviruses, which are  
5 currently classified as Category C agents. In addition, other organisms, which are so classified or differently classified, may be identified and/or used for such a purpose in the future. It will be readily understood that the viral vectors and other constructs described herein are useful to deliver antigens from these organisms, viruses, their toxins or other by-products, which will prevent and/or treat infection or other adverse reactions with these  
10 biological agents.

Administration of the vectors of the invention to deliver immunogens against the variable region of the T cells elicit an immune response including CTLs to eliminate those T cells. In rheumatoid arthritis (RA), several specific variable regions of T cell receptors (TCRs) which are involved in the disease have been characterized. These TCRs  
15 include V-3, V-14, V-17 and V $\alpha$ -17. Thus, delivery of a nucleic acid sequence that encodes at least one of these polypeptides will elicit an immune response that will target T cells involved in RA. In multiple sclerosis (MS), several specific variable regions of TCRs which are involved in the disease have been characterized. These TCRs include V-7 and V $\alpha$ -10. Thus, delivery of a nucleic acid sequence that encodes at least one of these polypeptides will  
20 elicit an immune response that will target T cells involved in MS. In scleroderma, several specific variable regions of TCRs which are involved in the disease have been characterized. These TCRs include V-6, V-8, V-14 and V $\alpha$ -16, V $\alpha$ -3C, V $\alpha$ -7, V $\alpha$ -14, V $\alpha$ -15, V $\alpha$ -16, V $\alpha$ -28 and V $\alpha$ -12. Thus, delivery of a nucleic acid molecule that encodes at least one of these polypeptides will elicit an immune response that will target T cells involved in  
25 scleroderma.

Optionally, vectors containing AAV sequences of the invention may be delivered using a prime-boost regimen. A variety of such regimens have been described in the art and may be readily selected. See, e.g., WO 00/11140, published March 2, 2000, incorporated by reference.

30 Such prime-boost regimens typically involve the administration of a DNA (e.g., plasmid) based vector to prime the immune system to second, booster, administration with a traditional antigen, such as a protein or a recombinant virus carrying the sequences encoding such an antigen. In one embodiment, the invention provides a method of priming

and boosting an immune response to a selected antigen by delivering a plasmid DNA vector carrying said antigen, followed by boosting, e.g., with a vector containing AAV sequences of the invention.

In one embodiment, the prime-boost regimen involves the expression of  
5 multiproteins from the prime and/or the boost vehicle. See, e.g., R.R. Amara, Science, 292:69-74 (6 April 2001) which describes a multiprotein regimen for expression of protein subunits useful for generating an immune response against HIV and SIV. For example, a DNA prime may deliver the Gag, Pol, Vif, VPX and Vpr and Env, Tat, and Rev from a single transcript. Alternatively, the SIV Gag, Pol and HIV-1 Env is delivered.

10 However, the prime-boost regimens are not limited to immunization for HIV or to delivery of these antigens. For example, priming may involve delivering with a first chimp vector of the invention followed by boosting with a second chimp vector, or with a composition containing the antigen itself in protein form. In one or example, the prime-boost regimen can provide a protective immune response to the virus, bacteria or other  
15 organism from which the antigen is derived. In another desired embodiment, the prime-boost regimen provides a therapeutic effect that can be measured using convention assays for detection of the presence of the condition for which therapy is being administered.

The priming vaccine may be administered at various sites in the body in a dose dependent manner, which depends on the antigen to which the desired immune  
20 response is being targeted. The invention is not limited to the amount or situs of injection(s) or to the pharmaceutical carrier. Rather, the priming step encompasses treatment regimens which include a single dose or dosage which is administered hourly, daily, weekly or monthly, or yearly. As an example, the mammals may receive one or two priming injection containing between about 10  $\mu$ g to about 50  $\mu$ g of plasmid in carrier. A desirable priming  
25 amount or dosage of the priming DNA vaccine composition ranges between about 1  $\mu$ g to about 10,000  $\mu$ g of the DNA vaccine. Dosages may vary from about 1  $\mu$ g to 1000  $\mu$ g DNA per kg of subject body weight. The amount or site of injection is desirably selected based upon the identity and condition of the mammal being vaccinated.

The dosage unit of the DNA vaccine suitable for delivery of the antigen to  
30 the mammal is described herein. The DNA vaccine is prepared for administration by being suspended or dissolved in a pharmaceutically or physiologically acceptable carrier such as isotonic saline, isotonic salts solution or other formulations which will be apparent to those skilled in such administration. The appropriate carrier will be evident to those skilled in the

art and will depend in large part upon the route of administration. The compositions of the invention may be administered to a mammal according to the routes described above, in a sustained release formulation using a biodegradable biocompatible polymer, or by on-site delivery using micelles, gels and liposomes.

5                   Optionally, the priming step of this invention also includes administering with the priming DNA vaccine composition, a suitable amount of an adjuvant, such as are defined herein.

                  Preferably, a boosting composition is administered about 2 to about 27 weeks after administering the priming DNA vaccine to the mammalian subject. The administration  
10 of the boosting composition is accomplished using an effective amount of a boosting vaccine composition containing or capable of delivering the same antigen as administered by the priming DNA vaccine. The boosting composition may be composed of a recombinant viral vector derived from the same viral source or from another source. Alternatively, the  
15 “boosting composition” can be a composition containing the same antigen as encoded in the priming DNA vaccine, but in the form of a protein or peptide, which composition induces an immune response in the host. In another embodiment, the boosting vaccine composition includes a composition containing a DNA sequence encoding the antigen under the control of a regulatory sequence directing its expression in a mammalian cell, e.g., vectors such as well-known bacterial or viral vectors. The primary requirements of the boosting vaccine  
20 composition are that the antigen of the vaccine composition is the same antigen, or a cross-reactive antigen, as that encoded by the DNA vaccine.

                  Suitably, the vectors of the invention are also well suited for use in regimens which use non-AAV vectors as well as proteins, peptides, and/or other biologically useful therapeutic or immunogenic compounds. These regimens are particularly well suited to gene  
25 delivery for therapeutic poses and for immunization, including inducing protective immunity. Such uses will be readily apparent to one of skill in the art.

                  Further, a vector of the invention provides an efficient gene transfer vehicle which can deliver a selected transgene to a selected host cell *in vivo* or *ex vivo* even where the organism has neutralizing antibodies to one or more AAV serotypes. In one  
30 embodiment, the vector (e.g., an rAAV) and the cells are mixed *ex vivo*; the infected cells are cultured using conventional methodologies; and the transduced cells are re-infused into the patient. Further, the vectors of the invention may also be used for production of a desired gene product *in vitro*. For *in vitro* production, a desired product (e.g., a protein) may be

obtained from a desired culture following transfection of host cells with a rAAV containing the molecule encoding the desired product and culturing the cell culture under conditions which permit expression. The expressed product may then be purified and isolated, as desired. Suitable techniques for transfection, cell culturing, purification, and isolation are known to those of skill in the art.

The following examples illustrate several aspects and embodiments of the invention.

## EXAMPLES

Example 1: PCR amplification, cloning and characterization of novel AAV sequences.

Tissues from nonhuman primates were screened for AAV sequences using a PCR method based on oligonucleotides to highly conserved regions of known AAVs. A stretch of AAV sequence spanning 2886 to 3143 bp of AAV1 [SEQ ID NO:6] was selected as a PCR amplicon in which a hypervariable region of the capsid protein (Cap) that is unique to each known AAV serotype, which is termed herein a "signature region," is flanked by conserved sequences. In later analysis, this signature region was shown to be located between conserved residues spanning hypervariable region 3.

An initial survey of peripheral blood of a number of nonhuman primate species revealed detectable AAV in a subset of animals from species such as rhesus macaques, cynomolgous macaques, chimpanzees and baboons. However, there were no AAV sequences detected in some other species tested, including Japanese macaques, pig-tailed macaques and squirrel monkeys. A more extensive analysis of vector distribution was conducted in tissues of rhesus monkeys of the University of Pennsylvania and Tulane colonies recovered at necropsy. This revealed AAV sequence throughout a wide array of tissues.

### A. *Amplification of an AAV signature region*

DNA sequences of AAV1-6 and AAVs isolated from Goose and Duck were aligned to each other using "Clustal W" at default settings. The alignment for AAV1-6, and including the information for the novel AAV7, is provided in Fig. 1. Sequence similarities among AAVs were compared.



In the line of study, a 257 bp region spanning 2886 bp to 3143 bp of AAV 1 [SEQ ID NO: 6], and the corresponding region in the genomes of AAV 2-6 genomes [See, Fig. 1], was identified by the inventors. This region is located with the AAV capsid gene and has highly conserved sequences among at both 5' and 3' ends and is relatively variable sequence in the middle. In addition, this region contains a DraIII restriction enzyme site (CACCACGTC, SEQ ID NO:15). The inventors have found that this region serves as specific signature for each known type of AAV DNA. In other words, following PCR reactions, digestion with endonucleases that are specific to each known serotypes and gel electrophoresis analysis, this regions can be used to definitively identify amplified DNA as being from serotype 1, 2, 3, 4, 5, 6, or another serotype.

The primers were designed, validated and PCR conditions optimized with AAV1, 2 and 5 DNA controls. The primers were based upon the sequences of AAV2: 5' primer, 1S: bp 2867-2891 of AAV2 (SEQ ID NO:7) and 3' primer, 18as, bp 3095-3121 of AAV2 (SEQ ID NO:7).

Cellular DNAs from different tissues including blood, brain, liver, lung, testis, etc. of different rhesus monkeys were studied utilizing the strategy described above. The results revealed that DNAs from different tissues of these monkeys gave rise to strong PCR amplifications. Further restriction analyses of PCR products indicated that they were amplified from AAV sequences different from any published AAV sequences.

PCR products (about 255 bp in size) from DNAs of a variety of monkey tissues have been cloned and sequenced. Bioinformatics study of these novel AAV sequences indicated that they are novel AAV sequences of capsid gene and distinct from each other. Fig. 1 includes in the alignment the novel AAV signature regions for AAV10-12 [SEQ ID NO:117, 118 and 119, respectively]. Multiple sequence alignment analysis was performed using the Clustal W (1.81) program. The percentage of sequence identity between the signature regions of AAV 1-7 and AAV 10-12 genomes is provided below.

Table 1. Sequences for Analysis

Sequence #	AAV Serotype	Size (bp)
1	AAV1	258
2	AAV2	255
3	AAV3	255
4	AAV4	246
5	AAV5	258
6	AAV6	258
7	AAV7	258
10	AAV10	255
11	AAV11	258
12	AAV12	255

Table 3. Pairwise Alignment (Percentage of Identity)

	AAV2	AAV3	AAV4	AAV5	AAV6	AAV7	AAV10	AAV11	AAV12
AAV1	90	90	81	76	97	91	93	94	93
AAV2		93	79	78	90	90	93	93	92
AAV3			80	76	90	92	92	92	92
AAV4				76	81	84	82	81	79
AAV5					75	78	79	79	76
AAV6						91	92	94	94
AAV7							94	92	92
AAV10								95	93
AAV11									94

Over 300 clones containing novel AAV serotype sequences that span the selected 257 bp region were isolated and sequenced. Bioinformatics analysis of these 300+ clones suggests that this 257 bp region is critical in serving as a good land marker or signature sequence for quick isolation and identification of novel AAV serotype.

#### B. *Use of the signature region for PCR amplification.*

The 257 bp signature region was used as a PCR anchor to extend PCR amplifications to 5' of the genome to cover the junction region of rep and cap genes (1398 bp – 3143 bp, SEQ ID NO:6) and 3' of the genome to obtain the entire cap gene sequence (2866 bp – 4600 bp, SEQ ID NO:6). PCR amplifications were carried out using the standard conditions, including denaturing at 95°C for 0.5-1 min, annealing at 60-65°C for 0.5-1 min and extension at 72° C for 1 min per kb with a total number of amplification cycles ranging from 28 to 42.

Using the aligned sequences as described in "A", two other relative conserved regions were identified in the sequence located in 3' end of rep genes and 5' to the

257 bp region and in the sequence down stream of the 257 bp fragment but before the AAV' 3 ITR. Two sets of new primers were designed and PCR conditions optimized for recovery of entire capsid and a part of rep sequences of novel AAV serotypes. More specifically, for the 5' amplification, the 5' primer, AV1Ns, was GCTGCGTCAACTGGACCAATGAGAAC  
 5 [nt 1398-1423 of AAV1, SEQ ID NO:6] and the 3' primer was 18as, identified above. For the 3' amplification, the 5' primer was 1s, identified above, and the 3' primer was AV2Las, TCGTTTCAGTTGAACTTTGGTCTCTGCG [nt 4435-4462 of AAV2, SEQ ID NO:7].

In these PCR amplifications, the 257 bp region was used as a PCR anchor and land marker to generate overlapping fragments to construct a complete capsid  
 10 gene by fusion at the DraIII site in the signature region following amplification of the 5' and 3' extension fragments obtained as described herein. More particularly, to generate the intact AAV7 cap gene, the three amplification products (a) the sequences of the signature region; (b) the sequences of the 5' extension; and (c) the sequences of the 3' extension were cloned into a pCR4-Topo [Invitrogen] plasmid backbone according to manufacturer's instructions.  
 15 Thereafter, the plasmids were digested with DraIII and recombined to form an intact cap gene.

In this line of work, about 80 % of capsid sequences of AAV7 and AAV 8 were isolated and analyzed. Another novel serotype, AAV9, was also discovered from Monkey #2.

20 Using the PCR conditions described above, the remaining portion of the rep gene sequence for AAV7 is isolated and cloned using the primers that amplify 108 bp to 1461 bp of AAV genome (calculated based on the numbering of AAV2, SEQ ID NO:7). This clone is sequenced for construction of a complete AAV7 genome without ITRs.

#### C. Direct Amplification of 3.1 kb Cap fragment

25 To directly amplify a 3.1 kb full-length Cap fragment from NHP tissue and blood DNAs, two other highly conserved regions were identified in AAV genomes for use in PCR amplification of large fragments. A primer within a conserved region located in the middle of the rep gene was selected (AV1ns: 5' GCTGCGTCAACTGGACCAATGAGAAC 3', nt 1398-1423 of SEQ ID NO:6) in  
 30 combination with the 3' primer located in another conserved region downstream of the Cap gene (AV2cas: 5' CGCAGAGACCAAAGTTCAACTGAAACGA 3', SEQ ID NO:7) for amplification of full-length cap fragments. The PCR products were Topo-cloned according to manufacturer's directions (Invitrogen) and sequence analysis was performed by

Qiagenomics (Qiagenomics, Seattle, WA) with an accuracy of  $\geq 99.9\%$ . A total of 50 capsid clones were isolated and characterized. Among them, 37 clones were derived from Rhesus macaque tissues (rh.1 – rh.37), 6 clones from cynomolgous macaques (cy.1 – cy.6), 2 clones from Baboons (bb.1 and bb.2) and 5 clones from Chimps (ch.1 – ch.5).

5                   To rule out the possibility that sequence diversity within the novel AAV family was not an artifact of the PCR, such as PCR-mediated gene splicing by overlap extension between different partial DNA templates with homologous sequences, or the result of recombination process in bacteria, a series of experiments were performed under identical conditions for VP1 amplification using total cellular DNAs. First, intact AAV7 and AAV8  
10   plasmids were mixed at an equal molar ratio followed by serial dilutions. The serially diluted mixtures were used as templates for PCR amplification of 3.1 kb VP1 fragments using universal primers and identical PCR conditions to that were used for DNA amplifications to see whether any hybrid PCR products were generated. The mixture was transformed into bacteria and isolated transformants to look for hybrid clones possibly derived from  
15   recombination process in bacterial cells. In a different experiment, we restricted AAV7 and AAV8 plasmids with Msp I, Ava I and HaeI, all of which cut both genomes multiple times at different positions, mixed the digestions in different combinations and used them for PCR amplification of VP1 fragments under the same conditions to test whether any PCR products could be generated through overlap sequence extension of partial AAV sequences. In another  
20   experiment, a mixture of gel purified 5' 1.5 kb AAV7 VP1 fragment and 3' 1.7 kb AAV8 VP1 fragment with overlap in the signature region was serially diluted and used for PCR amplification in the presence and absence of 200 ng cellular DNA extracted from a monkey cell line that was free of AAV sequences by TaqMan analysis. None of these experiments demonstrated efficient PCR-mediated overlap sequence production under the conditions of  
25   the genomic DNA Cap amplification (data not shown). As a further confirmation, 3 pairs of primers were designed, which were located at different HVRs, and were sequence specific to the variants of clone 42s from Rhesus macaque F953, in different combinations to amplify shorter fragments from mesenteric lymph node (MLN) DNA from F953 from which clone 42s were isolated. All sequence variations identified in full-length Cap clones were found in  
30   these short fragments (data not shown).

## Example 2: Adeno-Associated Viruses Undergo Substantial Evolution in Primates During Natural Infections

Sequence analysis of selected AAV isolates revealed divergence throughout the genome that is most concentrated in hypervariable regions of the capsid proteins.

- 5 Epidemiologic data indicate that all known serotypes are endemic to primates, although isolation of clinical isolates has been restricted to AAV2 and AAV3 from anal and throat swabs of human infants and AAV5 from a human condylomatous wart. No known clinical sequelae have been associated with AAV infection.

- 10 In an attempt to better understand the biology of AAV, nonhuman primates were used as models to characterize the sequelae of natural infections. Tissues from nonhuman primates were screened for AAV sequences using the PCR method of the invention based on oligonucleotides to highly conserved regions of known AAVs (see Example 1). A stretch of AAV sequence spanning 2886 to 3143 bp of AAV1 [SEQ ID NO:6] was selected as a PCR amplicon in which conserved sequences are flanked by a hypervariable region that is unique  
15 to each known AAV serotype, termed herein a "signature region."

- An initial survey of peripheral blood of a number of nonhuman primate species including rhesus monkeys, cynomolgous monkeys, chimpanzees, and baboons revealed detectable AAV in a subset of animals from all species. A more extensive analysis of vector distribution was conducted in tissues of rhesus monkeys of the University of Pennsylvania  
20 and Tulane colonies recovered at necropsy. This revealed AAV sequence throughout a wide array of tissues.

- The amplified signature sequences were subcloned into plasmids and individual transformants were subjected to sequence analysis. This revealed substantial variation in nucleotide sequence of clones derived from different animals. Variation in the signature  
25 sequence was also noted in clones obtained within individual animals. Tissues harvested from two animals in which unique signature sequences were identified (i.e., colon from 98E044 and heart from 98E056) were further characterized by expanding the sequence amplified by PCR using oligonucleotides to highly conserved sequences. In this way, complete proviral structures were reconstructed for viral genomes from both tissues as  
30 described herein. These proviruses differ from the other known AAVs with the greatest sequence divergence noted in regions of the Cap gene.

Additional experiments were performed to confirm that AAV sequences resident to the nonhuman primate tissue represented proviral genomes of infectious virus that is capable

of being rescued and form virions. Genomic DNA from liver tissue of animal 98E056, from which AAV8 signature sequence was detected, was digested with an endonuclease that does not have a site within the AAV sequence and transfected into 293 cells with a plasmid containing an E1 deleted genome of human adenovirus serotype 5 as a source of helper functions. The resulting lysate was passaged on 293 cells once and the lysate was recovered and analyzed for the presence of AAV Cap proteins using a broadly reacting polyclonal antibody to Cap proteins and for the presence and abundance of DNA sequences from the PCR amplified AAV provirus from which AAV8 was derived. Transfection of endonuclease restricted heart DNA and the adenovirus helper plasmid yielded high quantities of AAV8 virus as demonstrated by the detection of Cap proteins by Western blot analysis and the presence of  $10^4$  AAV8 vector genomes per 293 cell. Lysates were generated from a large-scale preparation and the AAV was purified by cesium sedimentation. The purified preparation demonstrated 26 nm icosohedral structures that look identical to those of AAV serotype 2. Transfection with the adenovirus helper alone did not yield AAV proteins or genomes, ruling out contamination as a source of the rescued AAV.

To further characterize the inter and intra animal variation of AAV signature sequence, selected tissues were subjected to extended PCR to amplify entire Cap open reading frames.

The resulting fragments were cloned into bacterial plasmids and individual transformants were isolated and fully sequenced. This analysis involved mesenteric lymph nodes from three rhesus monkeys (Tulane/V223 – 6 clones; Tulane/T612 – 7 clones; Tulane/F953 – 14 clones), liver from two rhesus monkeys (Tulane/V251 – 3 clones; Penn/00E033 – 3 clones), spleen from one rhesus monkey (Penn/97E043 – 3 clones), heart from one rhesus monkey (IHGT/98E046- 1 clone) and peripheral blood from one chimpanzee (New Iberia/X133 – 5 clones), six cynomologous macaques (Charles River/A1378, A3099, A3388, A3442, A2821, A3242 – 6 clones total) and one Baboon (SFRB/8644 – 2 clones). Of the 50 clones that were sequenced from 15 different animals, 30 were considered non-redundant based on the finding of at least 7 amino acid differences from one another. The non-redundant VP1 clones are numbered sequentially as they were isolated, with a prefix indicating the species of non-human primate from which they were derived. The structural relationships between these 30 non-redundant clones and the previously described 8 AAV serotypes were determined using the SplitsTree program [Huson, D. H. SplitsTree: analyzing and visualizing evolutionary data. *Bioinformatics* 14,

68-73 (1998)] with implementation of the method of split decomposition. The analysis depicts homoplasmy between a set of sequences in a tree-like network rather than a bifurcating tree. The advantage is to enable detection of groupings that are the result of convergence and to exhibit phylogenetic relationships even when they are distorted by parallel events.

5 Extensive phylogenetic research will be required in order to elucidate the AAV evolution, whereas the intention here only is to group the different clones as to their sequence similarity.

To confirm that the novel VP1 sequences were derived from infectious viral genomes, cellular DNA from tissues with high abundance of viral DNA was restricted with  
10 an endonuclease that should not cleave within AAV and transfected into 293 cells, followed by infection with adenovirus. This resulted in rescue and amplification of AAV genomes from DNA of tissues from two different animals (data not shown).

VP1 sequences of the novel AAVs were further characterized with respect to the nature and location of amino acid sequence variation. All 30 VP1 clones that were shown to  
15 differ from one another by greater than 1% amino acid sequence were aligned and scored for variation at each residue. An algorithm developed to determine areas of sequence divergence yielded 12 hypervariable regions (HVR) of which 5 overlap or are part of the 4 previously described variable regions [Kotin, cited above; Rutledge, cited above]. The three-fold-proximal peaks contain most of the variability (HVR5-10). Interestingly the loops  
20 located at the 2 and 5 fold axis show intense variation as well. The HVRs 1 and 2 occur in the N-terminal portion of the capsid protein that is not resolved in the X-ray structure suggesting that the N-terminus of the VP1 protein is exposed on the surface of the virion.

Real-time PCR was used to quantify AAV sequences from tissues of 21 rhesus monkeys using primers and probes to highly conserved regions of Rep (one set) and Cap  
25 (two sets) of known AAVs. Each data point represents analysis from tissue DNA from an individual animal. This confirmed the wide distribution of AAV sequences, although the quantitative distribution differed between individual animals. The source of animals and previous history or treatments did not appear to influence distribution of AAV sequences in rhesus macaques. The three different sets of primers and probes used to quantify AAV  
30 yielded consistent results. The highest levels of AAV were found consistently in mesenteric lymph nodes at an average of 0.01 copies per diploid genome for 13 animals that were positive. Liver and spleen also contained high abundance of virus DNA. There were examples of very high AAV, such as in heart of rhesus macaque 98E056, spleen of rhesus

macaque 97E043 and liver of rhesus macaque RQ4407, which demonstrated 1.5, 3 and 20 copies of AAV sequence per diploid genome respectively. Relatively low levels of virus DNA were noted in peripheral blood mononuclear cells, suggesting the data in tissue are not due to resident blood components (data not shown). It should be noted that this method would not necessarily capture all AAVs resident to the nonhuman primates since detection requires high homology to both the oligonucleotides and the real time PCR probe. Tissues from animals with high abundance AAV DNA was further analyzed for the molecular state of the DNA, by DNA hybridization techniques, and its cellular distribution, by *in situ* hybridization.

The kind of sequence variation revealed in AAV proviral fragments isolated from different animals and within tissues of the same animals is reminiscent of the evolution that occurs for many RNA viruses during pandemics or even within the infection of an individual. In some situations the notion of a wild-type virus has been replaced by the existence of swarms of quasispecies that evolve as a result of rapid replication and mutations in the presence of selective pressure. One example is infection by HIV, which evolves in response to immunologic and pharmacologic pressure. Several mechanisms contribute to the high rate of mutations in RNA viruses, including low fidelity and lack of proof reading capacity of reverse transcriptase and non-homologous and homologous recombination.

Evidence for the formation of quasispecies of AAV was illustrated in this study by the systematic sequencing of multiple cloned proviral fragments. In fact, identical sequences could not be found within any extended clones isolated between or within animals. An important mechanism for this evolution of sequence appears to be a high rate of homologous recombination between a more limited number of parenteral viruses. The net result is extensive swapping of hypervariable regions of the Cap protein leading to an array of chimeras that could have different tropisms and serologic specificities (i.e., the ability to escape immunologic responses especially as it relates to neutralizing antibodies).

Mechanisms by which homologous recombination could occur are unclear. One possibility is that + and – strands of different single stranded AAV genomes anneal during replication as has been described during high multiplicity of infections with AAV recombinants. It is unclear if other mechanisms contribute to sequence evolution in AAV infections. The overall rate of mutation that occurs during AAV replication appears to be relatively low and the data do not suggest high frequencies of replication errors. However, substantial rearrangements of the AAV genome have been described during lytic infection leading to the



formation of defective interfering particles. Irrespective of the mechanisms that lead to sequence divergence, with few exceptions, vp1 structures of the quasispecies remained intact without frameshifts or nonsense mutations suggesting that competitive selection of viruses with the most favorable profile of fitness contribute to the population dynamics.

5        These studies have implications in several areas of biology and medicine. The concept of rapid virus evolution, formerly thought to be a property restricted to RNA viruses, should be considered in DNA viruses, which classically have been characterized by serologic assays. It will be important in terms of parvoviruses to develop a new method for describing virus isolates that captures the complexity of its structure and biology, such as with HIV,  
10        which are categorized as general families of similar structure and function called Clades. An alternative strategy is to continue to categorize isolates with respect to serologic specificity and develop criteria for describing variants within serologic groups.

Example 3: Vectorology of recombinant AAV genomes equipped with AAV2 ITRs  
15        using chimeric plasmids containing AAV2 rep and novel AAV cap genes for serological and gene transfer studies in different animal models.

Chimeric packaging constructs are generated by fusing AAV2 rep with cap sequences of novel AAV serotypes. These chimeric packaging constructs are used, initially, for pseudotyping recombinant AAV genomes carrying AAV2 ITRs by triple transfection in  
20        293 cell using Ad5 helper plasmid. These pseudotyped vectors are used to evaluate performance in transduction-based serological studies and evaluate gene transfer efficiency of novel AAV serotypes in different animal models including NHP and rodents, before intact and infectious viruses of these novel serotypes are isolated.

#### A. *pAAV2GFP*

25        The AAV2 plasmid which contains the AAV2 ITRs and green fluorescent protein expressed under the control of a constitutive promoter. This plasmid contains the following elements: the AAV2 ITRs, a CMV promoter, and the GFP coding sequences.

#### B. *Cloning of trans plasmid*

To construct the chimeric trans-plasmid for production of recombinant  
30        pseudotyped AAV7 vectors, p5E18 plasmid (Xiao *et al.*, 1999, *J. Virol* 73:3994-4003) was partially digested with Xho I to linearize the plasmid at the Xho I site at the position of 3169 bp only. The Xho I cut ends were then filled in and ligated back. This modified p5E18 plasmid was restricted with Xba I and Xho I in a complete digestion to remove the AAV2

cap gene sequence and replaced with a 2267 bp Spe I/Xho I fragment containing the AAV7 cap gene which was isolated from pCRAAV7 6-5+15-4 plasmid.

The resulting plasmid contains the AAV2 rep sequences for Rep78/68 under the control of the AAV2 P5 promoter, and the AAV2 rep sequences for Rep52/40 under the control of the AAV2 P19 promoter. The AAV7 capsid sequences are under the control of the AAV2 P40' promoter, which is located within the Rep sequences. This plasmid further contains a spacer 5' of the rep ORF.

### C. *Production of Pseudotyped rAAV*

The rAAV particles (AAV2 vector in AAV7 capsid) are generated using an adenovirus-free method. Briefly, the cis plasmid (pAAV2.1 lacZ plasmid containing AAV2 ITRs), and the trans plasmid pCRAAV7 6-5+15-4 (containing the AAV2 rep and AAV7 cap) and a helper plasmid, respectively, were simultaneously co-transfected into 293 cells in a ratio of 1:1:2 by calcium phosphate precipitation.

For the construction of the pAd helper plasmids, pBG10 plasmid was purchased from Microbix (Canada). A RsrII fragment containing L2 and L3 was deleted from pBHG10, resulting in the first helper plasmid, pAdΔF13. Plasmid AdΔ F1 was constructed by cloning Asp700/SalI fragment with a PmeI/SgfI deletion, isolating from pBHG10, into Bluescript. MLP, L2, L2 and L3 were deleted in the pAdΔF1. Further deletions of a 2.3 kb NruI fragment and, subsequently, a 0.5 kb RsrII/NruI fragment generated helper plasmids pAdΔF5 and pAdΔF6, respectively. The helper plasmid, termed pΔF6, provides the essential helper functions of E2a and E4 ORF6 not provided by the E1-expressing helper cell, but is deleted of adenoviral capsid proteins and functional E1 regions).

Typically, 50 µg of DNA (cis:trans:helper) was transfected onto a 150 mm tissue culture dish. The 293 cells were harvested 72 hours post-transfection, sonicated and treated with 0.5% sodium deoxycholate (37°C for 10 min.) Cell lysates were then subjected to two rounds of a CsCl gradient. Peak fractions containing rAAV vector are collected, pooled and dialyzed against PBS.

Example 4: Creation of infectious clones carrying intact novel AAV serotypes for study of basic virology in human and NHP derived cell lines and evaluation of pathogenesis of novel AAV serotypes in NHP and other animal models.

To achieve this goal, the genome walker system is employed to obtain 5' and 3' terminal sequences (ITRs) and complete construction of clones containing intact novel AAV serotype genomes.

Briefly, utilizing a commercially available Universal Genome Walker Kit [Clontech], genomic DNAs from monkey tissues or cell lines that are identified as positive for the presence of AAV7 sequence are digested with Dra I, EcoR V, Pvu II and Stu I endonucleases and ligated to Genome Walker Adaptor to generate 4 individual Genome Walker Libraries (GWLs). Using DNAs from GWLs as templates, AAV7 and adjacent genomic sequences will be PCR-amplified by the adaptor primer 1 (AP1, provided in the kit) and an AAV7 specific primer 1, followed by a nested PCR using the adaptor primer 2 (AP2) and another AAV7 specific primer 2, both of which are internal to the first set of primers. The major PCR products from the nested PCR are cloned and characterized by sequencing analysis.

In this experiment, the primers covering the 257 bp or other signature fragment of a generic AAV genome are used for PCR amplification of cellular DNAs extracted from Human and NHP derived cell lines to identify and characterize latent AAV sequences. The identified latent AAV genomes are rescued from the positive cell lines using adenovirus helpers of different species and strains.

To isolate infectious AAV clones from NHP derived cell lines, a desired cell line is obtained from ATCC and screened by PCR to identify the 257 bp amplicon, i.e., signature region of the invention. The 257 bp PCR product is cloned and serotyped by sequencing analysis. For these cell lines containing the AAV7 sequence, the cells are infected with SV-15, a simian adenovirus purchased from ATCC, human Ad5 or transfected with plasmid construct housing the human Ad genes that are responsible for AAV helper functions. At 48 hour post infection or transfection, the cells are harvested and Hirt DNA is prepared for cloning of AAV7 genome following Xiao et al., 1999, J. Virol, 73:3994-4003.

#### Example 5 - Production of AAV Vectors

A pseudotyping strategy similar to that of Example 3 for AAV1/7 was employed to produce AAV2 vectors packaged with AAV1, AAV5 and AAV8 capsid proteins. Briefly,

recombinant AAV genomes equipped with AAV2 ITRs were packaged by triple transfection of 293 cells with cis-plasmid, adenovirus helper plasmid and a chimeric packaging construct where the AAV2 rep gene is fused with cap genes of novel AAV serotypes. To create the chimeric packaging constructs, the Xho I site of p5E18 plasmid at 3169 bp was ablated and the modified plasmid was restricted with Xba I and Xho I in a complete digestion to remove the AAV2 cap gene and replace it with a 2267 bp Spe I/Xho I fragment containing the AAV8 cap gene [Xiao, W., et al., (1999) *J Virol* 73, 3994-4003]. A similar cloning strategy was used for creation of chimeric packaging plasmids of AAV2/1 and AAV2/5. All recombinant vectors were purified by the standard CsCl<sub>2</sub> sedimentation method except for AAV2/2, which was purified by single step heparin chromatography.

Genome copy (GC) titers of AAV vectors were determined by TaqMan analysis using probes and primers targeting SV40 poly A region as described previously [Gao, G., et al., (2000) *Hum Gene Ther* 11, 2079-91].

Vectors were constructed for each serotype for a number of *in vitro* and *in vivo* studies. Eight different transgene cassettes were incorporated into the vectors and recombinant virions were produced for each serotype. The recovery of virus, based on genome copies, is summarized in Table 4 below. The yields of vector were high for each serotype with no consistent differences between serotypes. Data presented in the table are average genome copy yields with standard deviation  $\times 10^{13}$  of multiple production lots of 50 plate (150 mm) transfections.

**Table 4. Production of Recombinant Vectors**

	AAV2/1	AAV2/2	AAV2/5	AAV2/7	AAV2/8
CMV LacZ	7.30 $\pm$ 4.33 (n=9)	4.49 $\pm$ 2.89 (n=6)	5.19 $\pm$ 5.19 (n=8)	3.42 (n=1)	0.87 (n=1)
CMV EGFP	6.43 $\pm$ 2.42 (n=2)	3.39 $\pm$ 2.42 (n=2)	5.55 $\pm$ 6.49 (n=4)	2.98 $\pm$ 2.66 (n=2)	3.74 $\pm$ 3.88 (n=2)
TBG LacZ	4.18 (n=1)	0.23 (n=1)	0.704 $\pm$ 0.43 (n=2)	2.16 (n=1)	0.532 (n=1)
Alb A1AT	4.67 $\pm$ 0.75 (n=2)	4.77 (n=1)	4.09 (n=1)	5.04 (n=1)	2.02 (n=1)
CB A1AT	0.567 (n=1)	0.438 (n=1)	2.82 (n=1)	2.78 (n=1)	0.816 $\pm$ 0.679 (n=2)

Table 4 (cont'd).

	AAV2/1	AAV2/2	AAV2/5	AAV2/7	AAV2/8
TBG rhCG	$8.51 \pm 6.65$ (n=6)	$3.47 \pm 2.09$ (n=5)	$5.26 \pm 3.85$ (n=4)	$6.52 \pm 3.08$ (n=4)	$1.83 \pm 0.98$ (n=5)
TBG cFIX	$1.24 \pm 1.29$ (n=3)	$0.63 \pm 0.394$ (n=6)	$3.74 \pm 2.48$ (n=7)	4.05 (n=1)	$15.8 \pm 15.0$ (n=5)

#### 5 Example 6 - Serologic Analysis of Pseudotyped Vectors

C57BL/6 mice were injected with vectors of different serotypes of AAVCBA1AT vectors intramuscularly ( $5 \times 10^{11}$  GC) and serum samples were collected 34 days later. To test neutralizing and cross-neutralizing activity of sera to each serotype of AAV, sera was analyzed in a transduction based neutralizing antibody assay [Gao, G. P., et al., (1996) *J Virol* 70, 8934-43]. More specifically, the presence of neutralizing antibodies was determined by assessing the ability of serum to inhibit transduction of 84-31 cells by reporter viruses (AAVCMVEGFP) of different serotypes. Specifically, the reporter virus AAVCMVEGFP of each serotype [at multiplicity of infection (MOI) that led to a transduction of 90% of indicator cells] was pre-incubated with heat-inactivated serum from animals that received different serotypes of AAV or from naïve mice. After 1-hour incubation at 37° C, viruses were added to 84-31 cells in 96 well plates for 48 or 72- hour, depending on the virus serotype. Expression of GFP was measured by FluoroImagin (Molecular Dynamics) and quantified by Image Quant Software. Neutralizing antibody titers were reported as the highest serum dilution that inhibited transduction to less than 50%.

The availability of GFP expressing vectors simplified the development of an assay for neutralizing antibodies that was based on inhibition of transduction in a permissive cell line (i.e., 293 cells stably expressing E4 from Ad5). Sera to selected AAV serotypes were generated by intramuscular injection of the recombinant viruses. Neutralization of AAV transduction by 1:20 and 1:80 dilutions of the antisera was evaluated (See Table 5 below). Antisera to AAV1, AAV2, AAV5 and AAV8 neutralized transduction of the serotype to which the antiserum was generated (AAV5 and AAV8 to a lesser extent than AAV1 and AAV2) but not to the other serotype (i.e., there was no evidence of cross neutralization suggesting that AAV 8 is a truly unique serotype).

Table 5. Serological Analysis of New AAV Serotypes.

		% Infection on 84-31 cells with AAVCMVEGFP virus:									
		AAV2/1		AAV2/2		AAV2/5		AAV2/7		AAV2/8	
		Serum dilution:		Serum dilution:		Serum dilution:		Serum dilution:		Serum dilution:	
Sera:	Immunization Vector	1/20	1/80	1/20	1/80	1/20	1/80	1/20	1/80	1/20	1/80
Group 1	AAV2/1	0	0	100	100	100	100	100	100	100	100
Group 2	AAV2/2	100	100	0	0	100	100	100	100	100	100
Group 3	AAV2/5	100	100	100	100	16.5	16.5	100	100	100	100
Group 4	AAV2/7	100	100	100	100	100	100	61.5	100	100	100
Group 5	AAV2/8	100	100	100	100	100	100	100	100	26.3	60

Human sera from 52 normal subjects were screened for neutralization against selected serotypes. No serum sample was found to neutralize AAV2/7 and AAV2/8 while AAV2/2 and AAV2/1 vectors were neutralized in 20% and 10% of sera, respectively. A fraction of human pooled IgG representing a collection of 60,000 individual samples did not neutralize AAV2/7 and AAV2/8, whereas AAV2/2 and AAV2/1 vectors were neutralized at titers of serum equal to 1/1280 and 1/640, respectively.

#### Example 7 - *In vivo* Evaluation of Different Serotypes of AAV Vectors

In this study, 7 recombinant AAV genomes, AAV2CBhA1AT, AAV2AlbA1AT, AAV2CMVrhCG, AAV2TBGrhCG, AAV2TBGcFIX, AAV2CMVLacZ and AAV2TBGLacZ were packaged with capsid proteins of different serotypes. In all 7 constructs, minigene cassettes were flanked with AAV2 ITRs. cDNAs of human  $\alpha$ -antitrypsin (A1AT) [Xiao, W., et al., (1999) *J Virol* 73, 3994-4003]  $\beta$ -subunit of rhesus monkey choriogonadotropic hormone (CG) [Zoltick, P. W. & Wilson, J. M. (2000) *Mol Ther* 2, 657-9] canine factor IX [Wang, L., et al., (1997) *Proc Natl Acad Sci U S A* 94, 11563-6] and bacterial  $\beta$ -galactosidase (i.e., Lac Z) genes were used as reporter genes. For liver-directed gene transfer, either mouse albumin gene promoter (Alb) [Xiao, W. (1999), cited above] or human thyroid hormone binding globulin gene promoter (TBG) [Wang (1997), cited above] was used to drive liver specific expression of reporter genes. In muscle-directed gene transfer experiments, either cytomegalovirus early promoter (CMV) or chicken  $\beta$ -actin promoter with CMV enhancer (CB) was employed to direct expression of reporters.

For muscle-directed gene transfer, vectors were injected into the right tibialis anterior of 4-6 week old NCR nude or C57BL/6 mice (Taconic, Germantown, NY). In liver-directed gene transfer studies, vectors were infused intraportally into 7-9 week old NCR nude or C57BL/6 mice (Taconic, Germantown, NY). Serum samples were collected intraorbitally at

different time points after vector administration. Muscle and liver tissues were harvested at different time points for cryosectioning and Xgal histochemical staining from animals that received the lacZ vectors. For the re-administration experiment, C56BL/6 mice initially received AAV2/1, 2/2, 2/5, 2/7 and 2/8CBA1AT vectors intramuscularly and followed for A1AT gene expression for 7 weeks. Animals were then treated with AAV2/8TBGcFIX intraportally and studied for cFIX gene expression.

ELISA based assays were performed to quantify serum levels of hA1AT, rhCG and cFIX proteins as described previously [Gao, G. P., et al., (1996) *J Virol* 70, 8934-43; Zoltick, P. W. & Wilson, J. M. (2000) *Mol Ther* 2, 657-9; Wang, L., et al., *Proc Natl Acad Sci U S A* 94, 11563-6]. The experiments were completed when animals were sacrificed for harvest of muscle and liver tissues for DNA extraction and quantitative analysis of genome copies of vectors present in target tissues by TaqMan using the same set of primers and probe as in titration of vector preparations [Zhang, Y., et al., (2001) *Mol Ther* 3, 697-707].

The performance of vectors base on the new serotypes were evaluated in murine models of muscle and liver-directed gene transfer and compared to vectors based on the known serotypes AAV1, AAV2 and AAV5. Vectors expressing secreted proteins (alpha-antitrypsin (A1AT) and chorionic gonadotropin (CG)) were used to quantitate relative transduction efficiencies between different serotypes through ELISA analysis of sera. The cellular distribution of transduction within the target organ was evaluated using lacZ expressing vectors and X-gal histochemistry.

The performance of AAV vectors in skeletal muscle was analyzed following direct injection into the tibialis anterior muscles. Vectors contained the same AAV2 based genome with the immediate early gene of CMV or a CMV enhanced  $\beta$ -actin promoter driving expression of the transgene. Previous studies indicated that immune competent C57BL/6 mice elicit limited humoral responses to the human A1AT protein when expressed from AAV vectors [Xiao, W., et al., (1999) *J Virol* 73, 3994-4003].

In each strain, AAV2/1 vector produced the highest levels of A1AT and AAV2/2 vector the lowest, with AAV2/7 and AAV2/8 vectors showing intermediate levels of expression. Peak levels of CG at 28 days following injection of nu/nu NCR mice showed the highest levels from AAV2/7 and the lowest from AAV2/2 with AAV2/8 and AAV2/1 in between. Injection of AAV2/1 and AAV2/7 lacZ vectors yielded gene expression at the injection sites in all muscle fibers with substantially fewer lacZ positive fibers observed with AAV2/2 and AAV 2/8 vectors. These data indicate that the efficiency of transduction with

AAV2/7 vectors in skeletal muscle is similar to that obtained with AAV2/1, which is the most efficient in skeletal muscle of the previously described serotypes [Xiao, W. (1999), cited above; Chao, H., et al., (2001) *Mol Ther* 4, 217-22; Chao, H., et al., (2000) *Mol Ther* 2, 619-23].

5 Similar murine models were used to evaluate liver-directed gene transfer. Identical doses of vector based on genome copies were infused into the portal veins of mice that were analyzed subsequently for expression of the transgene. Each vector contained an AAV2 based genome using previously described liver-specific promoters (i.e., albumin or thyroid hormone binding globulin) to drive expression of the transgene. More particularly, CMVCG and TBGCG minigene cassettes were used for muscle and liver-directed gene transfer,  
10 respectively. Levels of rhCG were defined as relative units (RUs x 10<sup>3</sup>). The data were from assaying serum samples collected at day 28, post vector administration (4 animals per group). As shown in Table 3, the impact of capsid proteins on the efficiency of transduction of A1AT vectors in nu/nu and C57BL/6 mice and CG vectors in C57BL/6 mice was  
15 consistent (See Table 6).

**Table 6. Expression of  $\beta$ -unit of Rhesus Monkey Chorionic Gonadotropin (rhCG)**

<u>Vector</u>	<u>Muscle</u>	<u>Liver</u>
AAV2/1	4.5 $\pm$ 2.1	1.6 $\pm$ 1.0
20 AAV2	0.5 $\pm$ 0.1	0.7 $\pm$ 0.3
AAV2/5	ND*	4.8 $\pm$ 0.8
AAV2/7	14.2 $\pm$ 2.4	8.2 $\pm$ 4.3
AAV2/8	4.0 $\pm$ 0.7	76.0 $\pm$ 22.8

\* Not determined in this experiment.

25 In all cases, AAV2/8 vectors yielded the highest levels of transgene expression that ranged from 16 to 110 greater than what was obtained with AAV2/2 vectors; expression from AAV2/5 and AAV2/7 vectors was intermediate with AAV2/7 higher than AAV2/5. Analysis of X-Gal stained liver sections of animals that received the corresponding lacZ  
30 vectors showed a correlation between the number of transduced cells and overall levels of transgene expression. DNAs extracted from livers of C57BL/6 mice who received the A1AT vectors were analyzed for abundance of vector DNA using real time PCR technology.



The amount of vector DNA found in liver 56 days after injection correlated with the levels of transgene expression (See Table 7). For this experiment, a set of probe and primers targeting the SV40 polyA region of the vector genome was used for TaqMan PCR. Values shown are means of three individual animals with standard deviations. The animals were sacrificed at day 56 to harvest liver tissues for DNA extraction. These studies indicate that AAV8 is the most efficient vector for liver-directed gene transfer due to increased numbers of transduced hepatocytes.

Table 7 - Real Time PCR Analysis for Abundance of AAV Vectors in nu/nu Mouse Liver Following Injection of  $1 \times 10^{11}$  Genome Copies of Vector.

AAV vectors/Dose	Genome Copies per Cell
AAV2/1A1bA1AT	0.6 $\pm$ 0.36
AAV2A1bA1AT	0.003 $\pm$ 0.001
AAV2/5A1bA1AT	0.83 $\pm$ 0.64
AAV2/7A1bA1AT	2.2 $\pm$ 1.7
AAV2/8A1bA1AT	18 $\pm$ 11

The serologic data described above suggest that AAV2/8 vector should not be neutralized *in vivo* following immunization with the other serotypes. C57BL/6 mice received intraportal injections of AAV2/8 vector expressing canine factor IX ( $10^{11}$  genome copies) 56 days after they received intramuscular injections of A1AT vectors of different serotypes. High levels of factor IX expression were obtained 14 days following infusion of AAV2/8 into naïve animals ( $17 \pm 2$   $\mu$ g/ml, n=4) which were not significantly different that what was observed in animals immunized with AAV2/1 ( $31 \pm 23$   $\mu$ g/ml, n=4), AAV2/2 (16  $\mu$ g/ml, n=2), and AAV2/7 (12  $\mu$ g/ml, n=2). This contrasts to what was observed in AAV2/8 immunized animals that were infused with the AAV2/8 factor IX vector in which no detectable factor IX was observed ( $< 0.1$   $\mu$ g/ml, n=4).

Oligonucleotides to conserved regions of the cap gene did amplify sequences from rhesus monkeys that represented unique AAVs. Identical cap signature sequences were found in multiple tissues from rhesus monkeys derived from at least two different colonies. Full-length rep and cap open reading frames were isolated and sequenced from single

sources. Only the cap open reading frames of the novel AAVs were necessary to evaluate their potential as vectors because vectors with the AAV7 or AAV8 capsids were generated using the ITRs and rep from AAV2. This also simplified the comparison of different vectors since the actual vector genome is identical between different vector serotypes. In fact, the yields of recombinant vectors generated using this approach did not differ between serotypes.

Vectors based on AAV7 and AAV8 appear to be immunologically distinct (i.e., they are not neutralized by antibodies generated against other serotypes). Furthermore, sera from humans do not neutralize transduction by AAV7 and AAV8 vectors, which is a substantial advantage over the human derived AAVs currently under development for which a significant proportion of the human population has pre-existing immunity that is neutralizing [Chirmule, N., et al., (1999) *Gene Ther* 6, 1574-83].

The tropism of each new vector is favorable for *in vivo* applications. AAV2/7 vectors appear to transduce skeletal muscle as efficiently as AAV2/1, which is the serotype that confers the highest level of transduction in skeletal muscle of the primate AAVs tested to date [Xiao, W., cited above; Chou (2001), cited above, and Chou (2000), cited above]. Importantly, AAV2/8 provides a substantial advantage over the other serotypes in terms of efficiency of gene transfer to liver that until now has been relatively disappointing in terms of the numbers of hepatocytes stably transduced. AAV2/8 consistently achieved a 10 to 100-fold improvement in gene transfer efficiency as compared to the other vectors. The basis for the improved efficiency of AAV2/8 is unclear, although it presumably is due to uptake via a different receptor that is more active on the basolateral surface of hepatocytes. This improved efficiency will be quite useful in the development of liver-directed gene transfer where the number of transduced cells is critical, such as in urea cycle disorders and familial hypercholesterolemia.

Thus, the present invention provides a novel approach for isolating new AAVs based on PCR retrieval of genomic sequences. The amplified sequences were easily incorporated into vectors and tested in animals. The lack of pre-existing immunity to AAV7 and the favorable tropism of the vectors for muscle indicates that AAV7 is suitable for use as a vector in human gene therapy and other *in vivo* applications. Similarly, the lack of pre-existing immunity to the AAV serotypes of the invention, and their tropisms, renders them useful in delivery of therapeutic molecules and other useful molecules.

### Example 9 – Tissue Tropism Studies

In the design of a high throughput functional screening scheme for novel AAV constructs, a non-tissue specific and highly active promoter, CB promoter (CMV enhanced chicken  $\beta$  actin promoter) was selected to drive an easily detectable and quantifiable reporter gene, human  $\alpha$  anti-trypsin gene. Thus only one vector for each new AAV clone needs to be made for gene transfer studies targeting 3 different tissues, liver, lung and muscle to screen for tissue tropism of a particular AAV construct. The following table summarizes data generated from 4 novel AAV vectors in the tissue tropism studies (AAVCBA1AT), from which a novel AAV capsid clone, 44.2, was found to be a very potent gene transfer vehicle in all 3 tissues with a big lead in the lung tissue particularly. Table 8 reports data obtained (in  $\mu\text{g A1AT/mL serum}$ ) at day 14 of the study.

Table 8

Vector	Target Tissue		
	Lung	Liver	Muscle
AAV2/1	ND	ND	45 $\pm$ 11
AAV2/5	0.6 $\pm$ 0.2	ND	ND
AAV2/8	ND	84 $\pm$ 30	ND
AAV2/rh.2 (43.1)	14 $\pm$ 7	25 $\pm$ 7.4	35 $\pm$ 14
AAV2/rh.10 (44.2)	23 $\pm$ 6	53 $\pm$ 19	46 $\pm$ 11
AAV2/rh.13 (42.2)	3.5 $\pm$ 2	2 $\pm$ 0.8	3.5 $\pm$ 1.7
AAV2/rh.21 (42.10)	3.1 $\pm$ 2	2 $\pm$ 1.4	4.3 $\pm$ 2

A couple of other experiments were then performed to confirm the superior tropism of AAV 44.2 in lung tissue. First, AAV vector carried CC10hA1AT minigene for lung specific expression were pseudotyped with capsids of novel AAVs were given to Immune deficient animals (NCR nude) in equal volume (50  $\mu\text{L}$  each of the original preps without dilution) via intratracheal injections as provided in the following table. In Table 9, 50  $\mu\text{L}$  of each original prep per mouse, NCR Nude, detection limit  $\geq 0.033 \mu\text{g/mL}$ , Day 28

Table 9

Vector	Total GC in 50 $\mu$ l vector	$\mu$ g of A1AT/ml with 50 $\mu$ l vector	$\mu$ g of A1AT/ml with $1 \times 10^{11}$ vector	Relative Gene transfer as compared to rh.10 (clone 44.2)
2/1	$3 \times 10^{12}$	$2.6 \pm 0.5$	$0.09 \pm 0.02$	2.2
2/2	$5.5 \times 10^{11}$	$< 0.03$	$< 0.005$	$< 0.1$
2/5	$3.6 \times 10^{12}$	$0.65 \pm 0.16$	$0.02 \pm 0.004$	0.5
2/7	$4.2 \times 10^{12}$	$1 \pm 0.53$	$0.02 \pm 0.01$	0.5
2/8	$7.5 \times 10^{11}$	$0.9 \pm 0.7$	$0.12 \pm 0.09$	2.9
2/ch.5 (A.3.1)	$9 \times 10^{12}$	$1 \pm 0.7$	$0.01 \pm 0.008$	0.24
2/rh.8 (43.25)	$4.6 \times 10^{12}$	$26 \pm 21$	$0.56 \pm 0.46$	13.7
2/rh.10 (44.2)	$2.8 \times 10^{12}$	$115 \pm 38$	$4.1 \pm 1.4$	100
2/rh.13 (42.2)	$6 \times 10^{12}$	$7.3 \pm 0.8$	$0.12 \pm 0.01$	2.9
2/rh.21 (42.10)	$2.4 \times 10^{12}$	$9 \pm 0.9$	$0.38 \pm 0.04$	9.3
2/rh.22 (42.11)	$2.6 \times 10^{12}$	$6 \pm 0.4$	$0.23 \pm 0.02$	5.6
2/rh.24 (42.13)	$1.1 \times 10^{11}$	$0.4 \pm 0.3$	$0.4 \pm 0.3$	1

The vectors were also administered to immune competent animals (C57BL/6) in equal  
5 genome copies ( $1 \times 10^{11}$  GC) as shown in the Table 10. ( $1 \times 10^{11}$  GC per animal, C57BL/6, day  
14, detection limit  $\geq 0.033$   $\mu$ g/ml)

Table 10

AAV Vector	$\mu$ g of A1AT/ml with $1 \times 10^{11}$ vector	Relative Gene transfer as compared to rh.10 (clone 44.2)
2/1	$0.076 \pm 0.031$	2.6
2/2	$0.1 \pm 0.09$	3.4
2/5	$0.084 \pm 0.033$	2.9
2/7	$0.33 \pm 0.01$	11
2/8	$1.92 \pm 1.3$	2.9
2/ch.5 (A.3.1)	$0.048 \pm 0.004$	1.6
2/rh.8 (43.25)	$1.7 \pm 0.7$	58
2/rh.10 (44.2)	$2.93 \pm 1.7$	100
2/rh.13 (42.2)	$0.45 \pm 0.15$	15
2/rh.21 (42.10)	$0.86 \pm 0.32$	29
2/rh.22 (42.11)	$0.38 \pm 0.18$	13
2/rh.24 (42.13)	$0.3 \pm 0.19$	10

10 The data from both experiments confirmed the superb tropism of clone 44.2 in lung-  
directed gene transfer.

Interestingly, performance of clone 44.2 in liver and muscle directed gene transfer was also outstanding, close to that of the best liver transducer, AAV8 and the best muscle transducer AAV1, suggesting that this novel AAV has some intriguing biological significance.

To study serological properties of those novel AAVs, pseudotyped AAVGFP vectors were created for immunization of rabbits and in vitro transduction of 84-31 cells in the presence and absence of antisera against different capsids. The data are summarized below:

*Table 11a. Cross-NAB assay in 8431 cells and adenovirus (Adv) coinfection  
Infection in 8431 cells (coinfecting with Adv) with:*

Serum from rabbit immunized with:	10 <sup>9</sup> GC	10 <sup>9</sup> GC	10 <sup>9</sup> GC	10 <sup>10</sup> GC
	<i>rh.13</i>	<i>rh.21</i>	<i>rh.22</i>	<i>rh.24</i>
AAV2/42.2	AAV2/42.2	AAV2/42.10	AAV2/42.11	AAV2/42.13
AAV2/1	1/20	1/20	1/20	No NAB
AAV2/2	1/640	1/1280	1/5120	No NAB
AAV2/5	No NAB	1/40	1/160	No NAB
AAV2/7	1/81920	1/81920	1/40960	1/640
AAV2/8	1/640	1/640	1/320	1/5120
Ch.5 AAV2/A3	1/20	1/160	1/640	1/640
<i>rh.8</i> AAV2/43.25	1/20	1/20	1/20	1/320
<i>rh.10</i> AAV2/44.2	No NAB	No NAB	No NAB	1/5120
<i>rh.13</i> AAV2/42.2	1/5120	1/5120	1/5120	No NAB
<i>rh.21</i> AAV2/42.10	1/5120	1/10240	1/5120	1/20
<i>rh.22</i> AAV2/42.11	1/20480	1/20480	1/40960	No NAB
<i>rh.24</i> AAV2/42.13	No NAB	1/20	1/20	1/5120

Table 11b. Cross-NAB assay in 8431 cells and Adv coinfection  
Infection in 8431 cells (coinfected with Adv) with:

Serum from rabbit immunized with:	10 <sup>9</sup> GC	10 <sup>10</sup> GC	10 <sup>10</sup> GC	10 <sup>9</sup> GC	10 <sup>9</sup> GC
	<i>rh.12</i>	<i>ch.5</i>	<i>rh.8</i>	<i>rh.10</i>	<i>rh.20</i>
	AAV2/42.1B	AAV2/A3	AAV2/43.25	AAV2/44.2	AAV2/42.8.2
AAV2/1	No NAB	1/20480	No NAB	1/80	ND
AAV2/2	1/20	No NAB	No NAB	No NAB	ND
AAV2/5	No NAB	1/320	No NAB	No NAB	ND
AAV2/7	1/2560	1/640	1/160	1/81920	ND
AAV2/8	1/10240	1/2560	1/2560	1/81920	ND
<i>ch.5</i> AAV2/A3	1/1280	1/10240	ND	1/5120	1/320
<i>rh.8</i> AAV2/43.25	1/1280	ND	1/20400	1/5120	1/2560
<i>rh.10</i> AAV2/44.2	1/5120	ND	ND	1/5120	1/5120
<i>rh.13</i> AAV2/42.2	1/20	ND	ND	No NAB	1/320
<i>rh.21</i> AAV2/42.10	1/20	ND	ND	1/40	1/80
<i>rh.22</i> AAV2/42.11	No NAB	ND	ND	ND	No NAB
<i>rh.24</i> AAV2/42.13	1/5120	ND	ND	ND	1/2560

Table 12

Titer of rabbit sera			Titer after Boosting
Vector		Titer d21	
<i>ch.5</i>	AAV2/A3	1/10,240	1/40,960
<i>rh.8</i>	AAV2/43.25	1/20,400	1/163,840
<i>rh.10</i>	AAV2/44.2	1/10,240	1/527,680
<i>rh.13</i>	AAV2/42.2	1/5,120	1/20,960
<i>rh.21</i>	AAV2/42.10	1/20,400	1/81,920
<i>rh.22</i>	AAV2/42.11	1/40,960	ND
<i>rh.24</i>	AAV2/42.13	1/5,120	ND

5

Table 13 a. Infection in 8431 cells (coinfected with Adv) with GFP

	10 <sup>9</sup> GC/well	10 <sup>9</sup> GC/well	10 <sup>9</sup> GC/well	10 <sup>9</sup> GC/well	10 <sup>9</sup> GC/well	10 <sup>9</sup> GC/well
						<i>ch.5</i>
	AAV2/1	AAV2/2	AAV2/5	AAV2/7	AAV2/8	AAV2/A3
# GFU/field	128	>200	95	56	13	1
	83	>200	65	54	11	1

Table 13b. Infection in 8431 cells (coinfecting with Adv) with GFP

	10 <sup>9</sup> GC/well	10 <sup>9</sup> GC/well	10 <sup>9</sup> GC/well	10 <sup>9</sup> GC/well	10 <sup>9</sup> GC/well	10 <sup>9</sup> GC/well	10 <sup>9</sup> GC/well
	<i>rh.8</i>	<i>rh.10</i>	<i>rh.13</i>	<i>rh.21</i>	<i>rh.22</i>	<i>rh.24</i>	<i>rh.12</i>
	AAV2/43.25	AAV2/44.2	AAV2/42.2	AAV2/42.10	AAV2/42.11	AAV2/42.13	AAV2/42.1B
# GFU/field	3	13	54	62	10	3	18
	2	12	71	60	14	2	20
			48	47	16	3	12

## 5 Example 10 – Mouse Model of Familial Hypercholesterolemia

The following experiment demonstrates that the AAV2/7 construct of the invention delivers the LDL receptor and express LDL receptor in an amount sufficient to reduce the levels of plasma cholesterol and triglycerides in animal models of familial hypercholesterolemia.

### 10 A. Vector Construction

AAV vectors packaged with AAV7 or AAV8 capsid proteins were constructed using a pseudotyping strategy [Hildinger M, *et al.*, *J. Virol* 2001; 75:6199-6203]. Recombinant AAV genomes with AAV2 inverted terminal repeats (ITR) were packaged by triple transfection of 293 cells with the *cis*-plasmid, the adenovirus helper plasmid and a  
 15 chimeric packaging construct, a fusion of the capsids of the novel AAV serotypes with the rep gene of AAV2. The chimeric packaging plasmid was constructed as previously described [Hildinger et al, cited above]. The recombinant vectors were purified by the standard CsCl<sub>2</sub> sedimentation method. To determine the yield TaqMan (Applied Biosystems) analysis was performed using probes and primers targeting the SV40 poly(A) region of the vectors [Gao  
 20 GP, *et al.*, *Hum Gene Ther.* 2000 Oct 10;11(15):2079-91]. The resulting vectors express the transgene under the control of the human thyroid hormone binding globulin gene promoter (TBG).

### B. Animals

LDL receptor deficient mice on the C57Bl/6 background were purchased  
 25 from the Jackson Laboratory (Bar Harbor, ME, USA) and maintained as a breeding colony. Mice were given unrestricted access to water and obtained a high fat Western Diet (high % cholesterol) starting three weeks prior vector injection. At day -7 as well at day 0, blood was obtained via retroorbital bleeds and the lipid profile evaluated. The mice were randomly divided into seven groups. The vector was injected via an intraportal injection as previously

described ([Chen SJ *et al.*, *Mol Therapy* 2000; 2(3), 256-261]. Briefly, the mice were anaesthetized with ketamine and xylazine. A laparotomy was performed and the portal vein exposed. Using a 30g needle the appropriate dose of vector diluted in 100ul PBS was directly injected into the portal vein. Pressure was applied to the injection site to ensure a stop of the bleeding. The skin wound was closed and draped and the mice carefully monitored for the following day. Weekly bleeds were performed starting at day 14 after liver directed gene transfer to measure blood lipids. Two animals of each group were sacrificed at the time points week 6 and week 12 after vector injection to examine atherosclerotic plaque size as well as receptor expression. The remaining mice were sacrificed at week 20 for plaque measurement and determination of transgene expression.

Table 14

	<i>Vector</i>	<i>dose</i>	<i>n</i>
Group 1	AAV2/7-TBG-hLDLr	$1 \times 10^{12}$ gc	12
Group 2	AAV2/7-TBG-hLDLr	$3 \times 10^{11}$ gc	12
Group 3	AAV2/7-TBG-hLDLr	$1 \times 10^{11}$ gc	12
Group 4	AAV2/8-TBG-hLDLr	$1 \times 10^{12}$ gc	12
Group 5	AAV2/8-TBG-hLDLr	$3 \times 10^{11}$ gc	12
Group 6	AAV2/8-TBG-hLDLr	$1 \times 10^{11}$ gc	12
Group 7	AAV2/7-TBG- LacZ	$1 \times 10^{11}$ gc	16

### C. *Serum lipoprotein and liver function analysis*

Blood samples were obtained from the retroorbital plexus after a 6 hour fasting period. The serum was separated from the plasma by centrifugation. The amount of plasma lipoproteins and liver transaminases in the serum were detected using an automatized clinical chemistry analyzer (ACE, Schiapparelli Biosystems, Alpha Wassermann)

### D. *Detection of transgene expression*

LDL receptor expression was evaluated by immuno-fluorescence staining and Western blotting. For Western Blot frozen liver tissue was homogenized with lysis buffer (20 mM Tris, pH7.4, 130mM NaCl, 1% Triton X 100, proteinase inhibitor (complete, EDTA-free, Roche, Mannheim, Germany). Protein concentration was determined using the Micro BCA Protein Assay Reagent Kit (Pierce, Rockford, IL). 40 µg of protein was resolved on 4- 15% Tris-HCl Ready Gels (Biorad, Hercules, CA) and transferred to a nitrocellulose



membrane (Invitrogen, ). To generate Anti-hLDL receptor antibodies a rabbit was injected intravenously with an AdhLDLr prep ( $1 \times 10^{13}$  GC). Four weeks later the rabbit serum was obtained and used for Western Blot. A 1:100 dilution of the serum was used as a primary antibody followed by a HRP-conjugated anti-rabbit IgG and ECL chemiluminescent detection (ECL Western Blot Detection Kit, Amersham, Arlington Heights, IL).

#### E. *Immunocytochemistry*

For determination of LDL receptor expression in frozen liver sections immunohistochemistry analyses were performed. 10um cryostat sections were either fixed in acetone for 5 minutes, or unfixed. Blocking was obtained *via a* 1 hour incubation period with 10% of goat serum. Sections were then incubated for one hour with the primary antibody at room temperature. A rabbit polyclonal antibody anti-human LDL (Biomedical Technologies Inc., Stoughton, MA) was used diluted accordingly to the instructions of the manufacturer. The sections were washed with PBS, and incubated with 1:100 diluted fluorescein goat anti-rabbit IgG (Sigma, St Louis, MO). Specimens were finally examined under fluorescence microscope Nikon Microphot-FXA. In all cases, each incubation was followed by extensive washing with PBS. Negative controls consisted of preincubation with PBS, omission of the primary antibody, and substitution of the primary antibody by an isotype-matched non-immune control antibody. The three types of controls mentioned above were performed for each experiment on the same day.

#### F. *Gene transfer efficiency*

Liver tissue was obtained after sacrificing the mice at the designated time points. The tissue was shock frozen in liquid nitrogen and stored at  $-80^{\circ}\text{C}$  until further processing. DNA was extracted from the liver tissue using a QIAamp DNA Mini Kit (QIAGEN GmbH, Germany) according to the manufacturers protocol. Genome copies of AAV vectors in the liver tissue were evaluated using Taqman analysis using probes and primers against the SV40 poly(A) tail as described above.

#### G. *Atherosclerotic plaque measurement*

For the quantification of the atherosclerotic plaques in the mouse aorta the mice were anaesthetized (10% ketamine and xylazine, ip), the chest opened and the arterial system perfused with ice-cold phosphate buffered saline through the left ventricle. The aorta was then carefully harvested, slit down along the ventral midline from the aortic arch down to the femoral arteries and fixed in formalin. The lipid-rich atherosclerotic plaques were stained with Sudan IV (Sigma, Germany) and the aorta pinned out flat on a

black wax surface. The image was captured with a Sony DXC-960 MD color video camera. The area of the plaque as well as of the complete aortic surface was determined using Phase 3 Imaging Systems (Media Cybernetics).

#### H. *Clearance of I<sup>125</sup> LDL*

5 Two animals per experimental group were tested. A bolus of I<sup>125</sup> – labeled LDL (generously provided by Dan Rader, U Penn) was infused slowly through the tail vein over a period of 30 sec (1,000,000 counts of [I<sup>125</sup>]-LDL diluted in 100µl sterile PBS/ animal). At time points 3min, 30 min, 1.5hr, 3hr, 6hr after injection a blood sample was obtained *via* the retro-orbital plexus. The plasma was separated off from the whole  
10 blood and 10µl plasma counted in the gamma counter. Finally the fractional catabolic rate was calculated from the lipoprotein clearance data.

#### I. *Evaluation of Liver Lipid accumulation*

Oil Red Staining of frozen liver sections was performed to determine lipid accumulation. The frozen liver sections were briefly rinsed in distilled water followed  
15 by a 2 minute incubation in absolute propylene glycol. The sections were then stained in oil red solution (0.5% in propylene glycol) for 16 hours followed by counterstaining with Mayer's hematoxylin solution for 30 seconds and mounting in warmed glycerin jelly solution.

For quantification of the liver cholesterol and triglyceride content liver  
20 sections were homogenized and incubated in chloroform/methanol (2:1) overnight. After adding of 0.05% H<sub>2</sub>SO<sub>4</sub> and centrifugation for 10 minutes, the lower layer of each sample was collected, divided in two aliquots and dried under nitrogen. For the cholesterol measurement the dried lipids of the first aliquot were dissolved in 1% Triton X-100 in chloroform. Once dissolved, the solution was dried under nitrogen. After dissolving the  
25 lipids in ddH<sub>2</sub>O and incubation for 30 minutes at 37°C the total cholesterol concentration was measured using a Total Cholesterol Kit (Wako Diagnostics). For the second aliquot the dried lipids were dissolved in alcoholic KOH and incubated at 60°C for 30 minutes. Then 1M MgCl<sub>2</sub> was added, followed by incubation on ice for 10 minutes and centrifugation at 14,000 rpm for 30 minutes. The supernatant was finally evaluated for triglycerides (Wako  
30 Diagnostics).

All of the vectors pseudotyped in an AAV2/8 or AAV2/7 capsid lowered total cholesterol, LDL and triglycerides as compared to the control. These test vectors also corrected phenotype of hypercholesterolemia in a dose-dependent manner. A reduction in

plaque area for the AAV2/8 and AAV2/7 mice was observed in treated mice at the first test (2 months), and the effect was observed to persist over the length of the experiment (6 months).

5 Example 10 – Functional Factor IX Expression and Correction of Hemophilia

A. *Knock-Out Mice*

Functional canine factor IX (FIX) expression was assessed in hemophilia B mice. Vectors with capsids of AAV1, AAV2, AAV5, AAV7 or AAV8 were constructed to deliver AAV2 5' ITR – liver-specific promoter [LSP] – canine FIX – woodchuck hepatitis  
10 post-regulatory element (WPRE) – AAV2 3' ITR. The vectors were constructed as described in Wang et al, 2000, *Molecular Therapy* 2: 154-158), using the appropriate capsids.

Knock-out mice were generated as described in Wang et al, 1997. *Proc. Natl. Acad. Sci. USA* 94: 11563-11566. This model closely mimic the phenotypes of hemophilia  
15 B in human.

Vectors of different serotypes (AAV1, AAV2, AAV5, AAV7 and AAV8) were delivered as a single intraportal injection into the liver of adult hemophiliac C57Bl/6 mice in a dose of  $1 \times 10^{11}$  GC/mouse for the five different serotypes and one group received an AAV8 vector at a lower dose,  $1 \times 10^{10}$  GC/mouse. Control group was injected with  $1 \times 10^{11}$   
20 GC of AAV2/8 TBG LacZ3. Each group contains 5-10 male and female mice. Mice were bled bi-weekly after vector administration.

1. *ELISA*

The canine FIX concentration in the mouse plasma was determined by an ELISA assay specific for canine factor IX, performed essentially as described by  
25 Axelrod et al, 1990, *Proc. Natl. Acad. Sci. USA*, 87:5173-5177 with modifications. Sheep anti-canine factor IX (Enzyme Research Laboratories) was used as primary antibody and rabbit anti-canine factor IX ((Enzyme Research Laboratories) was used as secondary antibody. Beginning at two weeks following injection, increased plasma levels of cFIX were detected for all test vectors. The increased levels were sustained at therapeutic levels throughout the  
30 length of the experiment, i.e., to 12 weeks. Therapeutic levels are considered to be 5% of normal levels, i.e., at about 250 ng/mL.

The highest levels of expression were observed for the AAV2/8 (at  $10^{11}$ ) and AAV2/7 constructs, with sustained superphysiology levels cFIX levels (ten-fold higher than the normal level). Expression levels for AAV2/8 ( $10^{11}$ ) were approximately 10 fold higher

than those observed for AAV2/2 and AAV2/8 ( $10^{10}$ ). The lowest expression levels, although still above the therapeutic range, were observed for AAV2/5.

## 2. *In Vitro Activated Partial Thromboplastin time (aPTT) Assay*

Functional factor IX activity in plasma of the FIX knock-out mice was determined by an *in vitro* activated partial thromboplastin time (aPTT) assay—Mouse blood samples were collected from the retro-orbital plexus into 1/10 volume of citrate buffer. The aPTT assay was performed as described by Wang et al, 1997, *Proc. Natl. Acad. Sci. USA* 94: 11563-11566.

Clotting times by aPTT on plasma samples of all vector injected mice were within the normal range (approximately 60 sec) when measured at two weeks post-injection, and sustained clotting times in the normal or shorter than normal range throughout the study period (12 weeks).

Lowest sustained clotting times were observed in the animals receiving AAV2/8 ( $10^{11}$ ) and AAV2/7. By week 12, AAV2/2 also induced clotting times similar to those for AAV2/8 and AAV2/7. However, this lowered clotting time was not observed for AAV2/2 until week 12, whereas lowered clotting times (in the 25 – 40 sec range) were observed for AAV2/8 and AAV2/7 beginning at week two.

Immuno-histochemistry staining on the liver tissues harvested from some of the treated mice is currently being performed. About 70-80% of hepatocytes are stained positive for canine FIX in the mouse injected with AAV2/8.cFIX vector.

## B. *Hemophilia B Dogs*

Dogs that have a point mutation in the catalytic domain of the F.IX gene, which, based on modeling studies, appears to render the protein unstable, suffer from hemophilia B [Evans et al, 1989, *Proc. Natl. Acad. Sci. USA*, 86:10095-10099]. A colony of such dogs has been maintained for more than two decades at the University of North Carolina, Chapel Hill. The homeostatic parameters of these dogs are well described and include the absence of plasma F.IX antigen, whole blood clotting times in excess of 60 minutes, whereas normal dogs are 6-8 minutes, and prolonged activated partial thromboplastin time of 50-80 seconds, whereas normal dogs are 13-28 seconds. These dogs experience recurrent spontaneous hemorrhages. Typically, significant bleeding episodes are successfully managed by the single intravenous infusion of 10 ml/kg of normal canine plasma; occasionally, repeat infusions are required to control bleeding.

Four dogs are injected intraportally with AAV.cFIX according to the schedule below. A first dog receives a single injection with AAV2/2.cFIX at a dose of  $3.7 \times 10^{11}$  genome copies (GC)/kg. A second dog receives a first injection of AAV2/2.cFIX ( $2.8 \times 10^{11}$  GC/kg), followed by a second injection with AAV2/7.cFIX ( $2.3 \times 10^{13}$  GC/kg) at day 1180. A third dog receives a single injection with AAV2/2.cFIX at a dose of  $4.6 \times 10^{12}$  GC/kg. The fourth dog receives an injection with AAV2/2.cFIX ( $2.8 \times 10^{12}$  GC/kg) and an injection at day 995 with AAV2/7.cFIX ( $5 \times 10^{12}$  GC/kg).

The abdomen of hemophilia dogs are aseptically and surgically opened under general anesthesia and a single infusion of vector is administered into the portal vein. The animals are protected from hemorrhage in the peri-operative period by intravenous administration of normal canine plasma. The dog is sedated, intubated to induce general anesthesia, and the abdomen shaved and prepped. After the abdomen is opened, the spleen is moved into the operative field. The splenic vein is located and a suture is loosely placed proximal to a small distal incision in the vein. A needle is rapidly inserted into the vein, then the suture loosened and a 5 F cannula is threaded to an intravenous location near the portal vein threaded to an intravenous location near the portal vein bifurcation. After hemostasis is secured and the catheter balloon inflated, approximately 5.0 ml of vector diluted in PBS is infused into the portal vein over a 5 minute interval. The vector infusion is followed by a 5.0 ml infusion of saline. The balloon is then deflated, the cannula removed and venous hemostasis is secured. The spleen is then replaced, bleeding vessels are cauterized and the operative wound is closed. The animal is extubated having tolerated the surgical procedure well. Blood samples are analyzed as described. [Wang et al, 2000, *Molecular Therapy* 2: 154-158]

Results showing correction or partial correction are anticipated for AAV2/7.

All publications cited in this specification are incorporated herein by reference. While the invention has been described with reference to a particularly preferred embodiments, it will be appreciated that modifications can be made without departing from the spirit of the invention. Such modifications are intended to fall within the scope of the claims.

What is claimed is:

1. A method of detecting adeno-associated virus (AAV) sequences in a sample, said method comprising the steps of:

(a) subjecting a sample containing DNA to amplification via polymerase chain reaction (PCR) using a first set of primers which specifically amplify a first region of AAV nucleic acid sequences;

(b) optionally subjecting the DNA to further amplification using a second set of primers which specifically amplify a second region which comprises the first region of AAV sequences and sequences which are 5' to the first region, such that AAV 5' extension sequences which anneal to the 5' end of the AAV sequences amplified by the primers for the first region are obtained;

(c) optionally subjecting the DNA to further amplification using a third set of primers which specifically amplify a third region which comprises the first region of AAV sequences and sequences which are 3' to the first region, such that AAV 3' extension sequences which anneal to the 3' end of the AAV sequences amplified by the primers for the first region are obtained,

wherein each of said regions is predetermined based upon the alignment of the nucleic acid sequences of at least two AAV serotypes and each of said regions comprises nucleic acid sequences which are highly conserved over at least 18 base pairs at the 5' end, optionally variable sequences in the middle, and sequences which are highly conserved over at least 18 base pairs at the 3' end of the sequences of the region, relative to the sequences of the at least two aligned AAV serotypes; and

wherein each of the sets of primers consist of a 5' primer and a 3' primer;

wherein the presence of amplified sequences indicates the presence of an AAV in the sample.

2. A method according to claim 1, wherein steps (b) and (c) are performed, and further comprising the step of :

(d) using the amplified sequences to construct a sequence comprising a partial and/or complete AAV gene, thereby isolating an AAV gene sequence from the sample.

3. The method according to claim 2, wherein the first region is in the AAV capsid, the second region extends to the 3' end of the rep genes, and the third region extends to 5' of the AAV 3' ITR, such that step (d) permits the construction of AAV gene sequences comprising the complete AAV capsid gene.

4. The method according to claim 2, further comprising the step of subjecting the DNA to amplification with a fourth set of primers which specifically amplifies a fourth region which extend 5' to the third region.

5. The method according to claim 4, wherein the fourth region extends to 3' of the AAV 5' ITR, such that step (d) permits the construction of AAV gene sequences comprising the complete AAV rep and cap genes.

6. The method according to claim 1 or claim 2, wherein said sample comprises cellular or genomic DNA.

7. The method according to claim 1 or claim 2, wherein said DNA has been extracted from the group consisting of cells, cell culture, tissue, tissue culture, and biological fluids.

8. The method according to claim 1 or claim 2, wherein the first region is about 250 base pairs in length.

9. The method according to claim 1 or 2, wherein the first region is highly conserved over at least about 25 base pairs at the 5' and/or 3' end of the region.

10. The method according to claim 1 or 2, wherein the first region is highly conserved over at least about 30 base pairs at the 5' and/or 3' end of the region.

11. The method according to claim 1 or claim 2, wherein the highly conserved sequences of the first region have at least 80% identity among the aligned AAV serotypes at the 5' and/or 3' end of the region.

12. The method according claim 11, wherein the highly conserved sequences of the first region have at least 90% identity among the aligned AAV serotypes at the 5' and/or 3' end of the region.

13. The method according to claim 1 or claim 2, wherein the variable sequences in the middle of the first region have less than 70% identity among the aligned AAV serotypes.

14. The method according to claim 1 or claim 2, wherein the first region spans about bp 2800 to about 3200 of AAV 1, SEQ ID NO:6, and corresponding base pairs in other AAV serotypes.

15. The method according to claim 14, wherein the first region is 257 bp spanning bp 2886 to about 3143 bp of AAV 1, SEQ ID NO:6, and corresponding base pairs in other AAV serotypes.

16. The method according to claim 1, wherein the primers are AV1ns and AV2cas.

17. A method of identifying the serotype of adeno-associated virus (AAV) sequences in a sample as known or unknown, said method comprising the steps of:

(a) obtaining an enzymatic digestion analysis of a sample containing DNA molecules comprising AAV sequences which span all or a portion of bp 2886 to 3143 of AAV1, SEQ ID NO:1, and corresponding regions of other AAV serotypes; and

(b) comparing the enzymatic digestion analysis from the sample to enzymatic digestion analysis for corresponding regions of one or more AAV serotypes, thereby identifying the AAV sequences in the sample as being from one of the one or more AAV serotypes or from an unknown serotype.



18. The method according to claim 17, wherein the AAV sequences were obtained by the method of claim 1.

19. A diagnostic kit for detecting the presence of an unknown adeno-associated virus (AAV) in a sample, said kit comprising:

(a) a first set of primers which specifically amplify a first region of AAV nucleic acid sequences;

(b) optionally a second set of primers specific for a second region of the AAV nucleic acid sequences which comprises the first region of AAV sequences and sequences which are 5' to the first region, such that AAV 5' extension sequences which anneal to the 5' end of the AAV sequences amplified by the primers for the first region are obtained;

(c) optionally a third set of primers which specifically amplify a third region which comprises the first region of AAV sequences and sequences which are 3' to the first region, such that AAV 3' extension sequences which anneal to the 3' end of the AAV sequences amplified by the primers for the first region are obtained,

wherein each of said regions is predetermined based upon the alignment of the nucleic acid sequences of at least two AAV serotypes and each of said regions comprises nucleic acid sequences which are highly conserved over at least 18 base pairs at the 5' end, optionally variable sequences in the middle, and sequences which are highly conserved over at least 18 base pairs at the 3' end of the sequences of the region, relative to the sequences of the at least two aligned AAV serotypes

wherein each of the sets of primers consist of a 5' primer and a 3' primer.

20. A method for isolating novel adeno-associated viruses (AAV) from a cell, said method comprising the steps of: (a) infecting the cell with a virus which provides helper functions to said AAV; (b) isolating infectious clones containing AAV; (c) sequencing the isolated AAV; and (d) comparing the sequences of the isolated AAV to known AAV serotypes, whereby differences in the sequences of the isolated AAV and known AAV serotypes indicates the presence of a novel AAV.

21. The method according to claim 20, wherein said virus is an adenovirus.

22. The method according to claim 21, wherein said adenovirus is of human or non-human primate origin.

23. A novel adeno-associated virus (AAV) serotype identified by a method according to claim 2 or claim 20.

24. An isolated adeno-associated virus (AAV) comprising an AAV capsid having an amino acid sequence selected from the group consisting of:

AAV7, amino acids 1 to 737 of SEQ ID NO:2; C1, SEQ ID NO:60; C2, SEQ ID NO:61; C5, SEQ ID NO:62; A3-3, SEQ ID NO:66; A3-7, SEQ ID NO:67; A3-4, SEQ ID NO:68; A3-5, SEQ ID NO: 69; 3.3b, SEQ ID NO: 62; 223.4, SEQ ID NO: 73; 223-5, SEQ ID NO:74; 223-10, SEQ ID NO:75; 223-2, SEQ ID NO:76; 223-7, SEQ ID NO: 77; 223-6, SEQ ID NO: 78; 44-1, SEQ ID NO: 79; 44-5, SEQ ID NO:80; 44-2, SEQ ID NO:81; 42-15, SEQ ID NO: 84; 42-8, SEQ ID NO: 85; 42-13, SEQ ID NO:86; 42-3A, SEQ ID NO:87; 42-4, SEQ ID NO:88; 42-5A, SEQ ID NO:89; 42-1B, SEQ ID NO:90; 42-5B, SEQ ID NO:91; 43-1, SEQ ID NO: 92; 43-12, SEQ ID NO: 93; 43-5, SEQ ID NO:94; 43-21, SEQ ID NO:96; 43-25, SEQ ID NO: 97; 43-20, SEQ ID NO:99; 24.1, SEQ ID NO: 101; 42.2, SEQ ID NO:102; 7.2, SEQ ID NO: 103; 27.3, SEQ ID NO: 104; 16.3, SEQ ID NO: 105; 42.10, SEQ ID NO: 106; 42-3B, SEQ ID NO: 107; 42-11, SEQ ID NO: 108; F1, SEQ ID NO: 109; F5, SEQ ID NO: 110; F3, SEQ ID NO:111; 42-6B, SEQ ID NO: 112; and 42-12, SEQ ID NO: 113.

25. A protein comprising a fragment of an AAV capsid protein, said fragment selected from the group consisting of:

vp2 capsid protein, amino acids (aa) 138 to 737;

vp3 capsid protein, aa 203 to 737;

hypervariable region (HVR)1 through 12: aa 146 to 152; aa 182 to 187; aa 262 to 264; aa 263 to 266; aa 263 to 266; aa 381 to 383; aa 383 to 385; aa 450 to 474; aa 451 to 475; aa 490 to 495; aa 491 to 496; aa500 to 504; aa 501 to 505; aa 514 to 522; aa 533 to 554; aa 534 to 555; aa 581 to 594; aa 583 to 596; aa 658 to 667; aa 660 to 669; and aa 705 to 719; aa 707 to 772;

aa 24 – 42, aa 25 – 28; aa 81 – 85; aa 133 to 165; aa 134 – 165; aa 137 to 143; aa 154 to 156; aa 194 to 208; aa 261 to 274; aa 262 to 274; aa 171 to 173; aa 413 to 417; aa 449 to 478; aa 494 to 525; aa 534 to 571; aa 581 to 601; aa 660 to 671; aa 709 to 723; and

aa 1 to 184, aa 199 to 259; aa 274 to 446; aa 603 to 659; aa 670 to 706; aa 724 to 736; aa 185 to 198; aa 260 to 273; aa 447 to 477; aa 495 to 602; aa 660 to 669; and aa 707 to 723,

wherein the amino acid numbers are those of the AAV7 capsid, SEQ ID NO:2, and corresponding regions in the capsid of C1, SEQ ID NO:60; C2, SEQ ID NO:61; C5, SEQ ID NO:62; A3-3, SEQ ID NO:66; A3-7, SEQ ID NO:67; A3-4, SEQ ID NO:68; A3-5, SEQ ID NO: 69; 3.3b, SEQ ID NO: 62; 223.4, SEQ ID NO: 73; 223-5, SEQ ID NO:74; 223-10, SEQ ID NO:75; 223-2, SEQ ID NO:76; 223-7, SEQ ID NO: 77; 223-6, SEQ ID NO: 78; 44-1, SEQ ID NO: 79; 44-5, SEQ ID NO:80; 44-2, SEQ ID NO:81; 42-15, SEQ ID NO: 84; 42-8, SEQ ID NO: 85; 42-13, SEQ ID NO:86; 42-3A, SEQ ID NO:87; 42-4, SEQ ID NO:88; 42-5A, SEQ ID NO:89; 42-1B, SEQ ID NO:90; 42-5B, SEQ ID NO:91; 43-1, SEQ ID NO: 92; 43-12, SEQ ID NO: 93; 43-5, SEQ ID NO:94; 43-21, SEQ ID NO:96; 43-25, SEQ ID NO: 97; 43-20, SEQ ID NO:99; 24.1, SEQ ID NO: 101; 42.2, SEQ ID NO:102; 7.2, SEQ ID NO: 103; 27.3, SEQ ID NO: 104; 16.3, SEQ ID NO: 105; 42.10, SEQ ID NO: 106; 42-3B, SEQ ID NO: 107; 42-11, SEQ ID NO: 108; F1, SEQ ID NO: 109; F5, SEQ ID NO: 110; F3, SEQ ID NO:111; 42-6B, SEQ ID NO: 112; and 42-12, SEQ ID NO: 113.

26. An artificial adeno-associated virus (AAV) capsid protein comprising one or more of the protein fragments according to claim 25.

27. A recombinant adeno-associated virus (AAV) comprising an artificial capsid according to claim 26.

28. A molecule comprising a nucleic acid sequence encoding a protein according to claim 25 to 26.

29. A molecule comprising a nucleic acid sequence encoding a novel adeno-associated virus (AAV) serotype capsid protein having an amino acid sequence selected from the group consisting of: AAV7, amino acids 1 to 737 of SEQ ID NO:2; C1, SEQ ID NO:60;

C2, SEQ ID NO:61; C5, SEQ ID NO:62; A3-3, SEQ ID NO:66; A3-7, SEQ ID NO:67; A3-4, SEQ ID NO:68; A3-5, SEQ ID NO: 69; 3.3b, SEQ ID NO: 62; 223.4, SEQ ID NO: 73; 223-5, SEQ ID NO:74; 223-10, SEQ ID NO:75; 223-2, SEQ ID NO:76; 223-7, SEQ ID NO: 77; 223-6, SEQ ID NO: 78; 44-1, SEQ ID NO: 79; 44-5, SEQ ID NO:80; 44-2, SEQ ID NO:81; 42-15, SEQ ID NO: 84; 42-8, SEQ ID NO: 85; 42-13, SEQ ID NO:86; 42-3A, SEQ ID NO:87; 42-4, SEQ ID NO:88; 42-5A, SEQ ID NO:89; 42-1B, SEQ ID NO:90; 42-5B, SEQ ID NO:91; 43-1, SEQ ID NO: 92; 43-12, SEQ ID NO: 93; 43-5, SEQ ID NO:94; 43-21, SEQ ID NO:96; 43-25, SEQ ID NO: 97; 43-20, SEQ ID NO:99; 24.1, SEQ ID NO: 101; 42.2, SEQ ID NO:102; 7.2, SEQ ID NO: 103; 27.3, SEQ ID NO: 104; 16.3, SEQ ID NO: 105; 42.10, SEQ ID NO: 106; 42-3B, SEQ ID NO: 107; 42-11, SEQ ID NO: 108; F1, SEQ ID NO: 109; F5, SEQ ID NO: 110; F3, SEQ ID NO:111; 42-6B, SEQ ID NO: 112; and 42-12, SEQ ID NO: 113.

30. A molecule comprising a nucleic acid sequence encoding a novel adeno-associated virus (AAV) serotype capsid protein, said nucleic acid sequence selected from the group consisting of: AAV5, SEQ ID NO:2; 42-2, SEQ ID NO:9; 42-8, SEQ ID NO:27; 42-15, SEQ ID NO:28; 42-5b, SEQ ID NO: 29; 42-1b, SEQ ID NO:30; 42-13, SEQ ID NO: 31; 42-3a, SEQ ID NO: 32; 42-4, SEQ ID NO:33; 42-5a, SEQ ID NO: 34; 42-10, SEQ ID NO:35; 42-3b, SEQ ID NO: 36; 42-11, SEQ ID NO: 37; 42-6b, SEQ ID NO:38; 43-1, SEQ ID NO: 39; 43-5, SEQ ID NO: 40; 43-12, SEQ ID NO:41; 43-20, SEQ ID NO:42; 43-21, SEQ ID NO: 43; 43-23, SEQ ID NO:44; 43-25, SEQ ID NO: 45; 44.1, SEQ ID NO:47; 44.5, SEQ ID NO:47; 223.10, SEQ ID NO:48; 223.2, SEQ ID NO:49; 223.4, SEQ ID NO:50; 223.5, SEQ ID NO: 51; 223.6, SEQ ID NO: 52; 223.7, SEQ ID NO: 53; A3.4, SEQ ID NO: 54; A3.5, SEQ ID NO:55; A3.7, SEQ ID NO: 56; A3.3, SEQ ID NO:57; 42.12, SEQ ID NO: 58; 44.2, SEQ ID NO: 59; AAV10, SEQ ID NO: 117; AAV11, SEQ ID NO: 118; AAV12, SEQ ID NO:119; A3.1, SEQ ID NO:120; and H6, SEQ ID NO: 25.

31. A molecule comprising a nucleic acid sequence encoding a fragment of an adeno-associated virus capsid protein, said nucleic acid sequence selected from the group consisting of:

- vp1, nt 825 to 3049;
- vp2, nt 1234 to 3049;
- vp 3, nt 1434 to 3049;

nt 468 to 3090; and

nt 725 to 3090,

wherein the nucleotides numbers are of AAV7, SEQ ID NO:1 and correspond to sequences in 42-2 , SEQ ID NO:9; 42-8 ,SEQ ID NO:27; 42-15 , SEQ ID NO:28; 42-5b ,SEQ ID NO: 29; 42-1b ,SEQ ID NO:30; 42-13, SEQ ID NO: 31; 42-3a , SEQ ID NO: 32; 42-4 ,SEQ ID NO:33; 42-5a , SEQ ID NO: 34; 42-10, SEQ ID NO:35; 42-3b, SEQ ID NO: 36; 42-11, SEQ ID NO: 37; 42-6b, SEQ ID NO:38; 43-1, SEQ ID NO: 39; 43-5, SEQ ID NO: 40; 43-12 ,SEQ ID NO:41; 43-20, SEQ ID NO:42; 43-21, SEQ ID NO: 43; 43-23, SEQ ID NO:44; 43-25 ,SEQ ID NO: 45; 44.1, SEQ ID NO:47; 44.5, SEQ ID NO:47; 223.10, SEQ ID NO:48; 223.2 , SEQ ID NO:49; 223.4, SEQ ID NO:50; 223.5, SEQ ID NO: 51; 223.6, SEQ ID NO: 52; 223.7, SEQ ID NO: 53; A3.4, SEQ ID NO: 54; A3.5, SEQ ID NO:55; A3.7 , SEQ ID NO: 56; A3.3 ,SEQ ID NO:57; 42.12, SEQ ID NO: 58; 44.2, SEQ ID NO: 59; AAV10 , SEQ ID NO: 117; AAV11, SEQ ID NO: 118; AAV12 ,SEQ ID NO:119; A3.1, SEQ ID NO:120; and H6, SEQ ID NO: 25.

32. The molecule according to claim 26 or claim 28 to 31, wherein said molecule is a plasmid.

33. The molecule according to claim 26 or claim 28 to 31, wherein said molecule further comprises a functional AAV *rep* gene.

34. The molecule according to claim 30, wherein said nucleic acid sequence is the AAV7 sequence, SEQ ID NO:1.

35. A method of generating a recombinant adeno-associated virus (AAV) comprising an AAV serotype capsid comprising the steps of culturing a host cell containing: (a) a molecule according to any of claims 26 or claim 28 to 31 which encodes an adeno-associated virus capsid; (b) a functional rep gene; (c) a minigene comprising AAV inverted terminal repeats (ITRs) and a transgene; and (d) sufficient helper functions to permit packaging of the minigene into the AAV capsid protein.

36. A host cell transfected with an adeno-associated virus according to claim 24 or a molecule according to any of claims 26, or claims 28 to 31.

37. A composition comprising an AAV according to claim 24 or claim 27, and a physiologically compatible carrier.
38. A composition comprising a molecule according to any of claims 26, or claims 28 to 31 and a physiologically compatible carrier.
39. A method of delivering a transgene to a cell, said method comprising the step of contacting the cell with an AAV according to claim 24 or claim 27, wherein said rAAV comprises the transgene.
40. A molecule comprising a heterologous adeno-associated virus (AAV) serotype 7 nucleic acid sequence, said sequence comprising:
- nucleotides (nt) 1 to 107 of SEQ ID NO: 1;
  - nt 107 to 2215 of SEQ ID NO:1;
  - nt 334 to 2215 of SEQ ID NO:1;
  - nt 2222 to 4435 of SEQ ID NO:1.
  - nt 2633 to 4435 of SEQ ID NO:1;
  - nt 2831 to 4435 of SEQ ID NO:1; and
  - nt 4704 to 4721 of SEQ ID NO: 1.
41. A molecule encoding an adeno-associated virus (AAV) serotype 7 rep protein or a fragment thereof, said protein or fragment selected from the group consisting of:
- amino acid (aa) 1 to 623, aa 1 to 171; aa 172 to 372, aa 373 to 444, and aa 445 to 623 of SEQ ID NO:3.
42. A host cell containing a molecule according to claim 40 or 41.

FIG. 1A

	1				50
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	TTGCCCCTC	CCTCTCTGCG	CGCTCGCTCG	CTCGGTGGGG	CCTGCGGACC
AAV2	TTGCCCCTC	CCTCTCTGCG	CGCTCGCTCG	CTCACTGAGG	CCGGGCGACC
AAV3	TTGCCCCTC	CCTCTATGCG	CACTCGCTCG	CTCGGTGGGG	CCTGGCGACC
AAV8	.....	.....	.....	.....	.....
AAV9	.....	.....	.....	.....	.....
AAV7	TTGCCCCTC	CCTCTATGCG	CGCTCGCTCG	CTCGGTGGGG	CCTGCGGACC
44_2	.....	.....	.....	.....	.....

Fig. 1B






Fig. 1C




Fig. 1D

	151				200
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	GCGCCTCCCA	CGCTGCCGCG	TCAGCGCTGA	CGTAAATTAC	GTCATAGGGG
AAV2	.....CTG	GAGGGGTGGA	GTCGTGACGT	GAATTACGTC	ATAGGGTTAG
AAV3	.....ATG	GCAGTGACGT	AACGCGAAGC	GCGCGAAGCG	AGACCACGCC
AAV8	GCGCCTCCCA	CGCTGCCGCG	TCAGCGCTGA	CGTAAATTAC	GTCATAGGGG
AAV9	GCGCCTCCCA	CGCTGCCGCG	TCAGCGCTGA	CGTAGATTAC	GTCATAGGGG
AAV7	GCGCCTCCCA	CGCTGCCGCG	TCAGCGCTGA	CGTAAATCAC	GTCATAGGGG
44_2	.....	.....	.....	.....	.....

Fig. 1E




Fig. 1F




Fig. 1G




Fig. 1H

	351				400
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CGAGATCGTG	ATCAAGGTGC	CGAGCGACCT	GGACGAGCAC	CTGCCGGGCA
AAV2	CGAGATTGTG	ATTAAGGTCC	CCAGCGACCT	TGACGGGCAT	CTGCCCGGCA
AAV3	CGAGATTGTC	CTGAAGGTCC	CGAGTGACCT	GGACGAGCGC	CTGCCGGGCA
AAV8	CGAGATCGTG	ATCAAGGTGC	CGAGCGACCT	GGACGAGCAC	CTGCCGGGCA
AAV9	CGAGATTGTG	ATCAAGGTGC	CGAGCGACCT	GGACGAGCAC	CTGCCGGGCA
AAV7	CGAGATCGTG	ATCAAGGTGC	CGAGCGACCT	GGACGAGCAC	CTGCCGGGCA
44_2	.....	.....	.....	.....	.....

Fig. 1I

	401				450
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	TTTCTGACTC	GTTTGTGAGC	TGGGTGGCCG	AGAAGGAATG	GGAGCTGCCC
AAV2	TTTCTGACAG	CTTTGTGAAC	TGGGTGGCCG	AGAAGGAATG	GGAGTTGCCG
AAV3	TTTCTAACTC	GTTTGTTAAC	TGGGTGGCCG	AGAAGGAATG	GGACGTGCCG
AAV8	TTTCTGACTC	GTTTGTGAAC	TGGGTGGCCG	AGAAGGAATG	GGAGCTGCCC
AAV9	TTTCTGACTC	TTTGTGAAC	TGGGTGGCCG	AGAAGGAATG	GGAGCTGCCC
AAV7	TTTCTGACTC	GTTTGTGAAC	TGGGTGGCCG	AGAAGGAATG	GGAGCTGCCC
44_2	.....	.....	.....	.....	.....

Fig. 1J

	451				500
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CCGGATTCTG	ACATGGATCT	GAATCTGATT	GAGCAGGCAC	CCCTGACCGT
AAV2	CCAGATTCTG	ACATGGATCT	GAATCTGATT	GAGCAGGCAC	CCCTGACCGT
AAV3	CCGGATTCTG	ACATGGATCC	GAATCTGATT	GAGCAGGCAC	CCCTGACCGT
AAV8	CCGGATTCTG	ACATGGATCG	GAATCTGATC	GAGCAGGCAC	CCCTGACCGT
AAV9	CCGGATTCTG	ACATGGATCG	GAATCTGATC	GAGCAGGCAC	CCCTGACCGT
AAV7	CCGGATTCTG	ACATGGATCT	GAATCTGATC	GAGCAGGCAC	CCCTGACCGT
44_2	.....	.....	.....	.....	.....



Fig. 1K

	501				550
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	GGCCGAGAAG	CTGCAGCGCG	ACTTCCTGGT	CCAATGGCGC	CGCGTGAGTA
AAV2	GGCCGAGAAG	CTGCAGCGCG	ACTTTCTGAC	GGAATGGCGC	CGTGTGAGTA
AAV3	GGCCGAAAAG	CTTCAGCGCG	AGTTCCCTGGT	GGAGTGGCGC	CGCGTGAGTA
AAV8	GGCCGAGAAG	CTGCAGCGCG	ACTTCCTGGT	CCAATGGCGC	CGCGTGAGTA
AAV9	GGCCGAGAAG	CTGTAGCGCG	ACTTCCTGGT	CCAATGGCGC	CGCGTGAGTA
AAV7	GGCCGAGAAG	CTGCAGCGCG	ACTTCCTGGT	CCAATGGCGC	CGCGTGAGTA
44_2	.....	.....	.....	.....	.....

Fig. 1L

	551				600
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	AGGCCCCGGA	GGCCCTCTTC	TTTGTTCAGT	TCGAGAAGGG	CGAGTCCTAC
AAV2	AGGCCCCGGA	GGCCCTTTTC	TTTGTGCAAT	TTGAGAAGGG	AGAGAGCTAC
AAV3	AGGCCCCGGA	GGCCCTCTTT	TTTGTCCAGT	TCGAAAAGGG	GGAGACCTAC
AAV8	AGGCCCCGGA	GGCCCTCTTC	TTTGTTCAGT	TCGAGAAGGG	CGAGAGCTAC
AAV9	AGGCCCCGGA	GGCCCTCTTC	TTTGTTCAGT	TCGAGAAGGG	CGAGAGCTAC
AAV7	AGGCCCCGGA	GGCCCTGTTC	TTTGTTCAGT	TCGAGAAGGG	CGAGAGCTAC
44_2	.....	.....	.....	.....	.....

Fig. 1M

	601				650
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	TTCCACCTCC	ATATTCTGGT	GGAGACCACG	GGGGTCAAAT	CCATGGTGCT
AAV2	TTCCACATGC	ACGTGCTCGT	GGAAACCACC	GGGGTGAAAT	CCATGGGTTT
AAV3	TTCCACCTGC	ACGTGCTGAT	TGAGACCATC	GGGGTCAAAT	CCATGGTGCT
AAV8	TTTCACCTGC	ACGTTCTGGT	CGAGACCACG	GGGGTCAAGT	CCATGGTGCT
AAV9	TTTCACCTGC	ACGTTCTGGT	CGAGACCACG	GGGGTCAAGT	CCATGGTGCT
AAV7	TTCCACCTTC	ACGTTCTGGT	GGAGACCACG	GGGGTCAAGT	CCATGGTGCT
44_2	.....	.....	.....	.....	.....

Fig. 1N

	651				700
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	GGGCCGCTTC	CTGAGTCAGA	TTAGGGACAA	GCT.GGTGCA	GACCATCTAC
AAV2	GGGACGTTTC	CTGAGTCAGA	TTCGCGAAAA	ACT..GATTC	AGAGAATTTA
AAV3	CGGCCGCTAC	GTGAGCCAGA	TTAAAGAGAA	GCT..GGTGA	CCCGCATCTA
AAV8	AGGCCGCTTC	CTGAGTCAGA	TTCGGGAAAA	GCTTGGTCCA	GACCATCTAC
AAV9	AGGCCGCTTC	CTGAGTCAGA	TTCGGGAGAA	GCT.GGTCCA	GACCATCTAC
AAV7	AGGCCGCTTC	CTGAGTCAGA	TTCGGGAGAA	GCT....G..	GTCCAGACCA
44_2	.....	.....	.....	.....	.....

Fig. 10

	701				750
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	C.GCGGGATC	GAGCCG.ACC	CTGCCCAACT	GGTTCGCGGT	GACCAA.GAC
AAV2	CCGCGGGATC	GAGCCG.ACT	TTGCCAAACT	GGTTCGCGGT	CACAAA...G
AAV3	CCGCGGGGTC	GAGCCG.CAG	CTTCCGAACT	GGTTCGCGGT	GACCAA...A
AAV8	CCGCGGGGTC	GAGCCCCACC	TTGCCCAACT	GGTTCGCGGT	GACCAAAGAC
AAV9	C.GCGGGATC	GAGCCG.ACC	CTGCCCAACT	GGTTCGCGGT	GACCAA.GAC
AAV7	TCTACCGCGG	GGTCGAGCCC	ACGCTGCCCA	ACTGGTTCGC	GGTGACCAAG
44_2	.....	.....	.....	.....	.....

Fig. 1P

	751				800
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	GCG.TAATGG	CGCCGGAGGG	GGG.AACAAG	GTGGTGGACG	AGTGCTACAT
AAV2	ACCAGAAATG	GCGCCGGAGG	CGGGAACAAG	GTGGTGGATG	AGTGCTACAT
AAV3	ACGCGAAATG	GCGCCGGGGG	CGGGAACAAG	GTGGTGGACG	ACTGCTACAT
AAV8	GCGGTAATGG	CGCCGGCGGG	GGGGAACAAG	GTGGTGGACG	AGTGCTACAT
AAV9	GCG.TAATGG	CGCCGGCGGG	GGG.AACAAG	GTGGTGGACG	AGTGCTACAT
AAV7	ACGCGTAATG	GCGCCGGCGG	GGGGAACAAG	GTGGTGGACG	AGTGCTACAT
44_2	.....	.....	.....	.....	.....

Fig. 1Q

	801				850
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CCCCAACTAC	CTCCTGCCCCA	AGACTCAGCC	CGAGCTGCAG	TGGGCGTGGA
AAV2	CCCCAATTAC	TTGCTCCCCA	AAACCCAGCC	TGAGCTCCAG	TGGGCGTGGA
AAV3	CCCCAACTAC	CTGCTCCCCA	AGACCCAGCC	CGAGCTCCAG	TGGGCGTGGA
AAV8	CCCCAACTAC	CTCCTGCCCCA	AGACTCAGCC	CGAGCTGCAG	TGGGCGTGGA
AAV9	CCCCAACTAC	CTCCTGCCCCA	AGACTCAGCC	CGAGCTGCAG	TGGGCGTGGA
AAV7	CCCCAACTAC	CTCCTGCCCCA	AGACCCAGCC	CGAGCTGCAG	TGGGCGTGGA
44_2	.....	.....	.....	.....	.....

Fig. 1R






Fig. 1S.

	901				950
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CGGCTCGTGG	CGCAGCACCT	GACCCACGTC	AGCCAGACCC	AGGAGCAGAA
AAV2	CGGTTGGTGG	CGCAGCATCT	GACGCACGTG	TCGCAGACGC	AGGAGCAGAA
AAV3	CGGCTGGTGG	CGCAGCATCT	GACGCACGTG	TCGCAGACGC	AGGAGCAGAA
AAV8	CGGCTCGTGG	CGCAGCACCT	GACCCACGTC	AGCCAGACGC	AGGAGCAGAA
AAV9	CGGCTCGTGG	CGCAGCACCT	GACCCACGTC	AGCCAGACGC	AGGAGCAGAA
AAV7	CGGCTCGTGG	CGCAGCACCT	GACCCACGTC	AGCCAGACGC	AGGAGCAGAA
44_2	.....	.....	.....	.....	.....

Fig. 1T

	951				1000
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CAAGGAGAAT	CTGAACCCCA	ATTCTGACGC	GCCTGTCATC	CGGTCAAAAA
AAV2	CAAAGAGAAT	CAGAATCCCA	ATTCTGATGC	GCCGGTGATC	AGATCAAAAA
AAV3	CAAAGAGAAT	CAGAACCCCA	ATTCTGACGC	GCCGGTGATC	AGGTCAAAAA
AAV8	CAAGGAGAAT	CTGAACCCCA	ATTCTGACGC	GCCCGTGATC	AGGTCAAAAA
AAV9	CAAGGAGAAT	CTGAACCCCA	ATTCTGACGC	GCCCGTGATC	AGGTCAAAAA
AAV7	CAAGGAGAAT	CTGAACCCCA	ATTCTGACGC	GCCCGTGATC	AGGTCAAAAA
44_2	.....	.....	.....	.....	.....

Fig. 1U

	1001				1050
		Rep52/40 start codon			
42_2	.....	.....	↓	.....	.....
42_8	.....	.....	↓	.....	.....
42_15	.....	.....		.....	.....
42_5b	.....	.....		.....	.....
42_1b	.....	.....		.....	.....
42_13	.....	.....		.....	.....
42_3a	.....	.....		.....	.....
42_4	.....	.....		.....	.....
42_5a	.....	.....		.....	.....
42_10	.....	.....		.....	.....
42_3b	.....	.....		.....	.....
42_11	.....	.....		.....	.....
42_6b	.....	.....		.....	.....
43_1	.....	.....		.....	.....
43_5	.....	.....		.....	.....
43_12	.....	.....		.....	.....
43_20	.....	.....		.....	.....
43_21	.....	.....		.....	.....
43_23	.....	.....		.....	.....
43_25	.....	.....		.....	.....
44_1	.....	.....		.....	.....
44_5	.....	.....		.....	.....
223_10	.....	.....		.....	.....
223_2	.....	.....		.....	.....
223_4	.....	.....		.....	.....
223_5	.....	.....		.....	.....
223_6	.....	.....		.....	.....
223_7	.....	.....		.....	.....
A3_4	.....	.....		.....	.....
A3_5	.....	.....		.....	.....
A3_7	.....	.....		.....	.....
A3_3	.....	.....		.....	.....
42_12	.....	.....		.....	.....
AAV1	CCTCCGCGCG	CTACATGGAG	CTGGTCGGGT	GGCTGGTGGA	CCGGGGCATC
AAV2	CTTCAGCCAG	GTACATGGAG	CTGGTCGGGT	GGCTCGTGGA	CAAGGGGATT
AAV3	CCTCAGCCAG	GTACATGGAG	CTGGTCGGGT	GGCTGGTGGA	CCGCGGGATC
AAV8	CCTCCGCGCG	CTATATGGAG	CTGGTCGGGT	GGCTGGTGGA	CCGGGGCATC
AAV9	CCTCCGCGCG	CTACATGGAG	CTGGTCGGGT	GGCTGGTGGA	CCGGGGCATC
AAV7	CCTCCGCGCG	CTACATGGAG	CTGGTCGGGT	GGCTGGTGGA	CCGGGGCATC
44_2	.....	.....	↑	.....	.....
		Rep 52/40 start			

Fig. 1V

	1051				1100
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	ACCTCCGAGA	AGCAGTGGAT	CCAGGAGGAC	CAGGCCTCGT	ACATCTCCTT
AAV2	ACCTCCGAGA	AGCAGTGGAT	CCAGGAGGAC	CAGGCCTCAT	ACATCTCCTT
AAV3	ACGTCAGAAA	AGCAATGGAT	TCAGGAGGAC	CAGGCCTCGT	ACATCTCCTT
AAV8	ACCTCCGAGA	AGCAGTGGAT	CCAGGAGGAC	CAGGCCTCGT	ACATCTCCTT
AAV9	ACCTCCGAGA	AGCAGTGGAT	CCAGGAGGAC	CAGGCCTCGT	ACATCTCCTT
AAV7	ACCTCCGAGA	AGCAGTGGAT	CCAGGAGGAC	CAGGCCTCGT	ACATCTCCTT
44_2	.....	.....	.....	.....	.....

Fig. 1W

	1101				1150
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CAACGCCGCT	TCCAAC TCGC	GGTCCCAGAT	CAAGGCCGCT	CTGGACAATG
AAV2	CAATGCGGCC	TCCAAC TCGC	GGTCCC AAT	CAAGGCTGCC	TTGGACAATG
AAV3	CAACGCCGCC	TCCAAC TCGC	GGTCCCAGAT	CAAGGCCGCG	CTGGACAATG
AAV8	CAACGCCGCC	TCCAAC TCGC	GGTCCCAGAT	CAAGGCCGCG	CTGGACAATG
AAV9	CAACGCCGCC	TCCAAC TCGC	GGTCCCAGAT	CAAGGCCGCG	CTGGACAATG
AAV7	CAACGCCGCC	TCCAAC TCGC	GGTCCCAGAT	CAAGGCCGCG	CTGGACAATG
44_2	.....	.....	.....	.....	.....

Fig. 1X

	1151				1200
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CCGGCAAGAT	CATGGCGCTG	ACCAAATCCG	CGCCCGACTA	CCTGGTAGGC
AAV2	CGGGAAAGAT	TATGAGCCTG	ACTAAAACCG	CCCCCGACTA	CCTGGTGGGC
AAV3	CCTCCAAGAT	CATGAGCCTG	ACAAAGACGG	CTCCGGACTA	CCTGGTGGGC
AAV8	CCGGCAAGAT	CATGGCGCTG	ACCAAATCCG	CGCCCGACTA	CCTGGTGGGG
AAV9	CCGGCAAGAT	CATGGCGCTG	ACCAAATCCG	CGCCCGACTA	CCTGGTAGGC
AAV7	CCGGCAAGAT	CATGGCGCTG	ACCAAATCCG	CGCCCGACTA	CCTGGTGGGG
44_2	.....	.....	.....	.....	.....

Fig. 1Y

	1201				1250
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....GA	ATTCGCCCTT	TCTACGGCTG
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CCCGCTCCGC	CCGCGGACAT	TAAAACCAAC	CGCATCTACC	GCATCCTGGA
AAV2	CAGCAGCCCG	TGGAGGACAT	TTCCAGCAAT	CGGATTTATA	AAATTTTGGA
AAV3	AGCAACCCGC	CGGAGGACAT	TACCAAAAAT	CGGATCTACC	AAATCCTGGA
AAV8	CCCTCGCTGC	CCGCGGACAT	TACCCAGAAC	CGCATCTACC	GCATCCTCGC
AAV9	CCTTCACTTC	CGGTGGACAT	TACGCAGAAC	CGCATCTACC	GCATCCTGCA
AAV7	CCCTCGCTGC	CCGCGGACAT	TAAAACCAAC	CGCATCTACC	GCATCCTGGA
44_2	.....	.....	.....	.....	.....

Fig. 12

	1251				1300
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	CGTCAACTGG	ACCAATGAGA	ACTTTCCTT	CAACGATTGC	GTCGACAAGA
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	GCTGAACGGC	TACGAACCTG	CCTACGCCGG	CTCCGTCTTT	CTCGGCTGGG
AAV2	ACTAAACGGG	TACGATCCCC	AATATGCGGC	TTCCGTCTTT	CTGGGATGGG
AAV3	GCTGAACGGG	TACGATCCGC	AGTACGCGGC	CTCCGTCTTC	CTGGGCTGGG
AAV8	TCTCAACGGC	TACGACCCTG	CCTACGCCGG	CTCCGTCTTT	CTCGGCTGGG
AAV9	GCTCAACGGC	TACGACCCTG	CCTACGCCGG	CTCCGTCTTT	CTCGGCTGGG
AAV7	GCTGAACGGG	TACGATCCTG	CCTACGCCGG	CTCCGTCTTT	CTCGGCTGGG
44_2	.....	.....	.....	.....	.....



Fig. 1AA

	1301				1350
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT	CGTGGAGTCC
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CCCAGAAAAG	GTTCGGGAAG	CGCAACACCA	TCTGGCTGTT	TGGGCCGGCC
AAV2	CCACGAAAAA	GTTCGGCAAG	AGGAACACCA	TCTGGCTGTT	TGGGCCTGCA
AAV3	CGCAAAAGAA	GTTCGGGAAG	AGGAACACCA	TCTGGCTCTT	TGGGCCGGCC
AAV8	CTCAGAAAAA	GTTCGGGAAA	CGCAACACCA	TCTGGCTGTT	TGGACCCGCC
AAV9	CACAAAAGAA	GTTCGGGAAA	CGCAACACCA	TCTGGCTGTT	TGGGCCGGCC
AAV7	CCCAGAAAAA	GTTCGGGAAG	CGCAACACCA	TCTGGCTGTT	TGGGCCCGCC
44_2	.....	.....	.....	.....	.....

Fig. 1AB

1351					1400
42_2	.....	.....	.....	.....GAA	TTCGCCCTTT
42_8	.....	.....	.....	.....GAA	TTCGCCCTTT
42_15	.....	.....	.....	.....GAA	TTCGCCCTTT
42_5b	.....	.....	.....	.....GAA	TTCGCCCTTT
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....GAA	TTCGCCCTTT
42_3a	.....	.....	.....	.....GAA	TTCGCCCTTT
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....GA	ATTGCGCCCTT
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....GAA	TTCGCCCTTT
42_6b	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC	AAAAGTGC AA
43_1	.....	.....	.....	.....GAA	TTCGCCCTTT
43_5	.....	.....	.....	.....GAA	TTCGCCCTTT
43_12	.....	.....	.....	.....GAA	TTCGCCCTT.
43_20	.....	.....	.....	.....GAA	TTCGCCCTTT
43_21	.....	.....	.....	.....GAA	TTCGCCCTT.
43_23	.....	.....	.....	.....GAA	TTCGCCCTT.
43_25	.....	.....	.....	.....GAA	TTCGCCCTTT
44_1	.....	.....	.....	.....GAA	TTCGCCCTTT
44_5	.....	.....	.....	.....GAA	TTCGCCCTTT
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....GA	ATTGCGCCCTT
A3_5	.....	.....	.....	.....GA	ATTGCGCCCTT
A3_7	.....	.....	.....A	GCGGCCGCGA	ATTGCGCCCTT
A3_3	.....	.....	.....	.....GA	ATTGCGCCCTT
42_12	.....	.....	.....	.....GAA	TTCGCCCTTT
AAV1	ACCACGGGCA	AGACCAACAT	CGCGGAAGCC	ATCGCCCACG	CCGTGCCCTT
AAV2	ACTACCGGGA	AGACCAACAT	CGCGGAGGCC	ATAGCCCACA	CTGTGCCCTT
AAV3	ACGACGGGTA	AAACCAACAT	CGCGGAAGCC	ATCGCCCACG	CCGTGCCCTT
AAV8	ACCACCGGCA	AGACCAACAT	TGCGGAAGCC	ATCGCCCACG	CCGTGCCCTT
AAV9	ACCACGGGAA	AGACCAACAT	CGCAGAAGCC	ATTGCCCACG	CCGTGCCCTT
AAV7	ACCACCGGCA	AGACCAACAT	TGCGGAAGCC	ATCGCCCACG	CCGTGCCCTT
44_2	.....	.....	.....	.....GA	ATTGCGCCCTT

Fig. 1AC

	1401				1450
42_2	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_8	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_15	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_5b	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_1b	.....	.....	.....	.....	.....
42_13	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_3a	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_4	.....	.....	.....	.....	.....
42_5a	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_6b	.GTCTTCCGC	CCAGATCGAT	CCCACCCCG	TGATCGTCAC	TTCCAACACC
43_1	.CTACGGCTG	CATCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
43_5	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
43_12	.....GGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
43_20	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
43_21	.....GGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
43_23	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
43_25	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
44_1	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
44_5	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	TCTACGGCTG	CGTCAACTGG	ACCAATGAAA	ACTTTCCCTT	CAACGATTGC
A3_5	TCTACGGCTG	CGTCAACTGG	ACCAATGAAA	ACTTTCCCTT	CAACGATTGC
A3_7	TCTACGGCTG	CGTCAACTGG	ACCAATGAAA	ACTTTCCCTT	CAACGATTGC
A3_3	TCTACGGCTG	CGTCAACTGG	ACCAATGAAA	ACTTTCCCTT	CAACGATTGC
42_12	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
AAV1	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAATGATTGC
AAV2	.CTACGGCTG	CGTAAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGACTGT
AAV3	.CTACGGCTG	CGTAAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
AAV8	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAATGATTGC
AAV9	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
AAV7	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
44_2	TCTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC

Fig. 1AD

	1451				1500
42_2	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_8	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_15	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_5b	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_1b	.....	.....	.....	.....	.....
42_13	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_3a	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_4	.....	.....	.....	.....	.....
42_5a	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_6b	AACATGTGCG	CCGTGATTGA	CGGGAACAGC	ACCACCTTCG	AGCACCAGCA
43_1	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
43_5	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
43_12	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
43_20	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
43_21	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
43_23	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
43_25	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
44_1	GTCGACAAGA	TGTTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
44_5	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGAAAGATGA	CCGCCAAGGT
A3_5	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGAAAGATGA	CCGCCAAGGT
A3_7	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGAAAGATGA	CCGCCAAGGT
A3_3	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGAAAGATGA	CCGCCAAGGT
42_12	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
AAV1	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
AAV2	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGGAAGATGA	CCGCCAAGGT
AAV3	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
AAV8	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
AAV9	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
AAV7	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
44_2	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT

Fig. 1AE

	1501				1550
42_2	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_8	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_15	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_5b	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_1b	.....	.....	.....	.....	.....
42_13	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_3a	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_4	.....	.....	.....	.....	.....
42_5a	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_6b	GCCGTTGCAG	GACCGGATGT	TCAAATTTGA	ACTCACCCGC	CGTCTGGAGC
43_1	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
43_5	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
43_12	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
43_20	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGTGTGGACC
43_21	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGTGTGGACC
43_23	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGTGTGGACC
43_25	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGTGTGGACC
44_1	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAAGTG	CGCGTGGACC
44_5	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAAGTG	CGCGTGGACC
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	CGTGGAAATCT	GCCAAAGCCA	TTCTGGGTGG	AAGCAAGGTT	CGTGTGGACC
A3_5	CGTGGAAATCT	GCCAAAGCCA	TTCTGGGTGG	AAGCAAGGTT	CGTGTGGACC
A3_7	CGTGGAAATCT	GCCAAAGCCA	TTCTGGGTGG	AAGCAAGGTT	CGTGTGGACC
A3_3	CGTGGAAATCT	GCCAAAGCCA	TTCTGGGTGG	AGGCAAGGTT	CGTGTGGACC
42_12	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
AAV1	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
AAV2	CGTGGAGTCG	GCCAAAGCCA	TTCTCGGAGG	AAGCAAGGTG	CGCGTGGACC
AAV3	CGTGGAGAGC	GCCAAGGCCA	TTCTGGGCGG	AAGCAAGGTG	CGCGTGGACC
AAV8	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
AAV9	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
AAV7	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
44_2	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAAGTG	CGCGTGGACC

Fig. 1AF

	1551				1600
42_2	AAAAGTGCAA	GTCTTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACT
42_8	AAAAGTGCAA	GTCTTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACT
42_15	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
42_5b	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
42_1b	.....	.....	.....	.....	.....
42_13	AAAAGTGCAA	GTCGTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACT
42_3a	AAAAGTGCAA	GTCGTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACT
42_4	.....	.....	.....	.....	.....
42_5a	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	AAAAGTGCAA	GTCTTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACT
42_6b	ATGACTTTGG	CAAGGTGACA	AAGCAGGAAG	TCAAAGAGTT	CTTCCGCTGG
43_1	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
43_5	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
43_12	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
43_20	AAAAGTGCAA	GTCTTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACC
43_21	AAAAGTGCAA	GTCTTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACC
43_23	AAAAGTGCAA	GTCTTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACC
43_25	AAAAGTGCAA	GTCTTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACC
44_1	AAAAGTGCAA	GCCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
44_5	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	AGAAATGCAA	GTCTTCCGCC	CAGATCGACC	CGACTCCGGT	GATTGTCACC
A3_5	AGAAATGCAA	GTCTTCCGCC	CAGATCGACC	CGACTCCGGT	GATTGTCACC
A3_7	AGAAATGCAG	GTCTTCCGCC	CAGATCGACC	CGACTCCGGT	GATTGTCACC
A3_3	AGAAATGCAA	GTCTTCCGCC	CAGATCGACC	CGACTCCGGT	GATTGTCACC
42_12	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
AAV1	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
AAV2	AGAAATGCAA	GTCCTCCGCC	CAGATAGACC	CGACTCCCGT	GATCGTCACC
AAV3	AAAAGTGCAA	GTCATCCGCC	CAGATCGAAC	CCACTCCCGT	GATCGTCACC
AAV8	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
AAV9	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACTCCCGT	GATCGTCACC
AAV7	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
44_2	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC

Fig. 1AG

	1601				1650
42_2	TCCAACACCA	ACATGTGCGC	TGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_8	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_15	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_5b	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_1b	.....	.....	.....	.....	.....
42_13	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_3a	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_4	.....	.....	.....	.....	.....
42_5a	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_6b	GCGCAGGATC	ACGTGACCGA	GGTGGCGCAT	GAGTTCTACG	TCAGAAAGGG
43_1	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
43_5	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
43_12	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
43_20	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCG	CCACCTTCGA
43_21	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
43_23	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
43_25	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
44_1	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
44_5	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	TCTAACACCA	ACATGTGCGC	CGTGATTGAC	GGAAACTCGA	CCACCTTCGA
A3_5	TCTAACACCA	ACATGTGCGC	CGTGATTGAC	GGAAACTCGA	CCACCTTCGA
A3_7	TCTAACACCA	ACATGTGCGC	CGTGATTGAC	GGAAACTCGA	CCACCTTCGA
A3_3	TCTAACACCA	ACATGTGCGC	CGTGATTGAC	GGAAACTCGA	CCACCTTCGA
42_12	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
AAV1	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
AAV2	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
AAV3	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
AAV8	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
AAV9	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
AAV7	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
44_2	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA

Fig. 1AH

	1651				1700
42_2	GCACCAGCAG	CCGTTACAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_8	GCACCAGCAG	CCGTTACAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_15	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_5b	GCACCAGCAG	CCGTTACAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_1b	.....	.....	.....	.....	.....
42_13	GCACCAGCAG	CCGTTACAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_3a	GCACCAGCAG	CCGTTACAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_4	.....	.....	.....	.....	.....
42_5a	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	GCACCAGCAG	CCGTTACAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_6b	TGGAGCCAAC	AAGAGACCCG	CCCCCGATGA	CGCGGATAAA	AGCGAGCCCA
43_1	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAGTTCGAA	CTCACCCGCC
43_5	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAGTTCGAA	CTCACCCGCC
43_12	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAGTTCGAA	CTCACCCGCC
43_20	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
43_21	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
43_23	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
43_25	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
44_1	GCACCAGCAG	CCGTTGCGGG	ACCGGATGTT	CAAGTTTGAA	CTCACCCGCC
44_5	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAGTTTGAA	CTCACCCGCC
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	GCACCAGCAG	CCGTTGCAAG	ACCGGATGTT	CAAATTTGAA	CTTACCCGCC
A3_5	GCACCAGCAG	CCGTTGCAAG	ACCGGATGTT	CAAATTTGAA	CTTACCCGCC
A3_7	GCACCAGCAG	CCGTTGCAAG	ACCGGATGTT	CAAATTTGAA	CTTACCCGCC
A3_3	GCACCAGCAG	CCGTTGCAAG	ACCGGATGTT	CAAATTTGAA	CTTACCCGCC
42_12	GCACCAGCAG	CCGTTACAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
AAV1	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
AAV2	ACACCAGCAG	CCGTTGCAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
AAV3	GCATCAGCAG	CCGCTGCAGG	ACCGGATGTT	TGAATTTGAA	CTTACCCGCC
AAV8	GCACCAGCAG	CCTCTCCAGG	ACCGGATGTT	TAAGTTCGAA	CTCACCCGCC
AAV9	GCACCAGCAG	CCTCTCCAGG	ACCGGATGTT	TAAGTTCGAA	CTCACCCGCC
AAV7	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
44_2	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAGTTTGAA	CTCACCCGCC



Fig. 1AI

	1701				1750
42_2	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
42_8	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
42_15	GTCTGGAGCA	TGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
42_5b	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
42_1b	.....	.....	.....	.....	.....
42_13	GTCTGGAGCA	TGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
42_3a	GTCTGGAGCA	TGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
42_4	.....	.....	.....	.....	.....
42_5a	GTCTGGAGCA	TGACTTTGGC	AAGGCGACAA	AGCAGGAAGT	CAAAGAGTTC
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
42_6b	AGCGGGCCTG	CCCCTCAGTC	GCGGATCCAT	CGACGTCAGA	CGCGGAAGGA
43_1	GTCTGGAGCA	CGACTTTGGC	AAGGTGACCA	AGCAGGAAGT	CAAAGAGTTC
43_5	GTCTGGAGCA	CGACTTTGGC	AAGGTGACCA	AGCAGGAAGT	CAAAGAGTTC
43_12	GTCTGGAGCA	CGACTTTGGC	AAGGTGACCA	AGCAGGAAGT	CAAAGAGTTC
43_20	GTCTGGAGCA	TGACTTTGGC	AAGGTGACGA	AGCAGGAAGT	CAAAGAGTTC
43_21	GTCTGGAGCA	TGACTTTGGC	AAGGTGACGA	AGCAGGAAGT	CAAAGAGTTC
43_23	GTCTGGAGCA	TGACTTTGGC	AAGGTGACGA	AGCAGGAAGT	CAAAGAGTTC
43_25	GTCTGGAGCA	TGACTTTGGC	AAGGTGACGA	AGCAGGAAGT	CAAAGGGTTC
44_1	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAGAGAGTTC
44_5	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAGAGAGTTC
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	GTTTGGATCA	TGACTTTGGG	AAGGTCACCA	AGCAGGAAGT	CAAAGACTTT
A3_5	GTTTGGATCA	TGACTTTGGG	AAGGTCACCA	AGCAGGAAGT	CAAAGACTTT
A3_7	GTTTGGATCA	TGACTTTGGG	AAGGTCACCA	AGCAGGAAGT	CAAAGACTTT
A3_3	GTTTGGATCA	TGACTTTGGG	AAGGTCACCA	AGCAGGAAGT	CAAAGACTTT
42_12	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
AAV1	GTCTGGAGCA	TGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
AAV2	GTCTGGATCA	TGACTTTGGG	AAGGTCACCA	AGCAGGAAGT	CAAAGACTTT
AAV3	GTTTGGACCA	TGACTTTGGG	AAGGTCACCA	AACAGGAAGT	AAAGGACTTT
AAV8	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
AAV9	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
AAV7	GTCTGGAGCA	CGACTTTGGC	AAGGTGACGA	AGCAGGAAGT	CAAAGAGTTC
44_2	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAGAGAGTTC

Fig. 1AJ

	1751				1800
42_2	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_8	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_15	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_5b	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_1b	.....	.....	.....	.....	.....
42_13	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_3a	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_4	.....	.....	.....	.....	.....
42_5a	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_6b	GCTCCGGTGG	ACTTTGCCGA	CAGGTACCAA	AACAAATGTT	CTCGTCACGC
43_1	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
43_5	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
43_12	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
43_20	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCCACGT
43_21	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCCACGT
43_23	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCCACGT
43_25	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCCACGT
44_1	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCACG	AGTTCTACGT
44_5	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCACG	AGTTCTACGT
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	TTCCGGTGGG	CTCAAGATCA	CGTGACTGAG	GTGGAGCATG	AGTTCTACGT
A3_5	TTCCGGTGGG	CTCAAGATCA	CGTGACTGAG	GTGGAGCATG	AGTTCTACGT
A3_7	TTCCGGTGGG	CTCAAGATCA	CGTGACTGAG	GTGGAGCATG	AGTTCTACGT
A3_3	TTCCGGTGGG	CTCAAGATCA	CGTGACTGAG	GTGGAGCATG	AGTTCTACGT
42_12	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
AAV1	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
AAV2	TTCCGGTGGG	CAAAGGATCA	CGTGTTGAG	GTGGAGCATG	AATTCTACGT
AAV3	TTCCGGTGGG	CTTCCGATCA	CGTGACTGAC	GTGGCTCATG	AGTTCTACGT
AAV8	TTCCGCTGGG	CCAGTGATCA	CGTGACCGAG	GTGGCGCATG	AGTTTTACGT
AAV9	TTCCGCTGGG	CCAGTGATCA	CGTGACCGAG	GTGGCGCATG	AGTTTTACGT
AAV7	TTCCGCTGGG	CCAGTGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
44_2	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCACG	AGTTCTACGT

Fig. 1AK

	1801					1850
						P40/TATA
42_2	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TAAAA
42_8	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TAAAA
42_15	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TAAAA
42_5b	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TAAAA
42_1b	.....	.....	.....	.....	.....	.....
42_13	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TAAAA
42_3a	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TAAAA
42_4	.....	.....	.....	.....	.....	.....
42_5a	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TAAAA
42_10	.....	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....	.....
42_11	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TAAAA
42_6b	GGGCATAGCG	CTGACGTAAA	TCACGTCATA	GGGGAGTGGT	CCTGTATTAG	
43_1	CAGAAAGGGC	GGAGCCAGCA	AAAGACCCGC	CCCCGATGAC	GCGGAT	TATAA
43_5	CAGAAAGGGC	GGAGCCAGCA	AAAGACCCGC	CCCCGATGAC	GCGGAT	TATAA
43_12	CAGAAAGGGC	GGAGCCAGCA	AAAGACCCGC	CCCCGATGAC	GCGGAT	TATAA
43_20	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TATAA
43_21	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TATAA
43_23	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TATAA
43_25	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TATAA
44_1	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TAAAA
44_5	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TAAAA
223_10	.....	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....	.....
A3_4	CAAAAAGGGT	GGAGCCAAGA	AAAGGCCCGC	CCCCGATGAT	GTATAT	TATAA
A3_5	CAAAAAGGGT	GGAGCCAAGA	AAAGGCCCGC	CCCCGATGAT	GTATAT	TATAA
A3_7	CAAAAAGGGT	GGAGCCAAGA	AAAGGCCCGC	CCCCGATGAT	GTATAT	TATAA
A3_3	CAAAAAGGGT	GGAGCCAAGA	AAAGGCCCGC	CCCCGATGAT	GTATAT	TATAA
42_12	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TAAAA
AAV1	CAGAAAGGGT	GGAGCCAACA	AAAGACCCGC	CCCCGATGAC	GCGGAT	TAAAA
AAV2	CAAAAAGGGT	GGAGCCAAGA	AAAGACCCGC	CCCCAGTGAC	GCAGAT	TATAA
AAV3	CAGAAAGGGT	GGAGCTAAGA	AACGCCCCGC	CTCCAATGAC	GCGGAT	GTAA
AAV8	CAGAAAGGGC	GGAGCCAGCA	AAAGACCCGC	CCCCGATGAC	GCGGAT	TAAAA
AAV9	CAGAAAGGGC	GGAGCCAGCA	AAAGACCCGC	CCCCGATGAC	GCGGAT	TAAAA
AAV7	CAGAAAGGGC	GGAGCCAGCA	AAAGACCCGC	CCCCGATGAC	GCGGAT	TATAA
44_2	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGAT	TAAAA
						P40/TATA

Fig. 1AL

	1851				1900
				P40 RNA	
42_2	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_8	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_15	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_5b	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_1b	.....	.....	.....	.....	.....
42_13	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_3a	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_4	.....	.....	.....	.....	.....
42_5a	GCGAGCCCAA	GCGGGCCCGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
42_6b	CTGTACAGTG	AGTGCTTTTG	CGACATTTTG	C..ATCCATC	GACGTCAGAC
43_1	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
43_5	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
43_12	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
43_20	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
43_21	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
43_23	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
43_25	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
44_1	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
44_5	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	ATGAGCCCAA	GCGGGCGCGC	GAGTCAGTTG	CGCAGCCATC	GACGTCAGAC
A3_5	ATGAGCCCAA	GCGGGCGCGC	GAGTCAGTTG	CGCAGCCATC	GACGTCAGAC
A3_7	ATGAGCCCAA	GCGGGCGCGC	GAGTCAGTTG	CGCAGCCATC	GACGTCAGAC
A3_3	ATGAGCCCAA	GCGGGCGCGC	GAGTCAGTTG	CGCAGCCATC	GACGTCAGAC
42_12	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
AAV1	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
AAV2	GTGAGCCCAA	ACGGGTGCGC	GAGTCAGTTG	CGCAGCCATC	GACGTCAGAC
AAV3	GCGAGCCCAA	ACGGGAGTGC	ACGTCACTTG	CGCAGCCGAC	AACGTCAGAC
AAV8	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
AAV9	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
AAV7	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC
44_2	GCGAGCCCAA	GCGGGCCTGC	CCCTCAGTCG	CGGATCCATC	GACGTCAGAC

P40 RNA

Fig. 1AM

	1901				1950
42_2	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
42_8	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
42_15	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
42_5b	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
42_1b	.....	.....	.....	.....	.....
42_13	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
42_3a	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
42_4	.....	.....	.....	.....	.....
42_5a	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
42_6b	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
43_1	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
43_5	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
43_12	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
43_20	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
43_21	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
43_23	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
43_25	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
44_1	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
44_5	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	GCGGA...AG	CTTCGATAAA	CTACGCGGGC	AGGTACCAA	ACAAATGTTC
A3_5	GCGGA...AG	CTTCGATAAA	CTACGCGGAC	AGGTACCAA	ACAAATGTTC
A3_7	GCGGA...AG	CTTCGATAAA	CTACGCGGAC	AGGTACCAA	ACAAATGTTC
A3_3	GCGGA...AG	CTTCGATAAA	CTACGCGGAC	AGGTACCAA	ACAAATGTTC
42_12	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
AAV1	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
AAV2	GCGGA...AG	CTTCGATCAA	CTACGCAGAC	AGGTACCAA	ACAAATGTTC
AAV3	GCGGA...AG	CACCGGCGGA	CTACGCGGAC	AGGTACCAA	ACAAATGTTC
AAV8	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
AAV9	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
AAV7	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC
44_2	GCGGAAGGAG	CTCCGGTGGA	CTTTGCCGAC	AGGTACCAA	ACAAATGTTC

Fig. 1AN

	1951				2000
42_2	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
42_8	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
42_15	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
42_5b	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
42_1b	.....	.....	....GAATTC	GCCCTT....	.GGCTGCGTC
42_13	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
42_3a	TCGTCACGCG	GGCATGCTTC	AGATGCTGCT	TCCCTG.CAA	GACATGCGAG
42_4	.....	.....	....GAATTC	GCCCTTTCTA	CGGCTGCGTC
42_5a	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	AACATGCGAG
42_10	.....	.....	....GAATTC	GCCCTTTCTA	CGGCTGCGTC
42_3b	.....	.....	....GAATTC	GCCCTTTCTA	CGGCTGCGTC
42_11	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
42_6b	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
43_1	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	AACGTGCGAG
43_5	TCGTCACGCG	GGCATGCTTC	AGACGCTGTT	TCCCTG.CAA	AACGTGCGAG
43_12	TCGTCACGCG	GGCATGCTCC	AGATGCTGTT	TCCCTG.CAA	AACGTGCGAG
43_20	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
43_21	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
43_23	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
43_25	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
44_1	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	AACATGCGAG
44_5	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	AACATGCGAG
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	TCGTCACGTG	GGCATGAATC	TGATGCTGTT	TCCCTG.TCG	ACAATGCGAA
A3_5	TCGTCACGTG	GGCATGAATC	TGATGCTGTT	TCCCTG.TCG	ACAATGCGAA
A3_7	TCGTCACGTG	GGCATGAATC	TGATGCTGTT	TCCCTG.TCG	ACAATGCGAA
A3_3	TCGTCACGTG	GGCATGAATC	TGATGCTGTT	TCCCTG.TCG	ACAATGCGAA
42_12	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
AAV1	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	GACATGCGAG
AAV2	TCGTCACGTG	GGCATGAATC	TGATGCTGTT	TCCCTG.CAG	ACAATGCGAG
AAV3	TCGTCACGTG	GGCATGAATC	TGATGCTTTT	TCCCTG.TAA	AACATGCGAG
AAV8	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	AACGTGCGAG
AAV9	TCGTCACGCG	GGCATGCTTC	AGATGCTGCT	TCCCTG.CAA	AACGTGCGAG
AAV7	TCGTCACGCG	GGCATGATTC	AGATGCTGTT	TCCCTG.CAA	AACGTGCGAG
44_2	TCGTCACGCG	GGCATGCTTC	AGATGCTGTT	TCCCTG.CAA	AACATGCGAG

Fig. 1AO

	2001				2050
42_2	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
42_8	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
42_15	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCGCGGGA	CCAGAGACTG
42_5b	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
42_1b	A.ACTGGACC	A..ATGAGAA	CTTTCCCTTC	A.....A	CGATTGCGTC
42_13	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
42_3a	AGAATGAATC	AGAATTTTCA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
42_4	A.ACTGGACC	A..ATGAGAA	CTTTCCCTTC	A.....A	CGATTGCGTC
42_5a	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
42_10	A.ACTGGACC	A..ATGAGAA	CTTTCCCTTC	A.....A	CGATTGCGTC
42_3b	A.ACTAGACC	A..ATGAGAA	CTTTCCCTTC	A.....A	CGATTGCGTC
42_11	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCGAGACTG
42_6b	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
43_1	AAAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGG	TCAGAGACTG
43_5	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGG	TCAGAGACTG
43_12	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGG	TCAGAGACTG
43_20	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
43_21	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
43_23	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
43_25	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
44_1	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
44_5	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	AGAATGAATC	AGAATTCAAA	TATCTGCTTC	ACACACGGGC	AAAAAGACTG
A3_5	AGAATGAATC	AGAATTCAAA	TATCTGCTTC	ACACACGGGC	AAAAAGACTG
A3_7	AGAATGAATC	AGAATTCAAA	TATCTGCTTC	ACACACGGGC	AAAAAGACTG
A3_3	AGAATGAATC	AGAATTCAAA	TATCTGCTTC	ACACACGGGC	AAAAAGACTG
42_12	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG
AAV1	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CGAGAGACTG
AAV2	AGAATGAATC	AGAATTCAAA	TATCTGCTTC	ACTCACGGAC	AGAAAGACTG
AAV3	AGAATGAATC	AAATTTCCAA	TGTCTGTTT	ACGCATGGTC	AAAGAGACTG
AAV8	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACACACGGGG	TCAGAGACTG
AAV9	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACACACGGGG	TCAGAGACTG
AAV7	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACACACGGGG	TCAGAGACTG
44_2	AGAATGAATC	AGAATTTCAA	CATTTGCTTC	ACGCACGGGA	CCAGAGACTG

Fig. 1AP

	2051				2100
42_2	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_8	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_15	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_5b	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_1b	GACAAGATGG	TGATCTGGTG	GG..AGGAGG	GCAAGA....	..TGACGGCC
42_13	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_3a	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_4	GACAAGATGG	TGATCTGGTG	GG..AGGAGG	GCAAGA....	..TGACGGCC
42_5a	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_10	GACAAGATGG	TGATCTGGTG	GG..AGGAGG	GCAAGA....	..TGACGGCC
42_3b	GACAAGATGG	TGATCTGGTG	GG..AGGAGG	GCAAGA....	..TGACGGCC
42_11	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
42_6b	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
43_1	CTCAGAATGT	TTCCCCGGTG	CATCAGAATC	TCAACC....	..GGTCGTCA
43_5	CTCAGAATGT	TTCCCCGGTG	CATCAGAATC	TCAACC....	..GGTCGTCA
43_12	CTCAGAATGT	TTCCCCGGTG	CATCAGAATC	TCAACC....	..GGTCGTCA
43_20	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
43_21	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
43_23	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
43_25	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
44_1	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
44_5	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTTGTCA
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	TTTGGAATGC	TTTCCCG...	TGTCAGAATC	TCAACCCGTT	TCTGTCTGTCA
A3_5	TTTGGAATGC	TTTCCCG...	TGTCAGAATC	TCAACCCGTT	CCTGTCTGTCA
A3_7	TTTGGAATGC	TTTCCCG...	TGTCAGAATC	TCAACCCGTT	TCTGTCTGTCA
A3_3	TTTGGAATGC	TTTCCCG...	TGTCAGAATC	TCAACCCGTT	TCTGTCTGTCA
42_12	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
AAV1	TTCAGAGTGC	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
AAV2	TTTAGAGTGC	TTTCCCG...	TGTCAGAATC	TCAACCCGTT	TCTGTCTGTCA
AAV3	TGGGGAATGC	TTCCCTGGAA	TGTCAGAATC	TCAACCCGTT	TCTGTCTGTCA
AAV8	CTCAGAGTGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
AAV9	CTCAGAGTGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
AAV7	TTTAGAGTGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA
44_2	TTCAGAATGT	TTCCCCGGCG	TGTCAGAATC	TCAACC....	..GGTCGTCA



Fig. 1AQ

	2101				2150
42_2	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
42_8	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTAGGG.CG
42_15	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
42_5b	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
42_1b	.AAGGTCGTG	GAGTCCGCCA	AG...GCCA	TTCATCATCT	GCTGGGG.CG
42_13	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
42_3a	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
42_4	.AAGGTCGTG	GAGTCCGCCA	AG...GCCA	TTCATCATCT	GCTGGGG.CG
42_5a	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
42_10	AA...GGTC	GTGAAGTCCG	CCAAG.GCCA	TTCATCATCT	GCTGGGG.CG
42_3b	AA...GGTC	GTGGAGTCCG	CCAAG.GCCA	TTCATCATCT	GCTGGGG.CG
42_11	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
42_6b	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
43_1	GAAAAAAAC	GTATCAGAAA	CTGTGTGCCA	TTCATCATCT	GCTGGGG.CG
43_5	GAAAAAAAC	GTATCAGAAA	CTGTGTGCCA	TTCATCATCT	GCTGGGG.CG
43_12	GAAAAAAAC	GTATCAGAAA	CTGTGTGCCA	TTCATCATCT	GCTGGGG.CG
43_20	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
43_21	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
43_23	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
43_25	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
44_1	GAAAAAAGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
44_5	GAAAAAAGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	GAAAAACG..	.TATCAGAAA	CTTGTTACA	TTCATCATAT	CATGGGA.AA
A3_5	GAAAAACG..	.TATCAGAAA	CTTGTTACA	TTCATCATAT	CATGGGA.AA
A3_7	GAAAAACG..	.TATCAGAAA	CTTGTTACA	TTCATCATAT	CATGGGA.AA
A3_3	GAAAAACG..	.TATCAGAAA	CTTGTTACA	TTCATCATAT	CATGGGA.AA
42_12	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
AAV1	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCCA	TTCATCATCT	GCTGGGG.CG
AAV2	AAAAGGCG..	.TATCAGAAA	CTGTGCTACA	TTCATCATAT	CATGGGA.AA
AAV3	AAAAGAAGAC	TTATCAGAAA	CTGTGTCCAA	TTCATCATAT	CCTGGGA.AG
AAV8	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
AAV9	GAAAGAGGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGG.CG
AAV7	GAAAAAAGAC	GTATCGGAAA	CTCTGCGCGA	TTCATCATCT	GCTGGGG.CG
44_2	GAAAAAAGAC	GTATCGGAAA	CTCTGTGCGA	TTCATCATCT	GCTGGGGGCG

Fig. 1AR

	2151				2200
42_2	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_8	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_15	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_5b	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_1b	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_13	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_3a	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_4	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_5a	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_10	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_3b	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_11	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
42_6b	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
43_1	GGCACCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
43_5	GGCACCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
43_12	GGCACCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
43_20	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
43_21	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
43_23	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
43_25	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
44_1	GGCACCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTAG
44_5	GGCACCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTAG
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	AGAACCAGAC	...GCCTGCA	CTGCCTGCGA	CCTGGTAAAT	GTGGACTTGG
A3_5	AGTACCAGAC	...GCCTGCA	CTGCCTGCGA	CCTGGTAAAT	GTGGACTTGG
A3_7	AGTACCAGAC	...GCCTGCA	CTGCCTGCGA	CCTGGTAAAT	GTGGACTTGG
A3_3	AGTACCAGAC	...GCCTGCA	CTGCCTGCGA	CCTGGTAAAT	GTGGACTTGG
42_12	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
AAV1	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
AAV2	GGTGCCAGAC	...GCTTGCA	CTGCCTGCGA	TCTGGTCAAT	GTGGATTTGG
AAV3	GGCACCCGAG	ATTGCCTGTT	CGGCCTGCGA	TTTGGCCAAT	GTGGACTTGG
AAV8	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
AAV9	GGCTCCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTGG
AAV7	GGCGCCCGAG	ATTGCTTGCT	CGGCCTGCGA	CCTGGTCAAC	GTGGACCTGG
44_2	GGCACCCGAG	ATTGCTTGCT	CGGCCTGCGA	TCTGGTCAAC	GTGGACCTAG

Fig. 1AS

			2201		2250
				Rep 78 stop	vpl start
42_2	ATGACCGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
42_8	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
42_15	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
42_5b	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
42_1b	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
42_13	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
42_3a	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
42_4	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
42_5a	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
42_10	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
42_3b	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
42_11	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
42_6b	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
43_1	ACGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
43_5	ACGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
43_12	ACGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
43_20	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
43_21	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
43_23	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
43_25	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
44_1	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
44_5	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	ATGACTGTAT	TTCTGAGCAA	TAAATGACTT	AAATCAGGTA	TGGCTGCTGA
A3_5	ATGACTGTAT	TTCTGAGCAA	TAAATGACTT	AAATCAGGTA	TGGCTGCTGA
A3_7	ATGACTGTAT	TTCTGAGCAA	TAAATGACTT	AAATCAGGTA	TGGCTGCTGA
A3_3	ATGACTGTAT	TTCTGAGCAA	TAAATGACTT	AAATCAGGTA	TGGCTGCTGA
42_12	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
AAV1	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
AAV2	ATGACTGCAT	CTTTGAACAA	TAAATGATTT	AAATCAGGTA	TGGCTGCCGA
AAV3	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCTGA
AAV8	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
AAV9	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
AAV7	ACGACTGCGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
44_2	ATGACTGTGT	TTCTGAGCAA	TAAATGACTT	AAACCAGGTA	TGGCTGCCGA
			Rep78 stop	vpl start	

Fig. 1A'

	2251				2300
				<u>Rep68</u>	stop
42_2	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_8	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_15	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_5b	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_1b	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_13	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_3a	TGGTCATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_4	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_5a	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_10	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_3b	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_11	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
42_6b	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
43_1	TGGTTATCTT	CCAGATTGGC	TTGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
43_5	TGGTTATCTT	CCAGATTGGC	TTGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
43_12	TGGTTATCTT	CCAGATTGGC	TTGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
43_20	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
43_21	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
43_23	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
43_25	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
44_1	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
44_5	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	CGGTTATCTT	CCAGATTGGC	TCGAGGACAC	TCTCTCTGAA	GGAATCAGAC
A3_5	CGGTTATCTT	CCAGATTGGC	TCGAGGACAC	TCTCTCTGAA	GGAATCAGAC
A3_7	CGGTTATCTT	CCAGATTGGC	TCGAGGACAC	TCTCTCTGAA	GGAATCAGAC
A3_3	CGGTTATCTT	CCAGATTGGC	TCGAGGACAC	TCTCTCTGAA	GGAATCAGAC
42_12	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATCCGCG
AAV1	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
AAV2	TGGTTATCTT	CCAGATTGGC	TCGAGGACAC	TCTCTCTGAA	GGAATAAGAC
AAV3	CGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTTTCTGAA	GGCATTTCGTG
AAV8	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
AAV9	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
AAV7	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
44_2	TGGTTATCTT	CCAGATTGGC	TCGAGGACAA	CCTCTCTGAG	GGCATTTCGCG
				Rep 68	stop

Fig. 1AU

	2301				2350
42_2	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_8	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_15	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_5b	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_1b	AGTGGTGGGA	CTTGAGACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_13	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_3a	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_4	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_5a	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_10	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_3b	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_11	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
42_6b	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
43_1	AGTGGTGGGA	CCTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
43_5	AGTGGTGGGA	CCTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
43_12	AGTGGTGGGA	CCTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
43_20	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
43_21	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
43_23	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
43_25	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
44_1	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
44_5	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	AGTGGTGGAA	GCTCAAACCT	GGCCCACCAC	CGCCGAAACC	TAACCAACAA
A3_5	AGTGGTGGAA	GCTCAAACCT	GGCCCACCAC	CGCCGAAACC	TAACCAACAA
A3_7	AGTGGTGGAA	GCTCAAACCT	GGCCCACCAC	CGCCGAAACC	TAACCAACAA
A3_3	AGTGGTGGAA	GCTCAAACCT	GGCCCACCAC	CGCCGAAACC	TAACCAACAA
42_12	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
AAV1	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AGCCCAAAGC	CAACCAGCAA
AAV2	AGTGGTGGAA	GCTCAAACCT	GGCCCACCAC	CACCAAAGCC	CGCAGAGCGG
AAV3	AGTGGTGGGC	TCTGAAACCT	GGAGTCCCTC	AACCCAAAGC	GAACCAACAA
AAV8	AGTGGTGGGC	GCTGAAACCT	GGAGCCCCGA	AGCCCAAAGC	CAACCAGCAA
AAV9	AGTGGTGGGC	GCTGAAACCT	GGAGCCCCGA	AGCCCAAAGC	CAACCAGCAA
AAV7	AGTGGTGGGA	CCTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA
44_2	AGTGGTGGGA	CTTGAAACCT	GGAGCCCCGA	AACCCAAAGC	CAACCAGCAA

Fig. 1AV

	2351				2400
42_2	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_8	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_15	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_5b	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_1b	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_13	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_3a	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_4	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_5a	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_10	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_3b	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_11	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
42_6b	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
43_1	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
43_5	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
43_12	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
43_20	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
43_21	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
43_23	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
43_25	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
44_1	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
44_5	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	CACCGGGACG	ACAGTAGGGG	TCTTGTGCTT	CCTGGGTACA	AGTACCTCGG
A3_5	CACCGGGACG	ACAGTAGGGG	TCTTGTGCTT	CCTGGGTACA	AGTACCTCGG
A3_7	CACCGGGACG	ACAGTAGGGG	TCTTGTGCTT	CCTGGGTACA	AGTACCTCGG
A3_3	CACCGGGACG	ACAGTAGGGG	TCTTGTGCTT	CCTGGGTACA	AGTACCTCGG
42_12	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
AAV1	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
AAV2	CATAAGGACG	ACAGCAGGGG	TCTTGTGCTT	CCTGGGTACA	AGTACCTCGG
AAV3	CACCAAGGACA	ACCGTCGGGG	TCTTGTGCTT	CCGGGTACA	AATACCTCGG
AAV8	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
AAV9	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
AAV7	AAGCAGGACA	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG
44_2	AAGCAGGACG	ACGGCCGGGG	TCTGGTGCTT	CCTGGCTACA	AGTACCTCGG

Fig. 1AW

	2401				2450
42_2	ACCCTTCAAC	GGACTCGACA	AGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_8	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
42_15	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
42_5b	ACCCTTCAAC	GGACTCGACA	AGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_1b	ACCCTTCAAC	GGACTCGACA	AGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_13	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
42_3a	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
42_4	ACCCTTCAAC	GGACTCGACA	AGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_5a	ACCCTTCAAC	GGACTCGACA	AGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_10	ACCCTTCAAC	GGACTCGACA	AGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_3b	ACCCTTCAAC	GGACTCGACA	AGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_11	ACCCTTCAAC	GGACTCGACA	AGGGAGAGCC	GGTCAACGCG	GCGGACGCAG
42_6b	ACCCTTCAAC	GGACTCGACA	AGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
43_1	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
43_5	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
43_12	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
43_20	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
43_21	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
43_23	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
43_25	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
44_1	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
44_5	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	ACCCTTCAAC	GGACTCGACA	AAGGAGAGCC	GGTCAACGAG	GCAGACGCCG
A3_5	ACCCTTCAAC	GGACTCGACA	AAGGAGAGCC	GGTCAACGAG	GCAGACGCCG
A3_7	ACCCTTCAAC	GGACTCGACA	AAGGAGAGCC	GGTCAACGAG	GCAGACGCCG
A3_3	ACCCTTCAAC	GGACTCGACA	AAGGAGAGCC	GGTCAACGAG	GCAGACGCCG
42_12	ACCCTTCAAC	GGACTCGACA	AGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
AAV1	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
AAV2	ACCCTTCAAC	GGACTCGACA	AGGGAGAGCC	GGTCAACGAG	GCAGACGCCG
AAV3	ACCCGGTAAC	GGACTCGACA	AAGGAGAGCC	GGTCAACGAG	GCGGACGCCG
AAV8	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
AAV9	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
AAV7	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG
44_2	ACCCTTCAAC	GGACTCGACA	AGGGGGAGCC	CGTCAACGCG	GCGGACGCAG

Fig. 1AX

	2451				2500
42_2	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
42_8	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
42_15	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
42_5b	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
42_1b	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
42_13	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
42_3a	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
42_4	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
42_5a	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
42_10	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
42_3b	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
42_11	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
42_6b	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
43_1	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
43_5	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
43_12	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
43_20	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
43_21	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
43_23	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
43_25	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
44_1	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
44_5	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
223_10	.....	.....CAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
223_2	.....	.....CAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
223_4	.....	.....CAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
223_5	.....	.....CAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
223_6	.....	.....CAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
223_7	.....	.....CAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
A3_4	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CACCAGCTCA	AGCAAGGGGA
A3_5	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CACCAGCTCA	AGCAAGGGGA
A3_7	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CACCAGCTCA	AGCAAGGGGA
A3_3	CGGCCCTCGA	GCACG.ACAA	AGCCTACGAC	CACCAGCTCA	AGCAAGGGGA
42_12	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	AAGCAGCTCG	AGCAGGGGGA
AAV1	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
AAV2	CGGCCCTCGA	GCACGTACAA	AGCCTACGAC	CGGCAGCTCG	ACAGCGGAGA
AAV3	CAGCCCTCGA	ACACG.ACAA	AGCTTACGAC	CAGCAGCTCA	AGGCCGGTGA
AAV8	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTGC	AGGCGGGTGA
AAV9	CGGCCCTCGA	GCACG.GCAA	GGCCTACGAC	CAGCAGCTGC	AGGCGGGTGA
AAV7	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA
44_2	CGGCCCTCGA	GCACG.ACAA	GGCCTACGAC	CAGCAGCTCA	AAGCGGGTGA



Fig. 1AY

	2501				2550
42_2	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_8	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_15	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_5b	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_1b	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_13	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_3a	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_4	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_5a	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_10	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_3b	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_11	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
42_6b	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
43_1	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
43_5	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
43_12	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
43_20	CAATCCGTAC	CTGCGGTATA	ATCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
43_21	CAATCCGTAC	CTGCGGTATA	ATCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
43_23	CAATCCGTAC	CTGCGGTATA	ATCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
43_25	CAATCCGTAC	CTGCGGTATA	ATCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
44_1	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
44_5	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
223_10	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
223_2	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
223_4	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
223_5	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
223_6	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
223_7	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
A3_4	CAACCCGTAC	CTCAAATACA	ACCACGCGGA	CGCTGAATTT	CAGGAGCGTC
A3_5	CAACCCGTAC	CTCAAATACA	ACCACGCGGA	CGCTGAATTT	CAGGAGCGTC
A3_7	CAACCCGTAC	CTCAAATACA	ACCACGCGGA	CGCTGAATTT	CAGGAGCGTC
A3_3	CAACCCGTAC	CTCAAATACA	ACCACGCGGA	CGCTGAATTT	CAGGAGCGTC
42_12	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
AAV1	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
AAV2	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCGGAGTTT	CAGGAGCGCC
AAV3	CAACCCGTAC	CTCAAGTACA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
AAV8	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
AAV9	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
AAV7	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC
44_2	CAATCCGTAC	CTGCGGTATA	ACCACGCCGA	CGCCGAGTTT	CAGGAGCGTC

Fig. 1AZ

	2551				2600
42_2	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_8	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_15	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_5b	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_1b	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_13	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_3a	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_4	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_5a	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCGG
42_10	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_3b	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_11	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_6b	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
43_1	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
43_5	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
43_12	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
43_20	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
43_21	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
43_23	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
43_25	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
44_1	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
44_5	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
223_10	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
223_2	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
223_4	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
223_5	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
223_6	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
223_7	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
A3_4	TTCAAGAAGA	TACGTCTTTC	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
A3_5	TTCAAGAAGA	TACGTCTTTC	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
A3_7	TTCAAGAAGA	TACGTCTTTC	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
A3_3	TTCAAGAAGA	TACGTCTTTC	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
42_12	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
AAV1	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
AAV2	TTAAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGACGAGC	AGTCTTCCAG
AAV3	TTCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TTGGCAGAGC	AGTCTTCCAG
AAV8	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
AAV9	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
AAV7	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG
44_2	TGCAAGAAGA	TACGTCTTTT	GGGGGCAACC	TCGGGCGAGC	AGTCTTCCAG

Fig. 1AAA

	2601				2650
42_2	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_8	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_15	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_5b	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_1b	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_13	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_3a	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_4	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_5a	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_10	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_3b	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_11	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
42_6b	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
43_1	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
43_5	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
43_12	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
43_20	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
43_21	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
43_23	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
43_25	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
44_1	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
44_5	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
223_10	GCCAAAAAGC	GGGTTCTCGA	ACCTCTTGGT	CTGGTTGAGA	CGCCAGCTAA
223_2	GCCAAAAAGC	GGGTTCTCGA	ACCTCTTGGT	CTGGTTGAGA	CGCCAGCTAA
223_4	GCCAAAAAGC	GGGTTCTCGA	ACCTCTTGGT	CTGGTTGAGA	CGCCAGCTAA
223_5	GCCAAAAAGC	GGGTTCTCGA	ACCTCTTGGT	CTGGTTGAGA	CGCCAGCTAA
223_6	GCCAAAAAGC	GGGTTCTCGA	ACCTCTTGGT	CTGGTTGAGA	CGCCAGCTAA
223_7	GCCAAAAAGC	GGGTTCTCGA	ACCTCTTGGT	CTGGTTGAGA	CGCCAGCTAA
A3_4	GCCAAAAAGA	GGGTACTCGA	GCCTCTTGGT	CTGGTTGAGG	AAGCTGTTAA
A3_5	GCCAAAAAGA	GGGTACTCGA	GCCTCTTGGT	CTGGTTGAGG	AAGCTGTTAA
A3_7	GCCAAAAAGA	GGGTACTCGA	GCCTCTTGGT	CTGGTTGAGG	AAGCTGTTAA
A3_3	GCCAAAAAGA	GGGTACTCGA	GCCTCTTGGT	CTGGTTGAGG	AAGCTGTTAA
42_12	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
AAV1	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
AAV2	GCGAAAAAGA	GGGTTCTTGA	ACCTCTGGGC	CTGGTTGAGG	AACCTGTTAA
AAV3	GCCAAAAAGA	GGATCCTTGA	GCCTCTTGGT	CTGGTTGAGG	AAGCAGCTAA
AAV8	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
AAV9	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
AAV7	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA
44_2	GCCAAGAAGC	GGGTTCTCGA	ACCTCTCGGT	CTGGTTGAGG	AAGGCGCTAA

Fig. 1AAB

	2651				2700
		vp2 start			
42_2	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_8	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
42_15	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
42_5b	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
42_1b	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_13	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_3a	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_4	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_5a	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_10	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_3b	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_11	GACGGCTCCT	GGAAAGAAGA	GACCCATAGA	...ATCCCCC	.....
42_6b	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
43_1	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCT	CAGCGTTCCC
43_5	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCT	CAGCGTTCCC
43_12	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCT	CAGCGTTCCC
43_20	GACGGCTCCT	GGAAAGAAGA	GACTGGTAGA	GCAGTCGCCA	CAAGAG...C
43_21	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCAGTCGCCA	CAAGAG...C
43_23	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCAGTCGCCA	CAAGAG...C
43_25	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCAGTCGCCA	CAAGAG...C
44_1	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
44_5	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
223_10	GACGGCACCT	GGAAAGAAGC	GACCGGTAGA	CTCGCCA...	.....
223_2	GACGGCACCT	GGAAAGAAGC	GACCGGTAGA	CTCGCCA...	.....
223_4	GACGGCACCT	GGAAAGAAGC	GACCGGTAGA	CTCGCCA...	.....
223_5	GACGGCACCT	GGAAAGAAGC	GACCGGTAGA	CTCGCCA...	.....
223_6	GACGGCACCT	GGAAAGAAGC	GACCGGTAGA	CTCGCCA...	.....
223_7	GACGGCACCT	GGAAAGAAGC	GACCGGTAGA	CTCGCCA...	.....
A3_4	GACGGCTCCT	GGAAAAAAGA	GACCTATAGA	GCAGTCTCCT	GCAGAA...C
A3_5	GACGGCTCCT	GGAAAAAAGA	GACCTATAGA	GCAGTCTCCT	GCAGAA...C
A3_7	GACGGCTCCT	GGAAAAAAGA	GACCTATAGA	GCAGTCTCCT	GCAGAA...C
A3_3	GACGGCTCCT	GGAAAAAAGA	GACCTATAGA	GCAGTCTCCT	GCAGAA...C
42_12	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
AAV1	GACGGCTCCT	GGAAAGA AAC	GTCCGGTAGA	GCAGTCGCCA	CAAGAG...C
AAV2	GACGGCTCCG	GGAAAAAAGA	GGCCGGTAGA	GCACTCTCCT	GTGGAG...C
AAV3	AACGGCTCCT	GGAAAGAAGG	GGGCTGTAGA	TCAGTCTCCT	CAGGAA...C
AAV8	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
AAV9	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
AAV7	GACGGCTCCT	GCAAAGAAGA	GACCGGTAGA	GCCGTCACCT	CAGCGTTCCC
44_2	GACGGCTCCT	GGAAAGAAGA	GACCGGTAGA	GCCATCACCC	CAGCGTTCTC
		vp2 start			

Fig. 1AAC

	2701				2750
42_2	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_8	CAGACTCCTC	TACGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCGAAAAAG
42_15	CAGACTCCTC	TACGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCGAAAAAG
42_5b	CAGACTCCTC	TACGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCGAAAAAG
42_1b	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_13	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_3a	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_4	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_5a	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_10	..GACTCCTC	CACGGGCATC	GGCAGGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_3b	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_11	..GACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCTAAAAAG
42_6b	CAGACTCCTC	TACGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCGAAAAAG
43_1	CCGACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCACCAGCC	CGCGAGAAAG
43_5	CCGACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCACCAGCC	CGCGAGAAAG
43_12	CCGACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCACCAGCC	CGCGAGAAAG
43_20	CAGACTCCTC	CTCGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCTAAAAAG
43_21	CAGACTCCTC	CTCGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCTAAAAAG
43_23	CAGACTCCTC	CTCGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCTAAAAAG
43_25	CAGACTCCTC	CTCGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCTAAAAAG
44_1	CAGACTCCTC	TACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
44_5	CAGACTCCTC	TACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
223_10	..GACTCCAC	CTCGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
223_2	..GACTCCAC	CTCGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
223_4	..GACTCCAC	CTCGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
223_5	..GACTCCAC	CTCGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
223_6	..GACTCCAC	CTCGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
223_7	..GACTCCAC	CTCGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG
A3_4	CGGACTCTTC	CTCGGGCATC	GGCAAATCAG	GCCAGCAGCC	CGCTAAGAAA
A3_5	CGGACTCTTC	CTCGGGCATC	GGCAAATCAG	GCCAGCAGCC	CGCTAAGAAA
A3_7	CGGACTCTTC	CTCGGGCATC	GGCAAATCAG	GCCAGCAGCC	CGCTAAGAAA
A3_3	CGGACTCTTC	CTCGGGCATC	GGCAAATCAG	GCCAGCAGCC	CGCTAAGAAA
42_12	CAGACTCCTC	TACGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCGAAAAAG
AAV1	CAGACTCCTC	CTCGGGCATC	GGCAAGACAG	GCCAGCAGCC	CGCTAAAAAG
AAV2	CAGACTCCTC	CTCGGGAACC	GGAAAGGCGG	GCCAGCAGCC	TGCAAGAAAA
AAV3	CGGACTCATC	ATCTGGTGTT	GGCAAATCGG	GCAAACAGCC	TGCCAGAAAA
AAV8	CAGACTCCTC	TACGGGCATC	GGCAAGAAAG	GCCAACAGCC	CGCCAGAAAA
AAV9	CAGACTCCTC	TACGGGCATC	GGCAAGAAAG	GCCAACAGCC	CGCCAGAAAA
AAV7	CCGACTCCTC	CACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCCAGAAAG
44_2	CAGACTCCTC	TACGGGCATC	GGCAAGAAAG	GCCAGCAGCC	CGCGAAAAAG

Fig. 1AAD

	2751				2800
42_2	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCCCA
42_8	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_15	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_5b	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_1b	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_13	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_3a	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_4	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_5a	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCCCA
42_10	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_3b	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_11	AAGCTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
42_6b	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
43_1	AGACTGAACT	TTGGGCAGAC	TGGCGACTCG	GAGTCAGTCC	CCGACCCTCA
43_5	AGACTGAACT	TTGGGCAGAC	TGGCGACTCG	GAGTCAGTCC	CCGACCCTCA
43_12	AGACTGAACT	TTGGGCAGAC	TGGCGACTCG	GAGTCAGTCC	CCGACCCTCA
43_20	AGACTCAATT	TTGGTCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCCACA
43_21	AGACTCAATT	TTGGTCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCCACA
43_23	AGACTCAATT	TTGGTCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCCACA
43_25	AGACTCAATT	TTGGTCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCCACA
44_1	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
44_5	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
223_10	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCCTCA
223_2	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCCTCA
223_4	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGCCAGTCC	CCGACCCTCA
223_5	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGCCAGTCC	CCGACCCTCA
223_6	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCCTCA
223_7	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCCTCA
A3_4	AGACTCAATT	TTGGTCAGAC	TGGCGACACA	GAGTCAGTCC	CAGACCCTCA
A3_5	AGACTCAATT	TTGGTCAGAC	TGGCGACACA	GAGTCAGTCC	CAGACCCTCA
A3_7	AGACTCAATT	TTGGTCAGAC	TGGCGACACA	GAGTCAGTCC	CAGACCCTCA
A3_3	AGACTCAATT	TTGGTCAGAC	TGGCGACACA	GAGTCAGTCC	CAGGCCCTCA
42_12	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA
AAV1	AGACTCAATT	TTGGTCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGATCCACA
AAV2	AGATTGAATT	TTGGTCAGAC	TGGAGACGCA	GAATCAGTAC	CTGACCCCCA
AAV3	AGACTAAATT	TCGGTCAGAC	TGGAGACTCA	GAGTCAGTCC	CAGACCCTCA
AAV8	AGACTCAATT	TTGGTCAGAC	TGGCGACTCA	GAGTCAGTTC	CAGACCCTCA
AAV9	AGACTCAATT	TTGGTCAGAC	TGGCGACTCA	GAGTCAGTTC	CAGACCCTCA
AAV7	AGACTCAATT	TCGGTCAGAC	TGGCGACTCA	GAGTCAGTCC	CCGACCCTCA
44_2	AGACTCAACT	TTGGGCAGAC	TGGCGACTCA	GAGTCAGTGC	CCGACCCTCA

Fig. 1AAE

2801 2850  
vp3 start

42_2	ACCTCTCGGA	GAACCTCCCG	CCGCGCCCTC	AGGTCTGGGA	TCTGGTACAA
42_8	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_15	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_5b	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_1b	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGCACAA
42_13	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_3a	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_4	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_5a	ACCTCTCGGA	GAACCTCCCG	CCGCGCCCTC	AGGTCTGGGA	TCTGGTACAA
42_10	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_3b	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_11	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
42_6b	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
43_1	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
43_5	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
43_12	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
43_20	ACCTCTCGGA	GAACCTCCAG	CAGGCCCTC	AGGTCTGGGA	CCTAATACAA
43_21	ACCTCTCGGA	GAACCTCCAG	CAGGCCCTC	AGGTCTGGGA	CCTAATACAA
43_23	ACCTCTCGGA	GAACCTCCAG	CAGGCCCTC	AGGTCTGGGA	CCTAATACAA
43_25	ACCTCTCGGA	GAACCTCCAG	CAGGCCCTC	AGGTCTGGGA	CCTAATACAA
44_1	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
44_5	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
223_10	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
223_2	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
223_4	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
223_5	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
223_6	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
223_7	ACCAATCGGA	GAACCACCAG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
A3_4	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTGTGGGA	TCTAATACAA
A3_5	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTGTGGGA	TCTAATACAA
A3_7	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTGTGGGA	TCTAATACAA
A3_3	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTGTGGGA	TCTAATACAA
42_12	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA
AAV1	ACCTCTCGGA	GAACCTCCAG	CAACCCCCGC	TGCTGTGGGA	CCTACTACAA
AAV2	GCCTCTCGGA	CAGCCACCAG	CAGGCCCTC	TGGTCTGGGA	ACTAATACGA
AAV3	ACCTCTCGGA	GAACCACCAG	CAGCCCCAC	AAGTTTGGGA	TCTAATACAA
AAV8	ACCTCTCGGA	GAACCTCCAG	CAGCGCCCTC	TGGTGTGGGA	CCTAATACAA
AAV9	ACCTCTCGGA	GAACCTCCAG	CAGCGCCCTC	TGGTGTGGGA	CCTAATACAA
AAV7	ACCTCTCGGA	GAACCTCCAG	CAGCGCCCTC	TAGTGTGGGA	TCTGGTACAG
44_2	ACCAATCGGA	GAACCCCCCG	CAGGCCCTC	TGGTCTGGGA	TCTGGTACAA

vp3 start

Fig. 1AAF

2851  
 vp3 start codon  
 2900

42_2	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_8	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_15	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_5b	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_1b	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_13	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_3a	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_4	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_5a	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_10	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_3b	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_11	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_6b	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
43_1	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
43_5	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
43_12	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
43_20	TGGCTTCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
43_21	TGGCTTCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
43_23	TGGCTTCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
43_25	TGGCTTCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
44_1	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
44_5	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
223_10	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCTG	ACAATAACGA	GGGCGCCGAC
223_2	TGGTTGCAGG	CGGTGGCGCA	CCAATGGCTG	ACAATAACGA	GGGCGCCGAC
223_4	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCTG	ACAATAACGA	GGGCGCCGAC
223_5	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCTG	ACAATAACGA	GGGCGCCGAC
223_6	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCTG	ACAATAGCGA	GGGCGCCGAC
223_7	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCTG	ACAATAACGA	GGGCGCCGAC
A3_4	TGGCTTCAGG	CGGTGGGGCA	CCAATGGCAG	ACGATAACGA	AGGCGCCGAC
A3_5	TGGCTTCAGG	CGGTGGGGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
A3_7	TGGCTTCAGG	CGGTGGGGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
A3_3	TGGCTTCAGG	CGGTGGGGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
42_12	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
AAV1	TGGCTTCAGG	CGGTGGCGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
AAV2	TGGCTACAGG	CAGTGGCGCA	CCAATGGCAG	ACAATAACGA	GGGCGCCGAC
AAV3	TGGCTTCAGG	CGGTGGCGCA	CCAATGGCAG	ACAATAACGA	GGGTGCCGAT
AAV8	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
AAV9	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC
AAV7	TGGCTGCAGG	CGGTGGCGCA	CCAATGGCAG	ACAATAACGA	AGGTGCCGAC
44_2	TGGCTGCAGG	CGGTGGCGCT	CCAATGGCAG	ACAATAACGA	AGGCGCCGAC

vp3 start codon (cont'd)



Fig. 1AAG

	2901				2950
42_2	GGAGTGGGTA	ATGCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_8	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_15	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_5b	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_1b	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_13	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_3a	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATAGCTGGG
42_4	GGAGTGGGTA	ATGCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_5a	GGAGTGGGTA	ATGCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_10	GGAGTGGGTA	ATGCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_3b	GGAGTGGGTA	ATGCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_11	GGAGTGGGTA	ATGCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
42_6b	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
43_1	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
43_5	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
43_12	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
43_20	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
43_21	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
43_23	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
43_25	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
44_1	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
44_5	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
223_10	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
223_2	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
223_4	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CACGGCTGGG
223_5	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CACGGCTGGG
223_6	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
223_7	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
A3_4	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGATGGG
A3_5	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGATGGG
A3_7	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGATGGG
A3_3	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGATGGG
42_12	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
AAV1	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
AAV2	GGAGTGGGTA	ATTCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGATGGG
AAV3	GGAGTGGGTA	ATTCCTCAGG	AAATTGGCAT	TGCGATTCCC	AATGGCTGGG
AAV8	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
AAV9	GGAGTGGGTA	ATTCCTCGGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
AAV7	GGAGTGGGTA	ATGCCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
AAV10	GGTA	ATTCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
AAV11	GGTA	ATTCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
AAV12	GGTA	ATTCCTCCGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG
44_2	GGAGTGGGTA	GTTCTCAGG	AAATTGGCAT	TGCGATTCCA	CATGGCTGGG

FIG. 1AAH

	2951				3000
42_2	CGACAGAGTC	ATCACCACCA	GCACCCGCAC	CTGGGGCCCTG	CCCACCTACA
42_8	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTC	CCCACCTACA
42_15	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTC	CCCACCTACA
42_5b	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTC	CCCACCTACA
42_1b	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTC	CCCACCTACA
42_13	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTC	CCCACCTACA
42_3a	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTC	CCCACCTACA
42_4	CGACAGAGTC	ATCACCACCA	GCACCCGCAC	CTGGGGCCCTG	CCCACCTACA
42_5a	CGACAGAGTC	ATCACCACCA	GCACCCGCAC	CTGGGGCCCTG	CCCACCTACA
42_10	CGACAGAGTC	ATCACCACCA	GCACCCGCAC	CTGGGGCCCTG	CCCACCTACA
42_3b	CGACAGAGTC	ATCACCACCA	GCACCCGCAC	CTGGGGCCCTG	CCCACCTACA
42_11	CGACAGAGTC	ATCACCACCA	GCACCCGCAC	CTGGGGCCCTG	CCCACCTACA
42_6b	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTC	CCCACCTACA
43_1	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
43_5	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
43_12	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
43_20	GGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
43_21	GGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
43_23	GGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
43_25	GGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
44_1	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTC	CCCACCTACA
44_5	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTC	CCCACCTACA
223_10	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
223_2	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
223_4	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
223_5	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
223_6	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
223_7	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
A3_4	CGACAGAGTT	ATCACCACCA	GCACAAGAAC	CTGGGGCCCTC	CCCACCTACA
A3_5	CGACAGAGTT	ATCACCACCA	GCACAAGAAC	CTGGGGCCCTC	CCCACCTACA
A3_7	CGACAGAGTT	ATCACCACCA	GCACAAGAAC	CTGGGGCCCTC	CCCACCTACA
A3_3	CGACAGAGTT	ATCACCACCA	GCACAAGAAC	CTGGGGCCCTC	CCCACCTACA
42_12	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTC	CCCACCTACA
AAV1	CGACAGAGTC	ATCACCACCA	GCACCCGCAC	CTGGGGCCCTG	CCCACCTACA
AAV2	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
AAV3	CGACAGAGTC	ATCACCACCA	GCACCAGAAC	CTGGGGCCCTG	CCCACCTACA
AAV8	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
AAV9	GGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGCATTG	CCCACCTACA
AAV7	CGACAGAGTC	ATTACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCCACCTACA
AAV10	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGTCCTG	CCCACCTACA
AAV11	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTG	CCAACCTACA
AAV12	CGACCGAGTC	ATTACCACCA	GCACCCGGAC	TTGGGGCCCTG	CCCACCTACA
44_2	CGACAGAGTC	ATCACCACCA	GCACCCGAAC	CTGGGGCCCTC	CCCACCTACA

Fig. 1AAI

	3001				3050
42_2	ACAACCACCT	CTACAAGCAG	ATATCAA..G	TCAGAGCGGG	GCT...ACC
42_8	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GGACATCGGG	AGGAAGCACC
42_15	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GGACATCGGG	AGGAAGCACC
42_5b	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GGACATCGGG	AGGAAGCACC
42_1b	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GGACATCGGG	AGGAAGCACC
42_13	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GGACATCGGG	AGGAAGCACC
42_3a	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GGACATCGGG	AGGAAGCACC
42_4	ACAACCACCT	CTACAAGCAG	ATATCAA...	.GTCAGAGCG	GGGC..TACC
42_5a	ACAACCACCT	CTACAAGCAG	ATATCAA...	.GTCAGAGCG	GGGC..TACC
42_10	ACAACCACCT	CTACAAGCAG	ATATCAA..G	TCAGAGCGGG	GCTA....CC
42_3b	ACAACCACCT	CTACAAGCAG	ATATCAA..G	TCAGAGCGGG	GCTA....CC
42_11	ACAACCACCT	CTACAAGCAG	ATATCAA..G	TCAGAGCGGG	GCTA....CC
42_6b	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GGACATCGGG	AGGAAGCACC
43_1	ACAACCATCT	CTACAAGCAA	ATCTCCAACG	GGACATCGGG	AGGAAGCACT
43_5	ACAACCATCT	CTACAAGCAA	ATCTCCAACG	GGACATCGGG	AGGAAGCACT
43_12	ACAACCATCT	CTACAAGCAA	ATCTCCAACG	GGACATCGGG	AGGAAGCACT
43_20	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GCACCTCGGG	AGGAAGCACC
43_21	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GCACCTCGGG	AGGAAGCACC
43_23	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GCACCTCGGG	AGGAAGCACC
43_25	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GCACCTCGGG	AGGAAGCACC
44_1	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GGACTTCGGG	AGGAAGCACC
44_5	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GGACTTCGGG	AGGAAGCACC
223_10	ACAACCACCT	CTACAAGCAA	ATCTCCAGTC	AGTCAGCAGG	GAG...CACC
223_2	ACAACCACCT	CTACAAGCAA	ATCTCCAGTC	AGTCAGCAGG	GAG...CACC
223_4	ACAACCACCT	CTACAAGCAA	ATCTCCAGTC	AGTCAGCAGG	GAG...CACC
223_5	ACAACCACCT	CTACAAGCAA	ATCTCCAGTC	AGTCAGCAGG	GAG...CACC
223_6	ACAACCACCT	CTACAAGCAA	ATCTCCAGTC	AGTCAGCAGG	GAG...CACC
223_7	ACAACCACCT	CTACAAGCAA	ATCTCCAGTC	AGTCAGCAGG	GAG...CACC
A3_4	ATAATCACCT	CTACAAGCAA	ATCTCCA...	GCGAATCGGG	AGC...CACC
A3_5	ATAATCACCT	CTACAAGCAA	ATCTCCA...	GCGAATCGGG	AGC...CACC
A3_7	ATAATCGCCT	CTACAAGCAA	ATCTCCA...	GCGAATCGGG	AGC...CACC
A3_3	ATAATCACCT	CTACAAGCAA	ATCTCCA...	GCGAATCGGG	AGC...CACC
42_12	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GGACATCGGG	AGGAAGCACC
AAV1	ATAACCACCT	CTACAAGCAA	ATCTCCAGTG	CTTCAACGGG	.GG..CCAGC
AAV2	ACAACCACCT	CTACAAACAA	ATTTCCA...	GCCAATCAGG	AGC...CTCG
AAV3	ACAACCATCT	CTACAAGCAA	ATCTCCA...	GCCAATCAGG	AGC...TTCA
AAV8	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GGACATCGGG	AGGAGCCACC
AAV9	ACAACCACCT	CTACAAGCAA	ATCTCCAATG	GAACATCGGG	AGGAAGCACC
AAV7	ACAACCACCT	CTACAAGCAA	ATCTCCAGTG	AAACTGCAGG	TAG...TACC
AAV10	ACAACCACAT	CTACAAGCAA	ATCTCCAGCG	AGACAGGAGC	CACCAACGAC
AAV11	ACAACCACCT	CTACAAACAA	ATCTCCAGCG	CTTCAACGGG	GGCCAGCAAC
AAV12	ACAACCACCT	CTACAAGCAA	ATCTCCAGCC	AATCGGGTGC	CACCAACGAC
44_2	ACAACCACCT	CTACAAGCAA	ATCTCCAACG	GGACTTCGGG	AGGAAGCACC

Fig. 1AAJ

	3051				3100
42_2	AACGACAACC	ACTTCTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_8	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_15	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_5b	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_1b	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_13	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_3a	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_4	AACGACAACC	ACTTCTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_5a	AACGACAACC	ACTTCTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_10	AACGACAACC	ACTTCTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_3b	AACGACAACC	ACTTCTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_11	AACGACAACC	ACTTCTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_6b	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
43_1	AACGACAACA	CCTACTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
43_5	AACGACAACA	CCTACTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
43_12	AACGACAACA	CCTACTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
43_20	AACGACAACA	CCTATTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
43_21	AACGACAACA	CCTATTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
43_23	AACGACAACA	CCTATTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
43_25	AACGACAACA	CCTATTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
44_1	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
44_5	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
223_10	AACGATAACG	TCTATTTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
223_2	AACGATAACG	TCTATTTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
223_4	AACGATAACG	TCTATTTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
223_5	AACGATAACG	TCTATTTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
223_6	AACGATAACG	TCTATTTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
223_7	AACGATAACG	TCTATTTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
A3_4	AACGACAACC	ACTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
A3_5	AACGACAACC	ACTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
A3_7	AACGACAACC	ACTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
A3_3	AACGACAACC	ACTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
42_12	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
AAV1	AACGACAACC	ACTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
AAV2	AACGACAATC	ACTACTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
AAV3	AACGACAACC	ACTACTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
AAV8	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
AAV9	AACGACAACA	CCTACTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
AAV7	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
AAV10	AACCACTACT	TCGGCTACAG	C.....ACC	CCCTGGGGGT	ATTTTGACTT
AAV11	...GACAACC	ACTACTTTGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT
AAV12	AACCACTACT	TCGGCTA...	...CAGCACC	CCCTGGGGGT	ATTTTGACTT
44_2	AACGACAACA	CCTACTTCGG	CTACAGCACC	CCCTGGGGGT	ATTTTGACTT

Fig. 1AAK

	3101				3150
42_2	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_8	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_15	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_5b	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_1b	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_13	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_3a	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_4	CAACAGATTC	CACTGCCACT	TCTCATCACG	TGACTGGCAG	CGACTCATCA
42_5a	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_10	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_3b	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_11	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_6b	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
43_1	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
43_5	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
43_12	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
43_20	CAACAGATTC	CACTGTCACT	TTTCACCACG	TGACTGGCAA	CGACTCATCA
43_21	CAACAGATTC	CACTGTCACT	TTTCACCACG	TGACTGGCAA	CGACTCATCA
43_23	CAACAGATTC	CACTGTCACT	TTTCACCACG	TGACTGGCAA	CGACTCATCA
43_25	CAACAGATTC	CACTGTCACT	TTTCACCACG	TGACTGGCAA	CGACTCATCA
44_1	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
44_5	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
223_10	CAACAGATTC	CATTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTTATCA
223_2	CAACAGATTC	CATTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTTATCA
223_4	CAACAGATTC	CATTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTTATCA
223_5	CAACAGATTC	CATTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTTATCA
223_6	CAACAGATTC	CATTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTTATCA
223_7	CAACAGATTC	CATTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTTATCA
A3_4	TAACAGATTC	CACTGTCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
A3_5	TAACAGATTC	CACTGTCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
A3_7	TAACAGATTC	CACTGTCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
A3_3	TAACAGATTC	CACTGTCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
42_12	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
AAV1	CAACAGATTC	CACTGCCACT	TTTCACCACG	TGACTGGCAG	CGACTCATCA
AAV2	CAACAGATTC	CACTGCCACT	TTTCACCACG	TGACTGGCAA	AGACTCATCA
AAV3	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATTA
AAV8	TAACAGATTC	CACTGCCACT	TTTCACCACG	TGACTGGCAG	CGACTCATCA
AAV9	CAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
AAV7	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
AAV10	TAACAGATTC	CACTGCCACT	TTTCACCACG	TGACTGGCAG	CGACTCATCA
AAV11	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
AAV12	CAACAGATTC	CACTGCCATT	TCTCACCACG	TGACTGGCAG	CGACTCATCA
44_2	TAACAGATTC	CACTGCCACT	TCTCACCACG	TGACTGGCAG	CGACTCATCA

Fig. 1AAL

	3151				3200
42_2	ACAACAAC	TGGGATTC	CGGCCAAG	AAGCTGCG	GTTGTTCAAC
42_8	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
42_15	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
42_5b	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
42_1b	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
42_13	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
42_3a	ACAACAGC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
42_4	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
42_5a	ACAACAAC	CGGGATTC	CGGCCAAG	AAGCTGCG	GTTGTTCAAC
42_10	ACAACAAC	TGGGATTC	CGGCCAAG	AAGCTGCG	GTTGTTCAAC
42_3b	ACAACAAC	TGGGATTC	CGGCCAAG	AAGCTGCG	GTTGTTCAAC
42_11	ACAACAAC	TGGGATTC	CGGCCAAG	AAGCTGCG	GTTGTTCAAC
42_6b	ACAACAAC	TGGGATTC	CGGCCAAG	AAGCTGCG	GTTGTTCAAC
43_1	ACAATAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
43_5	ACAATAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
43_12	ACAATAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
43_20	ACAACAAT	TGGGATTC	CGGCCAAA	AAGACTCA	CTGTTCAC
43_21	ACAACAAT	TGGGATTC	CGGCCAAA	AAGACTCA	CTGTTCAC
43_23	ACAACAAT	TGGGATTC	CGGCCAAA	AAGACTCA	CTGTTCAC
43_25	ACAACAAT	TGGGATTC	CGGCCAAA	AAGACTCA	CTGTTCAC
44_1	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
44_5	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
223_10	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
223_2	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
223_4	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
223_5	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
223_6	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
223_7	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
A3_4	ACAACAAC	TGGGATTT	AGACCCAAG	AAGACTCA	CTCTTCAAC
A3_5	ATAACAAC	TGGGATTT	AGACCCAAG	AAGACTCA	CTCTTCAAC
A3_7	ACAACAAC	TGGGATTT	AGACCCAAG	AAGACTCA	CTCTTCAAC
A3_3	ACAACAAC	TGGGATTT	AGACCCAAG	AAGACTCA	CTCTTCAAC
42_12	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	CTCTTCAAC
AAV1	ACAACAAT	TGGGATTC	CGGCCAAG	AAGACTCA	ACTCTTCAAC
AAV2	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	GCTCTTCAAC
AAV3	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	GCTCTTCAAC
AAV8	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	GCTCTTCAAC
AAV9	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	GCTGTTCAC
AAV7	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	GCTCTTCAAC
AAV10	ACAACAAC	TGGGATTC			
AAV11	ACAACAAC	TGGGATTC			
AAV12	ACAACAAC	TGGGATTC			
44_2	ACAACAAC	TGGGATTC	CGGCCAAG	AAGACTCA	GCTCTTCAAC

Fig. 1AAM

	3201				3250
42_2	ATCCAGGTCA	AGGAGGTCAC	GACGAACGAC	GGCGTTACGA	CCATCGCTAA
42_8	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
42_15	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
42_5b	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
42_1b	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
42_13	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
42_3a	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
42_4	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
42_5a	ATCCAGGTCA	AGGAGGTCAC	GACGAACGAC	GGCGTTACGA	CCATCGCTAA
42_10	ATCCAGGTCA	AGGAGGTCAC	GACGAACGAC	GGCGTTACGA	CCATCGCCAA
42_3b	ATCCAGGTCA	AGGAGGTCAC	GACGAACGAC	GGCGTTACGA	CCATCGCTAA
42_11	ATCCAGGTCA	AGGAGGTCAC	GACGAACGAC	GGCGTTACGA	CCATCGCTAA
42_6b	ATCCAGGTCA	AGGAGGTCAC	GACGGACGAC	GGCGTTACGA	CCATCGCTAA
43_1	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
43_5	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
43_12	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
43_20	ATCCAGGTCA	AGGAAGTCAC	GACGAACGAA	GGCACCAAGA	CCATCGCCAA
43_21	ATCCAGGTCA	AGGAAGTCAC	GACGAACGAA	GGCACCAAGA	CCATCGCCAA
43_23	ATCCAGGTCA	AGGAAGTCAC	GACGAACGAA	GGCACCAAGA	CCATCGCCAA
43_25	ATCCAGGTCA	AGGAAGTCAC	GACGAACGAA	GGCACCAAGA	CCATCGCCAA
44_1	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
44_5	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
223_10	ATCCAGGTCA	AGGAGGTCAC	GACGAATGAC	GGTGTACAA	CCATCGCTAA
223_2	ATCCAGGTCA	AGGAGGTCAC	GACGAATGAC	GGTGTACAA	CCATCGCTAA
223_4	ATCCAGGTCA	AGGAGGTCAC	GACGAATGAC	GGCGTCACAA	CCATCGCTAA
223_5	ATCCAGGTCA	AGGAGGTCAC	GACGAATGAC	GGCGTCACAA	CCATCGCTAA
223_6	ATCCAGGTCA	AGGAGGTCAC	GACGAATGAC	GGTGTACAA	CCATCGCTAA
223_7	ATCCAGGTCA	AGGAGGTCAC	GACGAATGAC	GGCGTCACAA	CCATCGCTAA
A3_4	ATCCAAGTCA	AGGAGGTCAC	GCAGAATGAT	GGAACCACGA	CCATCGCCAA
A3_5	ATCCAAGTCA	AGGAGGTCAC	GCAGAATGAT	GGAACCACGA	CCATCGCCAA
A3_7	ATCCAAGTCA	AGGAGGTCAC	GCAGAATGAT	GGAACCACGA	CCATCGCCAA
A3_3	ATCCAAGTCA	AGGAGGTCAC	GCAGAATGAT	GGAACCACGA	CCATCGCCAA
42_12	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
AAV1	ATCCAAGTCA	AGGAGGTCAC	GACGAATGAT	GGCGTCACAA	CCATCGCTAA
AAV2	ATTCAAGTCA	AAGAGGTCAC	GCAGAATGAC	GGTACGACGA	CGATTGCCAA
AAV3	ATCCAAGTTA	GAGGGGTCAC	GCAGAACGAT	GGCACGACGA	CTATTGCCAA
AAV8	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA
AAV9	ATCCAGGTCA	AGGAGGTTAC	GACGAACGAA	GGCACCAAGA	CCATCGCCAA
AAV7	ATCCAGGTCA	AGGAGGTCAC	GACGAATGAC	GGCGTTACGA	CCATCGCTAA
44_2	ATCCAGGTCA	AGGAGGTCAC	GCAGAATGAA	GGCACCAAGA	CCATCGCCAA

Fig. 1AAN

	3251				3300
42_2	TAACCTTACC	AGCACGATTC	AGGTCTTCTC	GGACTCGGAG	TACCAACTGC
42_8	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
42_15	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
42_5b	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
42_1b	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
42_13	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
42_3a	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
42_4	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCGGCTCC
42_5a	TAACCTTACC	AGCACGATTC	AGGTCTTCTC	GGACTCGGAG	TACCAACTGC
42_10	TAACCTTACC	AGCACGATTC	AGGTCTTCTC	GGACTCGGAG	TACCAACTGC
42_3b	TAACCTTACC	AGCACGATTC	AGGTCTTCTC	GGACTCGGAG	TACCAACTGC
42_11	TAACCTTACC	AGCACGATTC	AGGTCTTCTC	GGACTCGGAG	TACCAACTGC
42_6b	TAACCTTACC	AGCACGATTC	AGGTCTTCTC	GGACTCGGAG	TACCAACTGC
43_1	TAACCTTACC	AGCACGATTC	AGGTGTTTAC	GGACTCGGAA	TACCAGCTCC
43_5	TAACCTTACC	AGCACGATTC	AGGTGTTTAC	GGACTCGGAA	TACCAGCTCC
43_12	TAACCTTACC	AGCACGATTC	AGGTGTTTAC	GGACTCGGAA	TACCAGCTCC
43_20	TAATCTCACC	AGCACCGTGC	AGGTCTTTAC	GGACTCGGAG	TACCAGTTAC
43_21	TAATCTCACC	AGCACCGTGC	GGGTCTTTAC	GGACTCGGAG	TACCAGTTAC
43_23	TAATCTCACC	AGCACCGTGC	AGGTCTTTAC	GGACTCGGAG	TACCAGTTAC
43_25	TAATCTCACC	AGCACCGTGC	AGGTCTTTAC	GGACTCGGAG	TACCAGTTAC
44_1	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
44_5	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
223_10	TAACCTTACC	AGCACGGTTC	AGGTCTTTTC	GGACTCGGAA	TATCAACTGC
223_2	TAACCTTACC	AGCACGGTTC	AGGTCTTTTC	GGACTCGGAA	TATCAACTGC
223_4	TAACCTTACC	AGCACGGTTC	AGGTCTTTTC	GGACTCGGAA	TATCAACTGC
223_5	TAACCTTACC	AGCACGGTTC	AGGTCTTTTC	GGACTCGGAA	TATCAACTGC
223_6	TAACCTTACC	AGCACGGTTC	AGGTCTTTTC	GGACTCGGAA	TATCAACTGC
223_7	TAACCTTACC	AGCACGGTTC	AGGTCTTTTC	GGACCCGGAA	TATCAACTGC
A3_4	TAACCTTACC	AGCACGGTGC	AGGTCTTCAC	AGACTCTGAG	TACCAGCTGC
A3_5	TAACCTTACC	AGCACGGTGC	AGGTCTTCAC	AGACTCTGAG	TACCAGCTGC
A3_7	TAACCTTACC	AGCACGGTGC	AGGTCTTCAC	AGACTCTGAG	TACCAGCTGC
A3_3	TAACCTTACC	AGCGCGGTGC	AGGTCTTCAC	AGACTCTGAG	TACCAGCTGC
42_12	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC
AAV1	TAACCTTACC	AGCACGGTTC	AAGTCTTCTC	GGACTCGGAG	TACCAGCTTC
AAV2	TAACCTTACC	AGCACGGTTC	AGGTGTTTAC	TGACTCGGAG	TACCAGCTCC
AAV3	TAACCTTACC	AGCACGGTTC	AAGTGTTTAC	GGACTCGGAG	TATCAGCTCC
AAV8	TAACCTCACC	AGCACCATCC	AGGTGTTTAC	GGACTCGGAG	TACCAGCTGC
AAV9	TAACCTTACC	AGCACCGTCC	AGGTCTTTAC	GGACTCGGAG	TACCAGCTAC
AAV7	TAACCTTACC	AGCACGATTC	AGGTATTCTC	GGACTCGGAA	TACCAGCTGC
44_2	TAACCTTACC	AGCACGATTC	AGGTCTTTAC	GGACTCGGAA	TACCAGCTCC



Fig. 1AAO

	3301				3350
42_2	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCTGCG
42_8	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
42_15	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCCGCCTCC	GTTCCCGGCG
42_5b	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
42_1b	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
42_13	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
42_3a	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
42_4	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
42_5a	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCTGCG
42_10	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCTGCG
42_3b	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCTGCG
42_1	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCTGCG
42_6b	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCTGCG
43_1	CGTACGTCCC	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCGGCG
43_5	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCGGCG
43_12	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCGGCG
43_20	CGTACGTGCT	AGGATCCGCT	CACCAGGGAT	GTCTGCCTCC	GTTCCCGGCG
43_21	CGTACGTGCT	AGGATCCGCT	CACCAGGGAT	GTCTGCCTCC	GTTCCCGGCG
43_23	CGTACGTGCT	AGGATCCGCT	CACCAGGGAT	GTCTGCCTCC	GTTCCCGGCG
43_25	CGTACGTGCT	AGGATCCGCT	CACCAGGGAT	GTCTGCCTCC	GTTCCCGGCG
44_1	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
44_5	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
223_10	CGTACGTCCT	CGGCTCCGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCA
223_2	CGTACGTCCT	CGGCTCCGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCA
223_4	CGTACGTCCT	CGGCTCCGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCA
223_5	CGTACGTCCT	CGGCTCCGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCA
223_6	CGTACGTCCT	CGGCTCCGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCA
223_7	CGTACGTCCT	CGGCTCCGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCA
A3_4	CCTACGTCCT	CGGTTCCGGCT	CACCAGGGCT	GCCTTCCGCC	GTTCCCAGCA
A3_5	CCTACGTCCT	CGGTTCCGGCT	CACCAGGGCT	GCCTTCCGCC	GTTCCCAGCA
A3_7	CCTACGTCCT	CGGTTCCGGCT	CACCAGGGCT	GCCTTCCGCC	GTTCCCAGCA
A3_3	CCTACGTCCT	CGGTTCCGGCT	CACCAGGGCT	GCCTTCCGCC	GTTCCCAGCA
42_12	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
AAV1	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTCCCTCC	GTTCCCGGCG
AAV2	CGTACGTCCT	CGGCTCGGCG	CATCAAGGAT	GCCTCCCGCC	GTTCCCAGCA
AAV3	CGTACGTGCT	CGGGTCGGCG	CACCAAGGCT	GTCTCCCGCC	GTTTCCAGCG
AAV8	CGTACGTTCT	CGGCTCTGCC	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
AAV9	CGTACGTCCT	AGGCTCTGCC	CACCAAGGAT	GCCTGCCACC	GTTTCCTGCA
AAV7	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG
44_2	CGTACGTCCT	CGGCTCTGCG	CACCAGGGCT	GCCTGCCTCC	GTTCCCGGCG

Fig. 1AAP

	3351				3400
42_2	GACGTGTTCA	TGATTCCTCA	GTACGGATAT	CTGACTCTAA	ACAACGGCAG
42_8	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
42_15	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
42_5b	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
42_1b	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
42_13	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
42_3a	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
42_4	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
42_5a	GACGTGTTCA	TGATTCCTCA	GTACGGATAT	CTGACTCTAA	ACAACGGCAG
42_10	GACGTGTTCA	TGATTCCTCA	GTACGGATAT	CTGACTCTAA	ACAACGGCAG
42_3b	GACGTGTTCA	TGATTCCTCA	GTACGGATAT	CTGACTCTAA	ACAACGGCAG
42_1	GACGTGTTCA	TGATTCCTCA	GTACGGATAT	CTGACTCTAA	ACAACGGCAG
42_6b	GACGTGTTCA	TGATTCCTCA	GTACGGATAT	CTGACTCTAA	ACAACGGCAG
43_1	GACGTCTTCA	TGATTCCTCA	GTACGGGTAT	CTGACCCTAA	ACAATGGCAG
43_5	GACGTCTTCA	TGATTCCTCA	GTACGGGTAT	CTGACCCTAA	ACAATGGCAG
43_12	GACGTCTTCA	TGATTCCTCA	GTACGGGTAT	CTGACCCTAA	ACAATGGCAG
43_20	GACGTCTTCA	CGGTTCCCTCA	GTACGGCTAT	TTAACTTTAA	ACAATGGAAG
43_21	GACGTCTTCA	TGGTTCCTCA	GTACGGCTAT	TTAACTTTAA	ACAATGGAAG
43_23	GACGTCTTCA	TGGTTCCTCA	GTACGGCTAT	TTAACTTTAA	ACAATGGAAG
43_25	GACGTCTTCA	TGGTTCCTCA	GTACGGCTAT	TTAACTTTAA	ACAATGGAAG
44_1	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAATGGCAG
44_5	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAATGGCAG
223_10	GACGTGTTCA	TGATTCCGCA	GTACGGATAC	CTGACTCTGA	ACAATGGCAG
223_2	GACGTGTTCA	TGATTCCGCA	GTACGGATAC	CTGACTCTGA	ACAATGGCAG
223_4	GACGTGTTCA	TGATTCCGCA	GTACGGATAC	CTGACTCTGA	ACAATGGCAG
223_5	GACGTGTTCA	TGATTCCGCA	GTACGGATAC	CTGACTCTGA	ACAATGGCAG
223_6	GACGTGTTCA	TGATTCCGCA	GTACGGATAC	CTGACTCTGA	ACAATGGCAG
223_7	GACGTGTTCA	TGATTCCGCA	GTACGGATAC	CTGACTCTGA	ACAATGGCAG
A3_4	GACGTCTTCA	TGATTCCTCA	GTACGGCTAC	TTGACTCTGA	ACAATGGCAG
A3_5	GACGTCTTCA	TGATTCCTCA	GTACGGCTAC	TTGACTCTGA	ACAATGGCAG
A3_7	GACGTCTTCA	TGATTCCTCA	GTACGGCTAC	TTGACTCTGA	ACAATGGCAG
A3_3	GACGTCTTCA	TGATTCCTCA	GTACGGCTAC	TTGACTCTGA	ACAATGGCAG
42_12	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAACGGCAG
AAV1	GACGTGTTCA	TGATTCCGCA	ATACGGCTAC	CTGACGCTCA	ACAATGGCAG
AAV2	GACGTCTTCA	TGGTGCCACA	GTATGGATAC	CTCACCCTGA	ACAACGGGAG
AAV3	GACGTCTTCA	TGGTCCCTCA	GTATGGATAC	CTCACCCTGA	ACAACGGGAG
AAV8	GACGTGTTCA	TGATTCCCCA	GTACGGCTAC	CTAACACTCA	ACAACGGTAG
AAV9	GACGTCTTCA	TGGTTCCTCA	GTACGGCTAC	CTGACGCTCA	ACAATGGAAG
AAV7	GACGTCTTCA	TGATTCCTCA	GTACGGCTAC	CTGACTCTCA	ACAATGGCAG
44_2	GACGTCTTCA	TGATTCCTCA	GTACGGGTAC	CTGACTCTGA	ACAATGGCAG

Fig. 1AAQ

	3401				3450
42_2	TCAGTCTGTG	GGACGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_8	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_15	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_5b	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_1b	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_13	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_3a	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_4	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_5a	TCAGTCTGTG	GGACGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_10	TCAGTCTGTG	GGACGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_3b	TCAGTCTGTG	GGACGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_11	TCAGTCTGTG	GGACGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
42_6b	TCAGTCTGTG	GGACGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
43_1	TCAGGCTGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAATAC	TTCCCTTCTC
43_5	TCAGGCTGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAATAC	TTCCCTTCTC
43_12	TCAGGCTGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAATAC	TTCCCTTCTC
43_20	CCAAGCCCTG	GGACGTTCCCT	CCTTCTACTG	TCTGGAGTAT	TTCCCATCGC
43_21	CCAAGCCCTG	GGACGTTCCCT	CCTTCTACTG	TCTGGAGTAT	TTCCCATCGC
43_23	CCAAGCCCTG	GGACGTTCCCT	CCTTCTACTG	TCTGGAGTAT	TTCCCATCGC
43_25	CCAAGCCCTG	GGACGTTCCCT	CCTTCTACTG	TCTGGAGTAT	TTCCCATCGC
44_1	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
44_5	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
223_10	CCAATCGGTA	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
223_2	CCAATCGGTA	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
223_4	CCAATCGGTA	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
223_5	CCAATCGGTA	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
223_6	CCAATCGGTA	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
223_7	CCAATCGGTA	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
A3_4	CCAAGCGGTA	GGACGTTCTT	CATTCTACTG	TCTAGAGTAT	TTTCCCTCTC
A3_5	CCAAGCGGTA	GGACGTTCTT	CATTCTACTG	TCTAGAGTAT	TTTCCCTCTC
A3_7	CCAAGCGGTA	GGACGTTCTT	CATTCTACTG	TCTAGAGTAT	TTTCCCTCTC
A3_3	CCAAGCGGTA	GGACGTTCTT	CATTCTACTG	TCTAGAGTAT	TTTCCCTCTC
42_12	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC
AAV1	CCAAGCCGTG	GGACGTTCTT	CCTTTTACTG	CCTGGAATAT	TTCCCTTCTC
AAV2	TCAGGCAGTA	GGACGTTCTT	CATTTTACTG	CCTGGAGTAC	TTTCCTTCTC
AAV3	TCAAGCGGTG	GGACGTTCTT	CCTTTTACTG	CCTGGAGTAC	TTCCCTTCTC
AAV8	TCAGGCCGTG	GGACGTTCTT	CCTTCTACTG	CCTGGAATAC	TTTCCTTCTC
AAV9	TCAAGCGTTA	GGACGTTCTT	CCTTCTACTG	TCTGGAATAC	TTCCCTTCTC
AAV7	TCAGTCTGTG	GGACGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTCCCTTCTC
44_2	TCAGGCCGTG	GGCCGTTCCCT	CCTTCTACTG	CCTGGAGTAC	TTTCCTTCTC

Fig. 1AAR

	3451				3500
42_2	AGATGCTGAG	AACGGGCAAT	AACTTTGAAT	TCAGCTACAC	CTTTGAGGAA
42_8	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
42_15	AAATGCGGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
42_5b	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
42_1b	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
42_13	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
42_3a	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
42_4	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
42_5a	AGATGCTGAG	AACGGGCAAT	AACTTTGAAT	TCAGCTACCA	GTTTGAGGAC
42_10	AGATGCTGAG	AACGGGCAAT	AACTTTGAAT	TCAGCTACAC	CTTTGAGGAA
42_3b	AGATGCTGAG	AACGGGCAAT	AACTTTGAAT	TCAGCTACAC	CTTTGAGGAA
42_11	AGATGCTGAG	AACGGGCAAT	AACTTTGAAT	TCAGCTACAC	CTTTGAGGAA
42_6b	AGATGCTGAG	AACGGGCAAT	AACTTTGAAT	TCAGCTACAC	CTTTGAGGAA
43_1	AAATGCTGAG	GACGGGCAAC	AACTTTGAAT	TCAGCTACAC	CTTCGAGGAC
43_5	AAATGCTGAG	GACGGGCAAC	AACTTTGAAT	TCAGCTACAC	CTTCGAGGAC
43_12	AAATGCTGAG	GACGGGCAAC	AACTTTGAAT	TCAGCTACAC	CTTCGAGGAC
43_20	AGATGCTGAG	AACCGGCAAC	AACTTTCAGT	TCAGCTACAC	CTTCGAGGAC
43_21	AGATGCTGAG	AACCGGCAAC	AACTTTCAGT	TCAGCTACAC	CTTCGAGGAC
43_23	AGATGCCGAG	AACCGGCAAC	AACTTTCAGT	TCAGCTACAC	CTTCGAGGAC
43_25	AGATGCTGAG	AACCGGCAAC	AACTTTCAGT	TCAGCTACAC	CTTCGAGGAC
44_1	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
44_5	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
223_10	AGATGCTGAG	AACGGGCAAC	AACTTCACCT	TTAGCTACAC	CTTCGAGGAC
223_2	AGATGCTGAG	AACGGGCAAC	AACTTCACCT	TTAGCTACAC	CTTCGAGGAC
223_4	AGATGCTGAG	AACGGGCAAC	AACTTCACCT	TTAGCTACAC	CTTCGAGGAC
223_5	AGATGCTGAG	AACGGGCAAC	AACTTCACCT	TTAGCTACAC	CTTCGAGGAC
223_6	AGATGCTGAG	AACGGGCAAC	AACTTCACCT	TTAGCTACAC	CTTCGAGGAC
223_7	AGATGCTGAG	AACGGGCAAC	AACTTCACCT	TTAGCTACAC	CTTCGAGGAC
A3_4	AGATGCTGAG	GACGGGAAAC	AACTTCACCT	TCAGCTACAC	TTTTGAAGAC
A3_5	AGATGCTGAG	GACGGGAAAC	AACTTCACCT	TCAGCTACAC	TTTTGAAGAC
A3_7	AGATGCTGAG	GACGGGAAAC	AACTTCACCT	TCAGCTACAC	TTTTGAAGAC
A3_3	AGATGCTGAG	GACGGGAAAC	AACTTCACCT	TCAGCTACAC	TTTTGAAGAC
42_12	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC
AAV1	AGATGCTGAG	AACGGGCAAC	AACTTTACCT	TCAGCTACAC	CTTTGAGGAA
AAV2	AGATGCTGCG	TACCGGAAAC	AACTTTACCT	TCAGCTACAC	TTTTGAGGAC
AAV3	AGATGCTAAG	GACTGGAAAT	AACTTCCAAT	TCAGCTATAC	CTTCGAGGAT
AAV8	AGATGCTGAG	AACCGGCAAC	AACTTCCAGT	TTACTTACAC	CTTCGAGGAC
AAV9	AGATGCTGAG	AACCGGCAAC	AACTTTCAGT	TCAGCTACAC	TTTCGAGGAC
AAV7	AGATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACAG	CTTCGAGGAC
44_2	AAATGCTGAG	AACGGGCAAC	AACTTTGAGT	TCAGCTACCA	GTTTGAGGAC

Fig. 1AAS

	3501				3550
42_2	GTGCCTTTTC	ACAGCAGCTA	TGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
42_8	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
42_15	GTGCCTTTTC	ACAGCAGCTA	CGCGCATAGC	CAAAGCCTGG	ACCGGCTGAT
42_5b	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
42_1b	GTGCCTTTTC	ACAGCAGCTA	TGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
42_13	GTGCCTTTTC	ACAGCAGCTA	TGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
42_3a	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
42_4	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
42_5a	GTGCCCTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
42_10	GTGCCTTTTC	ACAGCAGCTA	TGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
42_3b	GTGCCTTTTC	ACAGCAGCTA	TGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
42_11	GTGCCTTTTC	ACAGCAGCTA	TGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
42_6b	GTGCCTTTTC	ACAGCAGCTA	TGCGCATAGC	CAGAGCCTGG	ACCGGCTGAT
43_1	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
43_5	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
43_12	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
43_20	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACAGGCTGAT
43_21	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACAGGCTGAT
43_23	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACAGGCTGAT
43_25	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACAGGCTGAT
44_1	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
44_5	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT
223_10	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ACCGGCTGAT
223_2	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ACCGGCTGAT
223_4	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	GCCGGCTGAT
223_5	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	GCCGGCTGAT
223_6	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ACCGGCTGAT
223_7	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ACCGGCTGAT
A3_4	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ATCGGCTGAT
A3_5	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ATCGGCTGAT
A3_7	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ATCGGCTGAT
A3_3	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGTCTGG	ATCGGCTGAT
42_12	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAC
AAV1	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAGAGCCTGG	ACCGGCTGAT
AAV2	GTTCTTTTC	ACAGCAGCTA	CGCTCACAGC	CAGAGTCTGG	ACCGTCTCAT
AAV3	GTACCTTTTC	ACAGCAGCTA	CGCTCACAGC	CAGAGTTTGG	ATCGCTTGAT
AAV8	GTGCCTTTTC	ACAGCAGCTA	CGCCACAGC	CAGAGCTTGG	ACCGGCTGAT
AAV9	GTGCCTTTTC	ACAGCAGCTA	CGCACACAGC	CAGAGTCTAG	ATCGACTGAT
AAV7	GTGCCTTTTC	ACAGCAGCTA	CGCACACAGC	CAGAGCCTGG	ACCGGCTGAT
44_2	GTGCCTTTTC	ACAGCAGCTA	CGCGCACAGC	CAAAGCCTGG	ACCGGCTGAT

Fig. 1AAT

	3551				3600
42_2	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGCCCGG	ACCCAGAGCA
42_8	GAACCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_15	GAACCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_5b	GAACCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_1b	GAACCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_13	GAACCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_3a	GAACCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_4	GAACCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_5a	GAACCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
42_10	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGCCCGG	ACCCAGAGCA
42_3b	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGCCCGG	ACCCAGAGCA
42_11	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGCCCGG	ACCCAGAGCA
42_6b	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGCCCGG	ACCCAGAGCA
43_1	GAACCCTCTC	ATCGACCAGT	ACCTGTATTA	CTTATCCAGA	ACTCAGTCCA
43_5	GAACCCTCTC	ATCGACCAGT	ACCTGTATTA	CTTATCCAGA	ACTCAGTCCA
43_12	GAACCCTCTC	ATCGACCAGT	ACCTGTATTA	CTTATCCAGA	ACTCAGTCCA
43_20	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGTCAGA	ACGCAAACGA
43_21	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGTCAGA	ACGCAAACGA
43_23	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGTCAGA	ACGCAAACGA
43_25	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGTCAGA	ACGCAAACGA
44_1	GAACCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
44_5	GAACCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA
223_10	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CTTGGCCAGA	ACACAGAGCA
223_2	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CTTGGCCAGA	ACACAGAGCA
223_4	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CTTGGCCAGA	ACACAGAGCA
223_5	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CTTGGCCAGA	ACACAGAGCA
223_6	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CTTGGCCAGA	ACACAGAGCA
223_7	GAATCCCCTC	ATCGACCAGT	ACCTGTACTA	CTTGGCCAGA	ACACAGAGCA
A3_4	GAATCCTCTC	ATTGACCAGT	ACCTGTATTA	CCTGAGCAAA	ACTCAGGGTA
A3_5	GAATCCTCTC	ATTGACCAGT	ACCTGTATTA	CCTGAGCAAA	ACTCAGGGTA
A3_7	GAATCCTCTC	ATTGACCAGT	ACCTGTATTA	CCTGAGCAAA	ACTCAGGGTA
A3_3	GAATCCTCTC	ATTGACCAGT	ACCTGTATTA	CCTGAGCAAA	ACTCAGGGTA
42_12	GAACCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGGCCCGG	ACCCAGAGCA
AAV1	GAATCCTCTC	ATCGACCAAT	ACCTGTATTA	CCTGAACAGA	ACTCAA . AT
AAV2	GAATCCTCTC	ATCGACCAGT	ACCTGTATTA	CTTGAGCAGA	ACAAACACTC
AAV3	GAATCCTCTT	ATTGATCAGT	ATCTGTACTA	CCTGAACAGA	ACGCAAGGAA
AAV8	GAATCCTCTG	ATTGACCAGT	ACCTGTACTA	CTTGTCTCGG	ACTCAAACAA
AAV9	GAACCCCCTC	ATCGACCAGT	ACCTATACTA	CCTGGTCAGA	ACACAGACAA
AAV7	GAATCCCCTC	ATCGACCAGT	ACTTGTACTA	CCTGGCCAGA	ACACAGAGTA
44_2	GAACCCCCTC	ATCGACCAGT	ACCTGTACTA	CCTGTCTCGG	ACTCAGTCCA

Fig. 1AAU

	3601				3650
42_2	CTACGG..GG	TCCACAAGGG	AGCTGCA.GT	TCCA.....	TCAGGCTGGG
42_8	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_15	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_5b	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_1b	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_13	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_3a	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_4	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_5a	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
42_10	CTACG...GG	GTCCACAAGG	GAGCTGCAGT	TCCA.....	TCAGGCTGGG
42_3b	CTACG...GG	GTCCACAAGG	GAGCTGCAGT	TCCA.....	TCAGGCTGGG
42_11	CTACG...GG	GTCCACAAGG	GAGCTGCAGT	TCCA.....	TCAGGCTGGG
42_6b	CTACG...GG	GTCCACAAGG	GAGCTGCAGT	TCCA.....	TCAGGCTGGG
43_1	CAGGA...GG	AACTCAAGGT	ACTCAGCAAT	TGTTATTTTC	TCAAGCCGGG
43_5	CAGGA...GG	AACTCAAGGT	ACTCAGCAAT	TGTTATTTTC	TCAAGCCGGG
43_12	CAGGA...GG	AACTCAAGGT	ACTCAGCAAT	TGTTATTTTC	TCAAGCCGGG
43_20	CT.....GG	AACTGGAGGG	ACGCAGACTC	TGGCATTTCAG	CCAAGCGGGT
43_21	CT.....GG	AACTGGAGGG	ACGCAGACTC	TGGCATTTCAG	CCAAGCGGGT
43_23	CT.....GG	AACTGGAGGG	ACGCAGACTC	TGGCATTTCAG	CCAAGCGGGT
43_25	CT.....GG	AACTGGAGGG	ACGCAGACTC	TGGCATTTCAG	CCAAGCGGGT
44_1	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
44_5	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG
223_10	ACGCAGGAGG	TACTGCTGGC	AATCGGGAAC	TGCAGTTTTA	TCAGGGCGGA
223_2	ACGCAGGAGG	TACTGCTGGC	AATCGGGAAC	TGCAGTTTTA	TCAGGGCGGA
223_4	ACGCAGGAGG	TACTGCTGGC	AATCGGGAAC	TGCAGTTTTA	TCAGGGCGGA
223_5	ACGCAGGAGG	TACTGCTGGC	AATCGGGAAC	TGCAGTTTTA	TCAGGGCGGA
223_6	ACGCAGGAGG	TACTGCTGGC	AATCGGGAAC	TGCAGTTTTA	TCAGGGCGGA
223_7	ACGCAGGAGG	TACTGCTGGC	AATCGGGAAC	TGCAGTTTTA	TCAGGGCGGA
A3_4	CAAG...TGG	AACAACGCAG	CAATCGAGAC	TGCAGTTCAG	CCAAGCTGGG
A3_5	CAAG...TGG	AACAACGCAG	CAATCGAGAC	TGCAGTTCAG	CCAAGCTGGG
A3_7	CAAG...TGG	AACAACGCAG	CAATCGAGAC	TGCAGTTCAG	CCAAGCTGGG
A3_3	CAAG...TGG	AACAACGCAG	CAATCGAGAC	TGCAGTTCAG	CCAAGCTGGG
42_12	CTACG...GG	GTCCACAAGG	GGGCTGCAGT	TCCA.....	TCAGGCTGGG
AAV1	CAGTCC..GG	AAGTGCCCAA	AACAAGGACT	TGCTGTTTAG	CCGTGGGTCT
AAV2	CAAG...TGG	AACCACCACG	CAGTCAAGGC	TTCAGTTTTC	TCAGGCCGGA
AAV3	CAACCTCTGG	AACAACCAAC	CAATCACGGC	TGCTTTTTAG	CCAGGCTGGG
AAV8	CAGGAG..GC	.ACGGCAAAT	ACGCAGACTC	TGGGCTTCAG	CCAAGGTGGG
AAV9	CTGGA.....	.ACTGGGGGA	ACTCAAACCT	TGGCATTTCAG	CCAAGCAGGC
AAV7	ACCCAGGAGG	CACAGCTGGC	AATCGGGAAC	TGCAGTTTTA	CCAGGGCGGG
44_2	CGGGA...GG	TACCGCAGGA	ACTCAGCAGT	TGCTATTTTC	TCAGGCCGGG

Fig. 1AAV

	3651				3700
42_2	CCCAACACCA	TGGCCGAGCA	ATCAAAGAAC	TGGCTGCCCCG	GACCCTGTGA
42_8	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_15	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_5b	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_1b	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_13	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_3a	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_4	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_5a	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
42_10	CCCAACACCA	TGGCCGAGCA	ATCAAAGAAC	TGGCTGCCCCG	GACCCTGTGA
42_3b	CCCAACACCA	TGGCCGAGCA	ATCAAAGAAC	TGGCTGCCCCG	GACCCTGTGA
42_11	CCCAACACCA	TGGCCGAGCA	ATCAAAGAAC	TGGCTGCCCCG	GACCCTGTGA
42_6b	CCCAACACCA	TGGCCGAGCA	ATCAAAGAAC	TGGCTGCCCCG	GACCCTGTGA
43_1	CCCGCAAACA	TGTCGGCTCA	GGCCAAGAAC	TGGCTACCTG	GACCGTGTGA
43_5	CCCGCAAACA	TGTCGGCTCA	GGCCAAGAAC	TGGCTACCTG	GACCGTGTGA
43_12	CCCGCAAACA	TGTCGGCTCA	GGCCAAGAAC	TGGCTACCTG	GACCGTGTGA
43_20	CCTAGCTCAA	TGGCCAACCA	GGCTAGAAAT	TGGGTGCCCCG	GACCTTGCTA
43_21	CCTAGCTCAA	TGGCCAACCA	GGCTAGAAAT	TGGGTGCCCCG	GACCTTGCTA
43_23	CCTAGCTCAA	TGGCCAACCA	GGCTAGAAAT	TGGGTGCCCCG	GACCTTGCTA
43_25	CCTAGCTCAA	TGGCCAACCA	GGCTAGAAAT	TGGGTGCCCCG	GACCTTGCTA
44_1	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
44_5	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA
223_10	CCTACCACCA	TGGCCGAACA	AGCAAAGAAC	TGGCTGCCCCG	GACCTTGCTT
223_2	CCTACCACCA	TGGCCGAACA	AGCAAAGAAC	TGGCTGCCCCG	GACCTTGCTT
223_4	CCTACCACCA	TGGCCGAACA	AGCAAAGAAC	TGGCTGCCCCG	GACCTTGCTT
223_5	CCTACCACCA	TGGCCGAACA	AGCAAAGAAC	TGGCTGCCCCG	GACCTTGCTT
223_6	CCTACCACCA	TGGCCGAACA	AGCAAAGAAC	TGGCTGCCCCG	GACCTTGCTT
223_7	CCTACCACCA	TGGCCGAACA	AGCAAAGAAC	TGGCTGCCCCG	GACCTTGCTT
A3_4	CCTAGCTCCA	TGGCTCAGCA	GGCCAAAAAC	TGGCTACCGG	GACCCAGCTA
A3_5	CCTAGCTCCA	TGGCTCAGCA	GGCCAAAAAC	TGGCTACCGG	GACCCAGCTA
A3_7	CCTAGCTCCA	TGGCTCAGCA	GGCCAAAAAC	TGGCTACCGG	GACCCAGCTA
A3_3	CCTAGCTCCA	TGGCTCAGCA	GGCCAAAAAC	TGGCTACCGG	GACCCAGCTA
42_12	CCCAACACCA	TGGCCGAGCA	ATCAAAGAAC	TGGCTGCCCCG	GACCCTGTGA
AAV1	CCAGCTGGCA	TGTCTGTTCA	GCCCAAAAAC	TGGCTACCTG	GACCCTGTGA
AAV2	GCGAGTGACA	TTCGGGACCA	GTCTAGGAAC	TGGCTTCCTG	GACCCTGTGA
AAV3	CCTCAGTCTA	TGTCTTTGCA	GGCCAGAAAT	TGGCTACCTG	GGCCCTGCTA
AAV8	CCTAATAACA	TGGCCAATCA	GGCAAAGAAC	TGGCTGCCAG	GACCCTGTGA
AAV9	CCTAGCTCAA	TGGCCAATCA	GGCTAGAAAC	TGGGTACCCG	GGCCCTGCTA
AAV7	CCTTCAACTA	TGGCCGAACA	AGCCAAGAAT	TGGTTACCTG	GACCTTGCTT
44_2	CCTAATAACA	TGTCGGCTCA	GGCCAAAAAC	TGGCTACCCG	GGCCCTGCTA



Fig. 1AAW

	3701				3750
42_2	TCGGCAGCAG	AGACTGTCAA	AAAACATAGA	CAGCAACAAC	AACAGTAACT
42_8	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
42_15	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
42_5b	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
42_1b	CCGGCAGCAA	CGCGTCTCCA	CGACAGTGTC	GCAAAATAAC	AACAGCAACT
42_13	CCGGCAGCAA	CGCGTCTCCA	CGACAGTGTC	GCAAAATAAC	AACAGCAACT
42_3a	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
42_4	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
42_5a	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
42_10	TCGGCAGCAG	AGACTGTCAA	AAAACATAGA	CAGCAACAAC	AACAGTAACT
42_3b	TCGGCAGCAG	AGACTGTCAA	AAAACATAGA	CAGCAACAAC	ACCAGTAACT
42_11	TCGGCAGCAG	AGACTGTCAA	AAGACATAGA	CAGCAACAAC	AACAGTAACT
42_6b	TCGGCAGCAG	AGACTGTCAA	AAAACATAGA	CAGCAACAAC	AACAGTAACT
43_1	CCGTCAGCAA	CGAGTTTCCA	CGACACTGTC	GCAAAACAAC	AACAGCAATT
43_5	CCGTCAGCAA	CGAGTTTCCA	CGACACTGTC	GCAAAACAAC	AACAGCAATT
43_12	CCGTCAGCAA	CGAGTTTCCA	CGACACTGTC	GCAAAACAAC	AACAGCAATT
43_20	CCGGCAGCAG	CGCGTCTCCA	CGACAACCAA	CCAGAACAAC	AACAGCAACT
43_21	CCGGCAGCAG	CGCGTCTCCA	CGACAACCAA	CCAGAGCAAC	AACAGCAACT
43_23	CCGGCAGCAG	CGCGTCTCCA	CGACAACCAA	CCAGAACAAC	AACAGCAACT
43_25	CCGGCAGCAG	CGCGTCTCCA	CGACAACCAA	CCAGAACAAC	AACAGCAACT
44_1	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
44_5	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT
223_10	CCGGCAACAG	AGAGTATCCA	AGACGCTGGA	TCAAAATAAC	AACAGCAACT
223_2	CCGGCAACAG	AGAGTATCCA	AGACGCTGGA	TCAAAATAAC	AACAGCAACT
223_4	CCGGCAACAG	AGAGTATCCA	AGACGCTGGA	TCAAAATAAC	AACAGCAACT
223_5	CCGGCAACAG	AGAGTATCCA	AGACGCTGGA	TCAAAATAAC	AACAGCAACT
223_6	CCGGCAACAG	AGAGTATCCA	AGACGCTGGA	TCAAAATAAC	AACAGCAACT
223_7	CCGGCAACAG	AGAGTATCCA	AGACGCTGGA	TCAAAATAAC	AACAGCAACT
A3_4	CCGACAGCAG	CGAATGTCTA	AGACGGCTAA	TGACAACAAC	AACAGTGAAT
A3_5	CCGACAGCAG	CGAATGTCTA	AGACGGCTAA	TGACAACAAC	AACAGTGAAT
A3_7	CCGACAGCAG	CGAATGTCTA	AGACGGCTAA	TGACAACAAC	AACAGTGAAT
A3_3	CCGACAGCAG	CGAATGTCTA	AGACGGCTAA	TGACAACAAC	AACAGTGAAT
42_12	TCGGCAGCAG	AGACTGTCAA	AAAACATAGA	CAGCAACAAC	AACAGTAACT
AAV1	TCGGCAGCAG	CGCGTTTCTA	AAACAAAAAC	AGACAACAAC	AACAGCAATT
AAV2	CCGCCAGCAG	CGAGTATCAA	AGACATCTGC	GGATAACAAC	AACAGTGAAT
AAV3	CCGGCAACAG	AGACTTTCAA	AGACTGCTAA	CGACAACAAC	AACAGTAACT
AAV8	CCGCCAACAA	CGCGTCTCAA	CGACAACCGG	GCAAAACAAC	AATAGCAACT
AAV9	CCGTCAGCAG	CGCGTCTCCA	CAACCACCAA	CCAAAATAAC	AACAGCAACT
AAV7	CCGGCAACAA	AGAGTCTCCA	AAACGCTGGA	TCAAAACAAC	AACAGCAACT
44_2	CCGGCAGCAA	CGCGTCTCCA	CGACACTGTC	GCAAAATAAC	AACAGCAACT

Fig. 1AAX

	3751				3800
42_2	TTGCCTGGAC	CGGGGCCACT	AAATACCATC	TGAATGGTAG	AAATTCATTA
42_8	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_15	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_5b	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_1b	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_13	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_3a	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_4	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_5a	TTGCTTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
42_10	TTGCCTGGAC	CGGGGCCACT	AAATACCATC	TGAATGGTAG	AAATTCATTA
42_3b	TTGCCTGGAC	CGGGGCCACT	AAATACCATC	TGAATGGTAG	AAATTCATTA
42_11	TTGCCTGGAC	CGGGGCCACT	AAATACCATC	TGAATGGTAG	AAATTCATTA
42_6b	TTGCCTGGAC	CGGGGCCACT	AAATACCATC	TGAATGGTAG	AAATTCATTA
43_1	TTGCTTGGAC	CGGTGCCACC	AAGTATCACC	TGAATGGCAG	AGACTCCCTG
43_5	TTGCTTGGAC	CGGTGCCACC	AAGTATCACC	TGAATGGCAG	AGACTCCCTG
43_12	TTGCTTGGAC	CGGTGCCACC	AAGTATCACC	TGAATGGCAG	AGACTCCCTG
43_20	TTGCCTGGAC	GGGAGCTGCC	AAGTTTAAGC	TGAACGGCCG	AGACTCTCTA
43_21	TTGCCTGGAC	GGGAGCTGCC	AAGTTTAAGC	TGAACGGCCG	AGACTCTCTA
43_23	TTGCCTGGAC	GGGAGCTGCC	AAGTTTAAGC	TGAACGGCCG	AGACTCTCTA
43_25	TTGCCTGGAC	GGGAGCTGCC	AAGTTTAAGC	TGAACGGCCG	AGACTCTCTA
44_1	TTGCCTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
44_5	TTGCCTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG
223_10	TTGCCTGGAC	TGGTGCCACA	AAATACCATT	TAAATGGAAG	AAATTCATTG
223_2	TTGCCTGGAC	TGGTGCCACA	AAATACCATT	TAAATGGAAG	AAATTCATTG
223_4	TTGCCTGGAC	TGGTGCCACA	AAATACCATT	TAAATGGAAG	AAATTCATTG
223_5	TTGCCTGGAC	TGGTGCCACA	AAATACCATT	TAAATGGAAG	AAATTCATTG
223_6	TTGCCTGGAC	TGGTGCCACA	AAATACCATT	TAAATGGAAG	AAATTCATTG
223_7	TTGCCTGGAC	TGGTGCCACA	AAATACCATT	TAAATGGAAG	AAATTCATTG
A3_4	TTGCTTGGAC	TGCAGCCACC	AAATATTACC	TGAATGGAAG	AAATTCTCTG
A3_5	TTGCTTGGAC	TGCAGCCACC	AAATATTACC	TGAATGGAAG	AAATTCTCTG
A3_7	TTGCTTGGAC	TGCAGCCACC	AAATATTACC	TGAATGGAAG	AAATTCTCTG
A3_3	TTGCTTGGAC	TGCAGCCACC	AAATATTACC	TGAATGGAAG	AAATTCTCTG
42_12	TTGCCTGGAC	CGGGGCCACT	AAATACCATC	TGAATGGTAG	AAATTCATTA
AAV1	TTACCTGGAC	TGGTGCTTCA	AAATATAACC	TCAATGGGCG	TGAATCCATC
AAV2	ACTCGTGGAC	TGGAGCTACC	AAGTACCACC	TCAATGGCAG	AGACTCTCTG
AAV3	TTCCTTGGAC	AGCGGCCAGC	AAATATCATC	TCAATGGCCG	CGACTCGCTG
AAV8	TTGCCTGGAC	TGCTGGGACC	AAATACCATC	TGAATGGAAG	AAATTCATTG
AAV9	TTGCGTGGAC	GGGAGCTGCT	AAATCAAGC	TGAACGGGAG	AGACTCGCTA
AAV7	TTGCTTGGAC	TGGTGCCACC	AAATATCACC	TGAACGGCAG	AAACTCGTTG
44_2	TTGCCTGGAC	CGGTGCCACC	AAGTATCATC	TGAATGGCAG	AGACTCTCTG

Fig. 1AAY

	3801				3850
42_2	ACCAACCCGG	GCGTAGCCAT	GGCCACCAAC	AAGGACGACG	AGGACCAGTT
42_8	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGACGACG	AAGAGCGATT
42_15	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGACGACG	AAGAGCGATT
42_5b	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGACGACG	AAGAGCGATT
42_1b	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGGCGACG	AAGAGCGATT
42_13	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGGCGACG	AAGAGCGATT
42_3a	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGACGACG	AAGAGCGATT
42_4	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGACGACG	AAGAGCGATT
42_5a	GTAAATCCCG	GTGTCGCTAT	GGCAACGCAC	AAGGACGACG	AAGAGCGATT
42_10	ACCAACCCGG	GCGTAGCCAT	GGCCACCAAC	AAGGACGACG	AGGACCAGTT
42_3b	ACCAACCCGG	GCGTAGCCAT	GGCCACCAAC	AAGGACGACG	AGGACCAGTT
42_11	ACCAACCCGG	GCGTAGCCAT	GGCCACCAAC	AAGGACGACG	AGGACCAGTT
42_6b	ACCAACCCGG	GCGTAGCCAT	GGCCACCAAC	AAGGACGACG	AGGACCAGTT
43_1	GTTAATCCCG	GCGTTGCCAT	GGCTACCCAC	AAGGACGACG	AGGAGCGCTT
43_5	GTTAATCCCG	GCGTTGCCAT	GGCTACCCAC	AAGGACGACG	AGGAGCGCTT
43_12	GTTAATCCCG	GCGTTGCCAT	GGCTACCCAC	AAGGACGACG	AGGAGCGCTT
43_20	ATGAATCCGG	GCGTGGCAAT	GGCTTCCCAC	AAGGATGACG	ACGACCGCTT
43_21	ATGAATCCGG	GCGTGGCAAT	GGCTTCCCAC	AAGGATGACG	ACGACCGCTT
43_23	ATGAATCCGG	GCGTGGCAAT	GGCTTCCCAC	AAGGATGACG	ACGACCGCTT
43_25	ATGAATCCGG	GCGTGGCAAT	GGCTTCCCAC	AAGGATGACG	ACGACCGCTT
44_1	GTAAATCCCG	GTGTCGCTAT	GGCAACCCAC	AAGGACGACG	AAGAGCGATT
44_5	GTAAATCCCG	GTGTCGCTAT	GGCAACCCAC	AAGGACGACG	AAGAGCGATT
223_10	GTTAATCCCG	GTGTCGCCAT	GGCAACCCAC	AAGGACGACG	AGGAACGCTT
223_2	GTTAATCCCG	GTGTCGCCAT	GGCAACCCAC	AAGGACGACG	AGGAACGCTT
223_4	GTTAATCCCG	GTGTCGCCAT	GGCAACCCAC	AAGGACGACG	AGGAACGCTT
223_5	GTTAATCCCG	GTGTCGCCAT	GGCAACCCAC	AAGGACGACG	AGGAACGCTT
223_6	GTTAATCCCG	GTGTCGCCAT	GGCAACCCAC	AAGGACGACG	AGGAACGCTT
223_7	GTTAATCCCG	GTGTCGCCAT	GGCAACCCAC	AAGGACGACG	AGGAACGCTT
A3_4	GTCAATCCCG	GGCCCCAAT	GGCCAGTCAC	AAGGACGATG	AGGAAAAGTA
A3_5	GTCAATCCCG	GGCCCCAAT	GGCCAGTCAC	AAGGACGATG	AGGAAAAGTA
A3_7	GTCAATCCCG	GGCCCCAAT	GGCCAGTCAC	AAGGACGATG	AGGAAAAGTA
A3_3	GTCAATCCCG	GGCCCCAGT	GGCCAGTCAC	AAGGACGATG	AGGAAAAGTA
42_12	ACCAACCCGG	GCGTAGCCAT	GGCCACCAAC	AAGGACGACG	AGGACCAGTT
AAV1	ATCAACCCTG	GCACTGCTAT	GGCCTCACAC	AAAGACGACG	AAGACAAGTT
AAV2	GTGAATCC..	GGCC...AT	GGCAAGCCAC	AAGGACGATG	AAGAAAAGTT
AAV3	GTGAATCCAG	GACCAGCTAT	GGCCAGTCAC	AAGGACGATG	AAGAAAAATT
AAV8	GCTAATCCTG	GCATCGCTAT	GGCAACACAC	AAAGACGACG	AGGAGCGTTT
AAV9	ATGAATCCTG	GCGTGGCTAT	GGCATCGCAC	AAAGACGACG	AGGACCGCTT
AAV7	GTTAATCCCG	GCGTCGCCAT	GGCAACTCAC	AAGGACGACG	AGGACCGCTT
44_2	GTAAATCCCG	GTGTCGCTAT	GGCAACCCAC	AAGGACGACG	AAGAGCGATT

Fig. 1AAZ

	3851				3900
42_2	CTTTCCCATC	AACGGAGTGC	TGGTTTTTTGG	CGAAACGGGG	GCTGCCAACA
42_8	TTTTCCATCC	AGCGGAGTCT	TGATGTTTGG	GAAACAGGGA	GCTGGAAA..
42_15	TTTTCCATCC	AGCGGAGTCT	TGATGTTTGG	GAAACAGGGA	GCTGGAAA..
42_5b	TTTTCCATCC	AGCGGAGTCT	TGATGTTTGG	GAAACAGGGA	GCTGGAAA..
42_1b	TTTTCCATCC	AGCGGAGTCT	TGATGTTTGG	GAAACAGGGA	GCTGGAAA..
42_13	TTTTCCATCC	AGCGGAGTCT	TGATGTTTGG	GAAACAGGGA	GCTGGAAA..
42_3a	TTTTCCATCC	AGCGGAGTCT	TGATGTTTGG	GAAACAGGGA	GCTGGAAA..
42_4	TTTTCCATCC	AGCGGAGTCT	TGATGTTTGG	GAAACAGGGA	GCTGGAAA..
42_5a	TTTTCCATCC	AGCGGAGTCT	TGATGTTTGG	GAAACAGGGA	GCTGGAAA..
42_10	CTTTCCCATC	AACGGAGTGC	TGGTTTTTTGG	CAAAACGGGG	GCTGCCAACA
42_3b	CTTTCCCATC	AACGGAGTGC	TGGTTTTTTGG	CAAAACGGGG	GCTGCCAACA
42_11	CTTTCCCATC	AACGGAGTGC	TGGTTTTTTGG	CAAAACGGGG	GCTGCCAACA
42_6b	CTTTCCCATC	AACGGAGTGC	TGGTTTTTTGG	CAAAACGGGG	GCTGCCAACA
43_1	CTTCCCGTCA	AGCGGAGTTC	TAATGTTTGG	CAAGCAGGGG	GCTGGAAA..
43_5	CTTCCCGTCA	AGCGGAGTTC	TAATGTTTGG	CAAGCAGGGG	GCTGGAAA..
43_12	CTTCCCGTCA	AGCGGAGTTC	TAATGTTTGG	CAAGCAGGGG	GCTGGAAA..
43_20	CTTCCCTTCG	AGCGGGGTCC	TGATTTTTGG	CAAGCAAGGA	GCCGGGAA..
43_21	CTTCCCTTCG	AGCGGGGTCC	TGATTTTTGG	CAAGCAAGGA	GCCGGGAA..
43_23	CTTCCCTTCG	AGCGGGGTCC	TGATTTTTGG	CAAGCAAGGA	GCCGGGAA..
43_25	CTTCCCTTCG	AGCGGGGTCC	TGATTTTTGG	CAAGCAAGGA	GCCGGGAA..
44_1	TTTTCCGTCC	AGCGGAGTCT	TAATGTTTGG	GAAACAGGGA	GCTGGAAA..
44_5	TTTTCCGTCC	AGCGGAGTCT	TAATGTTTGG	GAAACAGGGA	GCTGGAAA..
223_10	CTTCCCTTCG	AGCGGAGTTC	TAATTTTTGG	CAAAACTGGA	GCAGCTAATA
223_2	CTCCCTTCG	AGCGGAGTTC	TAATTTTTGG	CAAAACTGGA	GCAGCTAATA
223_4	CTTCCCTTCG	AGCGGAGTTC	TAATTTTTGG	CAAAACTGGA	GCAGCTAATA
223_5	CTTCCCTTCG	AGCGGAGTTC	TAATTTTTGG	CAAAACTGGA	GCAGCTAATA
223_6	CTTCCCTTCG	AGCGGAGTTC	TAATTTTTGG	CAAAACTGGA	GCAGCTAATA
223_7	CTTCCCTTCG	AGCGGAGTTC	TAATTTTTGG	CAAAACTGGA	GCAGCTAATA
A3_4	TTTCCCCATG	CACGGAAATC	TCATCTTTGG	AAAACAAGGC	ACAGGAAC..
A3_5	TTTCCCCATG	CACGGAAATC	TCATCTTTGG	AAAACAAGGC	ACAGGAAC..
A3_7	TTTCCCCATG	CACGGAAATC	TCATCTTTGG	AAAACAAGGC	ACAGGAAC..
A3_3	TTTCCCCATG	CACGGAAATC	TCATCTTTGG	AAAACAAGGC	ACAGGAAC..
42_12	CTTTCCCATC	AACGGAGTGC	TGGTTTTTTGG	CAAAACGGGG	GCTGCCAACA
AAV1	CTTTCCCATG	AGCGGTGTCA	TGATTTTTGG	AAAAGAGAGC	GCCGGAGC..
AAV2	TTTTCCCTCAG	AGCGGGGTTC	TCATCTTTGG	GAAGCAAGGC	TCAGAGAA..
AAV3	TTTCCCTATG	CACGGCAATC	TAATATTTGG	CAAAGAAGGG	ACAACGGC..
AAV8	TTTTCCCATG	AACGGGATCC	TGATTTTTGG	CAAAACAAAT	GCTGCCAG..
AAV9	CTTTCCCATCA	AGTGCGTTC	TCATATTTGG	CAAGCAAGGA	GCCGGGAA..
AAV7	TTTCCCATCC	AGCGGAGTCC	TGATTTTTGG	AAAAACTGGA	GCAACTAACA
44_2	TTTTCCGTCC	AGCGGAGTCT	TAATGTTTGG	GAAACAGGGA	GCTGGAAA..

Fig. 1AAAA

	3901				3950
42_2	AGACAACGCT	GGAA.....	AACGTGCTAA	TGACCAGCGA	GGAGGAGATC
42_8	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA	GGAAGAAATC
42_15	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA	GGAAGAAATC
42_5b	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA	GGAAGAAATC
42_1b	AGACAACG.T	AGACTATAGC	AGCGTTATGC	TAACCAGTGA	GGAAGAAATC
42_13	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA	GGAAGAAATC
42_3a	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA	GGAAGAAATC
42_4	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA	GGAAGAAATC
42_5a	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA	GGAAGAAATC
42_10	AGACAACGCT	GGAA.....	AACGTGCTAA	TGACCAGCGA	GGAGGAGATC
42_3b	AGACAACGCT	GGAA.....	AACGTGCTAA	TGACCAGCGA	GGAGGAGATC
42_11	AGACAACGCT	GGAA.....	AACGTGCTAA	TGACCAGCGA	GGAGGAGATC
42_6b	AGACAACGCT	GGAA.....	AACGTGCTAA	TGACCAGCGA	GGAGGAGATC
43_1	AGACAATG.T	GGACTACAGC	AGCGTGATGC	TCACCAGCGA	AGAAGAAATT
43_5	AGACAATG.T	GGACTACAGC	AGCGTGATGC	TCACCAGCGA	AGAAGAAATT
43_12	AGACAATG.T	GGACTACAGC	AGCGTGATGC	TCACCAGCGA	AGAAGAAATT
43_20	CGATGGAG.T	GGATTACAGC	CAAGTGCTGA	TTACAGATGA	GGAAGAAATC
43_21	CGATGGAG.T	GGATTACAGC	CAAGTGCTGA	TTACAGATGA	GGAAGAAATC
43_23	CGATGGAG.T	GGATTACAGC	CAAGTGCTGA	TTACAGATGA	GGAAGAAATC
43_25	CGATGGAG.T	GGATTACAGC	CAAGTGCTGA	TTACAGATGA	GGAAGAAATC
44_1	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA	GGAAGAAATT
44_5	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA	GGAAGAAATT
223_10	AAACTACATT	AGAA.....	AACGTGCTCA	TGACAAATGA	AGAAGAAATT
223_2	AAACTACATT	AGAA.....	AACGTGCTCA	TGACAAATGA	AGAAGAAATT
223_4	AAACTACATT	AGAA.....	AACGTGCTCA	TGACAAATGA	AGAAGAAATT
223_5	AAACTACATT	AGAA.....	AACGTGCTCA	TGACAAATGA	AGAAGAAATT
223_6	AAACTACATT	AGAA.....	AACGTGCTCA	TGACAAATGA	AGAAGAAATT
223_7	AAACTACATT	AGAA.....	AACGTGCTCA	TGACAAATGA	AGAAGAAATT
A3_4	TACCAATG.T	GGACATTGAA	TCAGTGCTTA	TTACAGACGA	AGAAGAAATC
A3_5	TACCAATG.T	GGACATTGAA	TCAGTGCTTA	TTACAGACGA	AGAAGAAATC
A3_7	TACCAATG.T	GGACATTGAA	TCAGTGCTTA	TTACAGACGA	AGAAGAAATC
A3_3	TACCAATG.T	GGACATTGAA	TCAGTGCTTA	TTACAGACGA	AGAAGAAATC
42_12	AGACAACGCT	GGAA.....	AACGTGCTAA	TGACCAGCGA	GGAGGAGATC
AAV1	TTCAAACA.C	TGCATTGGAC	AATGTCATGA	TTACAGACGA	AGAGGAAATT
AAV2	AACAAATG.T	GAACATTGAA	AAGGTCATGA	TTACAGACGA	AGAGGAAATC
AAV3	AAGTAACG.C	AGAATTAGAT	AATGTAATGA	TTACGGATGA	AGAAGAGATT
AAV8	AGACAATG.C	GGATTACAGC	GATGTCATGC	TCACCAGCGA	GGAAGAAATC
AAV9	CGATGGAG.T	CGACTACAGC	CAGGTGCTGA	TTACAGATGA	GGAAGAAATT
AAV7	AAACTACATT	GGAA.....	AATGTGTTAA	TGACAAATGA	AGAAGAAATT
44_2	AGACAACG.T	GGACTATAGC	AGCGTTATGC	TAACCAGTGA	GGAAGAAATT

Fig. 1AAAB

	3951				4000
42_2	AAAACCACCA	ATCCCGTGGC	TACAGAAGAA	TACGGTGTGG	TCTCCAGCAA
42_8	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_15	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_5b	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_1b	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_13	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_3a	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_4	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_5a	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
42_10	AAAACCACCA	ATCCCGTGGC	TACAGAAGAA	TACGGTGTGG	TCTCCAGCAA
42_3b	AAAACCACCA	ATCCCGTGGC	TACAGAACAG	TACGGTGTGG	TCTCCAGCAA
42_11	AAAACCACCA	ATCCCGTGGC	TACAGAAGAA	TACGGTGTGG	TCTCCAGCAA
42_6b	AAAACCACCA	ATCCCGTGGC	TACAGAAGAA	TACGGTGTGG	TCTCCAGCAA
43_1	AAAAC TACTA	ACCCAGTGGC	TACAGAGCAG	TATGGTGTGG	TGGCAGACAA
43_5	AAAAC TACTA	ACCCAGTGGC	TACAGAGCAG	TATGGTGTGG	TGGCAGACAA
43_12	AAAAC TACTA	ACCCAGTGGC	TACAGAGCAG	TATGGTGTGG	TGGCAGACAA
43_20	AAGGCTACCA	ACCCCGTGGC	CACAGAAGAA	TATGGAGCAG	TGGCCATCAA
43_21	AAGGCTACCA	ACCCCGTGGC	CACAGAAGAA	TATGGAGCAG	TGGCCATCAA
43_23	AAGGCTACCA	ACCCCGTGGC	CACAGAAGAA	TATGGAGCAG	TGGCCATCAA
43_25	AAGGCTACCA	ACCCCGTGGC	CACAGAAGAA	TATGGAGCAG	TGGCCATCAA
44_1	AAAACCACCA	ACCCAGTGGC	CACGGAACAG	TACGGCGTGG	TGGCCGATAA
44_5	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA
223_10	CGTCCTACCA	ACCCGGTAGC	TACCGAGGAA	TACGGGATTG	TAAGCAGCAA
223_2	CGTCCTACCA	ACCCGGTAGC	TACCGAGGAA	TACGGGATTG	TAAGCAGCAA
223_4	CGTCCTACCA	ACCCGGTAGC	TACCGAGGAA	TACGGGATTG	TAAGCAGCAA
223_5	CGTCCTACCA	ACCCGGTAGC	TACCGAGGAA	TACGGGATTG	TAAGCAGCAA
223_6	CGTCCTACCA	ACCCGGTAGC	TACCGAGGAA	TACGGGATTG	TAAGCAGCAA
223_7	CGTCCTACCA	ACCCGGTAGC	TACCGAGGAA	TACGGGATTG	TAAGCAGCAA
A3_4	AGAACA ACTA	ATCCTGTGGC	TACAGAACAA	TACGGACAGG	TTGCCACCAA
A3_5	AGAACG ACTA	ATCCTGTGGC	TACAGAACAA	TACGGACAGG	TTGCCACCAA
A3_7	AGAACA ACTA	ATCCTGTGGC	TACAGAACAA	TACGGACAGG	TTGCCACCAA
A3_3	AGAACA ACTA	ATCCTGTGGC	TACAGAACAA	TACGGACAGG	TTGCCACCAA
42_12	AAAACCACCA	ATCCCGTGGC	TACAGAAGAA	TACGGTGTGG	TCTCCAGCAA
AAV1	AAAGCCACTA	ACCCTGTGGC	CACCGAAAGA	TTTGGGACCG	TGGCAGTCAA
AAV2	GGAACAACCA	ATCCCGTGGC	TACGGAGCAG	TATGGTTCTG	TATCTACCAA
AAV3	CGTACCACCA	ATCCTGTGGC	AACAGAGCAG	TATGGA ACTG	TGGCAAATAA
AAV8	AAAACCACTA	ACCCTGTGGC	TACAGAGGAA	TACGGTATCG	TGGCAGATAA
AAV9	AAAGCCACCA	ACCCTGTAGC	CACAGAGGAA	TACGGAGCAG	TGGCCATCAA
AAV7	CGTCCTACTA	ATCCTGTAGC	CACGGAAGAA	TACGGGATAG	TCAGCAGCAA
44_2	AAAACCACCA	ACCCAGTGGC	CACAGAACAG	TACGGCGTGG	TGGCCGATAA

Fig. 1AAAC

	4001				4050
42_2	CCTGCAATCG	TCTACGGCCG	GACCCCAGAC	ACAGACTGTC	AACAGCCAGG
42_8	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_15	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_5b	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_1b	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_13	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_3a	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_4	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_5a	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
42_10	CCTGCAATCG	TCTACGGCCG	GACCCCAGAC	ACAGACTGTC	AACAGCCAGG
42_3b	CCTGCAATCG	TCTACGGCCG	GACCCCAGAC	ACAGACTGTC	AACAGCCAGG
42_11	CCTGCAATCG	TCTACGGCCG	GACCCCAGAC	ACAGACTGTC	AACAGCCAGG
42_6b	CCTGCAATCG	TCTACGGCCG	GACCCCAGAC	ACAGACTGTC	AACAGCCAGG
43_1	CCTGCAGCAG	ACCAACGGAG	CTCCCATTTGT	GGGAACTGTC	AACAGCCAGG
43_5	CCTGCAGCAG	ACCAACGGAG	CTCCCATTTGT	GGGAACTGTC	AACAGCCAGG
43_12	CCTGCAGCAG	ACCAACGGAG	CTCCCATTTGT	GGGAACTGTC	AACAGCCAGG
43_20	CAACCAGGCC	GCCAATACGC	AGGCGCAGAC	CGGACTCGTG	CACAACCAGG
43_21	CAACCAGGCC	GCCAATACGC	AGGCGCAGAC	CGGACTCGTG	CACAACCAGG
43_23	CAACCAGGCC	GCCAATACGC	AGGCGCAGAC	CGGACTCGTG	CACAACCAGG
43_25	CAACCAGGCC	GCCAATACGC	AGGCGCAGAC	CGGACTCGTG	CACAACCAGG
44_1	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
44_5	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG
223_10	CTTGCAGGCG	GCTAGCACCG	CAGCCCAGAC	ACAAGTTGTT	AACAACCAGG
223_2	CTTGCAGGCG	GCTAGCACCG	CAGCCCAGAC	ACAAGTTGTT	AACAACCAGG
223_4	CTTGCAGGCG	GCTAGCACCG	CAGCCCAGAC	ACAAGTTGTT	AACAACCAGG
223_5	CTTGCAGGCG	GCTAGCACCG	CAGCCCAGAC	ACAAGTTGTT	AACAACCAGG
223_6	CTTGCAGGCG	GCTAGCACCG	CAGCCCAGAC	ACAAGTTGTT	AACAACCAGG
223_7	CTTGCAGGCG	GCTAGCACCG	CAGCCCAGAC	ACAAGTTGTT	AACAACCAGG
A3_4	CCATCAGAGT	CAGGACACCA	CAGCTTCCTA	TGGAAGTGTG	GACAGCCAGG
A3_5	CCGTCAGAGT	CAGAACACCA	CAGCTTCCTA	TGGAAGTGTG	GACAGCCAGG
A3_7	CCATCAGAGT	CAGAACACCA	CAGCTTCCTA	TGGAAGTGTG	GACAGCCAGG
A3_3	CCATCAGAGT	CAGAACACCA	CAGCTTCCTA	TGGAAGTGTG	GACAGCCAGG
42_12	CCTGCAATCG	TCTACGGCCG	GACCCCAGAC	ACAGACTGTC	AACAGCCAGG
AAV1	TTTCCAGAGC	AGCAGCACAG	ACCCTGCGAC	CGGAGATGTG	CATGCTATGG
AAV2	CCTCCAGAGA	GGCAACAGAC	AAGCAGCTAC	CGCAGATGTG	AACACACAAG
AAV3	CTTGCAGAGC	TCAAATACAG	CTCCCACGAC	TGGAAGTGTG	AATCATCAGG
AAV8	CTTGCAGCAG	CAAAACACGG	CTCCTCAAAT	TGGAAGTGTG	AACAGCCAGG
AAV9	CAACCAGGCC	GCTAACACGC	AGGCGCAAAC	TGGACTTGTG	CATAACCAGG
AAV7	CTTACAAGCG	GCTAATACTG	CAGCCCAGAC	ACAAGTTGTC	AACAACCAGG
44_2	CCTGCAACAG	CAAAACGCCG	CTCCTATTGT	AGGGGCCGTC	AACAGTCAAG

Fig. 1AAAD

	4051				4100
42_2	GGGCTCTGCC	CGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_8	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_15	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_5b	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_1b	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_13	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_3a	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_4	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_5a	GAGCCTTACC	TGGCATGGCC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_10	GGGCTCTGCC	CGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_3b	GGGCTCTGCC	CGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_11	GGGCTCTGCC	CGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
42_6b	GGGCTCTGCC	CGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
43_1	GGGCCTTACC	TGGTATGGTC	TGGCAAAACC	GGGACGTGTA	CCTGCAGGGC
43_5	GGGCCTTACC	TGGTATGGTC	TGGCAAAACC	GGGACGTGTA	CCTGCAGGGC
43_12	GGGCCTTACC	TGGTATGGTC	TGGCAAAACC	GGGACGTGTA	CCTGCAGGGC
43_20	GGGTGATTCC	CGGCATGGTG	TGGCAGAATA	GAGACGTGTA	CCTGCAGGGT
43_21	GGGTGATTCC	CGGCATGGTG	TGGCAGAATA	GAGACGTGTA	CCTGCAGGGT
43_23	GGGTGATTCC	CGGCATGGTG	TGGCAGAATA	GAGACGTGTA	CCTGCAGGGT
43_25	GGGTGATTCC	CGGCATGGTG	TGGCAGAATA	GAGACGTGTA	CCTGCAGGGT
44_1	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
44_5	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
223_10	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAAGGT
223_2	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAAGGT
223_4	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAAGGT
223_5	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAAGGT
223_6	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAAGGT
223_7	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAAGGT
A3_4	GAATCTTACC	TGGAATGGTG	TGGCAGGACC	GCGATGTCTA	TCTTCAAGGT
A3_5	GAATCTTACC	TGGAATGGTG	TGGCAGGACC	GCGATGTCTA	TCTTCAAGGT
A3_7	GAATCTTACC	TGGAATGGTG	TGGCAGGACC	GCGATGTCTA	TCTTCAAGGT
A3_3	GAATCTTACC	TGGAATGGTG	TGGCAGGACC	GCGATGTCTA	TCTTCAAGGT
42_12	GGGCTCTGCC	CGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
AAV1	GAGCATTACC	TGGCATGGTG	TGGCAAGATA	GAGACGTGTA	CCTGCAGGGT
AAV2	GCGTTCTTCC	AGGCATGGTC	TGGCAGGACA	GAGATGTGTA	CCTTCAGGGG
AAV3	GGGCCTTACC	TGGCATGGTG	TGGCAAGATC	GTGACGTGTA	CCTTCAAGGA
AAV8	GGGCCTTACC	CGGTATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
AAV9	GAGTTATTCC	TGGTATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGC
AAV7	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT
44_2	GAGCCTTACC	TGGCATGGTC	TGGCAGAACC	GGGACGTGTA	CCTGCAGGGT



Fig. 1AAAE

	4101				4150
42_2	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
42_8	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_15	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_5b	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_1b	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_13	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_3a	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_4	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_5a	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_10	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
42_3b	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
42_11	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
42_6b	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
43_1	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
43_5	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
43_12	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
43_20	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
43_21	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
43_23	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
43_25	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
44_1	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGAAACTTT	CATCCCTCGC
44_5	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGAAACTTT	CATCCCTCGC
223_10	CCC.ATTTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
223_2	CCC.ATTTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
223_4	CCC.ATTTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
223_5	CCC.ATTTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
223_6	CCC.ATTTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
223_7	CCC.ATTTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
A3_4	CCC.ATTTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
A3_5	CCC.ATTTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
A3_7	CCC.ATTTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
A3_3	CCC.ATTTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CATCCTTCGC
42_12	CCC.ATCTGG	GCCAAAATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
AAV1	CCC.ATTTGG	GCCAAAATTC	CTCACACGGA	TGGCAACTTT	CACCCGTCTC
AAV2	CCC.ATCTGG	GCAAAGATTC	CACACACGGA	CGGCAACTTT	CACCCGTCTC
AAV3	CCT.ATCTGG	GCAAAGATTC	CTCACACGGA	TGGCAACTTT	CATCCTTCGC
AAV8	CCC.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGCAACTTT	CACCCGTCTC
AAV9	CCCTATTTGG	GCTAAAATAC	CTCACACGGA	TGGCAACTTT	CACCCGTCTC
AAV7	CCC.ATCTGG	GCCAAGATTC	CTCACACGGA	TGGCAACTTT	CACCCGTCTC
44_2	CCT.ATCTGG	GCCAAGATTC	CTCACACGGA	CGGAAACTTT	CATCCCTCGC

Fig. 1AAAF

	4151				4200
42_2	CCCTGATGGG	CGGATTTGGA	CTCAAACACC	CGCCTCCTCA	AATTCTCATC
42_8	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_15	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_5b	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_1b	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_13	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_3a	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_4	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_5a	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
42_10	CCCTGATGGG	CGGATTTGGA	CTCAAACACC	CGCCTCCTCA	AATTCTCATC
42_3b	CCCTGATGGG	CGGATTTGGA	CTCAAACACC	CGCCTCCTCA	AATTCTCATC
42_11	CCCTGATGGG	CGGATTTGGA	CTCAAACACC	CGCCTCCTCA	AATTCTCATC
42_6b	CCCTGATGGA	CGGATTTGGA	CTCAAACACC	CGCCTCCTCA	AATTCTCATC
43_1	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGGTG
43_5	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGGTG
43_12	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGGTG
43_20	CCCTGATGGG	CGGCTTTGGA	CTGAAGCACC	CGCCTCCTCA	AATTCTCATC
43_21	CCCTGATGGG	CGGCTTTGGA	CTGAAGCACC	CGCCTCCTCA	AATTCTCATC
43_23	CCCTGATGGG	CGGCTTTGGA	CTGAAGCACC	CGCCTCCTCA	AATTCTCATC
43_25	CCCTGATGGG	CGGCTTTGGA	CTGAAGCACC	CGCCTCCTCA	AATTCTCATC
44_1	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
44_5	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT
223_10	CTCTAATGGG	TGGCTTTGGA	CTGAAACACC	CGCCTCCCCA	GATCCTGATC
223_2	CTCTAATGGG	TGGCTTTGGA	CTGAAACACC	CGCCTCCCCA	GATCCTGATC
223_4	CTCTAATGGG	TGGCTTTGGA	CTGAAACACC	CGCCTCCCCA	GATCCTGATC
223_5	CTCTAATGGG	TGGCTTTGGA	CTGAAACACC	CGCCTCCCCA	GATCCTGATC
223_6	CTCTAATGGG	TGGCTTTGGA	CTGAAACACC	CGCCTCCCCA	GATCCTGATC
223_7	CTCTAATGGG	TGGCTTTGGA	CTGAAACACC	CGCCTCCCCA	GATCCTGATC
A3_4	CGCTCATGGG	AGGCTTTGGA	CTGAAACACC	CTCCTCCCCA	GATCCTGATC
A3_5	CGCTCATGGG	AGGCTTTGGA	CTGAAACACC	CTCCTCCCCA	GATCCTGATC
A3_7	CGCTCATGGG	AGGCTTTGGA	CTGAAACACC	CTCCTCCCCA	GATCCTGATC
A3_3	CGCTCATGGG	AGGCTTTGGA	CTGAAACACC	CTCCTCCCCA	GATCCTGATC
42_12	CCCTGATGGG	CGGATTTGGA	CTCAAACACC	CGCCTCCTCA	AATTCTCATC
AAV1	CTCTTATGGG	CGGCTTTGGA	CTCAAGAACC	CGCCTCCTCA	GATCCTCATC
AAV2	CCCTCATGGG	TGGATTCGGA	CTTAAACACC	CTCCTCCACA	GATTCTCATC
AAV3	CTCTGATGGG	AGGCTTTGGA	CTGAAACATC	CGCCTCCTCA	AATCATGATC
AAV8	CGCTGATGGG	CGGCTTTGGC	CTGAAACATC	CTCCGCCTCA	GATCCTGATC
AAV9	CTCTGATGGG	TGGATTTGGA	CTGAAACACC	CACCTCCACA	GATTCTAATT
AAV7	CTTTGATGGG	CGGCTTTGGA	CTTAAACATC	CGCCTCCTCA	GATCCTGATC
44_2	CGCTGATGGG	AGGCTTTGGA	CTGAAACACC	CGCCTCCTCA	GATCCTGATT

Fig. 1AAAG

	4201				4250
42_2	AAAAACACCC	CGGTACCTGC	TAATCCTCCA	GAGGTGTTTA	CTCCTGCCAA
42_8	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_15	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_5b	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_1b	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_13	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_3a	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_4	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_5a	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCCAA
42_10	AAAAACACCC	CGGTACCTGC	TAATCCTCCA	GAGGTGTTTA	CTCCTGCCAA
42_3b	AAAAACACCC	CGGTACCTGC	TAATCCTCCA	GAGGTGTTTA	CTCCTGCCAA
42_11	AAAAACACCC	CGGTACCTGC	TAATCCTCCA	GAGGTGTTTA	CTCCTGCCAA
42_6b	AAAAACACCC	CGGTACCTGC	TAATCCTCCA	GAGGTGTTTA	CTCCTGCCAA
43_1	AAAAACACTC	CTGTTCCCTGC	GGATCCTCCG	ACCACCTTCA	GCCAGGCCAA
43_5	AAAAACACTC	CTGTTCCCTGC	GGATCCTCCG	ACCACCTTCA	GCCAGGCCAA
43_12	AAAAACACTC	CTGTTCCCTGC	GGATCCTCCG	ACCACCTTCA	GCCAGGCCAA
43_20	AAGAACACAC	CGGTTCCAGC	GGACCCGCCG	CTTACCTTCA	ACCAGGCCAA
43_21	AAGAACACAC	CGGTTCCAGC	GGACCCGCCG	CTTACCTTCA	ACCAGGCCAA
43_23	AAGAACACAC	CGGTTCCAGC	GGACCCGCCG	CTTACCTTCA	ACCAGGCCAA
43_25	AAGAACACAC	CGGTTCCAGC	GGACCCGCCG	CTTACCTTCA	ACCAGGCCAA
44_1	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCTAA
44_5	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCTAA
223_10	AAAAACACAC	CGGTACCTGC	TAATCCTCCA	GAAGTGTTTA	CTCCTGCCAA
223_2	AAAAACACGC	CGGTACCTGC	TAATCCTCCA	GAAGTGTTTA	CTCCTGCCAA
223_4	AAAAACACAC	CGGTACCTGC	TAATCCTCCA	GAAGTGTTTA	CTCCTGCCAA
223_5	AAAAACACAC	CGGTACCTGC	TAATCCTCCA	GAAGTGTTTA	CTCCTGCCAA
223_6	AAAAACACAC	CGGTACCTGC	TAATCCTCCA	GAAGTGTTTA	CTCCTGCCAA
223_7	AAAAACACAC	CGGTACCTGC	TAATCCTCCA	GAAGTGTTTA	CTCCTGCCAA
A3_4	AAAAACACAC	CTGTGCCAGC	GAATCCCGCG	ACCACTTTCA	CTCCTGGAAA
A3_5	AAAAACACAC	CTGTGCCAGC	GAATCCCGCG	ACCACTTTCA	CTCCTGGAAA
A3_7	AAAAACACAC	CTGTGCCAGC	GAATCCCGCG	ACCACTTTCA	CTCCTGGAAA
A3_3	AAAAACACAC	CTGTGCCAGC	GAATCCCGCG	ACCACTTTCA	CTCCTGGAAA
42_12	A...A.....	.....	.....	.....	.....
AAV1	AAAAACACGC	CTGTTCCCTGC	GAATCCTCCG	GCGGAGTTTT	CAGCTACAAA
AAV2	AAGAACACCC	CGGTACCTGC	GAATCCTTCG	ACCACCTTCA	GTGCGGCCAA
AAV3	AAAAATACTC	CGGTACCGGC	AAATCCTCCG	ACGACTTTCA	GCCCGGCCAA
AAV8	AAGAACACGC	CTGTACCTGC	GGATCCTCCG	ACCACCTTCA	ACCAGTCAAA
AAV9	AAAAATACAC	CAGTGCCGGC	AGATCCTCCT	CTTACCTTCA	ATCAAGCCAA
AAV7	AAGAACACTC	CCGTTCCCGC	TAATCCTCCG	GAGGTGTTTA	CTCCTGCCAA
44_2	AAGAATACAC	CTGTTCCCGC	GGATCCTCCA	ACTACCTTCA	GTCAAGCTAA

Fig. 1AAAH

	4251				4300
42_2	GTTTGCCTCA	TTTATCACGC	AGTACAGCAC	CGGCCA.GGT	CAGCGTGGAG
42_8	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_15	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_5b	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_1b	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_13	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_3a	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_4	GCCGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_5a	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
42_10	GTTTGCCTCA	TTTATCACGC	AGTACAGCAC	CGGCCA.GGT	CAGCGTGGAG
42_3b	GTTTGCCTCA	TTTATCACGC	AGTACAGCAC	CGGCCA.GGT	CAGCGTGGAG
42_11	GTTTGCCTCA	TTTATCACGC	AGTACAGCAC	CGGCCA.GGT	CAGCGTGGAG
42_6b	GTTTGCCTCA	TTTATCACGC	AGTACAGCAC	CGGCCA.GGT	CAGCGTGGAG
43_1	GCTGGCTTCT	TTTATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
43_5	GCTGGCTTCT	TTTATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
43_12	GCTGGCTTCT	TTTATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
43_20	GCTGAACTCT	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
43_21	GCTGAACTCT	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
43_23	GCTGAACTCT	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
43_25	GCTGAACTCT	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
44_1	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
44_5	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA
223_10	GTTTGCTTCC	TTCATCACGC	AGTACAGCAC	CGGGCA.AGT	CAGCGTTGAG
223_2	GTTTGCTTCC	TTCATCACGC	AGTACAGCAC	CGGGCA.AGT	CAGCGTTGAG
223_4	GTTTGCTTCC	TTCATCACGC	AGTACAGCAC	CGGGCA.AGT	CAGCGTTGAG
223_5	GTTTGCTTCC	TTCATCACGC	AGTACAGCAC	CGGGCA.AGT	CAGCGTTGAG
223_6	GCTTGCTTCC	TTCATCACGC	AGTACAGCAC	CGGGCA.AGT	CAGCGTTGAG
223_7	GATTGCTTCC	TTCATCACGC	AGTACAGCAC	CGGGCA.AGT	CAGCGTTGAG
A3_4	GTTTGCTTCG	TTCATTACCC	AGTATTCCAC	CGGACA.GGT	CAGCGTGGAA
A3_5	GTTTGCTTCG	TTCATTACCC	AGTATTCCAC	CGGACA.GGT	CAGCGTGGAA
A3_7	GTTTGCTTCG	TTCATTACCC	AGTATTCCAC	CGGACA.GGT	CAGCGTGGAA
A3_3	GTTTGCTTCG	TTCATTACCC	AGTATTCCAC	CGGACA.GGT	CAGCGTGGAA
42_12	.....	.....	.....	.....	.....
AAV1	GTTTGCTTCA	TTCATCACCC	AATACTCCAC	AGGACA.AGT	GAGTGTGGAA
AAV2	GTTTGCTTCC	TTCATCACAC	AGTACTCCAC	GGGACACGGT	CAGCGTGGAG
AAV3	GTTTGCTTCA	TTTATCACTC	AGTACTCCAC	TGGACA.GGT	CAGCGTGGAA
AAV8	GCTGAACTCT	TTCATCACGC	AATACAGCAC	CGGACA.GGT	CAGCGTGGAA
AAV9	GCTGAACTCT	TTCATCACGC	AGTACAGCAC	GGGACA.AGT	CAGCGTGGAA
AAV7	GTTTGCTTCG	TTCATCACAC	AGTACAGCAC	CGGACA.AGT	CAGCGTGGAA
44_2	GCTGGCGTCG	TTCATCACGC	AGTACAGCAC	CGGACA.GGT	CAGCGTGGAA

Fig. 1AAAI

```

4301
42_2 ATCGAGTGGG AACTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT
42_8 ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT
42_15 ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT
42_5b ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT
42_1b ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT
42_13 ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT
42_3a ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT
42_4 ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT
42_5a ATTGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT
42_10 ATCGAGTGGG AACTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT
42_3b ATCGAGTGGG AACTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT
42_11 ATCGAGTGGG AACTGCAGAA AGAGAACAGC AAACGCTGGA ATCCAGAGAT
42_6b ATCGAGTGGG AACTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT
43_1 ATCGAATGGG AGCTGCAGAA AGAAAACAGC AAGCGCTGGA ACCCAGAGAT
43_5 ATCGAATGGG AGCTGCAGAA AGAAAACAGC AAGCGCTGGA ACCCAGAGAT
43_12 ATCGAATGGG AGCTGCAGAA AGAAAACAGC AAGCGCTGGA ACCCAGAGAT
43_20 ATCGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT
43_21 ATCGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT
43_23 ATCGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT
43_25 ATCGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ATCCAGAGAT
44_1 ATTGAATGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ACCCAGAGAT
44_5 ATTGAATGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ACCCAGAGAT
223_10 ATCGAGTGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT
223_2 ATCGAGTGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT
223_4 ATCGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT
223_5 ATCGAATGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT
223_6 ATCGAGTGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT
223_7 ATCGAGTGGG AGCTGCAGAA AGAGAACAGC AAGCGCTGGA ACCCAGAGAT
A3_4 ATAGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ACCCAGAAAT
A3_5 ATAGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ACCCGGAAAT
A3_7 ATAGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ACCCAGAAAT
A3_3 ATAGAGTGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ACCCAGAAAT
42_12 .....
AAV1 ATTGAATGGG AGCTGCAGAA AGAAAACAGC AAGCGCTGGA ATCCCGAAGT
AAV2 ATCGAGTGGG AGCTGCAGAA GGAAAACAGC AAACGCTGGA ATCCCGAAAT
AAV3 ATTGAGTGGG AGCTACAGAA AGAAAACAGC AAACGTTGGA ATCCAGAGAT
AAV8 ATTGAATGGG AGCTGCAGAA GGAAAACAGC AAGCGCTGGA ACCCCGAGAT
AAV9 ATCGAGTGGG AGCTGCAGAA AGAAAACAGC AAGCGCTGGA ATCCAGAGAT
AAV7 ATCGAGTGGG AGCTGCAGAA GGAAAACAGC AAGCGCTGGA ACCCGGAGAT
44_2 ATTGAATGGG AGCTGCAGAA AGAAAACAGC AAACGCTGGA ACCCAGAGAT

```

Fig. 1AAAJ

	4351				4400
42_2	TCAGTACACC	TCAAATTATG	CCAAGTCTAA	TAAT.GTGGA	ATTTGCTGTC
42_8	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_15	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_5b	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_1b	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_13	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_3a	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_4	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_5a	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
42_10	TCAGTACACC	TCAAATTATG	CCAAGTCTAA	TAAT.GTGGA	ATTTGCTGTC
42_3b	TCAGTACACC	TCAAATTATG	CCAAGTCTAA	TAAT.GTGGA	ATTTGCTGTC
42_11	TCAGTACACC	TCAAATTATG	CCAAGTCTAA	TAAT.GTGGA	ATTTGCTGTC
42_6b	TCAGTACACC	TCAAATTATG	CCAAGTCTAA	TAAT.GTGGA	ATTTGCTGTC
43_1	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
43_5	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
43_12	TCAGTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
43_20	TCAATACACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
43_21	TCAATACACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
43_23	TCAATACACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
43_25	TCAATACACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
44_1	TCAATACACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTCGCTGTT
44_5	TCAATACACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTT
223_10	TCAGTACACC	TCCAACCTTTG	ACAAACAGAC	TGGA.GTGGA	CTTTGCTGTT
223_2	TCAGTACACC	TCCAACCTTTG	ACAAACAGAC	TGGA.GTGGA	CTTTGCTGTT
223_4	TCAGTACACC	TCCAACCTTTG	ACAAACAGAC	TGGA.GTGGA	CTTTGCTGTT
223_5	TCAGTACACC	TCCAACCTTTG	ACAAACAGAC	TGGA.GTGGA	CTTTGCTGTT
223_6	TCAGTACACC	TCCAACCTTTG	ACAAACAGAC	TGGA.GTGGA	CTTTGCTGTT
223_7	TCAGTACACC	TCCAACCTTTG	ACAAACAGAC	TGGA.GTGGA	CTTTGCTGTT
A3_4	TCAGTACACC	TCCAACACTACA	ACAAGTCGGT	GAAT.GTGGA	GTTTACCGTG
A3_5	TCAGTACACC	TCCAACACTACA	ACAAGTCGGT	GAAT.GTGGA	GTTTACCGTG
A3_7	TCAGTACACC	TCCAACACTACA	ACAAGTCGGT	GAAT.GTGGA	GTTTACCGTG
A3_3	TCAGTACACC	TCCAACACTACA	ACAAGTCGGT	GAAT.GTGGA	GTTTACCGTG
42_12	...GTATACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
AAV1	GCAGTACACA	TCCAATTATG	CAAAATCTGC	CAAC.GTTGA	TTTTACTGTG
AAV2	TCAGTACACT	TCCAACACTACA	ACAAGTCTGT	TAATCGTGGA	CTT.ACCGTG
AAV3	TCAGTACACT	TCCAACACTACA	ACAAGTCTGT	TAAT.GTGGA	CTTTACTGTA
AAV8	CCAGTACACC	TCCAACACTACT	ACAAATCTAC	AAGT.GTGGA	CTTTGCTGTT
AAV9	CCAGTATACT	TCAAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTC
AAV7	TCAGTACACC	TCCAACCTTTG	AAAAGCAGAC	TGGT.GTGGA	CTTTGCCGTT
44_2	TCAATACACT	TCCAACACTACT	ACAAATCTAC	AAAT.GTGGA	CTTTGCTGTT

Fig. 1AAAK

	4401				4450
42_2	AACAACGAAG	GGGTTTATAC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_8	AATACTGAGG	GTA CTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_15	AATACTGAGG	GTA CTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_5b	AATACTGAGG	GTA CTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_1b	AATACTGAGG	GTA CTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_13	AATACTGAGG	GTA CTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_3a	AATACTGAGG	GTA CTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_4	AATACTGAGG	GTA CTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_5a	AATACTGAGG	GTA CTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_10	AACAACGAAG	GGGTTTATAC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_3b	AACAACGAAG	GGGTTTATAC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_11	AACAACGAAG	GGGTTTATAC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
42_6b	AACAACGAAG	GGGTTTATAC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
43_1	AATACTGAGG	GTA CTTATTC	AGAGCCTCGC	CCCATTGGCA	CTCGTTATCT
43_5	AATACCGAGG	GTA CTTATTC	AGAGCCTCGC	CCCATTGGCA	CTCGTTATCT
43_12	AATACTGAGG	GTA CTTATTC	AGAGCCTCGC	CCCATTGGCA	CTCGTTATCT
43_20	AACACGGAAG	GAGTTTATAG	CGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
43_21	AACACGGAAG	GAGTTTATAG	CGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
43_23	AACACGGAAG	GAGTTTATAG	CGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
43_25	AACACGGAAG	GGGTTTATAG	CGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
44_1	AACACAGATG	GCA CTTATTC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
44_5	AACACAGATG	GCA CTTATTC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
223_10	GACAGCCAGG	GTGTTTACTC	TGAGCCT...	.....	.....
223_2	GACAGCCAGG	GTGTTTACTC	TGAGCCT...	.....	.....
223_4	GACAGCCAGG	GTGTTTACTC	TGAGCCT...	.....	.....
223_5	GACAGCCAGG	GTGTTTACTC	TGAGCCT...	.....	.....
223_6	GACAGCCAGG	GTGTTTACTC	TGAGCCT...	.....	.....
223_7	GACAGCCAGG	GTGTTTACTC	TGAGCCT...	.....	.....
A3_4	GACGCAAACG	GTGTTTATTC	TGAACCCCGC	CCTATTGGCA	CTCGTTACCT
A3_5	GACGCAAACG	GTGTTTATTC	TGAACCCCGC	CCTATTGGCA	CTCGTTACCT
A3_7	GACGCAAACG	GTGTTTATTC	TGAACCCCGC	CCTATTGGCA	CTCGTTACCT
A3_3	GACGCAAACG	GTGTTTATTC	TGAACCCCGC	CCTATTGGCA	CTCGTTACCT
42_12	AATACTGAGG	GTA CTTATTC	AGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
AAV1	GACAACAATG	GACTTTATAC	TGAGCCTCGC	CCCATTGGCA	CCCGTTACCT
AAV2	GATACTAATG	GCGTGTATTC	AGAGCCTCGC	CCCATTGGCA	CCAGATACCT
AAV3	GACACTAATG	GTGTTTATAG	TGAACCTCGC	CCTATTGGAA	CCCGGTATCT
AAV8	AATACAGAAG	GCGTGTACTC	TGAACCCCGC	CCCATTGGCA	CCCGTTACCT
AAV9	AATACCGAAG	GTGTTTACTC	TGAGCCTCGC	CCCATTGGTA	CTCGTTACCT
AAV7	GACAGCCAGG	GTGTTTACTC	TGAGCCTCGC	CCTATTGGCA	CTCGTTACCT
44_2	AACACAGATG	GCA CTTATTC	TGAGCCTCGC	CCCATCGGCA	CCCGTTACCT

Fig. 1AAAL

4451		<u>VP1-3 stop</u>	<u>Poly A signal</u>	4500
42_2	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_8	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGC TAATTCGTTT
42_15	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_5b	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_1b	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TGATTCGTTT
42_13	CACCCGTAGC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TGATTCGTTT
42_3a	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_4	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_5a	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_10	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_3b	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
42_11	CACCCGTAAC	CTGTAATTAC	TTGTTAATCA	ATAAACCGGT TGATTCGTTT
42_6b	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
43_1	CACCCGTAAT	CTGTAATTGC	TTGTTAATCA	ATAAACCGGT .....
43_5	CACCCGTAAT	CTGTAATTGC	TTGTTAATCA	ATAAACCGGT TAATTCGTTT
43_12	CACCCGTAAT	CTGTAATTGC	TTGTTAATCA	ATAAACCGGT TAATTCGTTT
43_20	CACCCGCAAC	CTGTAATTAC	ATGTTAATCA	ATAAACCGGT TAATTCGTTT
43_21	CACCCGCAAC	CTGTAATTAC	ATGTTAATCA	ATAAACCGGT TAATTCGTTT
43_23	CACCCGCAAC	CTGTAATTAC	ATGTTAATCA	ATAAACCGGT TAATTCGTTT
43_25	CACCCGCAAC	CTGTAATTAC	ATGTTAATCA	ATAAACCGGT TAATTCGTTT
44_1	CACCCGTAAT	CTGTAATTGC	TCGTTAATCA	ATAAACCGGT TGATTCGTTT
44_5	CACCCGTAAT	CTGTAATTGC	TTGTTAATCA	ATAAACCGGT TGATTCGTTT
223_10	.....	.....	.....	.....
223_2	.....	.....	.....	.....
223_4	.....	.....	.....	.....
223_5	.....	.....	.....	.....
223_6	.....	.....	.....	.....
223_7	.....	.....	.....	.....
A3_4	TACCCGGAAC	TTGTAATTTC	CTGTTAATGA	ATAAACCGAT TTATGCGTTT
A3_5	TACCCGGAAC	TTGTAATTTC	CTGTTAATGA	ATAAACCGAT TTATGCGTTT
A3_7	TACCCGGAAC	TTGTAATTTC	CTGTTAATGA	ATAAACCGAT TTATGCGTTT
A3_3	TACCCGGAAC	TTGTAATTTC	CTGTTAATGA	ATAAGCCGAT TTATGCGTTT
42_12	CACCCGTAAC	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
AAV1	TACCCGTCCC	CTGTAATTAC	GTGTTAATCA	ATAAACCGGT TGATTCGTTT
AAV2	GACTCGTAAT	CTGTAATTGC	TTGTTAATCA	ATAAACCGTT TAATTCGTTT
AAV3	CACACGAAAC	TTGTGAATCC	TGGTTAATCA	ATAAACCGTT TAATTCGTTT
AAV8	CACCCGTAAT	CTGTAATTGC	CTGTTAATCA	ATAAACCGGT TGATTCGTTT
AAV9	CACCCGTAAT	TTGTAATTGC	CTGTTAATCA	ATAAACCGGT TAATTCGTTT
AAV7	CACCCGTAAT	CTGTAATTGC	ATGTTAATCA	ATAAACCGGT TGATTCGTTT
44_2	CACCCGTAAT	CTGTAATTGC	TTGTTAATCA	ATAAACCGGT TGATTCGTTT
		<u>vpl-3 stop</u>	<u>PolyA signal</u>	



Fig. 1AAAM

	4501				4550
42_2	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
42_8	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
42_15	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
42_5b	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTCGTTTA	AACCTGCAGG
42_1b	CAGTTGAACT	TTGGTCTC..	...AAGGGCG	AATTC.....	.....
42_13	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
42_3a	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
42_4	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
42_5a	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
42_10	CAGTTGAACT	TTGGTCTC....	...AAGGGCG	AATTC.....	.....
42_3b	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
42_11	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
42_6b	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
43_1	.....	.....	.....	.....	.....
43_5	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTCGTTTA	AACCTGCAGG
43_12	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
43_20	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
43_21	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
43_23	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
43_25	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
44_1	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
44_5	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTCGC.GG	CCGCTA....
A3_5	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
A3_7	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
A3_3	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTCGT.TT	AAACCT....
42_12	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....
AAV1	CAGTTGAACT	TTGGTCTCCT	GTCTTCTTA	TCTTATCGGT	TACCATGGTT
AAV2	CAGTTGAACT	TTGGTCTC.T	GCGTATTTCT	..TTCTT.AT	CTAGTTTCCA
AAV3	CAGTTGAACT	TTGGTCTC.T	GTGCACTTCT	TTATCTTTAT	CTTGTTTCCA
AAV8	CAGTTGAACT	TTGGTCTC.T	GCG.....	.....	.....
AAV9	CAGTTGAACT	TTGGTCTC.T	GCG.....	.....	.....
AAV7	CAGTTGAACT	TTGGTCTCCT	GTGCTTCTTA	TCTTATCGGT	TTCCATAGCA
44_2	CAGTTGAACT	TTGGTCTC.T	GCGAAGGGCG	AATTC.....	.....

Fig. 1AAAN

	4551				4600
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	ACTAGTCCCT	TTAGTGAGGG	TTAATTCTGA	G.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	AC.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	ATAGCTTACA	CATTAAGTGC	TTGGTTGCGC	T.....	.....
AAV2	TGGCTAC...	G TAGATAAGT	AGC.....	.....	.....
AAV3	TGGCTACTGC	G TAGATAAGC	AGCGGCCTGC	GGCGCTTGCG	CTTCGCGGTT
AAV8	.....	.....	.....	.....	.....
AAV9	.....	.....	.....	.....	.....
AAV7	ACTGGTTACA	CATTAAGTGC	TTGGGTGCGC	TTCACGATAA	GAACACTGAC
44_2	.....	.....	.....	.....	.....

Fig. 1AAAO

	4601				4650
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	....CTTGGC	GTAATCATGG	GTCATAG...	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	....TCGCGA	TAAAAGACTT	ACGTCATCGG	GTTACCCCTA	GTGATGGAGT
AAV2	....ATGGCG	GGTTAATCAT	TAACTACAAG	GA.ACCCCTA	GTGATGGAGT
AAV3	TACAAC TGCT	GGTTAATATT	TAACTCTCGC	CATACCTCTA	GTGATGGAGT
AAV8	.....	.....	.....	.....	.....
AAV9	.....	.....	.....	.....	.....
AAV7	.....	.....	..:GTCACCGC	GGTACCCCTA	GTGATGGAGT
44_2	.....	.....	.....	.....	.....

Fig. 1AAAP

	4651				4700
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	TGCCCACTCC	CTCTCTGCGC	GCTCGCTCGC	TCGGTGGGGC	CTGCGGACCA
AAV2	TGGCCACTCC	CTCTCTGCGC	GCTCGCTCGC	TCAGTGAGGC	CGGGCGACCA
AAV3	TGGCCACTCC	CTCTATGCGC	ACTCGCTCGC	TCGGTGGGGC	CTGGCGACCA
AAV8	.....	.....	.....	.....	.....
AAV9	.....	.....	.....	.....	.....
AAV7	TGGCCACTCC	CTCTATGCGC	GCTCGCTCGC	TCGGTGGGGC	CTGCGGACCA
44_2	.....	.....	.....	.....	.....

Fig. 1AAAQ

	4701				4750
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	AAGGTCCGCA	GACGGCAGAG	CTCTGCTCTG	CCGGCCCCAC	CGAGCGAGCG
AAV2	AAGGTCGCCC	GACGCCCGGG	CTTTGCCCGG	GCGGCCTCAG	TGAGCGAGCG
AAV3	AAGGTCGCCA	GACGGACGTG	CTTTGCACGT	CCGGCCCCAC	CGAGCGAGCG
AAV8	.....	.....	.....	.....	.....
AAV9	.....	.....	.....	.....	.....
AAV7	AAGGTCCGCA	GACGGCAGAG	CTCTGCTCTG	CCGGCCCCAC	CGAGCGAGCG
44_2	.....	.....	.....	.....	.....

Fig. 1AAAR

	4751		4774
42_2	.....	.....	.....
42_8	.....	.....	.....
42_15	.....	.....	.....
42_5b	.....	.....	.....
42_1b	.....	.....	.....
42_13	.....	.....	.....
42_3a	.....	.....	.....
42_4	.....	.....	.....
42_5a	.....	.....	.....
42_10	.....	.....	.....
42_3b	.....	.....	.....
42_11	.....	.....	.....
42_6b	.....	.....	.....
43_1	.....	.....	.....
43_5	.....	.....	.....
43_12	.....	.....	.....
43_20	.....	.....	.....
43_21	.....	.....	.....
43_23	.....	.....	.....
43_25	.....	.....	.....
44_1	.....	.....	.....
44_5	.....	.....	.....
223_10	.....	.....	.....
223_2	.....	.....	.....
223_4	.....	.....	.....
223_5	.....	.....	.....
223_6	.....	.....	.....
223_7	.....	.....	.....
A3_4	.....	.....	.....
A3_5	.....	.....	.....
A3_7	.....	.....	.....
A3_3	.....	.....	.....
42_12	.....	.....	.....
AAV1	AGCGCGCAGA	GAGGGAGTGG	GCAA
AAV2	AGCGCGCAGA	GAGGGAGTGG	CCAA
AAV3	AGTGCGCATA	GAGGGAGTGG	CCAA
AAV8	.....	.....	.....
AAV9	.....	.....	.....
AAV7	AGCGCGCATA	GAGGGAGTGG	CCAA
44_2	.....	.....	.....

Fig. 2A

[illegible]

Fig. 2B

[illegible]



Fig. 2c

[illegible]

Fig. 2D

582  
 583  
 584  
 585  
 586  
 587  
 588  
 589  
 590  
 591  
 592  
 593  
 594  
 595  
 596  
 597  
 598  
 599  
 600  
 601  
 602  
 603  
 604  
 605  
 606  
 607  
 608  
 609  
 610  
 611  
 612  
 613  
 614  
 615  
 616  
 617  
 618  
 619  
 620  
 621  
 622  
 623  
 624  
 625  
 626  
 627  
 628  
 629  
 630  
 631  
 632  
 633  
 634  
 635  
 636  
 637  
 638  
 639  
 640  
 641  
 642  
 643  
 644  
 645  
 646  
 647  
 648  
 649  
 650  
 651  
 652  
 653  
 654  
 655  
 656  
 657  
 658  
 659  
 660  
 661  
 662  
 663  
 664  
 665  
 666  
 667  
 668  
 669  
 670  
 671  
 672  
 673  
 674  
 675  
 676  
 677  
 678  
 679  
 680  
 681  
 682  
 683  
 684  
 685  
 686  
 687  
 688  
 689  
 690  
 691  
 692  
 693  
 694  
 695  
 696  
 697  
 698  
 699  
 700  
 701  
 702  
 703  
 704  
 705  
 706  
 707  
 708  
 709  
 710  
 711  
 712  
 713  
 714  
 715  
 716  
 717  
 718  
 719  
 720  
 721  
 722  
 723  
 724  
 725  
 726  
 727  
 728  
 729  
 730  
 731  
 732  
 733  
 734  
 735  
 736  
 737  
 738  
 739  
 740  
 741  
 742  
 743  
 744  
 745  
 746  
 747  
 748  
 749  
 750  
 751  
 752  
 753  
 754  
 755  
 756  
 757  
 758  
 759  
 760  
 761  
 762  
 763  
 764  
 765  
 766  
 767  
 768  
 769  
 770  
 771  
 772  
 773  
 774  
 775  
 776  
 777  
 778  
 779  
 780  
 781  
 782  
 783  
 784  
 785  
 786  
 787  
 788  
 789  
 790  
 791  
 792  
 793  
 794  
 795  
 796  
 797  
 798  
 799  
 800  
 801  
 802  
 803  
 804  
 805  
 806  
 807  
 808  
 809  
 810  
 811  
 812  
 813  
 814  
 815  
 816  
 817  
 818  
 819  
 820  
 821  
 822  
 823  
 824  
 825  
 826  
 827  
 828  
 829  
 830  
 831  
 832  
 833  
 834  
 835  
 836  
 837  
 838  
 839  
 840  
 841  
 842  
 843  
 844  
 845  
 846  
 847  
 848  
 849  
 850  
 851  
 852  
 853  
 854  
 855  
 856  
 857  
 858  
 859  
 860  
 861  
 862  
 863  
 864  
 865  
 866  
 867  
 868  
 869  
 870  
 871  
 872  
 873  
 874  
 875  
 876  
 877  
 878  
 879  
 880  
 881  
 882  
 883  
 884  
 885  
 886  
 887  
 888  
 889  
 890  
 891  
 892  
 893  
 894  
 895  
 896  
 897  
 898  
 899  
 900  
 901  
 902  
 903  
 904  
 905  
 906  
 907  
 908  
 909  
 910  
 911  
 912  
 913  
 914  
 915  
 916  
 917  
 918  
 919  
 920  
 921  
 922  
 923  
 924  
 925  
 926  
 927  
 928  
 929  
 930  
 931  
 932  
 933  
 934  
 935  
 936  
 937  
 938  
 939  
 940  
 941  
 942  
 943  
 944  
 945  
 946  
 947  
 948  
 949  
 950  
 951  
 952  
 953  
 954  
 955  
 956  
 957  
 958  
 959  
 960  
 961  
 962  
 963  
 964  
 965  
 966  
 967  
 968  
 969  
 970  
 971  
 972  
 973  
 974  
 975  
 976  
 977  
 978  
 979  
 980  
 981  
 982  
 983  
 984  
 985  
 986  
 987  
 988  
 989  
 990  
 991  
 992  
 993  
 994  
 995  
 996  
 997  
 998  
 999  
 1000



Fig. 2F

```

C1VP1 L 733
C2VP1 L 733
C5VP102 L 733
AAV1VP1 L 734
AAV1 L 736
AAV6VP1 L 736
AJ3 L 735
AJ7 L 735
AJ4 L 735
AJ5 L 735
AAV2 L 735
AAV3 L 736
3.3bVP1 L 737
AAV7 L 737
223_4 - 644
223_5 - 644
223_10 - 644
223_2 - 644
223_7 - 644
223_6 - 644
44_1 L 738
44_5 L 738
44_2 L 738
29.3VP1 L 738
29.3VP1 L 738
44_15 L 738
44_8 L 738
42_11 L 733
42_3A L 733
42_4 L 731
42_5A L 731
42_3B L 733
42_5B L 738
42_5 L 738
43_12 L 738
43_5 L 738
AAV8 L 738
43_21 L 736
43_25 L 736
43_23 L 736
43_20 L 736
AAV_9 L 736
44_1 L 728
42.2REAL L 728
7.2VP1 L 728
27.3VP1 L 728
16.3VP1 L 728
42_10 L 728
42_3B L 728
42_11 L 728
F1VP1 L 729
PSVP103 L 729
F3VP1 L 729
42_6B L 735
42_12 L 605
AAV5CAP L 724
Euler .

```

C2, SEQ ID NO:61; C5, SEQ ID NO:62; A3-3, SEQ ID NO:66; A3-7, SEQ ID NO:67; A3-4, SEQ ID NO:68; A3-5, SEQ ID NO: 69; 3.3b, SEQ ID NO: 62; 223.4, SEQ ID NO: 73; 223-5, SEQ ID NO:74; 223-10, SEQ ID NO:75; 223-2, SEQ ID NO:76; 223-7, SEQ ID NO: 77; 223-6, SEQ ID NO: 78; 44-1, SEQ ID NO: 79; 44-5, SEQ ID NO:80; 44-2, SEQ ID NO:81; 42-15, SEQ ID NO: 84; 42-8, SEQ ID NO: 85; 42-13, SEQ ID NO:86; 42-3A, SEQ ID NO:87; 42-4, SEQ ID NO:88; 42-5A, SEQ ID NO:89; 42-1B, SEQ ID NO:90; 42-5B, SEQ ID NO:91; 43-1, SEQ ID NO: 92; 43-12, SEQ ID NO: 93; 43-5, SEQ ID NO:94; 43-21, SEQ ID NO:96; 43-25, SEQ ID NO: 97; 43-20, SEQ ID NO:99; 24.1, SEQ ID NO: 101; 42.2, SEQ ID NO:102; 7.2, SEQ ID NO: 103; 27.3, SEQ ID NO: 104; 16.3, SEQ ID NO: 105; 42.10, SEQ ID NO: 106; 42-3B, SEQ ID NO: 107; 42-11, SEQ ID NO: 108; F1, SEQ ID NO: 109; F5, SEQ ID NO: 110; F3, SEQ ID NO:111; 42-6B, SEQ ID NO: 112; and 42-12, SEQ ID NO: 113.

30. A molecule comprising a nucleic acid sequence encoding a novel adeno-associated virus (AAV) serotype capsid protein, said nucleic acid sequence selected from the group consisting of: AAV5, SEQ ID NO:2; 42-2 , SEQ ID NO:9; 42-8 ,SEQ ID NO:27; 42-15 , SEQ ID NO:28; 42-5b ,SEQ ID NO: 29; 42-1b ,SEQ ID NO:30; 42-13, SEQ ID NO: 31; 42-3a , SEQ ID NO: 32; 42-4 ,SEQ ID NO:33; 42-5a , SEQ ID NO: 34; 42-10, SEQ ID NO:35; 42-3b, SEQ ID NO: 36; 42-11, SEQ ID NO: 37; 42-6b, SEQ ID NO:38; 43-1, SEQ ID NO: 39; 43-5, SEQ ID NO: 40; 43-12 ,SEQ ID NO:41; 43-20, SEQ ID NO:42; 43-21, SEQ ID NO: 43; 43-23, SEQ ID NO:44; 43-25 ,SEQ ID NO: 45; 44.1, SEQ ID NO:47; 44.5, SEQ ID NO:47; 223.10, SEQ ID NO:48; 223.2 , SEQ ID NO:49; 223.4, SEQ ID NO:50; 223.5, SEQ ID NO: 51; 223.6, SEQ ID NO: 52; 223.7, SEQ ID NO: 53; A3.4, SEQ ID NO: 54; A3.5, SEQ ID NO:55; A3.7 , SEQ ID NO: 56; A3.3 ,SEQ ID NO:57; 42.12, SEQ ID NO: 58; 44.2, SEQ ID NO: 59; AAV10 , SEQ ID NO: 117; AAV11, SEQ ID NO: 118; AAV12 ,SEQ ID NO:119; A3.1, SEQ ID NO:120; and H6, SEQ ID NO: 25.

31. A molecule comprising a nucleic acid sequence encoding a fragment of an adeno-associated virus capsid protein, said nucleic acid sequence selected from the group consisting of:

- vp1, nt 825 to 3049;
- vp2, nt 1234 to 3049;
- vp 3, nt 1434 to 3049;

nt 468 to 3090; and

nt 725 to 3090,

wherein the nucleotides numbers are of AAV7, SEQ ID NO:1 and correspond to sequences in 42-2 , SEQ ID NO:9; 42-8 ,SEQ ID NO:27; 42-15 , SEQ ID NO:28; 42-5b ,SEQ ID NO: 29; 42-1b ,SEQ ID NO:30; 42-13, SEQ ID NO: 31; 42-3a , SEQ ID NO: 32; 42-4 ,SEQ ID NO:33; 42-5a , SEQ ID NO: 34; 42-10, SEQ ID NO:35; 42-3b, SEQ ID NO: 36; 42-11, SEQ ID NO: 37; 42-6b, SEQ ID NO:38; 43-1, SEQ ID NO: 39; 43-5, SEQ ID NO: 40; 43-12 ,SEQ ID NO:41; 43-20, SEQ ID NO:42; 43-21, SEQ ID NO: 43; 43-23, SEQ ID NO:44; 43-25 ,SEQ ID NO: 45; 44.1, SEQ ID NO:47; 44.5, SEQ ID NO:47; 223.10, SEQ ID NO:48; 223.2 , SEQ ID NO:49; 223.4, SEQ ID NO:50; 223.5, SEQ ID NO: 51; 223.6, SEQ ID NO: 52; 223.7, SEQ ID NO: 53; A3.4, SEQ ID NO: 54; A3.5, SEQ ID NO:55; A3.7 , SEQ ID NO: 56; A3.3 ,SEQ ID NO:57; 42.12, SEQ ID NO: 58; 44.2, SEQ ID NO: 59; AAV10 , SEQ ID NO: 117; AAV11, SEQ ID NO: 118; AAV12 ,SEQ ID NO:119; A3.1, SEQ ID NO:120; and H6, SEQ ID NO: 25.

32. The molecule according to claim 26 or claim 28 to 31, wherein said molecule is a plasmid.

33. The molecule according to claim 26 or claim 28 to 31, wherein said molecule further comprises a functional AAV *rep* gene.

34. The molecule according to claim 30, wherein said nucleic acid sequence is the AAV7 sequence, SEQ ID NO:1.

35. A method of generating a recombinant adeno-associated virus (AAV) comprising an AAV serotype capsid comprising the steps of culturing a host cell containing: (a) a molecule according to any of claims 26 or claim 28 to 31 which encodes an adeno-associated virus capsid; (b) a functional *rep* gene; (c) a minigene comprising AAV inverted terminal repeats (ITRs) and a transgene; and (d) sufficient helper functions to permit packaging of the minigene into the AAV capsid protein.

36. A host cell transfected with an adeno-associated virus according to claim 24 or a molecule according to any of claims 26, or claims 28 to 31.

37. A composition comprising an AAV according to claim 24 or claim 27, and a physiologically compatible carrier.

38. A composition comprising a molecule according to any of claims 26, or claims 28 to 31 and a physiologically compatible carrier.

39. A method of delivering a transgene to a cell, said method comprising the step of contacting the cell with an AAV according to claim 24 or claim 27, wherein said rAAV comprises the transgene.

40. A molecule comprising a heterologous adeno-associated virus (AAV) serotype 7 nucleic acid sequence, said sequence comprising:

nucleotides (nt) 1 to 107 of SEQ ID NO: 1;

nt 107 to 2215 of SEQ ID NO:1;

nt 334 to 2215 of SEQ ID NO:1;

nt 2222 to 4435 of SEQ ID NO:1.

nt 2633 to 4435 of SEQ ID NO:1;

nt 2831 to 4435 of SEQ ID NO:1; and

nt 4704 to 4721 of SEQ ID NO: 1.

41. A molecule encoding an adeno-associated virus (AAV) serotype 7 rep protein or a fragment thereof, said protein or fragment selected from the group consisting of:

amino acid (aa) 1 to 623, aa 1 to 171; aa 172 to 372, aa 373 to 444, and aa 445 to 623 of SEQ ID NO:3.

42. A host cell containing a molecule according to claim 40 or 41.

FIG. 1A

	1				50
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	TTGCCCACTC	CCTCTCTGCG	CGCTCGCTCG	CTCGGTGGGG	CCTGCGGACC
AAV2	TTGGCCACTC	CCTCTCTGCG	CGCTCGCTCG	CTCACTGAGG	CCGGGCGACC
AAV3	TTGGCCACTC	CCTCTATGCG	CACTCGCTCG	CTCGGTGGGG	CCTGGCGACC
AAV8	.....	.....	.....	.....	.....
AAV9	.....	.....	.....	.....	.....
AAV7	TTGGCCACTC	CCTCTATGCG	CGCTCGCTCG	CTCGGTGGGG	CCTGCGGACC
44_2	.....	.....	.....	.....	.....



Fig. 1B




Fig. 1C




Fig. 1D

	151				200
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	GCGCCTCCCA	CGCTGCCGCG	TCAGCGCTGA	CGTAAATTAC	GTCATAGGGG
AAV2	.....CTG	GAGGGGTGGA	GTCGTGACGT	GAATTACGTC	ATAGGGT TAG
AAV3	.....ATG	GCAGTGACGT	AACGCGAAGC	GCGCGAAGCG	AGACCACGCC
AAV8	GCGCCTCCCA	CGCTGCCGCG	TCAGCGCTGA	CGTAAATTAC	GTCATAGGGG
AAV9	GCGCCTCCCA	CGCTGCCGCG	TCAGCGCTGA	CGTAGATTAC	GTCATAGGGG
AAV7	GCGCCTCCCA	CGCTGCCGCG	TCAGCGCTGA	CGTAAATCAC	GTCATAGGGG
44_2	.....	.....	.....	.....	.....

Fig. 1E




Fig. 1F




Fig. 1G




Fig. 1H

	351				400
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CGAGATCGTG	ATCAAGGTGC	CGAGCGACCT	GGACGAGCAC	CTGCCGGGCA
AAV2	CGAGATTGTG	ATTAAGGTCC	CCAGCGACCT	TGACGGGCAT	CTGCCGGGCA
AAV3	CGAGATTGTC	CTGAAGGTCC	CGAGTGACCT	GGACGAGCGC	CTGCCGGGCA
AAV8	CGAGATCGTG	ATCAAGGTGC	CGAGCGACCT	GGACGAGCAC	CTGCCGGGCA
AAV9	CGAGATTGTG	ATCAAGGTGC	CGAGCGACCT	GGACGAGCAC	CTGCCGGGCA
AAV7	CGAGATCGTG	ATCAAGGTGC	CGAGCGACCT	GGACGAGCAC	CTGCCGGGCA
44_2	.....	.....	.....	.....	.....

Fig. 1I

	401				450
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	TTTCTGACTC	GTTTGTGAGC	TGGGTGGCCG	AGAAGGAATG	GGAGCTGCCC
AAV2	TTTCTGACAG	CTTTGTGAAC	TGGGTGGCCG	AGAAGGAATG	GGAGTTGCCG
AAV3	TTTCTAACTC	GTTTGTTAAC	TGGGTGGCCG	AGAAGGAATG	GGACGTGCCG
AAV8	TTTCTGACTC	GTTTGTGAAC	TGGGTGGCCG	AGAAGGAATG	GGAGCTGCCC
AAV9	TTTCTGACTC	TTTTGTGAAC	TGGGTGGCCG	AGAAGGAATG	GGAGCTGCCC
AAV7	TTTCTGACTC	GTTTGTGAAC	TGGGTGGCCG	AGAAGGAATG	GGAGCTGCCC
44_2	.....	.....	.....	.....	.....



Fig. 1J

	451				500
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CCGGATTCTG	ACATGGATCT	GAATCTGATT	GAGCAGGCAC	CCCTGACCGT
AAV2	CCAGATTCTG	ACATGGATCT	GAATCTGATT	GAGCAGGCAC	CCCTGACCGT
AAV3	CCGGATTCTG	ACATGGATCC	GAATCTGATT	GAGCAGGCAC	CCCTGACCGT
AAV8	CCGGATTCTG	ACATGGATCG	GAATCTGATC	GAGCAGGCAC	CCCTGACCGT
AAV9	CCGGATTCTG	ACATGGATCG	GAATCTGATC	GAGCAGGCAC	CCCTGACCGT
AAV7	CCGGATTCTG	ACATGGATCT	GAATCTGATC	GAGCAGGCAC	CCCTGACCGT
44_2	.....	.....	.....	.....	.....

Fig. 1K

	501				550
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	GGCCGAGAAG	CTGCAGCGCG	ACTTCCTGGT	CCAATGGCGC	CGCGTGAGTA
AAV2	GGCCGAGAAG	CTGCAGCGCG	ACTTTCTGAC	GGAATGGCGC	CGTGTGAGTA
AAV3	GGCCGAAAAG	CTTCAGCGCG	AGTTCCTGGT	GGAGTGGCGC	CGCGTGAGTA
AAV8	GGCCGAGAAG	CTGCAGCGCG	ACTTCCTGGT	CCAATGGCGC	CGCGTGAGTA
AAV9	GGCCGAGAAG	CTGTAGCGCG	ACTTCCTGGT	CCAATGGCGC	CGCGTGAGTA
AAV7	GGCCGAGAAG	CTGCAGCGCG	ACTTCCTGGT	CCAATGGCGC	CGCGTGAGTA
44_2	.....	.....	.....	.....	.....

Fig. 1L

	551				600
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	AGGCCCGGA	GGCCCTCTTC	TTTGTTTCAGT	TCGAGAAGGG	CGAGTCCTAC
AAV2	AGGCCCGGA	GGCCCTTTTC	TTTGTGCAAT	TTGAGAAGGG	AGAGAGCTAC
AAV3	AGGCCCGGA	GGCCCTCTTT	TTTGTCCAGT	TCGAAAAGGG	GGAGACCTAC
AAV8	AGGCCCGGA	GGCCCTCTTC	TTTGTTCAGT	TCGAGAAGGG	CGAGAGCTAC
AAV9	AGGCCCGGA	GGCCCTCTTC	TTTGTTCAGT	TCGAGAAGGG	CGAGAGCTAC
AAV7	AGGCCCGGA	GGCCCTGTTT	TTTGTTCAGT	TCGAGAAGGG	CGAGAGCTAC
44_2	.....	.....	.....	.....	.....

Fig. 1M

	601				650
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	TTCCACCTCC	ATATTCTGGT	GGAGACCACG	GGGGTCAAAT	CCATGGTGCT
AAV2	TTCCACATGC	ACGTGCTCGT	GGAAACCACC	GGGGTGAAAT	CCATGGTTTT
AAV3	TTCCACCTGC	ACGTGCTGAT	TGAGACCATC	GGGGTCAAAT	CCATGGTGGT
AAV8	TTTCACCTGC	ACGTTCTGGT	CGAGACCACG	GGGGTCAAGT	CCATGGTGCT
AAV9	TTTCACCTGC	ACGTTCTGGT	CGAGACCACG	GGGGTCAAGT	CCATGGTGCT
AAV7	TTCCACCTTC	ACGTTCTGGT	GGAGACCACG	GGGGTCAAGT	CCATGGTGCT
44_2	.....	.....	.....	.....	.....

Fig. 1N

	651				700
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	GGGCCGCTTC	CTGAGTCAGA	TTAGGGACAA	GCT.GGTGCA	GACCATCTAC
AAV2	GGGACGTTTC	CTGAGTCAGA	TTGCGGAAAA	ACT..GATTC	AGAGAATTTA
AAV3	CGGCCGCTAC	GTGAGCCAGA	TTAAAGAGAA	GCT..GGTGA	CCCGCATCTA
AAV8	AGGCCGCTTC	CTGAGTCAGA	TTCGGGAAAA	GCTTGGTCCA	GACCATCTAC
AAV9	AGGCCGCTTC	CTGAGTCAGA	TTCGGGAGAA	GCT.GGTCCA	GACCATCTAC
AAV7	AGGCCGCTTC	CTGAGTCAGA	TTCGGGAGAA	GCT....G..	GTCCAGACCA
44_2	.....	.....	.....	.....	.....

Fig. 10

	701				750
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	C.GCGGGATC	GAGCCG.ACC	CTGCCCAACT	GGTTCGCGGT	GACCAA.GAC
AAV2	CCGCGGGATC	GAGCCG.ACT	TTGCCAAACT	GGTTCGCGGT	CACAAA...G
AAV3	CCGCGGGGTC	GAGCCG.CAG	CTTCCGAAC	GGTTCGCGGT	GACCAA...A
AAV8	CCGCGGGGTC	GAGCCCCACC	TTGCCCAACT	GGTTCGCGGT	GACCAAAGAC
AAV9	C.GCGGGATC	GAGCCG.ACC	CTGCCCAACT	GGTTCGCGGT	GACCAA.GAC
AAV7	TCTACCGCGG	GGTCGAGCCC	ACGCTGCCCA	ACTGGTTCGC	GGTGACCAAG
44_2	.....	.....	.....	.....	.....

Fig. 1P

	751				800
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	GCG.TAATGG	CGCCGGAGGG	GGG.AACAAG	GTGGTGGACG	AGTGCTACAT
AAV2	ACCAGAAATG	GCGCCGGAGG	CGGGAACAAG	GTGGTGGATG	AGTGCTACAT
AAV3	ACGCGAAATG	GCGCCGGGGG	CGGGAACAAG	GTGGTGGACG	ACTGCTACAT
AAV8	GCGGTAATGG	CGCCGGCGGG	GGGGAACAAG	GTGGTGGACG	AGTGCTACAT
AAV9	GCG.TAATGG	CGCCGGCGGG	GGG.AACAAG	GTGGTGGACG	AGTGCTACAT
AAV7	ACGCGTAATG	GCGCCGGCGG	GGGGAACAAG	GTGGTGGACG	AGTGCTACAT
44_2	.....	.....	.....	.....	.....

Fig. 1Q

	801				850
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CCCCAACTAC	CTCCTGCCCCA	AGACTCAGCC	CGAGCTGCAG	TGGGCGTGGA
AAV2	CCCCAATTAC	TTGCTCCCCA	AAACCCAGCC	TGAGCTCCAG	TGGGCGTGGA
AAV3	CCCCAACTAC	CTGCTCCCCA	AGACCCAGCC	CGAGCTCCAG	TGGGCGTGGA
AAV8	CCCCAACTAC	CTCCTGCCCCA	AGACTCAGCC	CGAGCTGCAG	TGGGCGTGGA
AAV9	CCCCAACTAC	CTCCTGCCCCA	AGACTCAGCC	CGAGCTGCAG	TGGGCGTGGA
AAV7	CCCCAACTAC	CTCCTGCCCCA	AGACCCAGCC	CGAGCTGCAG	TGGGCGTGGA
44_2	.....	.....	.....	.....	.....



Fig. 1R

851

900




Fig. 1S

	901				950
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CGGCTCGTGG	CGCAGCACCT	GACCCACGTC	AGCCAGACCC	AGGAGCAGAA
AAV2	CGGTTGGTGG	CGCAGCATCT	GACGCACGTG	TCGCAGACGC	AGGAGCAGAA
AAV3	CGGCTGGTGG	CGCAGCATCT	GACGCACGTG	TCGCAGACGC	AGGAGCAGAA
AAV8	CGGCTCGTGG	CGCAGCACCT	GACCCACGTC	AGCCAGACGC	AGGAGCAGAA
AAV9	CGGCTCGTGG	CGCAGCACCT	GACCCACGTC	AGCCAGACGC	AGGAGCAGAA
AAV7	CGGCTCGTGG	CGCAGCACCT	GACCCACGTC	AGCCAGACGC	AGGAGCAGAA
44_2	.....	.....	.....	.....	.....

Fig. 1T

	951				1000
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CAAGGAGAAT	CTGAACCCCA	ATTCTGACGC	GCCTGTCATC	CGGTCAAAAA
AAV2	CAAAGAGAAT	CAGAATCCCA	ATTCTGATGC	GCCGGTGATC	AGATCAAAAA
AAV3	CAAAGAGAAT	CAGAACCCCA	ATTCTGACGC	GCCGGTCATC	AGGTCAAAAA
AAV8	CAAGGAGAAT	CTGAACCCCA	ATTCTGACGC	GCCCGTGATC	AGGTCAAAAA
AAV9	CAAGGAGAAT	CTGAACCCCA	ATTCTGACGC	GCCCGTGATC	AGGTCAAAAA
AAV7	CAAGGAGAAT	CTGAACCCCA	ATTCTGACGC	GCCCGTGATC	AGGTCAAAAA
44_2	.....	.....	.....	.....	.....

Fig. 1U

	1001				1050
		Rep52/40 start codon			
42_2	.....	↓	↓	.....	.....
42_8	.....			.....	.....
42_15	.....			.....	.....
42_5b	.....			.....	.....
42_1b	.....			.....	.....
42_13	.....			.....	.....
42_3a	.....			.....	.....
42_4	.....			.....	.....
42_5a	.....			.....	.....
42_10	.....			.....	.....
42_3b	.....			.....	.....
42_11	.....			.....	.....
42_6b	.....			.....	.....
43_1	.....			.....	.....
43_5	.....			.....	.....
43_12	.....			.....	.....
43_20	.....			.....	.....
43_21	.....			.....	.....
43_23	.....			.....	.....
43_25	.....			.....	.....
44_1	.....			.....	.....
44_5	.....			.....	.....
223_10	.....			.....	.....
223_2	.....			.....	.....
223_4	.....			.....	.....
223_5	.....			.....	.....
223_6	.....			.....	.....
223_7	.....			.....	.....
A3_4	.....			.....	.....
A3_5	.....			.....	.....
A3_7	.....			.....	.....
A3_3	.....			.....	.....
42_12	.....			.....	.....
AAV1	CCTCCGCGCG	CTACATGGAG	CTGGTCGGGT	GGCTGGTGGA	CCGGGGCATC
AAV2	CTTCAGCCAG	GTACATGGAG	CTGGTCGGGT	GGCTCGTGGA	CAAGGGGATT
AAV3	CCTCAGCCAG	GTACATGGAG	CTGGTCGGGT	GGCTGGTGGA	CCGCGGGATC
AAV8	CCTCCGCGCG	CTATATGGAG	CTGGTCGGGT	GGCTGGTGGA	CCGGGGCATC
AAV9	CCTCCGCGCG	CTACATGGAG	CTGGTCGGGT	GGCTGGTGGA	CCGGGGCATC
AAV7	CCTCCGCGCG	CTACATGGAG	CTGGTCGGGT	GGCTGGTGGA	CCGGGGCATC
44_2	.....	↑	↑	.....	.....
		Rep 52/40 start			

Fig. 1V

	1051				1100
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	ACCTCCGAGA	AGCAGTGGAT	CCAGGAGGAC	CAGGCCTCGT	ACATCTCCTT
AAV2	ACCTCGGAGA	AGCAGTGGAT	CCAGGAGGAC	CAGGCCTCAT	ACATCTCCTT
AAV3	ACGTCAGAAA	AGCAATGGAT	TCAGGAGGAC	CAGGCCTCGT	ACATCTCCTT
AAV8	ACCTCCGAGA	AGCAGTGGAT	CCAGGAGGAC	CAGGCCTCGT	ACATCTCCTT
AAV9	ACCTCCGAGA	AGCAGTGGAT	CCAGGAGGAC	CAGGCCTCGT	ACATCTCCTT
AAV7	ACCTCCGAGA	AGCAGTGGAT	CCAGGAGGAC	CAGGCCTCGT	ACATCTCCTT
44_2	.....	.....	.....	.....	.....

Fig. 1W

	1101				1150
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CAACGCCGCT	TCCAACCTCGC	GGTCCCAGAT	CAAGGCCGCT	CTGGACAATG
AAV2	CAATGCGGCC	TCCAACCTCGC	GGTCCCAGAT	CAAGGCTGCC	TTGGACAATG
AAV3	CAACGCCGCT	TCCAACCTCGC	GGTCCCAGAT	CAAGGCCGCG	CTGGACAATG
AAV8	CAACGCCGCT	TCCAACCTCGC	GGTCCCAGAT	CAAGGCCGCG	CTGGACAATG
AAV9	CAACGCCGCT	TCCAACCTCGC	GGTCCCAGAT	CAAGGCCGCG	CTGGACAATG
AAV7	CAACGCCGCT	TCCAACCTCGC	GGTCCCAGAT	CAAGGCCGCG	CTGGACAATG
44_2	.....	.....	.....	.....	.....

Fig. 1X

	1151				1200
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....	.....	.....
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CCGGCAAGAT	CATGGCGCTG	ACCAAATCCG	CGCCCGACTA	CCTGGTAGGC
AAV2	CGGGAAAGAT	TATGAGCCTG	ACTAAAACCG	CCCCCGACTA	CCTGGTGGGC
AAV3	CCTCCAAGAT	CATGAGCCTG	ACAAAGACGG	CTCCGGACTA	CCTGGTGGGC
AAV8	CCGGCAAGAT	CATGGCGCTG	ACCAAATCCG	CGCCCGACTA	CCTGGTGGGG
AAV9	CCGGCAAGAT	CATGGCGCTG	ACCAAATCCG	CGCCCGACTA	CCTGGTAGGC
AAV7	CCGGCAAGAT	CATGGCGCTG	ACCAAATCCG	CGCCCGACTA	CCTGGTGGGG
44_2	.....	.....	.....	.....	.....

Fig. 1Y

	1201				1250
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	.....	.....	.....GA	ATTGCCCCTT	TCTACGGCTG
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CCCGCTCCGC	CCGCGGACAT	TAAAACCAAC	CGCATCTACC	GCATCCTGGA
AAV2	CAGCAGCCCG	TGGAGGACAT	TTCCAGCAAT	CGGATTTATA	AAATTTTGGA
AAV3	AGCAACCCGC	CGGAGGACAT	TACCAAAAAT	CGGATCTACC	AAATCCTGGA
AAV8	CCCTCGCTGC	CCGCGGACAT	TACCCAGAAC	CGCATCTACC	GCATCCTCGC
AAV9	CCTTCACTTC	CGGTGGACAT	TACGCAGAAC	CGCATCTACC	GCATCCTGCA
AAV7	CCCTCGCTGC	CCGCGGACAT	TAAAACCAAC	CGCATCTACC	GCATCCTGGA
44_2	.....	.....	.....	.....	.....



Fig. 12

	1251				1300
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	CGTCAACTGG	ACCAATGAGA	ACTTTCCTT	CAACGATTGC	GTCGACAAGA
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	GCTGAACGGC	TACGAACCTG	CCTACGCCGG	CTCCGTCTTT	CTCGGCTGGG
AAV2	ACTAAACGGG	TACGATCCCC	AATATGCGGC	TTCCGTCTTT	CTGGGATGGG
AAV3	GCTGAACGGG	TACGATCCGC	AGTACGCCGG	CTCCGTCTTC	CTGGGCTGGG
AAV8	TCTCAACGGC	TACGACCCTG	CCTACGCCGG	CTCCGTCTTT	CTCGGCTGGG
AAV9	GCTCAACGGC	TACGACCCTG	CCTACGCCGG	CTCCGTCTTT	CTCGGCTGGG
AAV7	GCTGAACGGG	TACGATCCTG	CCTACGCCGG	CTCCGTCTTT	CTCGGCTGGG
44_2	.....	.....	.....	.....	.....

Fig. 1AA

	1301				1350
42_2	.....	.....	.....	.....	.....
42_8	.....	.....	.....	.....	.....
42_15	.....	.....	.....	.....	.....
42_5b	.....	.....	.....	.....	.....
42_1b	.....	.....	.....	.....	.....
42_13	.....	.....	.....	.....	.....
42_3a	.....	.....	.....	.....	.....
42_4	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....
42_6b	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT	CGTGGAGTCC
43_1	.....	.....	.....	.....	.....
43_5	.....	.....	.....	.....	.....
43_12	.....	.....	.....	.....	.....
43_20	.....	.....	.....	.....	.....
43_21	.....	.....	.....	.....	.....
43_23	.....	.....	.....	.....	.....
43_25	.....	.....	.....	.....	.....
44_1	.....	.....	.....	.....	.....
44_5	.....	.....	.....	.....	.....
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....
A3_5	.....	.....	.....	.....	.....
A3_7	.....	.....	.....	.....	.....
A3_3	.....	.....	.....	.....	.....
42_12	.....	.....	.....	.....	.....
AAV1	CCCAGAAAAG	GTTCGGGAAG	CGCAACACCA	TCTGGCTGTT	TGGGCCCGGCC
AAV2	CCACGAAAAA	GTTCGGCAAG	AGGAACACCA	TCTGGCTGTT	TGGGCCTGCA
AAV3	CGCAAAAGAA	GTTCGGGAAG	AGGAACACCA	TCTGGCTCTT	TGGGCCCGGCC
AAV8	CTCAGAAAAA	GTTCGGGAAA	CGCAACACCA	TCTGGCTGTT	TGGACCCGCC
AAV9	CACAAAAGAA	GTTCGGGAAA	CGCAACACCA	TCTGGCTGTT	TGGGCCCGGCC
AAV7	CCCAGAAAAA	GTTCGGGAAG	CGCAACACCA	TCTGGCTGTT	TGGGCCCGGCC
44_2	.....	.....	.....	.....	.....

Fig. 1AB

	1351					1400
42_2	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
42_8	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
42_15	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
42_5b	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
42_1b	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
42_13	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
42_3a	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
42_4	.....	.....	.....	.....	.....	.....
42_5a	.....	.....	.....	.....	.....GA	ATTGCCCTT
42_10	.....	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....	.....
42_11	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
42_6b	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC	AAAAGTGCAA	
43_1	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
43_5	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
43_12	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
43_20	.....	.....	.....	.....	.....GAA	TTCGCCCTT.
43_21	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
43_23	.....	.....	.....	.....	.....GAA	TTCGCCCTT.
43_25	.....	.....	.....	.....	.....GAA	TTCGCCCTT.
44_1	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
44_5	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
223_10	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
223_2	.....	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....	.....
A3_4	.....	.....	.....	.....	.....GA	ATTGCCCTT
A3_5	.....	.....	.....	.....	.....GA	ATTGCCCTT
A3_7	.....	.....	.....	.....A	GCGGCCGCGA	ATTGCCCTT
A3_3	.....	.....	.....	.....	.....GA	ATTGCCCTT
42_12	.....	.....	.....	.....	.....GAA	TTCGCCCTTT
AAV1	ACCACGGGCA	AGACCAACAT	CGCGGAAGCC	ATCGCCCACG	CCGTGCCCTT	
AAV2	ACTACCGGGA	AGACCAACAT	CGCGGAGGCC	ATAGCCCACA	CTGTGCCCTT	
AAV3	ACGACGGGTA	AAACCAACAT	CGCGGAAGCC	ATCGCCCACG	CCGTGCCCTT	
AAV8	ACCACCGGCA	AGACCAACAT	TGCGGAAGCC	ATCGCCCACG	CCGTGCCCTT	
AAV9	ACCACGGGAA	AGACCAACAT	CGCAGAAGCC	ATTGCCACG	CCGTGCCCTT	
AAV7	ACCACCGGCA	AGACCAACAT	TGCGGAAGCC	ATCGCCCACG	CCGTGCCCTT	
44_2	.....	.....	.....	.....	.....GA	ATTGCCCTT

Fig. 1AC

	1401				1450
42_2	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_8	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_15	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_5b	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_1b	.....	.....	.....	.....	.....
42_13	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_3a	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_4	.....	.....	.....	.....	.....
42_5a	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
42_6b	.GTCTTCCGC	CCAGATCGAT	CCCACCCCG	TGATCGTCAC	TTCCAACACC
43_1	.CTACGGCTG	CATCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
43_5	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
43_12	.....GGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
43_20	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
43_21	.....GGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
43_23	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
43_25	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
44_1	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
44_5	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	TCTACGGCTG	CGTCAACTGG	ACCAATGAAA	ACTTTCCCTT	CAACGATTGC
A3_5	TCTACGGCTG	CGTCAACTGG	ACCAATGAAA	ACTTTCCCTT	CAACGATTGC
A3_7	TCTACGGCTG	CGTCAACTGG	ACCAATGAAA	ACTTTCCCTT	CAACGATTGC
A3_3	TCTACGGCTG	CGTCAACTGG	ACCAATGAAA	ACTTTCCCTT	CAACGATTGC
42_12	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
AAV1	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAATGATTGC
AAV2	.CTACGGGTG	CGTAAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGACTGT
AAV3	.CTACGGCTG	CGTAAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
AAV8	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAATGATTGC
AAV9	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
AAV7	.CTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC
44_2	TCTACGGCTG	CGTCAACTGG	ACCAATGAGA	ACTTTCCCTT	CAACGATTGC

Fig. 1AD

	1451				1500
42_2	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_8	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_15	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_5b	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_1b	.....	.....	.....	.....	.....
42_13	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_3a	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_4	.....	.....	.....	.....	.....
42_5a	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
42_6b	AACATGTGCG	CCGTGATTGA	CGGGAACAGC	ACCACCTTCG	AGCACCAGCA
43_1	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
43_5	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
43_12	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
43_20	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
43_21	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
43_23	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
43_25	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
44_1	GTCGACAAGA	TGTTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
44_5	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGAAAGATGA	CCGCCAAGGT
A3_5	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGAAAGATGA	CCGCCAAGGT
A3_7	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGAAAGATGA	CCGCCAAGGT
A3_3	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGAAAGATGA	CCGCCAAGGT
42_12	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
AAV1	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
AAV2	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
AAV3	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
AAV8	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
AAV9	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
AAV7	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT
44_2	GTCGACAAGA	TGGTGATCTG	GTGGGAGGAG	GGCAAGATGA	CGGCCAAGGT

Fig. 1AE

	1501				1550
42_2	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_8	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_15	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_5b	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_1b	.....	.....	.....	.....	.....
42_13	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_3a	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_4	.....	.....	.....	.....	.....
42_5a	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
42_6b	GCCGTTGCAG	GACCGGATGT	TCAAATTTGA	ACTCACCCGC	CGTCTGGAGC
43_1	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
43_5	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
43_12	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
43_20	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGTGTGGACC
43_21	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGTGTGGACC
43_23	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGTGTGGACC
43_25	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGTGTGGACC
44_1	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAAGTG	CGCGTGGACC
44_5	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAAGTG	CGCGTGGACC
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	CGTGGAATCT	GCCAAAGCCA	TTCTGGGTGG	AAGCAAGGTT	CGTGTGGACC
A3_5	CGTGGAATCT	GCCAAAGCCA	TTCTGGGTGG	AAGCAAGGTT	CGTGTGGACC
A3_7	CGTGGAATCT	GCCAAAGCCA	TTCTGGGTGG	AAGCAAGGTT	CGTGTGGACC
A3_3	CGTGGAATCT	GCCAAAGCCA	TTCTGGGTGG	AGGCAAGGTT	CGTGTGGACC
42_12	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
AAV1	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
AAV2	CGTGGAGTCG	GCCAAAGCCA	TTCTCGGAGG	AAGCAAGGTG	CGCGTGGACC
AAV3	CGTGGAGAGC	GCCAAAGGCCA	TTCTGGGCGG	AAGCAAGGTG	CGCGTGGACC
AAV8	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
AAV9	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
AAV7	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAGGTG	CGCGTGGACC
44_2	CGTGGAGTCC	GCCAAGGCCA	TTCTCGGCGG	CAGCAAAGTG	CGCGTGGACC

Fig. 1AF

	1551				1600
42_2	AAAAGTGCAA	GTCTTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACT
42_8	AAAAGTGCAA	GTCTTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACT
42_15	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
42_5b	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
42_1b	.....	.....	.....	.....	.....
42_13	AAAAGTGCAA	GTCGTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACT
42_3a	AAAAGTGCAA	GTCGTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACT
42_4	.....	.....	.....	.....	.....
42_5a	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	AAAAGTGCAA	GTCTTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACT
42_6b	ATGACTTTGG	CAAGGTGACA	AAGCAGGAAG	TCAAAGAGTT	CTTCCGCTGG
43_1	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
43_5	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
43_12	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
43_20	AAAAGTGCAA	GTCTTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACC
43_21	AAAAGTGCAA	GTCTTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACC
43_23	AAAAGTGCAA	GTCTTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACC
43_25	AAAAGTGCAA	GTCTTCCGCC	CAGATCGATC	CCACCCCCGT	GATCGTCACC
44_1	AAAAGTGCAA	GCCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
44_5	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	AGAAATGCAA	GTCTTCCGCC	CAGATCGACC	CGACTCCGGT	GATTGTCACC
A3_5	AGAAATGCAA	GTCTTCCGCC	CAGATCGACC	CGACTCCGGT	GATTGTCACC
A3_7	AGAAATGCAG	GTCTTCCGCC	CAGATCGACC	CGACTCCGGT	GATTGTCACC
A3_3	AGAAATGCAA	GTCTTCCGCC	CAGATCGACC	CGACTCCGGT	GATTGTCACC
42_12	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
AAV1	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
AAV2	AGAAATGCAA	GTCTTCCGCC	CAGATAGACC	CGACTCCCGT	GATCGTCACC
AAV3	AAAAGTGCAA	GTCATCGGCC	CAGATCGAAC	CCACTCCCGT	GATCGTCACC
AAV8	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
AAV9	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACTCCCGT	GATCGTCACC
AAV7	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC
44_2	AAAAGTGCAA	GTCGTCCGCC	CAGATCGACC	CCACCCCCGT	GATCGTCACC

Fig. 1AG

	1601				1650
42_2	TCCAACACCA	ACATGTGCGC	TGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_8	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_15	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_5b	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_1b	.....	.....	.....	.....	.....
42_13	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_3a	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_4	.....	.....	.....	.....	.....
42_5a	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
42_6b	GCGCAGGATC	ACGTGACCGA	GGTGGCGCAT	GAGTTCTACG	TCAGAAAGGG
43_1	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
43_5	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
43_12	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
43_20	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
43_21	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
43_23	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
43_25	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
44_1	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
44_5	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	TCTAACACCA	ACATGTGCGC	CGTGATTGAC	GGAAACTCGA	CCACCTTCGA
A3_5	TCTAACACCA	ACATGTGCGC	CGTGATTGAC	GGAAACTCGA	CCACCTTCGA
A3_7	TCTAACACCA	ACATGTGCGC	CGTGATTGAC	GGAAACTCGA	CCACCTTCGA
A3_3	TCTAACACCA	ACATGTGCGC	CGTGATTGAC	GGAAACTCGA	CCACCTTCGA
42_12	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
AAV1	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
AAV2	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
AAV3	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
AAV8	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
AAV9	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
AAV7	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA
44_2	TCCAACACCA	ACATGTGCGC	CGTGATTGAC	GGGAACAGCA	CCACCTTCGA



Fig. 1AH

	1651				1700
42_2	GCACCAGCAG	CCGTTACAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_8	GCACCAGCAG	CCGTTACAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_15	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_5b	GCACCAGCAG	CCGTTACAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_1b	.....	.....	.....	.....	.....
42_13	GCACCAGCAG	CCGTTACAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_3a	GCACCAGCAG	CCGTTACAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_4	.....	.....	.....	.....	.....
42_5a	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	GCACCAGCAG	CCGTTACAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
42_6b	TGGAGCCAAC	AAGAGACCCG	CCCCCGATGA	CGCGGATAAA	AGCGAGCCCA
43_1	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAGTTCGAA	CTCACCCGCC
43_5	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAGTTCGAA	CTCACCCGCC
43_12	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAGTTCGAA	CTCACCCGCC
43_20	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
43_21	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
43_23	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
43_25	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
44_1	GCACCAGCAG	CCGTTGCGGG	ACCGGATGTT	CAAGTTTGAA	CTCACCCGCC
44_5	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAGTTTGAA	CTCACCCGCC
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	GCACCAGCAG	CCGTTGCAAG	ACCGGATGTT	CAAATTTGAA	CTTACCCGCC
A3_5	GCACCAGCAG	CCGTTGCAAG	ACCGGATGTT	CAAATTTGAA	CTTACCCGCC
A3_7	GCACCAGCAG	CCGTTGCAAG	ACCGGATGTT	CAAATTTGAA	CTTACCCGCC
A3_3	GCACCAGCAG	CCGTTGCAAG	ACCGGATGTT	CAAATTTGAA	CTTACCCGCC
42_12	GCACCAGCAG	CCGTTACAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
AAV1	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
AAV2	ACACCAGCAG	CCGTTGCAAG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
AAV3	GCATCAGCAG	CCGCTGCAGG	ACCGGATGTT	TGAATTTGAA	CTTACCCGCC
AAV8	GCACCAGCAG	CCTCTCCAGG	ACCGGATGTT	TAAGTTCGAA	CTCACCCGCC
AAV9	GCACCAGCAG	CCTCTCCAGG	ACCGGATGTT	TAAGTTCGAA	CTCACCCGCC
AAV7	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAATTTGAA	CTCACCCGCC
44_2	GCACCAGCAG	CCGTTGCAGG	ACCGGATGTT	CAAGTTTGAA	CTCACCCGCC

Fig. 1AI

	1701				1750
42_2	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
42_8	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
42_15	GTCTGGAGCA	TGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
42_5b	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
42_1b	.....	.....	.....	.....	.....
42_13	GTCTGGAGCA	TGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
42_3a	GTCTGGAGCA	TGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
42_4	.....	.....	.....	.....	.....
42_5a	GTCTGGAGCA	TGACTTTGGC	AAGGCGACAA	AGCAGGAAGT	CAAAGAGTTC
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
42_6b	AGCGGGCCTG	CCCCTCAGTC	GCGGATCCAT	CGACGTCAGA	CGCGGAAGGA
43_1	GTCTGGAGCA	CGACTTTGGC	AAGGTGACCA	AGCAGGAAGT	CAAAGAGTTC
43_5	GTCTGGAGCA	CGACTTTGGC	AAGGTGACCA	AGCAGGAAGT	CAAAGAGTTC
43_12	GTCTGGAGCA	CGACTTTGGC	AAGGTGACCA	AGCAGGAAGT	CAAAGAGTTC
43_20	GTCTGGAGCA	TGACTTTGGC	AAGGTGACGA	AGCAGGAAGT	CAAAGAGTTC
43_21	GTCTGGAGCA	TGACTTTGGC	AAGGTGACGA	AGCAGGAAGT	CAAAGAGTTC
43_23	GTCTGGAGCA	TGACTTTGGC	AAGGTGACGA	AGCAGGAAGT	CAAAGAGTTC
43_25	GTCTGGAGCA	TGACTTTGGC	AAGGTGACGA	AGCAGGAAGT	CAAAGAGTTC
44_1	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAGAGAGTTC
44_5	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAGAGAGTTC
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	GTTTGGATCA	TGACTTTGGG	AAGGTCACCA	AGCAGGAAGT	CAAAGACTTT
A3_5	GTTTGGATCA	TGACTTTGGG	AAGGTCACCA	AGCAGGAAGT	CAAAGACTTT
A3_7	GTTTGGATCA	TGACTTTGGG	AAGGTCACCA	AGCAGGAAGT	CAAAGACTTT
A3_3	GTTTGGATCA	TGACTTTGGG	AAGGTCACCA	AGCAGGAAGT	CAAAGACTTT
42_12	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
AAV1	GTCTGGAGCA	TGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
AAV2	GTCTGGATCA	TGACTTTGGG	AAGGTCACCA	AGCAGGAAGT	CAAAGACTTT
AAV3	GTTTGGACCA	TGACTTTGGG	AAGGTCACCA	AACAGGAAGT	AAAGGACTTT
AAV8	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
AAV9	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAAAGAGTTC
AAV7	GTCTGGAGCA	CGACTTTGGC	AAGGTGACGA	AGCAGGAAGT	CAAAGAGTTC
44_2	GTCTGGAGCA	CGACTTTGGC	AAGGTGACAA	AGCAGGAAGT	CAGAGAGTTC

Fig. 1AJ

	1751				1800
42_2	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_8	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_15	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_5b	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_1b	.....	.....	.....	.....	.....
42_13	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_3a	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_4	.....	.....	.....	.....	.....
42_5a	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_10	.....	.....	.....	.....	.....
42_3b	.....	.....	.....	.....	.....
42_11	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
42_6b	GCTCCGGTGG	ACTTTGCCGA	CAGGTACCAA	AACAAATGTT	CTCGTCACGC
43_1	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
43_5	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
43_12	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
43_20	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
43_21	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCCACGT
43_23	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCCACGT
43_25	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCCACGT
44_1	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCACC	AGTTCTACGT
44_5	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCACC	AGTTCTACGT
223_10	.....	.....	.....	.....	.....
223_2	.....	.....	.....	.....	.....
223_4	.....	.....	.....	.....	.....
223_5	.....	.....	.....	.....	.....
223_6	.....	.....	.....	.....	.....
223_7	.....	.....	.....	.....	.....
A3_4	TTCCGGTGGG	CTCAAGATCA	CGTGACTGAG	GTGGAGCATG	AGTTCTACGT
A3_5	TTCCGGTGGG	CTCAAGATCA	CGTGACTGAG	GTGGAGCATG	AGTTCTACGT
A3_7	TTCCGGTGGG	CTCAAGATCA	CGTGACTGAG	GTGGAGCATG	AGTTCTACGT
A3_3	TTCCGGTGGG	CTCAAGATCA	CGTGACTGAG	GTGGAGCATG	AGTTCTACGT
42_12	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
AAV1	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
AAV2	TTCCGGTGGG	CAAAGGATCA	CGTGGTTGAG	GTGGAGCATG	AATTCTACGT
AAV3	TTCCGGTGGG	CTTCCGATCA	CGTGACTGAC	GTGGCTCATG	AGTTCTACGT
AAV8	TTCCGCTGGG	CCAGTGATCA	CGTGACCGAG	GTGGCGCATG	AGTTTACGT
AAV9	TTCCGCTGGG	CCAGTGATCA	CGTGACCGAG	GTGGCGCATG	AGTTTACGT
AAV7	TTCCGCTGGG	CCAGTGATCA	CGTGACCGAG	GTGGCGCATG	AGTTCTACGT
44_2	TTCCGCTGGG	CGCAGGATCA	CGTGACCGAG	GTGGCGCACC	AGTTCTACGT

Fig. 1AK

1801						1850
						P40/TATA
42_2	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATAAAA	
42_8	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATAAAA	
42_15	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATAAAA	
42_5b	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATAAAA	
42_1b	.....	.....	.....	.....	.....	
42_13	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATAAAA	
42_3a	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATAAAA	
42_4	.....	.....	.....	.....	.....	
42_5a	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATAAAA	
42_10	.....	.....	.....	.....	.....	
42_3b	.....	.....	.....	.....	.....	
42_11	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATAAAA	
42_6b	GGGCATAGCG	CTGACGTAAA	TCACGTCATA	GGGGAGTGGT	CCTGTATTAG	
43_1	CAGAAAGGGC	GGAGCCAGCA	AAAGACCCGC	CCCCGATGAC	GCGGATATAA	
43_5	CAGAAAGGGC	GGAGCCAGCA	AAAGACCCGC	CCCCGATGAC	GCGGATATAA	
43_12	CAGAAAGGGC	GGAGCCAGCA	AAAGACCCGC	CCCCGATGAC	GCGGATATAA	
43_20	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATATAA	
43_21	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATATAA	
43_23	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATATAA	
43_25	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATATAA	
44_1	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATAAAA	
44_5	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATAAAA	
223_10	.....	.....	.....	.....	.....	
223_2	.....	.....	.....	.....	.....	
223_4	.....	.....	.....	.....	.....	
223_5	.....	.....	.....	.....	.....	
223_6	.....	.....	.....	.....	.....	
223_7	.....	.....	.....	.....	.....	
A3_4	CAAAAAGGGT	GGAGCCAAGA	AAAGGCCCGC	CCCCGATGAT	GTATATATAA	
A3_5	CAAAAAGGGT	GGAGCCAAGA	AAAGGCCCGC	CCCCGATGAT	GTATATATAA	
A3_7	CAAAAAGGGT	GGAGCCAAGA	AAAGGCCCGC	CCCCGATGAT	GTATATATAA	
A3_3	CAAAAAGGGT	GGAGCCAAGA	AAAGGCCCGC	CCCCGATGAT	GTATATATAA	
42_12	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATAAAA	
AAV1	CAGAAAGGGT	GGAGCCAACA	AAAGACCCGC	CCCCGATGAC	GCGGATAAAA	
AAV2	CAAAAAGGGT	GGAGCCAAGA	AAAGACCCGC	CCCCAGTGAC	GCAGATATAA	
AAV3	CAGAAAGGGT	GGAGCTAAGA	AACGCCCCGC	CTCCAATGAC	GCGGATGTAA	
AAV8	CAGAAAGGGC	GGAGCCAGCA	AAAGACCCGC	CCCCGATGAC	GCGGATAAAA	
AAV9	CAGAAAGGGC	GGAGCCAGCA	AAAGACCCGC	CCCCGATGAC	GCGGATAAAA	
AAV7	CAGAAAGGGC	GGAGCCAGCA	AAAGACCCGC	CCCCGATGAC	GCGGATATAA	
44_2	CAGAAAGGGT	GGAGCCAACA	AGAGACCCGC	CCCCGATGAC	GCGGATAAAA	P40/TATA